



US00RE46047E

(19) **United States**
(12) **Reissued Patent**
Higgins

(10) **Patent Number:** **US RE46,047 E**
(45) **Date of Reissued Patent:** **Jul. 5, 2016**

- (54) **POLY BOTTLE**
- (71) Applicant: **Custom Metalcraft, Inc.**, Springfield, MO (US)
- (72) Inventor: **Scott Higgins**, Ozark, MO (US)
- (73) Assignee: **Custom Metalcraft, Inc.**, Springfield, MO (US)
- (21) Appl. No.: **29/501,368**
- (22) Filed: **Sep. 3, 2014**

Related U.S. Patent Documents

Reissue of:

- (64) Patent No.: **Des. 666,691**
- Issued: **Sep. 4, 2012**
- Appl. No.: **29/393,157**
- Filed: **May 31, 2011**

- (51) **LOC (10) Cl.** **23-01**
 - (52) **U.S. Cl.**
 - USPC **D23/202**
 - (58) **Field of Classification Search**
 - USPC D23/202; D25/121, 126
 - CPC B65D 7/00; B65D 77/0466; B65D 1/20; B65D 1/00; B65D 21/023; B65D 88/08; B65D 90/08; B65D 90/10; B65D 19/00; B65D 19/06; B67D 3/00
- See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,173,288 A	11/1979	Schutz	220/1.5
4,580,680 A *	4/1986	Wind	206/386
D298,450 S *	11/1988	Thomas et al.	D23/202
5,029,734 A *	7/1991	Nichols	B65D 19/069 108/55.3
5,111,937 A	5/1992	Schutz	206/386
D332,130 S *	12/1992	Przytulla	D23/202
D336,327 S	6/1993	Zorb et al.	D23/202
D337,367 S *	7/1993	McKenzie et al.	D23/202
5,253,777 A	10/1993	Schutz	220/571
5,259,509 A	11/1993	Boal, Jr. et al.	206/597
5,316,174 A	5/1994	Schutz	220/571

5,544,777 A *	8/1996	Watson	B65D 1/16 220/1.5
5,704,477 A *	1/1998	Hermann	B65D 77/0466 206/386
D394,302 S *	5/1998	Harris et al.	D23/200
5,794,818 A	8/1998	Bromwell et al.	222/105
D418,196 S *	12/1999	Faltys et al.	D23/202
6,244,159 B1 *	6/2001	Kimura et al.	92/12.2
6,244,459 B1	6/2001	Bouc et al.	
6,318,598 B1	11/2001	Schmitt	222/143
6,484,899 B1	11/2002	Garton	220/630
6,719,162 B2	4/2004	Przytulla	220/23.91
6,772,912 B1 *	8/2004	Schall	B65D 19/04 222/143
7,036,662 B2 *	5/2006	Schutz	206/386
7,108,133 B2	9/2006	Przytulla	206/386
7,159,718 B2 *	1/2007	Cassina	206/524.3
D550,325 S *	9/2007	Claussen et al.	D23/202
7,575,118 B2 *	8/2009	Richter et al.	206/386
7,861,877 B2	1/2011	Higgins	220/6
7,874,443 B2 *	1/2011	Schutz	B65D 1/46 220/1.5
7,878,327 B2 *	2/2011	Cassina	206/386
D634,395 S *	3/2011	Raz et al.	D23/202
7,978,067 B2	7/2011	Wagner et al.	340/539.26
2006/0032854 A1	2/2006	Schutz	220/562
2007/0056975 A1	3/2007	Long et al.	220/565
2009/0050631 A1	2/2009	Redmond et al.	220/565

* cited by examiner

Primary Examiner — Phillip S Hyder


(74) *Attorney, Agent, or Firm* — Hovey Williams LLP

(57) **CLAIM**

The ornamental design for a poly bottle, as shown and described.

DESCRIPTION

[FIG. 1 is an upper front perspective of a poly bottle embodying my design;]
 [FIG. 2 is a lower front perspective of the poly bottle shown in FIG. 1;]
 [FIG. 3 is a front elevation of the poly bottle shown in FIGS. 1 and 2;]
 [FIG. 4 is a right side elevation of the poly bottle shown in FIGS. 1-3, with the opposite side elevation being a mirror image thereof;]



(NEW)

(NEW)

[FIG. 5 is a rear elevation of the poly bottle shown in FIGS. 1-4;]

[FIG. 6 is a top view of the poly bottle shown in FIGS. 1-5;]

[FIG. 7 is a bottom view of the poly bottle shown in FIGS. 1-6;]

[FIG. 8 is an upper front perspective of the poly bottle shown in FIGS. 1-7, but with the pallet removed;]

[FIG. 9 is a lower front perspective of the poly bottle shown in FIG. 8;]

[FIG. 10 is a front elevation of the bottle poly shown in FIGS. 8 and 9;]

[FIG. 11 is a right side elevation of the poly bottle shown in FIGS. 8-10, with the opposite side elevation being a mirror image thereof;]

[FIG. 12 is a rear elevation of the poly bottle shown in FIGS. 8-11;]

[FIG. 13 is a top view of the poly bottle shown in FIGS. 8-12;]

[FIG. 14 is a bottom view of the poly bottle shown in FIGS. 8-13;]

[FIG. 15 is an upper front perspective of the pallet of the poly bottle shown in FIGS. 1-7;]

[FIG. 16 is a lower front perspective of the pallet shown in FIG. 15;]

[FIG. 17 is a front elevation of the pallet shown in FIGS. 15 and 16;]

[FIG. 18 is a right side elevation of the pallet shown in FIGS. 15-17, with the opposite side elevation being a mirror image thereof;]

[FIG. 19 is a rear elevation of the pallet shown in FIGS. 15-18;]

[FIG. 20 is a top view of the pallet shown in FIGS. 15-19; and.]

[FIG. 21 is a bottom view of the pallet shown in FIGS. 15-20.] *FIG. 22 is an upper front perspective of a poly bottle embodying my design;*

FIG. 23 is another front perspective of the poly bottle shown in FIG. 22;

FIG. 24 is a front elevation of the poly bottle shown in FIGS. 22 and 23;

FIG. 25 is a right side elevation of the poly bottle shown in FIGS. 22-24, with the opposite side elevation being a mirror image thereof;

FIG. 26 is a rear elevation of the poly bottle shown in FIGS. 22-25; and,

FIG. 27 is a top view of the poly bottle shown in FIGS. 22-26. In the drawings, the broken lines directed adjacent to the upper and lower perimeter of the side surfaces represent boundaries, all other broken lines depicted portions of the poly bottle in which the design is embodied that form no part of the claimed design.

1 Claim, 6 Drawing Sheets

Matter enclosed in heavy brackets [] appears in the original patent but forms no part of this reissue; matter printed in italics indicates the additions made by reissue.




Fig. 22.
(NEW)




Fig. 23.

(NEW)




Fig. 24.
(NEW)




Fig. 25.
(NEW)




Fig. 26.
(NEW)




Fig. 27.
(NEW)