



US00D366019S

# United States Patent [19]

[11] **Patent Number:** **Des. 366,019**

**Schuster et al.**

[45] **Date of Patent:** **\*\*Jan. 9, 1996**

[54] **TIRE TREAD**

OTHER PUBLICATIONS

[75] Inventors: **Daniel E. Schuster**, North Royalton;  
**Robert J. Hermann**, Stow, both of  
Ohio

1993 Tread Design Guide, p. 167, Yokohama TY133 Tire,  
top center of page.

[73] Assignee: **The Goodyear Tire & Rubber  
Company**, Akron, Ohio

*Primary Examiner*—James M. Gandy  
*Attorney, Agent, or Firm*—T. P. Lewandowski

[\*\*] Term: **14 Years**

[57] **CLAIM**

The ornamental design for a tire tread, as shown and  
described.

[21] Appl. No.: **26,339**

**DESCRIPTION**

[22] Filed: **Jul. 25, 1994**

[52] U.S. Cl. .... **D12/147**

[58] Field of Search ..... D12/136, 140,  
D12/146-151; 152/209 R, 209 B, 209 D


FIG. 1 is a perspective view of a tire tread;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a side elevational view thereof;  
FIG. 4 is an enlarged fragmentary view thereof.  
The tread pattern is understood to be repeated uniformly  
throughout the circumference of the tire tread.  
The broken line showing of the tire sidewall in the drawings  
is for illustrative purposes only and forms no part of the  
claimed design.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 254,368 3/1980 Smajd ..... D12/141
- D. 359,714 6/1995 Hammond et al. .... D12/143
- D. 360,857 8/1995 Hermann et al. .... D12/147

**1 Claim, 4 Drawing Sheets**






FIG-1




FIG-2




FIG-3




FIG-4