



US00D919815S

(12) **United States Design Patent**
Ohashi et al.

(10) **Patent No.:** **US D919,815 S**

(45) **Date of Patent:** **** May 18, 2021**

(54) **TOURNIQUET**

(71) Applicant: **TERUMO KABUSHIKI KAISHA,**
Tokyo (JP)

(72) Inventors: **Hiroataka Ohashi,** Tokyo (JP);
Tatsuhiko Suzuki, Tokyo (JP);
Hirokazu Ishida, Tokyo (JP); **Yuichi**
Hioki, Shizuoka (JP)

(73) Assignee: **TERUMO KABUSHIKI KAISHA,**
Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/692,797**

(22) Filed: **May 29, 2019**

(30) **Foreign Application Priority Data**

Nov. 29, 2018 (JP) 2018-025985

(51) **LOC (13) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/169**

(58) **Field of Classification Search**
USPC D24/107, 143, 164–169, 186, 188–192,
D24/200, 206
CPC A61B 17/1327; A61B 17/1322; A61B
17/1325; A61B 17/135; A61B 17/1355;
A61B 5/02233; A61B 2017/00022; B63B
35/7933; B63B 2035/794
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D302,301 S * 7/1989 Robinette-Lehman D24/143
D373,639 S * 9/1996 McKie D24/190
5,649,954 A * 7/1997 McEwen A61B 17/135
600/490
D517,695 S * 3/2006 Gillis D24/169

D639,438 S * 6/2011 George A61B 17/1327
D24/169
D709,197 S * 7/2014 Ganske A61H 9/0092
D24/169
D716,950 S * 11/2014 Gomez D24/165
D791,951 S * 7/2017 Henderson A61H 9/0092
D24/169
D824,522 S * 7/2018 Brown A61B 17/1327
D24/169
D838,853 S * 1/2019 Lumme A61B 17/135
D24/167

(Continued)

FOREIGN PATENT DOCUMENTS

JP D2018-12713 * 4/2019

Primary Examiner — Anhdao Doan

(74) *Attorney, Agent, or Firm* — IPUSA, PLLC


(57) **CLAIM**

The ornamental design for a tourniquet, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a tourniquet, showing our new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a left side view thereof;
FIG. 7 is a sectional view thereof, taken along line 7-7 in FIG. 1;
FIG. 8 is a partially enlarged view of the portion indicated “8” shown in FIG. 7; and,
FIG. 9 is a perspective view thereof, shown in a state of use.
The broken lines shown in the drawings represent portions of the tourniquet that form no part of the claimed design. The dot-dash broken lines form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2018/0116679 A1* 5/2018 McEwen A61B 17/135
2019/0083019 A1* 3/2019 Masaki A61B 5/15

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9