

Sept. 7, 1926.

1,598,902

H. C. WARNER

CALF WEANER

Filed Oct. 14, 1925

Fig. 1.




Fig. 3.




Fig. 2.





Fig. 4.



INVENTOR
Harry C. Warner
BY *Arthur C. Brown*
ATTORNEY

UNITED STATES PATENT OFFICE.

HARRY C. WARNER, OF KANSAS CITY, MISSOURI, ASSIGNOR TO WARNER HARDWARE SPECIALTY COMPANY, OF KANSAS CITY, MISSOURI, A CORPORATION OF MISSOURI.

CALF WEANER.

Application filed October 14, 1925. Serial No. 62,401.

My invention relates to calf weaners and more particularly to one of that type adapted for engagement in the nostrils of the animal to which it is applied, the principal object of the invention being to provide an improved latch mechanism for facilitating application of the weaner to the animal.

In accomplishing this object I have provided improved details of structure, the preferred forms of which are illustrated in the accompanying drawings wherein—

Fig. 1 is a perspective view of a weaner embodying my invention and showing the weaner in open position ready to engage an animal's nose.

Fig. 2 is a similar view showing the weaner in latched position.

Fig. 3 is a sectional view on the line 3—3, Fig. 1.

Fig. 4 is a fragmentary perspective view of the opposite side of the latch members.

Referring more in detail to the drawings, 1—2 designate ring members having extended, overlapping inner ends 3 and 4 pivoted together as at 5, and having ball shaped knobs 6 and 7 at their outer ends for engaging in the nostrils of an animal to which the weaner is to be applied, the members 1 and 2 being provided with radially extending prongs or spikes 8 and with prongs 9, the latter paired to extend vertically in front of the nostrils when the weaner is in place.

To facilitate application of the weaner to an animal I have provided the overlapping ends 3 and 4 with automatic latching mechanism, and with limit stops for controlling the opening and closing of the ring members 1 and 2.

The latch comprises a flat spring 10 attached to the ring member 2 by the rivet 5 which pivotally connects the two ring members, and having a slightly up-curved central portion 11 forming a finger grip and a shank 12 at its free end bent at substantially a right angle to the flat portion of the spring to provide a pintle that extends through an aperture 13 in the member 1 into an aperture 14 in the member 2 when the parts are in latched position.

The overlapped end 4 of the ring member 2 is provided with an integral and out-

wardly extending lip 15 for supporting the pintle when the members are in open position, so that when the members 1 and 2 are swung together to engage the nostrils of the animal, the pintle 12 will slide along the lip as the parts are closing, and when closed will drop into the aperture 14 of the extension of the ring member 2 to lock the weaner in place.

To effect overlapping of the members 3 and 4 without increasing thickness of the ring and also to form a stop shoulder to limit opening of the ring members, I undercut the end 3 of the member 1 and overcut the end 4 of the member 2, so that when the end members 3 and 4 are lapped they meet on flat faces and a shoulder 16 is formed on the member 2 to be engaged by the end of the member 1 (Fig. 1), the end of the member 3 being bevelled as at 17, so that when the ring is opened a sufficient distance to permit entrance to the nostrils the parts will engage and prevent further opening. The outer edge of the member 4 is cut at such an angle as to engage the shoulder 18 of the member 1 and limit closing movement of the ring at a point which will prevent the balls 6 and 7 from pinching the animal's nose, and at which the apertures 13 and 14 of the extensions of the ring members are in registration, so that the pintle may be projected to latch the parts together.

In applying the device, the latch spring is raised to lift the pintle out of the opening of the lower ring extension and the ring members swung apart until stopped by the shoulder 16, the pintle riding on the lip 15. The ball ends of the weaner are then inserted in the nostrils of the animal and the members 1 and 2 closed until stopped by the shoulder 18. The pintle is then in line with the aperture, and is forced thereinto under tension of its spring, latching the members 1 and 2 in closed position.

When the ring is open the lip 15 holds the pintle in position for projection into the aperture in the under ring projection, so that it is only necessary to locate the free ends of the rings in the animal's nostrils and press them closed, the latch automatically closing to lock the members together and hold the device in place.

When the weaner is to be removed, it is

only necessary to lift the latch and spread the ring members to enable the knobbed ends to be removed from the nostrils.

What I claim and desire to secure by Letters-Patent is:—

1. A calf weaner comprising ring members having offset, lapped extensions, pivotally connected to permit the members to open and close, the offsets forming stop shoulders, and the ends of the extensions forming stops engageable with the shoulders to limit opening and closing movement of the members, and a latch on one of said members automatically projectible to engagement with the other member to lock the members in closed relation.

2. A calf weaner comprising ring members having lapped extensions provided with latch apertures, a pivot member connecting the ring members, a flat spring attached to one of the ring members by the

pivot member, and a pintle on the spring housed in the aperture of one of said members and projectible into the aperture in the other member when the members are closed.

3. A calf weaner comprising a pair of ring members having offset, lapped extensions provided with latch apertures, one of the extensions having a transverse lip, a pivot member connecting the ring members, a leaf spring attached to one of said members and having a pintle housed in the latch aperture of one of the members and normally supported by the lip on the other member, the pintle being automatically projectible into the latch aperture of such other member as the members assume closed relation.

In testimony whereof I affix my signature.

HARRY C. WARNER.