



US00D717714S

(12) **United States Design Patent**  
**Satou et al.**

(10) **Patent No.:** **US D717,714 S**

(45) **Date of Patent:** **\*\* Nov. 18, 2014**

(54) **ELECTRIC WIRE HOLDER FOR VEHICLE**  
(75) Inventors: **Kunihiko Satou**, Kosai (JP); **Masataka Yamamoto**, Kosai (JP)

(73) Assignee: **Yazaki Coporation**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/422,831**

(22) Filed: **May 24, 2012**

(30) **Foreign Application Priority Data**

Nov. 25, 2011 (JP) ..... D2011-27232

(51) **LOC (10) Cl.** ..... **12-16**

(52) **U.S. Cl.**  
USPC ..... **D12/400**

(58) **Field of Classification Search**

CPC ..... B60K 1/00; B60K 3/00; B60K 5/1258;  
B60K 2350/30; B60K 2350/305; B60K  
2350/307; B60R 16/02; B60R 16/0207  
USPC ..... D12/89, 190, 192, 195, 196, 203, 314,  
D12/400, 401, 415, 420, 421; D28/36, 92;  
280/5.3, 163, 164.2, 166, 169, 291;  
174/44, 72 A, 72 R, 173, 251; 220/324,  
220/787, 788, 789; D8/14, 42, 331, 349,  
D8/352, 382, 386, 397, 399; D13/107,  
D13/117, 118, 120, 173; 248/302, 303, 352,  
248/503

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D284,184 S \* 6/1986 Carey et al. .... D13/120  
5,957,702 A \* 9/1999 Nagai et al. .... 439/34  
7,265,295 B2 \* 9/2007 Kogure et al. .... 174/72 A

D644,177 S \* 8/2011 de Bruijn et al. .... D13/120  
8,198,533 B2 \* 6/2012 Terada et al. .... 174/72 A  
8,227,693 B2 \* 7/2012 Katou et al. .... 174/72 A  
8,237,053 B2 \* 8/2012 Katou et al. .... 174/72 A  
8,242,366 B2 \* 8/2012 Katou et al. .... 174/72 A  
8,324,501 B2 \* 12/2012 Terada et al. .... 174/72 A  
D708,152 S \* 7/2014 Dixon et al. .... D13/173  
2008/0035799 A1 \* 2/2008 Yamamoto et al. .... 248/49  
2009/0095858 A1 \* 4/2009 Katou et al. .... 248/205.1  
2011/0147540 A1 \* 6/2011 Rivara et al. .... 248/68.1

\* cited by examiner

*Primary Examiner* — Deanna L Pratt

*Assistant Examiner* — Natasha Vujcic

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for an electric wire holder for vehicle, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an electric wire holder for vehicle showing our new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a left side view;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a top plan view thereof;  
FIG. 7 is a bottom plan view thereof;  
FIG. 8 is a perspective view of a second embodiment showing our new design;  
FIG. 9 is a front view thereof;  
FIG. 10 is a rear view thereof;  
FIG. 11 is a left side view;  
FIG. 12 is a right side view thereof;  
FIG. 13 is a top plan view thereof; and,  
FIG. 14 is a bottom plan view thereof.

**1 Claim, 7 Drawing Sheets**




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14

