



US00D690271S

(12) **United States Design Patent**
Riddle et al.

(10) **Patent No.:** **US D690,271 S**

(45) **Date of Patent:** **** Sep. 24, 2013**

- (54) **CONNECTOR ASSEMBLY**
- (71) Applicant: **Lear Corporation**, Southfield, MI (US)
- (72) Inventors: **Randall Riddle**, Troy, MI (US); **Keith R. Kwasny**, Northville, MI (US); **Marc Poulin**, Chesterfield, MI (US); **Michael Hardy**, Ypsilanti, MI (US)
- (73) Assignee: **Lear Corporation**, Southfield, MI (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/443,708**
- (22) Filed: **Jan. 22, 2013**

5,751,135 A	5/1998	Fukushima et al.	
5,873,737 A	2/1999	Hashizawa et al.	
7,878,866 B1	2/2011	Kwasny et al.	
D636,334 S	4/2011	Kato et al.	
8,016,607 B2	9/2011	Brown, II	
D655,242 S	3/2012	Holthusen	
D663,692 S *	7/2012	Sebald et al.	D13/146
D666,152 S *	8/2012	Riddle et al.	D13/147
D667,378 S *	9/2012	Yamamoto	D13/146
D669,033 S *	10/2012	Senk et al.	D13/146
D677,632 S *	3/2013	Riddle et al.	D13/146
2011/0034053 A1	2/2011	Matsumoto et al.	
2011/0070758 A1	3/2011	Poulin et al.	
2011/0097920 A1	4/2011	Amit et al.	
2011/0145141 A1	6/2011	Blain	

* cited by examiner

Primary Examiner — Daniel Bui

(74) *Attorney, Agent, or Firm* — Brooks Kushman P.C.

Related U.S. Application Data

- (62) Division of application No. 29/426,070, filed on Jun. 29, 2012, now Pat. No. Des. 677,632, which is a division of application No. 29/414,366, filed on Feb. 28, 2012, now Pat. No. Des. 666,152.
- (51) **LOC (9) Cl.** **13-03**
- (52) **U.S. Cl.**
USPC **D13/147**
- (58) **Field of Classification Search**
USPC D13/107-109, 118-119, 133, 146, D13/147, 154, 184, 199; D23/226; 320/104, 320/107-115, FOR. 104, FOR. 119, DIG. 35
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

5,350,312 A	9/1994	Kuno et al.
D375,721 S	11/1996	Endo et al.
5,575,675 A	11/1996	Endo et al.
D379,967 S	6/1997	Hashizawa et al.
5,639,256 A	6/1997	Endo et al.
D390,827 S	2/1998	Sekimori et al.

(57) **CLAIM**


The ornamental design for a connector assembly, as shown and described.

DESCRIPTION

FIG. 1 is a front and left side perspective view of a connector assembly showing our new design, the front and right side perspective view thereof is a mirror image thereto; FIG. 2 is a rear and right side perspective view thereof, the rear and left side perspective view is a mirror image thereto; FIG. 3 is a top plan view thereof; FIG. 4 is a left side elevation view thereof, the right side elevation is a mirror image thereto; FIG. 5 is a bottom plan view thereof; FIG. 6 is a rear elevation view thereof; and, FIG. 7 is a front elevation view thereof.

The broken line portion of the figure drawings is included for the purpose of illustrating environment and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7