



US00D753271S

(12) **United States Design Patent**
LaBarbera et al.

(10) **Patent No.:** **US D753,271 S**

(45) **Date of Patent:** **** Apr. 5, 2016**

(54) **HOSE COUPLING**

(71) Applicants: **John LaBarbera**, Poway, CA (US);
Vincent LaBarbera, Poway, CA (US);
Paul LaBarbera, Poway, CA (US)

(72) Inventors: **John LaBarbera**, Poway, CA (US);
Vincent LaBarbera, Poway, CA (US);
Paul LaBarbera, Poway, CA (US)

(73) Assignee: **MYTEE PRODUCTS, INC.**, Poway,
CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/517,875**

(22) Filed: **Feb. 18, 2015**

(51) **LOC (10) Cl.** **23-01**

(52) **U.S. Cl.** **D23/262**
USPC **D23/262**

(58) **Field of Classification Search**
USPC D23/259–266, 269
CPC F16L 37/088; F16L 37/0841; Y10S
285/921; A61M 2039/1027
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,047,714	A *	7/1936	Smith	F16L 33/16
				285/148.14
2,816,779	A *	12/1957	Jensen	F16L 17/073
				285/375
D254,505	S *	3/1980	Parsons	D23/262
D267,506	S *	1/1983	Evans	D23/262
4,541,657	A *	9/1985	Smyth	F16L 37/086
				285/305
D283,342	S *	4/1986	Tisserat	D23/262
D427,669	S *	7/2000	Ruuska	D23/266
D532,947	S *	11/2006	Muscarella	D32/31
D565,707	S *	4/2008	Brockington	D23/262
D586,434	S *	2/2009	Brockington	D23/259
D634,406	S *	3/2011	Klimas	D23/262
D679,784	S *	4/2013	Meyer	D23/262
D691,261	S *	10/2013	Kawamura	D24/130
D738,471	S *	9/2015	Melo	D23/262

2010/0102552	A1 *	4/2010	Lockhart	B29C 47/28
				285/256
2012/0006419	A1 *	1/2012	Richardson	A62C 33/00
				137/15.01
2013/0048133	A1 *	2/2013	Richardson	A62C 33/04
				138/109
2013/0049353	A1 *	2/2013	Ghandi	F16L 55/1015
				285/81
2014/0084584	A1 *	3/2014	Richardson	F16L 33/00
				285/390
2015/0201818	A1 *	7/2015	Kawamura	A47L 9/02
				15/415.1
2015/0219259	A1 *	8/2015	Weems	F16L 33/30
				285/272
2015/0219260	A1 *	8/2015	Kury	F16L 33/30
				285/256

* cited by examiner

Primary Examiner — George D Kirschbaum

Assistant Examiner — Amy Wierenga

(74) *Attorney, Agent, or Firm* — Themis Law

(57) **CLAIM**


The ornamental design for a hose coupling, as shown and described.

DESCRIPTION

FIG. 1 is a perspective front-right view of a hose coupling showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a perspective rear-bottom view thereof;
FIG. 9 is a perspective front-right exploded view thereof;
FIG. 10 is a perspective rear-bottom exploded view thereof;
and,
FIG. 11 is a perspective rear-bottom exploded view thereof, showing a mode of use.

A third hose is shown in FIG. 11 in broken lines for the purpose of illustrating environment that forms no part of the claim.

1 Claim, 11 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8





FIG. 9







FIG. 10






FIG. 11