

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
16 December 2004 (16.12.2004)

PCT

(10) International Publication Number  
**WO 2004/107883 A1**

- (51) International Patent Classification<sup>7</sup>: **A23L 2/66**, 2/60, 2/39, 1/015
- (21) International Application Number: PCT/US2004/017814
- (22) International Filing Date: 4 June 2004 (04.06.2004)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 60/476,252 5 June 2003 (05.06.2003) US
- (71) Applicant (for all designated States except US): **CARGILL, INCORPORATED** [US/US]; Law 24, 15407 McGinty Road West, Wayzata, Minnesota 55391 (US).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): **ZOERB, Hans** [US/US]; 1072 River Drive, River Falls, Wisconsin 54022 (US).
- (74) Agents: **LEVINE, Edward** et al.; **CARGILL, INCORPORATED**, 15407 McGinty Road West, Wayzata, Minnesota 55391 (US).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:**
- with international search report
  - before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



**WO 2004/107883 A1**

(54) Title: BEVERAGE ADDITIVE MIXTURE OF TREHALOSE AND PROTEIN

(57) Abstract: The invention provides an additive for a beverage. The additive comprises a mixture containing one or more normally bitter/cardboard-tasting proteins and trehalose. Although the additive contains at least one normally bitter/cardboard-tasting protein, the additive unexpectedly has a substantially neutral effect on the flavor of the beverage. The invention also provides for the simplicity of processing and storing the mixture in dehydrated form. The mixture is dehydrated, and then rehydrated before or during its addition to a beverage. The dehydration and subsequent rehydration permits processing, preserving, handling, and storing benefits-with substantially no damage to the protein or to the additive. The invention provides the additive and beverages containing the additive. In addition, the invention provides methods for preparing the additive and methods for preparing a flavored beverage.

## **Beverage Additive Mixture of Trehalose and Protein**

5

### **FIELD OF THE INVENTION**

The invention relates to nutritional additives for beverages. More particularly, the invention relates to nutritional additives comprising trehalose and a normally bitter/cardboard-tasting protein. The invention generally relates to such additives and to associated processing benefits and flavor benefits.

10

### **BACKGROUND**

In view of the accelerating pace of business and other aspects of life, people often seek methods to accomplish multiple objectives in shorter times. An attractive time-saver for people with busy schedules is finding methods to combine meals more effectively into their activities. Such people often seek high nutrition foods that are readily available and can be consumed quickly. Hence beverages with enhanced nutritional value from a nutritional supplement become attractive.

15

Protein is an important nutritional source for such beverages. For example, whey protein is an important food ingredient known for its functionality in food systems as well as its nutritive value as a complete protein. As an example, in health and sports applications, whey protein's significant levels of branched-chain amino acids make it a desirable component in supplements for muscle regeneration during and following exercise. Specific components of whey have been identified with certain health claims, such as reduction in blood pressure and enhancement of the immune system. Unfortunately, whey and other useful proteins commonly have a bitter/cardboard-tasting flavor which creates a distinctive off-flavor in beverages. In addition the use of whey or other proteins can create processing difficulties. For example, if the whey or other protein is dehydrated to enable simpler storage, the protein can easily denature and lose value as a protein.

20

25

It would be important to the beverage industry if an additive were available which allowed the use of whey protein or other normally bitter/cardboard-tasting proteins, but had a neutral effect on the flavor of the beverage. It also would be important, if such an

30

additive could be prepared as a dehydrated mixture for storage, and then could be easily rehydrated for addition to the beverage. Finally, it would be important, if the protein was substantially undamaged when it was rehydrated.

5

### **SUMMARY OF THE INVENTION**

The invention unexpectedly provides the needed additive. It provides a mixture of trehalose and one or more normally bitter/cardboard-tasting proteins. The mixture can be dehydrated for storage and then rehydrated with substantially no damage to the protein. Further, the dehydrated or rehydrated mixture—upon addition to a beverage—has a substantially neutral effect on the flavor of the beverage.

One aspect of the invention relates to a method for preparing a flavored beverage. The method comprises the following steps: (1) adding trehalose to a normally bitter/cardboard-tasting protein; wherein the trehalose is substantially distributed throughout the normally bitter/cardboard-tasting protein; and wherein the trehalose and the normally bitter/cardboard-tasting protein form a mixture; (2) removing water from the mixture, wherein the mixture is substantially dehydrated; (3) adding the mixture to a flavored beverage; wherein the mixture has a substantially neutral effect on the flavor of the beverage.

Another aspect of the invention relates to a method for preparing a flavored beverage. The method comprises the following steps: (1) adding trehalose to whey protein; wherein the trehalose is substantially distributed throughout the whey protein; and wherein the trehalose and the whey protein form a mixture; (2) removing water from the mixture, wherein the mixture is substantially dehydrated; (3) adding the mixture to a flavored beverage; wherein the mixture has a substantially neutral effect on the flavor of the beverage.

Another aspect of the invention relates to a method for preparing an additive for a beverage. The method comprises the following steps: (1) adding trehalose to a normally bitter/cardboard-tasting protein; wherein the trehalose is substantially distributed throughout the normally bitter/cardboard-tasting protein; and wherein the trehalose and the normally bitter/cardboard-tasting protein form a mixture; (2) removing water from the mixture; wherein the mixture is substantially dehydrated; (3) formulating the substantially

dehydrated mixture into at least part of the additive; wherein the additive has a substantially neutral effect on the flavor of the beverage.

Another aspect of the invention relates to a method for preparing an additive for a beverage. The method comprises the following steps: (1) adding trehalose to whey protein; wherein the trehalose is substantially distributed throughout the whey protein; and wherein the trehalose and the whey protein form a mixture; (2) removing water from the mixture; wherein the mixture is substantially dehydrated; (3) formulating the substantially dehydrated mixture into at least part of the additive; wherein the additive has a substantially neutral effect on the flavor of the beverage.

Another aspect of the invention relates to an additive for a beverage. The additive comprises a normally bitter/cardboard-tasting protein and trehalose; wherein the trehalose is substantially distributed throughout the normally bitter/cardboard-tasting protein; wherein the normally bitter/cardboard-tasting protein and trehalose form a substantially dehydrated mixture; and wherein the additive has a substantially neutral effect on the flavor of the beverage.

Another aspect of the invention relates to an additive for a beverage. The additive comprises whey protein and trehalose; wherein the trehalose is substantially distributed throughout the whey protein; wherein the whey protein and trehalose form a substantially dehydrated mixture; and wherein the additive has a substantially neutral effect on the flavor of the beverage.

A further aspect of the invention relates to a beverage. The beverage comprises an additive; wherein the additive comprises a normally bitter/cardboard-tasting protein and trehalose; wherein the trehalose is substantially distributed throughout the normally bitter/cardboard-tasting protein; wherein the normally bitter/cardboard-tasting protein and trehalose form a substantially dehydrated mixture; and wherein the additive has a substantially neutral effect on the flavor of the beverage.

A further aspect of the invention relates to a beverage. The beverage comprises an additive; wherein the additive comprises whey protein and trehalose; wherein the trehalose is substantially distributed throughout the whey protein; wherein the whey protein and trehalose form a substantially dehydrated mixture; and wherein the additive has a substantially neutral effect on the flavor of the beverage.

An even further aspect of the invention relates to flavored beverages prepared by the various methods described herein.

A still further aspect of the invention relates to additives for beverages prepared by the various methods described herein.

5

## DETAILED DESCRIPTION OF THE INVENTION

### Definitions

**beverage**—The term as used herein includes the following: 1) beverages into which the additive of the invention may be added, 1) beverages into which the additive of the invention is being added, and 1) beverages into which the additive of the invention has been added.

**dehydration**—Removal of water, using heat, vacuum, or other drying processes, from a solution containing one or more solutes such that the remaining product is a substantially free-flowing powder of less than about 10% moisture, unable to support and sustain microbial growth, and stable in storage at ambient temperatures.

**normally bitter/cardboard-tasting protein**—The normally bitter/cardboard-tasting proteins contemplated by the invention comprise whey protein, soy protein, and casein protein. The specific term “normally bitter/cardboard-taste” is easily characterized by the strong bitter and cardboard taste normally associated with whey protein, soy protein, and casein protein.

**rehydration**—Addition of water to a dry protein powder such that the powder is fully dissolved, and that the various components are returned to native or near native structure and functionality.

### 25 Abbreviations

%	percent; described on a weight/weight basis unless otherwise indicated
<b>deg F</b>	degrees Fahrenheit
<b>psi</b>	pounds per square inch gage
<b>TRE<sub>a</sub></b>	trehalose in amorphous form
30 <b>TRE<sub>alpha</sub></b>	trehalose in an alternate anhydrous crystal form (alternate to TRE <sub>beta</sub> )
<b>TRE<sub>beta</sub></b>	trehalose in an anhydrous crystal form
<b>TRE<sub>h</sub></b>	trehalose in dihydrate crystal form

<b>T<sub>g</sub></b>	glass transition temperature
<b>WPI</b>	whey protein isolate

### **Detailed Description**

5           The invention provides an additive for a beverage with unexpected results. The additive comprises a mixture containing one or more normally bitter/cardboard-tasting proteins and trehalose. Although the additive contains at least one normally bitter/cardboard-tasting protein, the additive unexpectedly has a substantially neutral effect on the flavor of the beverage.

10           The invention also provides for the simplicity of processing and storing the mixture in dehydrated form. The mixture is dehydrated, and then rehydrated before or during its addition to a beverage. The dehydration and subsequent rehydration permits processing, preserving, handling, and storing benefits—with substantially no damage to the protein or to the additive.

15           The normally bitter/cardboard-tasting proteins contemplated by the invention comprise whey protein, soy protein, and casein protein. The term “normally bitter/cardboard-taste” is easily characterized by the strong bitter and cardboard taste normally associated with whey protein, soy protein, and casein protein.

20           The normally bitter/cardboard-tasting proteins contemplated by the invention include proteins in isolate form, concentrate form, and hydrolyzate form. For example, the invention contemplates whey protein isolate, whey protein concentrate, whey protein hydrolyzate, soy protein isolate, soy protein concentrate, soy protein hydrolyzate, casein protein isolate, casein protein concentrate, and casein protein hydrolyzate.

25           The mixture of trehalose and normally bitter/cardboard-tasting protein can contain relative amounts of trehalose to protein ranging from weight ratios of about 5/95 to about 99/1 . Although ratios of about 20/80 to about 99/1 are preferred, the specific weight ratio is not believed critical. It is believed that a certain amount of trehalose is needed to support the effects of the invention (such as 5% trehalose). However, the effects of the invention are expected to occur for virtually any amount of protein as long as sufficient trehalose  
30 (such as 5% trehalose) is present. Although the specific weight ratio is not believed critical, a ratio of about 50/50 has been experimentally evaluated by the inventors.

Beverages contemplated by the invention comprise: (1) Sport Beverages, such as Gatorade, Powerade, and other similar beverages; (2) Meal Replacement Beverages, such as yogurt based drinks such as Smoothie, milk based drinks, soy based drinks, and other similar beverages; (3) Nutritional Supplement Beverages, such as Slim Fast, and other similar beverages; (4) Fruit Juices, (5) Soda Pop, and (6) other similar beverages. It is believed that the invention is useful for virtually any beverage for which a nutritional supplement is desired.

The amount of normally bitter/cardboard-tasting protein, within the mixture added to the beverage, can range such that the normally bitter/cardboard-tasting protein makes up about 0.5% to about 20% of the beverage. A preferred range is about 1% to about 10%. The specific amount of normally bitter/cardboard-tasting protein is controlled by nutritional, texture, flavor, and cost considerations. Although the specific amount of the normally bitter/cardboard-tasting protein is not believed critical, an amount of about 1.67% has been experimentally evaluated by the inventors.

Trehalose is a glucose disaccharide with an alpha 1-1 glycosidic link making it a symmetric sugar with multiple applications in food and pharmaceutical applications. Trehalose is polymorphic in the solid phase. In addition to the stable dihydrate crystal,  $TRE_h$ ; the molecule also has an anhydrous crystal form,  $TRE_{Beta}$ , and an amorphous form,  $TRE_a$ . Under mildly elevated temperature and vacuum, an alternative anhydrous crystal,  $TRE_{alpha}$ , can be formed.  $TRE_{alpha}$  retains the crystal architecture of  $TRE_h$  because the rate of moisture removal does not allow the molecule to relax to a more compact structure. Exposure to moisture will rapidly change  $TRE_{alpha}$  to  $TRE_h$ . High heat and vacuum melts the  $TRE_h$  crystal and removes water rapidly resulting in formation for  $TRE_{Beta}$ . Another important property of trehalose is its particularly high glass transition temperature,  $T_g$ , (comparable with maltotetraose) for a disaccharide.

Trehalose was added to a normally bitter/cardboard-tasting protein—a whey protein isolate (WPI) called BiPro™ from Davisco Foods, Incorporated. The trehalose was added in solution at a level equal to the WPI solids content. The resulting solution was spray-dried to yield a stable powder containing 50% trehalose and 50% whey protein isolate on a dry weight basis. The structure of the resulting powder was a protein particle encapsulated by trehalose and was measured to be about 300 microns in size. The trehalose component of the particle was amorphous (as determined by differential scanning calorimetry). This

co-dried mixture was used as the primary protein ingredient and as a carbohydrate ingredient in a 4:1 carbohydrate to protein beverage. The protein was found to be rehydrated within the drink such that its various components were returned to native or near native structure and functionality. In addition the co-dried mixture resulted in a cleaner flavor with less objectionable protein off-flavors when compared to similar levels of the same protein and trehalose added as separate components. It was also observed that trehalose when co-dried with protein results in retarded Maillard browning in solutions containing reducing sugars. Hence it was concluded, that when spray-dried together, trehalose stabilizes the proteins during the drying process and storage, and has the potential to mitigate other undesirable effects of protein in food.

Carbohydrates, especially oligosaccharides, are known to have certain protein stabilizing effects. For example, it is known that trehalose can stabilize a protein during dehydration and rehydration such that the protein is not, or is minimally, denatured upon rehydration. Such findings are reported by Sussich et al in "Reversible dehydration of trehalose and anhydrobiosis from solution state to an exotic crystal", Carbohydrate Research, vol 443, 2001, pp 165-176; and in Murray and Liang in "Enhancement of the foaming properties of protein dried in the presence of trehalose", Journal of Agriculture Food Chemistry, vol 47, 1999, pp 4894-4991. However, the present invention has demonstrated that trehalose can unexpectedly mitigate the development of off-flavors resulting from proteins in beverage supplements, significantly better than other sugars. As demonstrated herein, when spray-dried with food proteins from native solution, the trehalose has a significantly effective impact on flavor. The trehalose also displays an improved effect on certain other functionality. For example, trehalose dissolves more rapidly in water than many other sugars (such as sucrose or glucose), and as a co-solute facilitates the dissolution or dispersion of proteins and other less soluble or less dispersible molecules.

The above brief summary of improvements will become apparent to one of ordinary skill in the art from the following examples. The examples are intended to illustrate the spirit of the invention and certain embodiments of the invention, but not to restrict the invention. One of ordinary skill in the art, after reading the present disclosure of the invention, will be able to envision additional embodiments. It is the intent of the inventors that all such embodiments are included in the invention.

## EXAMPLES

### Example 1

Spray drying of a mixture of trehalose and whey occurred at Davisco Food's processing facility at Le Sueur, MN. Two hundred sixty four (264) pounds of crystalline trehalose dihydrate (90% trehalose) was blended using a standard propeller mixer into one thousand eighty (1080) pounds of a 22% whey protein isolate solution (BiPro™) to yield a solution containing 17.6% trehalose and 17.6% WPI. The solution was blended at 50 deg F for 20 minutes until it was determined that the trehalose was completely dissolved. The resultant blend was spray-dried in Davisco's Coulter dryer at the following parameters, which are typical of those used to dry their whey protein isolate:

- Inlet temperature—385 to 395 deg F
- Nozzle pressure— 850 +/- 35 psi
- Outlet temperature—205 to 215 deg F
- Target moisture—6.0 to 4.5%
- Drying rate—200 pounds per hour
- Retention time—2 minutes
- Cooling temperature—50 deg F

The resultant mixture was a powder. The structure of the resultant powder was a protein particle encapsulated by trehalose and was measured to be about 300 microns in size. The resultant mixture is herein called BT-100.

### Example 2

Samples of the Trehalose/BiPro™ mixture prepared in Example 1 were added to a 4:1 carbohydrate to protein water-based beverage to produce a protein fortified ready-to-drink beverage.

The mixture was added to the drink using a procedure which comprises the following steps:

1. The BT-100 (the Trehalose/BiPro™ mixture prepared in example 1) was mixed with sucrose. The total blend was then added slowly to water. Sufficient time was allowed for the BT-100 and the sucrose to be completely dissolved.
2. Add sodium citrate and monopotassium phosphate with mild agitation.

3. Add 50% of the acidulent blend slowly and allow solution to mix for 15 minutes. Measure the pH. If pH is not less than 3.5 add 25% of the acidulent blend (half of that remaining), again allowing the solution to mix for 15 minutes taking pH measurements to ensure the pH does not drop below 3.4. Add remainder of the acidulent blend until pH reaches 3.3.
4. Add flavor
5. Add color
6. Agitate for 15 minutes and measure the pH to ensure that it is 3.3.
7. Heat to 190F for 30 seconds and hot-fill into suitable packaging and cool immediately.

The formula for the drink after the addition of the mixture is described in Table 1:

Table 1 Formula for the drink prepared in Example 2 and the drink prepared in Comparative Example 1

Component	Concentration (%) for Example 2, wherein the Trehalose/BiPro™ mixture was added to the beverage.	Concentration (%) for Comparative Example 1, wherein the Trehalose and the BiPro™ were added as separate components to the beverage.
Water	89.93	89.93
Sucrose	5.00	5.00
Whey Protein Isolate	1.67	1.67 WPI and Trehalose added to beverage as separate components
Trehalose	1.67	
Citric Acid	0.45	0.45
Phosphoric Acid	0.15	0.15
Lactic Acid	0.10	0.10
Sodium Citrate	0.25	0.25
Monopotassium Phosphate	0.20	0.20
Flavor	0.63	0.63
Color	0.05	0.05

#### Comparative Example 1

5 Trehalose dihydrate and the BiPro™ protein were added as separate components to the same beverage used in Example 2 to produce a protein fortified ready-to-drink beverage.

The separate components were added to the drink using a procedure which comprises the following steps :

- 10 1. The BiPro™ whey protein isolate was mixed with the sucrose and trehalose. The total blend was then added slowly to water. Sufficient time was allowed for the

BiPro™ whey protein isolate, the sucrose, and the trehalose to be completely dissolved.

2. Add sodium citrate and monopotassium phosphate with mild agitation.
3. Add 50% of the acidulent blend slowly and allow solution to mix for 15 minutes.  
5 Measure the pH. If pH is not less than 3.5 add 25% of the acidulent blend (half of that remaining), again allowing the solution to mix for 15 minutes taking pH measurements to ensure the pH does not drop below 3.4. Add remainder of the acidulent blend until pH reaches 3.3.
4. Add flavor
- 10 5. Add color
6. Agitate for 15 minutes and measure the pH to ensure that it is 3.3.
7. Heat to 190F for 30 seconds and hot-fill into suitable packaging and cool immediately.

15 The formula for the drink after the addition of the Trehalose dihydrate and the BiPro™ protein is described in Table 1:

### **Example 3**

20 The formulations prepared in Example 2 and Comparative Example 1 were tested for overall taste, bitter protein taste, and cardboard protein taste by experts experienced in the field.

Results from the sensory test are listed in Table 2.

Table 2 Results form the sensory taste test described in Example 3.

Sensory Property	Result for Example 2, wherein the Trehalose/BiPro™ mixture was added to the beverage.	Result for Comparative Example 1, wherein the Trehalose and the BiPro™ were added as separate components to the beverage.
Overall flavor	Substantially no bitter, cardboard taste	Bitter, cardboard taste
Bitter protein taste	Substantially no bitter taste	Strong
Cardboard protein taste	Substantially no cardboard taste	Strong

As illustrated by the data in Table 2, the beverage formulated in Example 2 resulted in a cleaner flavor than the beverage formulated in Comparative Example 1. In particular, the Example 2 beverage lacked the strong bitter protein taste and the strong cardboard protein taste of the Comparative Example 1 beverage. It was concluded that the additive of Example 2 had a substantially neutral effect on the flavor of the beverage.

Having illustrated and described the principles of the invention in multiple embodiments and examples, it should be apparent to those skilled in the art that the invention can be modified in arrangement and detail without departing from such principles. We claim all modifications coming within the spirit and scope of the following claims.

15

## CLAIMS


We claim

1. A method for preparing a flavored beverage, comprising the following steps:
  - (a) adding trehalose to a normally bitter/cardboard-tasting protein; wherein the  
5           trehalose is substantially distributed throughout the normally bitter/cardboard-  
          tasting protein; and wherein the trehalose and the normally bitter/cardboard-tasting  
          protein form a mixture;
  - (b) removing water from the mixture, wherein the mixture is substantially dehydrated;
  - (c) adding the mixture to a flavored beverage; wherein the mixture has a substantially  
10           neutral effect on the flavor of the beverage.
2. A method for preparing a flavored beverage, comprising the following steps:
  - (a) adding trehalose to whey protein; wherein the trehalose is substantially distributed  
          throughout the whey protein; and wherein the trehalose and the whey protein form  
          a mixture;
  - 15       (b) removing water from the mixture, wherein the mixture is substantially dehydrated;
  - (c) adding the mixture to a flavored beverage; wherein the mixture has a substantially  
          neutral effect on the flavor of the beverage.
3. The method described in claim 1, wherein the normally bitter/cardboard-tasting protein  
          is selected from the group consisting of soy protein and casein protein.
- 20       4. The method described in claim 1, wherein the normally bitter/cardboard-tasting protein  
          is in a form selected from the group consisting of isolate, condensate, and hydrolyzate.
5. The method described in claim 1, claim 2, or claim 3, wherein the beverage is selected  
          from the group consisting of sport beverages, meal replacement beverages, nutritional  
          supplement beverages, fruit juices, and soda pop.
- 25       6. A method for preparing an additive for a beverage, comprising the following steps:
  - (a) adding trehalose to a normally bitter/cardboard-tasting protein; wherein the  
          trehalose is substantially distributed throughout the normally bitter/cardboard-  
          tasting protein; and wherein the trehalose and the normally bitter/cardboard-tasting  
          protein form a mixture;
  - 30       (b) removing water from the mixture; wherein the mixture is substantially dehydrated;
  - (c) formulating the substantially dehydrated mixture into at least part of the additive;  
          wherein the additive has a substantially neutral effect on the flavor of the beverage.

7. A method for preparing an additive for a beverage, comprising the following steps:
  - (a) adding trehalose to whey protein; wherein the trehalose is substantially distributed throughout the whey protein; and wherein the trehalose and the whey protein form a mixture;
  - 5 (b) removing water from the mixture; wherein the mixture is substantially dehydrated;
  - (c) formulating the substantially dehydrated mixture into at least part of the additive; wherein the additive has a substantially neutral effect on the flavor of the beverage.
8. The method described in claim 6, wherein the normally bitter/cardboard-tasting protein is selected from the group consisting of soy protein and casein protein.
- 10 9. The method described in claim 6, wherein the normally bitter/cardboard-tasting protein is in a form selected from the group consisting of isolate, condensate, and hydrolyzate.
10. The method described in claim 6, claim 7, or claim 8, wherein the beverage is selected from the group consisting of sport beverages, meal replacement beverages, nutritional supplement beverages, fruit juices, and soda pop.
- 15 11. An additive for a beverage, comprising a normally bitter/cardboard-tasting protein and trehalose; wherein the trehalose is substantially distributed throughout the normally bitter/cardboard-tasting protein; wherein the normally bitter/cardboard-tasting protein and trehalose form a substantially dehydrated mixture; and wherein the additive has a substantially neutral effect on the flavor of the beverage.
- 20 12. An additive for a beverage, comprising whey protein and trehalose; wherein the trehalose is substantially distributed throughout the whey protein; wherein the whey protein and trehalose form a substantially dehydrated mixture; and wherein the additive has a substantially neutral effect on the flavor of the beverage.
13. The additive described in claim 11, wherein the normally bitter/cardboard-tasting protein is selected from the group consisting of soy protein and casein protein.
- 25 14. The additive described in claim 11, wherein the normally bitter/cardboard-tasting protein is in a form selected from the group consisting of isolate, condensate, and hydrolyzate.
15. The additive described in claim 11, claim 12, or claim 13, wherein the beverage is selected from the group consisting of sport beverages, meal replacement beverages, nutritional supplement beverages, fruit juices, and soda pop.
- 30

16. A beverage comprising an additive; wherein the additive comprises a normally bitter/cardboard-tasting protein and trehalose; wherein the trehalose is substantially distributed throughout the normally bitter/cardboard-tasting protein; wherein the normally bitter/cardboard-tasting protein and trehalose form a substantially dehydrated mixture; and wherein the additive has a substantially neutral effect on the flavor of the beverage.
17. A beverage comprising an additive; wherein the additive comprises whey protein and trehalose; wherein the trehalose is substantially distributed throughout the whey protein; wherein the whey protein and trehalose form a substantially dehydrated mixture; and wherein the additive has a substantially neutral effect on the flavor of the beverage.
18. The additive described in claim 16, wherein the normally bitter/cardboard-tasting protein is selected from the group consisting of soy protein and casein protein.
19. The additive described in claim 16, wherein the normally bitter/cardboard-tasting protein is in a form selected from the group consisting of isolate, condensate, and hydrolyzate.
20. The additive described in claim 16, claim 17, or claim 18, wherein the beverage is selected from the group consisting of sport beverages, meal replacement beverages, nutritional supplement beverages, fruit juices, and soda pop.
21. The flavored beverage prepared by the method described in claim 1, claim 2, or claim 3.
22. The additive prepared by the method described in claim 6, claim 7, or claim 8.

# INTERNATIONAL SEARCH REPORT

International Application No  
 /US2004/017814

<b>A. CLASSIFICATION OF SUBJECT MATTER</b> IPC 7    A23L2/66    A23L2/60    A23L2/39    A23L1/015		
According to International Patent Classification (IPC) or to both national classification and IPC		
<b>B. FIELDS SEARCHED</b>		
Minimum documentation searched (classification system followed by classification symbols) IPC 7    A23L		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practical, search terms used) EPO-Internal, WPI Data, PAJ, FSTA, BIOSIS		
<b>C. DOCUMENTS CONSIDERED TO BE RELEVANT</b>		
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 919 668 A (MIYAKE TOSHIO ET AL) 6 July 1999 (1999-07-06) column 9, line 49 - line 56 column 10, line 34 - line 37 column 11, line 32 - line 47 column 37; example 13 -----	1-22
<input type="checkbox"/> Further documents are listed in the continuation of box C.		
<input checked="" type="checkbox"/> Patent family members are listed in annex.		
° Special categories of cited documents :		
*A* document defining the general state of the art which is not considered to be of particular relevance *E* earlier document but published on or after the international filing date *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) *O* document referring to an oral disclosure, use, exhibition or other means *P* document published prior to the international filing date but later than the priority date claimed	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. *&* document member of the same patent family	
Date of the actual completion of the international search  <p style="text-align: center; font-size: 1.2em;">19 October 2004</p>	Date of mailing of the international search report  <p style="text-align: center; font-size: 1.2em;">28/10/2004</p>	
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer  <p style="text-align: center; font-size: 1.2em;">Inceisa, L</p>	

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US2004/017814

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5919668	A	06-07-1999	
		JP 8073504 A	19-03-1996
		CA 2152563 A1	28-12-1995
		DE 69528019 D1	10-10-2002
		DE 69528019 T2	22-05-2003
		EP 0691407 A1	10-01-1996
		ES 2182869 T3	16-03-2003
		TW 426736 B	21-03-2001
		US 5591612 A	07-01-1997
		US 5591611 A	07-01-1997
		US 5908767 A	01-06-1999

---