



US00D730730S

(12) **United States Design Patent**
Haley et al.

(10) **Patent No.:** **US D730,730 S**
(45) **Date of Patent:** **** Jun. 2, 2015**

(54) **REUSABLE BOTTLE STOPPER**

(71) Applicant: **Vinum Corporation**, Oak Brook, IL (US)

(72) Inventors: **Jean E. Haley**, Oak Brook, IL (US);
James E. Haley, Oak Brook, IL (US)

(73) Assignee: **Vinum Corporation**, Oak Brook, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/443,525**

(22) Filed: **Jan. 18, 2013**

(51) **LOC (10) Cl.** **09-07**

(52) **U.S. Cl.**

USPC **D9/440**

(58) **Field of Classification Search**

USPC D3/264; D7/300, 321, 392, 392.1,
D7/396.2, 398, 510, 608; D9/428, 434,
D9/435, 438, 439, 440, 442, 443, 446, 447,
D9/449, 453, 454; 210/472, 474; 215/235,
215/236, 294, 296, 306, 355, 357;
220/254.1–254.9, 258.2, 259.2, 270,
220/375, 376, 543, 563, 565, 571, 711, 712,
220/713, 715, 837; 222/484, 556

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,087,758 A	2/1914	Goodwin
1,164,453 A	12/1915	Belles
2,812,113 A	11/1957	Beall, Jr.
2,872,060 A	2/1959	Brune et al.
2,915,223 A	12/1959	Beall, Jr.
2,968,423 A	1/1961	Mahler et al.
3,081,912 A	3/1963	Goceliak
3,168,221 A	2/1965	Parker
3,283,964 A	11/1966	Anderson
3,307,752 A	3/1967	Anderson
3,323,691 A	6/1967	Ruetz

3,330,450 A	7/1967	Clare
3,628,697 A	12/1971	Dowson
D223,900 S	6/1972	Douglas et al.
3,762,612 A	10/1973	Miller
3,926,348 A	12/1975	Lutzker
4,078,700 A	3/1978	Hidding
4,128,189 A	12/1978	Baxter
4,243,157 A	1/1981	Rettberg
D261,212 S	10/1981	Mills

(Continued)

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Leanne Was

(74) *Attorney, Agent, or Firm* — Hinshaw & Culbertson LLP

(57) **CLAIM**


The ornamental design for a reusable bottle stopper, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a reusable bottle stopper showing my new design in the opened position; FIG. 2 is a right side elevation view thereof; FIG. 3 is a left side elevation view thereof; FIG. 4 is a front elevation view thereof; FIG. 5 is a rear elevation view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a bottom plan view thereof; FIG. 8 is a front perspective view thereof showing the reusable bottle stopper in the closed position; FIG. 9 is a right side elevation view thereof; FIG. 10 is a left side elevation view thereof; FIG. 11 is a front elevation view thereof; FIG. 12 is a rear elevation view thereof; FIG. 13 is a top plan view thereof; and, FIG. 14 is a bottom plan view thereof.

The broken lines in the drawings illustrate portions of the bottle stopper that form no part of the claimed design. The lines on the surface of the bottle stopper indicate contour and not surface decoration. The areas shaded with dots in the drawings depict contrasting appearance.

1 Claim, 4 Drawing Sheets



US D730,730 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

4,345,704 A 8/1982 Boughton
 4,347,946 A 9/1982 Nichols
 4,398,652 A 8/1983 Ueda et al.
 4,605,225 A 8/1986 Zimmermann
 4,637,530 A 1/1987 Jiang
 D296,524 S 7/1988 Schneider
 D318,427 S 7/1991 Sherburne, Jr.
 5,228,603 A 7/1993 Pham et al.
 5,417,860 A 5/1995 Kay
 5,609,759 A 3/1997 Nohren, Jr. et al.
 5,616,242 A 4/1997 Mandola
 5,688,397 A 11/1997 Malmborg

5,799,836 A 9/1998 Lee
 D404,464 S 1/1999 Niemczyk
 D404,646 S 1/1999 Black, Sr. et al.
 D418,417 S 1/2000 Hollinger
 D437,782 S * 2/2001 Haley et al. D9/440
 D464,262 S 10/2002 Drennow
 D466,016 S 11/2002 Serrano et al.
 6,565,743 B1 5/2003 Poirier et al.
 D487,227 S * 3/2004 Haley D9/439
 D643,722 S * 8/2011 Gorskey et al. D9/446
 8,123,086 B2 * 2/2012 Haley 222/484
 8,298,174 B2 * 10/2012 Showers 604/77
 D678,767 S * 3/2013 Haley D9/440
 2005/0184026 A1 * 8/2005 Haley 215/306
 2008/0116204 A1 * 5/2008 Ohse 220/254.6

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14

