



US00PP31489P2

(12) **United States Plant Patent**
Van Dijk

(10) **Patent No.:** **US PP31,489 P2**

(45) **Date of Patent:** **Feb. 25, 2020**

- (54) **ANTHURIUM PLANT NAMED**
'ANTHFANXOL'
- (50) Latin Name: *Anthurium andraeanum* L.
Varietal Denomination: **ANTHFANXOL**
- (71) Applicant: **ANTHURA B.V.**, Bleiswijk (NL)
- (72) Inventor: **Jan Van Dijk**, Bleiswijk (NL)
- (73) Assignee: **ANTHURA B.V.**, Bleiswijk (NL)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.
- (21) Appl. No.: **16/501,656**
- (22) Filed: **May 17, 2019**
- (51) **Int. Cl.**
A01H 5/02 (2018.01)
- (52) **U.S. Cl.**
USPC **Plt./369**
- (58) **Field of Classification Search**
USPC **Plt./369**
See application file for complete search history.

- (56) **References Cited**

PUBLICATIONS

PLUTO Plant Variety Database Nov. 12, 2019.*

* cited by examiner

Primary Examiner — Annette H Para
(74) *Attorney, Agent, or Firm* — Jondle & Associates, P.C.

- (57) **ABSTRACT**
A new *Anthurium* plant named 'ANTHFANXOL' particularly distinguished by having shiny, blistered, bright red, orbicular-cordate, and very durable spathes that retain the original color for a very long period of time, dark green and deltoid, durable leaves, red spadices with red tips, early and rich flowering continuously throughout the year, and a plant height of 34.0 cm to 39.0 cm is disclosed.

3 Drawing Sheets

1

Genus and species: *Anthurium andraeanum* L.
Variety denomination: 'ANTHFANXOL'.

BACKGROUND OF THE NEW PLANT

The present invention comprises a new and distinct variety of *Anthurium*, botanically known as *Anthurium andraeanum* L., and hereinafter referred to by the variety name 'ANTHFANXOL'. The new *Anthurium* plant is a product of a planned breeding program conducted by the inventor in Bleiswijk, the Netherlands. The objective of this breeding program was to create a new plant with a height of 34.0 cm to 39.0 cm having shiny and blistered, bright red, orbicular-cordate, and very durable spathes.

The new variety originated from a cross-pollination made in February 2009 in Bleiswijk, the Netherlands. The female parent was a green *Anthurium* pot plant designated '9131-02' (unpatented), and the male parent was a red *Anthurium* pot plant designated '8477-05' (unpatented).

A single plant was selected from the progeny of the stated cross in March 2011. Asexual reproduction of the new variety by tissue culture in 2015 in Bleiswijk, the Netherlands, has demonstrated that the new variety reproduces true to type with all of the characteristics, as herein described, firmly fixed and retained through successive generations.

Plant Breeder's Rights for this variety have been applied for in the European Union on Nov. 27, 2017, by Applicant who obtained the subject matter disclosed directly from the inventor. 'ANTHFANXOL' has not been made publicly available or sold anywhere in the world more than one year prior to the effective filing date of this application.

SUMMARY OF THE INVENTION

The following are the most outstanding and distinguishing characteristics of this new variety when grown under normal horticultural practices in Bleiswijk, the Netherlands:

2

- 1) Shiny and blistered, bright red, orbicular-cordate spathes;
- 2) Red spadices with red tips;
- 3) Green, deltoid leaves; and
- 4) Long distance to the spathe above the foliage.

DESCRIPTION OF THE PHOTOGRAPHS

This new *Anthurium* plant is illustrated by the accompanying photographs which show the overall plant habit including blooms, buds, and foliage of the plant; the colors shown are as true as can be reasonably obtained by conventional photographic procedures. The photographs are of a 44-week-old plant grown in a greenhouse in Bleiswijk, the Netherlands, in February 2019. Colors in the photographs may differ from the color values cited in the detailed botanical description, which accurately describe the actual colors of the new variety.

FIG. 1 shows the overall plant habit, including blooms, buds, and foliage.

FIG. 2 shows a close-up of the mature spathe.

FIG. 3 shows a close-up of the upper leaf blade surface.

DESCRIPTION OF THE NEW VARIETY

The following detailed description sets forth the distinctive characteristics of 'ANTHFANXOL'. The data which define these characteristics were collected from asexual reproductions carried out in Bleiswijk, the Netherlands. The plant history was taken on 44-week-old plants which were planted from tissue culture in 14-centimeter (diameter) pots and grown in a glass greenhouse between 19° C. and 24° C. Observations were made in February 2019. Color readings were taken under 5000 lux natural light in the greenhouse.

Color references are primarily to The R.H.S. Colour Chart of The Royal Horticultural Society of London (R.H.S.) (2015).

DETAILED BOTANICAL DESCRIPTION

Classification:

Family.—Araceae.

Botanical.—*Anthurium andraeanum* L.

Common name.—*Anthurium*.

Denomination.—‘ANTHFANXOL’.

Parentage:

Female parent.—*Anthurium* plant ‘9131-02’ (unpatented).

Male parent.—*Anthurium* plant ‘8477-05’ (unpatented).

Plant:

Propagation.—Tissue culture.

Root description.—Fleshy, light yellow colored roots with small hairy lateral roots having greenish-yellow colored root tips.

Time to produce a finished flowering plant.—42 to 46 weeks after planting in a 14-cm (diameter) pot.

Growth habit.—Upright.

Height (measured from soil, including inflorescence).—34.0 cm to 39.0 cm.

Width (measured from leaf tips).—35.0 cm to 38.0 cm.

Leaves:

Immature leaves.—Length: 13.0 cm to 15.0 cm. Width: 8.0 cm to 9.0 cm. Color: Upper surface: RHS 146A. Lower surface: RHS 146B. Texture (both upper and lower surfaces): Shiny.

Mature leaves.—Length (fully expanded): 16.0 cm to 18.0 cm. Width: 10.0 cm to 11.0 cm. Shape: Deltoid. Apex: Acuminate. Base: Cordate. Leaf blade angle with the petiole: Between 90 degrees and 110 degrees. Leaf margin: Entire. Color: Upper surface: RHS 147A. Lower surface: RHS 146B. Texture (upper surface): Shiny, leathery, and thick. Venation: Pinnate veining; the mid-vein and primary veins (the veins that radiate out from the junction of petiole and leaf) protrude at the underside of the leaf blade. Venation color: Upper surface: RHS 144A. Lower surface: RHS 144C with a touch of red (RHS 180A).

Lobes.—Present. Arrangement: Leaf blade has two lobes extending past the petiole. The lobes are non-touching. Length of lobes of mature leaf blades: 0.5 cm to 1.5 cm. Width of lobes of mature leaf blades: 4.5 cm to 5.5 cm. Distance from petiole/leaf junction to highest point on lobes of mature leaf: 3.0 cm to 4.0 cm.

Petiole.—Cross-section: Round. Diameter: 0.3 cm to 0.4 cm. Length: 15.0 cm to 18.0 cm for a mature leaf size. Color: Mature leaf: RHS 144A. Immature leaf: RHS 144B. Cataphyll color surrounding the petiole: Outside: RHS 145A with slightly red tips (RHS 180A). Inside: RHS 145C.

Geniculum.—Length: 1.0 cm to 1.5 cm. Width: 0.4 cm to 0.5 cm. Color: RHS 144B with a red region (RHS 181A).

Inflorescence:

Arrangement.—Single.

Flowering habit (length of flowering season).—Continuous.

Number of inflorescences per plant.—4 to 6.

Fragrance.—Absent.

Longevity of inflorescence on plant.—Over a year.

Spathe:

Buds.—The spathe is tightly rolled around the spadix and extrudes from the peduncle sheath. After the spathe is fully opened, the peduncle elongates some extra centimeters.

Arrangement.—Spathe angle with the peduncle is between 110 degrees and 120 degrees; the spathe stands on a wiry peduncle about 9.0 cm to 12.0 cm above the foliage.

Shape.—Orbicular cordate.

Apex.—Mucronate.

Base.—Cordate.

Texture.—Shiny and blistered.

Margin.—Undulated.

Size.—Length: 7.0 cm to 8.0 cm. Width: 8.0 cm to 9.0 cm.

Lobes.—Present. Arrangement: The spathe has two lobes extending past the peduncle. The lobes are non-touching. Length: 1.0 cm to 1.5 cm. Width: 3.0 cm to 3.5 cm.

Color.—Just fully open: Upper surface: RHS 45B. Lower surface: RHS 45D. This red color remains for a very long period, at least more than 30 weeks after opening.

Peduncle:

Shape.—Erect.

Cross-section.—Round.

Length.—30.0 cm to 33.0 cm.

Diameter.—0.3 cm to 0.4 cm.

Color.—RHS N144A with a touch of reddish-orange (RHS 173A).

Flowering time:

General.—One small, rooted, untreated tissue culture plant of 8.0 cm tall will flower, depending on the season, after 42 to 46 weeks and 4 to 5 blossoms appear. More blossoms appear after some additional weeks so that a full flowering and commercial plant will have 5 to 6 red spathes. Smaller blossoms may occur on immature plants.

Spadix:

Size.—Length: 3.0 cm to 4.0 cm (depending on flower size). Width (at apex): 0.6 cm to 0.7 cm. Width (at base): 0.7 cm to 0.8 cm.

Shape.—Columnar.

Angle from spadix tip to peduncle.—170 degrees to 180 degrees.

Texture.—When the spathe is unfurling the spadix is smooth. When the spadix matures, small stigmata protrude. The stigmata are evenly distributed around the spadix. The spadix matures from base to top, slowly giving the spadix a somewhat rough appearance.

Color.—Immature: RHS 46A. Mature: RHS 185B. Ages to: RHS 184A.

Flowers:

Quantity per spadix.—100 to 140.

Spadix flower arrangement.—Bisexual, rounded in cross-section.

Shape.—Rounded.

Size.—Length: 0.05 cm to 0.10 cm. Diameter (maximum): 0.10 cm.

Color.—RHS 182B.

Reproductive organs:

Stamens.—Not visible.

Pollen amount.—Absent.

Pistil.—Quantity: Many. Length: Less than 0.01 cm.

Color: RHS 182B.

Style.—Not observed to date.

Stigma.—Shape: Ovoid. Diameter: Less than 0.01 cm.

Color: RHS 182B.

Ovary.—Rarely visible.

Ovary color.—Not measured.

Fruit and seed set: None observed to date.

Disease and pest resistance: No specific resistance or susceptibility observed to pathogens or pests common to *Anthurium* under commercial conditions.

COMPARISON WITH PARENTAL AND
SIMILAR COMMERCIAL VARIETIES

‘ANTHFANXOL’ differs from the female parent plant ‘9131-02’ (unpatented) in that ‘ANTHFANXOL’ has red, orbicular-cordate spathes and deltoid leaves, whereas ‘9131-02’ has green, cordate spathes and elliptical-cordate leaves.

‘ANTHFANXOL’ differs from the male parent plant ‘8477-05’ (unpatented) in that ‘ANTHFANXOL’ has deltoid

leaves and spadices that are red at the base, whereas ‘8477-05’ has elliptical-cordate leaves and spadices that are white at the base.

‘ANTHFANXOL’ differs from similar commercial variety ‘ANTHDUXH’ (U.S. Plant Pat. No. 27,731) in that ‘ANTHFANXOL’ has orbicular-cordate spathes and genicula that are RHS 144B with a red region of RHS 181A, whereas ‘ANTHDUXH’ has cordate spathes and genicula that are RHS 144B.

‘ANTHFANXOL’ differs from similar commercial variety ‘ANTHERBI’ (U.S. Plant Pat. No. 28,241) in that ‘ANTHFANXOL’ has deltoid leaves, spadices that are RHS 185B at the base and RHS 46A at the tip, and genicula that are RHS 144B with a red region of RHS 181A, whereas

‘ANTHERBI’ has elliptical-cordate leaves, spadices that are RHS 155B at the base and RHS 15A at the tip, and genicula that are RHS 144A.

I claim:

1. A new and distinct variety of *Anthurium* plant named ‘ANTHFANXOL’, substantially as illustrated and described herein.

* * * * *



FIG. 1



FIG. 2




FIG. 3