## **PCT**

#### WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



# INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:
H04Q 7/34, 7/38

(11) International Publication Number: WO 00/69194

(43) International Publication Date: 16 November 2000 (16.11.00)

(21) International Application Number:

PCT/FI99/00384

(22) International Filing Date:

10 May 1999 (10.05.99)

(71) Applicant (for all designated States except US): NOKIA NETWORKS OY [FI/FI]; P.O. Box 300, FIN-00045 Nokia Group (FI).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): NARKILAHTI, Kimmo [FI/FI]; Laivanvarustajankatu 9 B 58, FIN-00140 Helsinki (FI). PAHKALA, Hannu [FI/FI]; Ratsutilantie 2 A, FIN-33960 Pirkkala (FI). PUTKIRANTA, Petteri [FI/FI]; Kelkkamäentie 12 A, FIN-02610 Espoo (FI).
- (74) Agent: BERGGREN OY AB; P.O. Box 16, FIN-00101 Helsinki (FI).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


#### Published

With international search report. In English translation (filed in Finnish).

(54) Title: METHOD AND SYSTEM FOR DETERMINING OF OPERATING MODELS OF USERS OF A TELECOMMUNICATION SYSTEM

### (57) Abstract

The invention relates to a method for defining the patterns of behaviour of users of a telecommunication system on the basis of information collected from the telecommunication system, in which method at least one variable or a combination of variables of the telecommunication system is defined, user-specific information corresponding to the defined at least one variable or a combination of variables is filtered from the information collected from the telecommunication system, and the users of the telecommunication system are divided into classes of behaviour patterns on the basis of said filtered user-specific information. In addition, the invention relates to a system for defining the behaviour patterns of users of a telecommunication system, which system comprises means (51) for defining at least one variable or a combination of variables of the telecommunication system, filtering means (53) for filtering said user-specific information corresponding to at least one variable or a combination of variables from the information received from the telecommunication system, and classifying means (55) for clas-



sifying the users of the telecommunication system on the basis of said filtered user-specific information.

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
$\mathbf{AU}$	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	$\mathbf{G}\mathbf{N}$	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
ВJ	Benin	ΙE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	$\mathbf{U}\mathbf{Z}$	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	$\mathbf{PL}$	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

Method and system for determining of operating models of users of a telecommunication system

The invention relates to a method according to the preamble of Claim 1 for determining the behaviour patterns of users of a telecommunication system.

The invention also relates to a system according to the preamble of Claim 13 for determining the behaviour patterns of users.

From the point of view of a beginning telecommunication system operator, such as a mobile phone operator, the focus is on increasing the coverage and capacity of the system. When a sufficient level has been reached in these areas, the operators begin to pay more attention to improving the quality of service. An important factor in quality improvement is to optimize the properties of the system for the needs of the users. In order to achieve this, the operator must get information both about the performance of its system and the behaviour of its users.

10

- In Figure 1, the operation of the mobile communication system 10 is shown as a simplified diagram. The system 10 in Figure 1 comprises a base station 12, a mobile services switching centre (MSC) 13, a network management system (NMS) 14, a customer register 15 and a statistics unit 16. When the mobile station 11 is used, a connection is established between the mobile station 11 and the base station 12. Via the base station 12, the connection is transmitted to the MSC 13, which establishes a connection between the mobile station 11 and the intended destination. Information about the connection, the type of service offered and its duration is transmitted from the MSC to the customer register 15, in which the information is saved for invoicing.
- By means of the network management system 14, the operation of both the MSC 13 and the whole mobile communication system 10 is monitored and also managed, when required. Information collected by the network management system 14 can be saved in the statistics unit 16 for statistical reference.
- Figure 2 is a flow chart of a prior art method 20, in which statistical material is collected for the needs of the system operator. The method 20 is based on examination of the statistical material about the use of a mobile communication system 10 received from the statistics unit 16. In a method like this it can be examined, for example, how large a proportion of the attempts to establish a

2

connection succeeded in the area of each base station, or what the average duration of the connections in the system is.

In the first step 21 of the method 20, the parameter to be examined is defined. The information is collected in the second step 22. In the third step 23 of the method, the value of the parameter is added to the statistics, whereafter the process returns to step 22 for collecting more information, when needed. When the statistical data collected are regarded as sufficient, statistical analysis is carried out in step 24.

By carrying out statistical analyses, the method 20 described above can be used to calculate parameters essential for the mobile communication system from the statistical material obtained from the system, which parameters can then be used for optimizing the system, for example. However, the statistical quantities received from the use of the mobile communication system do not identify the users, but the statistics are compiled on the basis of measurable system parameters, and these parameters are not individualized by users.

10

30

15 Figure 3 shows another prior art method, by which statistical material is collected for the use of the system operator. The method is built on the method 20 depicted above in Figure 2, complemented with the method 30 based on a customer survey. The purpose of the customer survey is to find individual differences between users and to group the users according to their patterns of behaviour.

The parameter to be examined in the survey is defined in the first step 31, after which the actual customer survey 32 and compilation of statistics 33 is carried out. The statistical material received from the customer survey can be combined with the statistical material received from the mobile communication system by the first method 20, after which statistical analysis 24 is carried out on the combined material.

The prior art methods entail the problem that there is not a clear connection between the users and the parameters of the mobile communication system. Statistically it is possible to make comparisons between the statistical materials received with different methods and to try to connect the values of certain parameters measured from the system to certain classes of behaviour patterns of users defined on the basis of the customer survey. However, there is no certain connection between the classes of behaviour patterns and the parameters calculated from the operation of the system, because a certain user or class of behaviour pattern cannot be unambiguously combined with the quantities measured from the system.

10

25

Furthermore, the solution based on a prior art customer survey with questionnaires entails the problem of the reliability of questionnaire surveys in general. In practice, the person who carries out the survey does not have full certainty of to what extent the material collected with a customer survey really reflects the real situation and how much the personal opinions or assumptions of the users have influenced the results of the survey. For this reason, the best application of questionnaire surveys is in charting the opinions and expectations of users.

It is the objective of this invention to provide a new method for charting the users' patterns of behaviour and a telecommunication system by means of which the problems of the prior art described above can be eliminated. The method according to the invention is characterized in what is set forth in the characterizing part of Claim 1. The system according to the invention is characterized in what is set forth in the characterizing part of Claim 13. Preferred embodiments of the invention are described in the dependent claims.

In the method according to the invention, at least one variable or a combination of variables of a telecommunication system, such as a mobile communication system, is defined, user-specific information corresponding to at least one variable or a combination of variables is filtered from the information collected from the telecommunication system, and the users of the telecommunication system are divided into at least one class of behaviour patterns on the basis of the filtered user-specific information.

The system according to the invention comprises means for defining at least one variable or a combination of variables of a telecommunication system, filtering means for filtering user-specific information corresponding to at least one variable or a combination of variables from the information received from a telecommunication system, and classification means for classifying the users of a telecommunication system on the basis of the filtered user-specific information.

In one embodiment of the method according to the invention, the user-specific information is filtered from the telecommunication system in real time.

In one embodiment of the method according to the invention, the user-specific information is saved for later analysis.

In one embodiment of the method according to the invention, statistical analysis is carried out on the classified information

4

In one embodiment of the method according to the invention, the classes of behaviour patterns are defined in advance.

In one embodiment of the method according to the invention, the definitions of the classes of behaviour patterns are changed, after which the filtered information can be classified again using the new classes of behaviour patterns.

5

20

25

30

In one embodiment of the method according to the invention, the at least one variable is the user's type of contract.

In one embodiment of the method according to the invention, the at least one variable is the type of system service.

In one embodiment of the system according to the invention, the system is designed to process the information received from the telecommunication system in real time.

In one embodiment of the system according to the invention, the system has a memory for saving the filtered user-specific information.

In one embodiment of the system according to the invention, the system has analysis means for statistical analysis of the classes of behaviour patterns received from the classification means and/or for defining new classes of behaviour patterns.

In one embodiment of the system according to the invention, the system has regulating means for regulating the values of the parameters essential for the quality of service of the telecommunication system on the basis of the information received from the analysis means.

The advantage of the method and system according to the invention as compared to the prior art solution is the fact that they enable connecting the behaviour patterns of users unambiguously to the quantities describing the operation of the telecommunication system, which improves the possibilities of the system operator to optimize the functions of the telecommunication system to meet the real needs of the users.

The solution according to the invention also provides the advantage that the classes of behaviour patterns of users can be defined more easily and more extensively than before, because quantities describing the operation of the system can also be used in the classification.

5

In the following, the invention will be described in more detail with reference to the accompanying drawings, in which

- Figure 1 illustrates the principle of the mobile communication system,
- Figure 2 depicts a prior art method for collecting statistical material from the mobile communication system,
- Figure 3 depicts another prior art method for collecting statistical material from the mobile communication system,
- Figure 4 depicts a method according to the invention for determining the behaviour patterns of users of a telecommunication system, and
- Figure 5 depicts a system according to the invention for determining the classes of behaviour patterns of users of a telecommunication system.

Figures 1, 2 and 3 have been dealt with above in connection with the description of the prior art.

The solution according to the invention makes use of the fact that the users of the telecommunication system, the subscribers, can be identified via the customer register, for example. This enables individualizing the events of the telecommunication system or the measurements related to the events of the system. For example, when a phone call made in a mobile communication system is transferred from one base station to another by means of channel switching between the base stations, besides registering the channel switching, it is also possible to register the user of the mobile phone by taking advantage of individual identifiers. By registering also an individual identifier from all the channel switches between base stations, the users can be classified into groups according to the channel switches between base stations. This provides the system operator new information about the users of the system, their mobility and its requirements for the system.

Figure 4 is a flow chart about a solution based on the method according to the invention for determining the classes of the users' behaviour patterns. The first step 41 of the method is to define the parameter to be examined, such as the number of channel switches between base stations in a mobile communication system.

The second step 43 of the system is to filter user-specific information according to the parameter defined in the first step 41 from the information collected from the telecommunication system 42. In the second step 43, this information together with the user-specific identifier is separated from other information received from the

6

mobile communication system. If other information is collected at the same time for some other purpose, several different filterings can be carried out in step 43.

The filtering carried out in the second step 43 of the method need not be a mere separation of information from a wider flow, but it can also be used for carrying out more complicated processing of information. For example, the information to be filtered can be the average number of channel switches between base stations in a certain period of time, whereby the averaging of the information in a certain period of time also takes place in the second step 43.

5

15

20

25

The filtering of information can be arranged so, for instance, that the information to be filtered is real-time information received from the mobile communication system. That would make it possible to follow the behaviour of the users of the telecommunication system in real time.

Filtering the information needed from the information flow to be examined is essential for reducing the amount of information to be processed. For example, in the mobile phone network being examined the information path can be a 10 Mbit/s bus, which can typically transmit several megabits of information per second. Although it is advisable to follow the whole information flow in real time, it is not sensible to save the whole amount of information, because it would require a huge amount of saving capacity. Therefore it is more sensible to start by filtering only the information needed from the information flow and save only the essential information thus received.

The filtered user-specific information received in the second step 43 of the method according to the invention can be saved in step 44 for later processing or used in the third step 45 of the method for classifying the users into different classes of behaviour patterns, if these classes have been defined in advance. For instance, users whose average frequency of channel switching between base stations exceeds a certain predetermined value, are classified as high-mobility users, and users whose average frequency of channel switching between base stations is below another predetermined value, are classified as low-mobility users.

After the classification which took place in the third step 45 of the method, statistical analysis 46 can be carried out on the classified material. On the basis of the results, the system operator can then draw conclusions 47 about the regulation of parameters essential for improving the quality of service of the system.

7

If the classes of behaviour patterns have not been defined in advance, or the statistical analysis 46 indicates that there is a need to define new classes of behaviour patterns, the new classes of behaviour patterns can be defined 48 on the basis of the statistical analysis 46 carried out on the filtered user-specific information. When the new classes of behaviour patterns have been defined, the filtered user-specific information must be classified again. For carrying out the reclassification 49, the filtered unclassified user-specific information must have been saved 44 before any earlier classification 45.

5

15

20

25

30

The statistical analysis 46 described above can be carried out again for the reclassified information for drawing conclusions 47 or for further specification 48 of the classes of behaviour patterns.

In the method according to the invention, the variable or a combination of variables selected for examination can be selected as appropriate for the matter being studied. At the simplest, the variable used in the classification can be the type of the subscription contract made by the user with the operator: is it a private customer or a company. In a more complicated case, for instance when the users of the mobile phone network are classified into traditional telephone users and users who also use other services of the network, such as the short message service (SMS), the type of system service, e.g. whether it is a GSM connection or an SMS connection, can be used as the basis for classification.

If desired, the information used in compiling the statistics can be collected from many sources. That would make it possible to combine different types of information in defining the classes of behaviour patterns. Good sources for collecting information are, for example, the customer register and the databases of the network management system about connections and attempted connections in the system.

Figure 5 depicts a system 50 according to the invention for determining the behaviour patterns of the users of a telecommunication system. The system 50 comprises at least means 51 for defining at least one variable or a combination of variables, filtering means 53 for filtering user-specific information corresponding to at least one variable or a combination of variables from information received from the telecommunication system, and classifying means 55 for classifying the users on the basis of the filtered user-specific information.

WO 00/69194

5

10

15

20

25

30

8

PCT/FI99/00384

To advantage, the system 50 is designed so that it can process the information received from the telecommunication system in real time.

The defining means 51 are preferably implemented so that when desired, they can also be used to define the limits of the classes of behaviour patterns, whereby the system operator can define the actual classes of the behaviour patterns to be examined.

In order to implement the preferred embodiments described above, the system 50 can also comprise at least one of the following: a memory 54 for saving the filtered user-specific information, analysis means 56 for carrying out statistical analysis, and regulating means 57 for regulating the parameters of the telecommunication system according to the results received from the analysis means 56.

Depending on the saving capacity required, the memory 54 can consist of memory circuits when relatively small amounts of information are saved, or a mass storage, such as a tape station when a larger saving capacity is needed. The memory 54 is preferably connected to the classification means 55, whereby the filtered user-specific information can be re-classified if desired, e.g. in accordance with the new classes of behaviour patterns defined on the basis of the analysis carried out with the analysis means.

As an example of the use of a solution according to the invention its is assumed that the operator wants to focus its service on a certain customer group which uses the mobile phone frequently, and typically in business centres and at airports. In that case, the operator wants to determine the limits of such interesting areas as exactly as possible, so that the quality of service for the target group could be raised to the desired level. By means of the method described above, the areas in which the intended target group uses the system can be determined in a rather simple manner.

In the first step 41, a parameter or a combination of parameters by which the target group is identified as effectively as possible is selected as the first variable to be examined. In addition, the first variable is used to define a class of behaviour patterns, which corresponds to the intended target group as closely as possible. Furthermore, a variable containing location information of the mobile station, such as the location update information of the mobile station is defined as the second variable in the first step 41.

In the second step 43, only the location update information of users according to the selected first parameter is filtered from the information 42 collected from the mobile

9

communication system. After this, the filtered information is classified according to the defined second parameter in the third step 45. Thus the areas of the mobile communication network have been classified according to the location update information of the target group.

By carrying out statistical analysis 46 on the classified material the operator can draw conclusions 47 about the required measures for improving the quality of service of the target group. For example, the operator can decide to extend the capacity of the network in areas used by the target group most frequently, so that the members of the target group would not have to suffer from problems caused by too small capacity.

The operator can use the prior art solution described above for regulating values that are essential for the quality of service, such as the QoS (Quality of Service) threshold values used for allocating resources in the GPRS system.

The solution according to the invention is not limited to the performance order used in the above examples, but the steps can also be performed in a different order if desired.

Naturally, the solution according to the invention is not limited to the examples presented above, but its details can be modified without departing from the scope defined by the attached claims.

### **Claims**

- 1. A method (40) for determining the behaviour patterns of the users of a telecommunication system on the basis of information collected from the system, characterized in that
- 5 at least one variable or a combination of variables (41) of the telecommunication system is defined,

user-specific information (43) corresponding to the defined at least one variable or a combination of variables is filtered from the information collected from the telecommunication system, and

- the users of the telecommunication system are classified on the basis of the filtered user-specific information (45).
  - 2. A method (40) according to Claim 1, characterized in that said user-specific information is filtered from the telecommunication system in real time.
- 3. A method (40) according to Claim 1, characterized in that after said filtering (43) of information the filtered information is saved (44) for later analysis.
  - 4. A method (40) according to Claim 1, characterized in that after the classification (45), statistical analysis (46) is carried out on the classified information.
- 5. A method (40) according to Claim 4, characterized in that parameters essential for the quality of service of the telecommunication system are regulated on the basis of said statistical analysis (46).
  - 6. A method (40) according to Claim 4, characterized in that on the basis of said statistical analysis, conclusions (47) are drawn about the behaviour of a certain group of users in a telecommunication system.
- 7. A method (40) according to Claim 1, characterized in that the classes of behaviour patterns used in the classification of users are defined in connection with the definition of variables (41).
  - 8. A method (40) according to Claim 1, characterized in that the definitions of the classes of behaviour patterns used in the classification of users are changed (48).

- 9. A method (40) according to Claim 8, characterized in that said filtered unclassified information is classified into said new classes of behaviour patterns (49).
- 10. A method (40) according to Claim 1, characterized in that at least one of the variables is the type of contract of the user.
  - 11. A method (40) according to Claim 1, characterized in that at least one of the variables is the type of system service.
  - 12. A method (40) according to Claim 1, characterized in that said telecommunication system is a mobile communication system (10).
- 10 13. A system (50) for determining the users' patterns of behaviour in a telecommunication system, characterized in that said system (50) comprises at least
  - means (51) for defining at least one variable or a combination of variables of the telecommunication system,
- filtering means (53) for filtering said user-specific information corresponding to at least one variable or a combination of variables from the information received from the telecommunication system, and
  - classifying means (55) for classifying the users of the telecommunication system on the basis of said filtered user-specific information.
- 20 14. A system (50) according to Claim 13, characterized in that the system is designed to process the information received from the telecommunication system in real time.
  - 15. A system (50) according to Claim 13, characterized in that the system has a memory (51) for saving said filtered user-specific information.
- 25 16. A system (50) according to Claim 13, characterized in that the system has analysis means (56) for statistical analysis of the classification of the behaviour patterns of users received from the classifying means (55) and/or for defining new classes of behaviour patterns.
- 17. A system (50) according to Claim 13, characterized in that the system (50) has regulating means (57) for regulating the values of parameters essential for the

12

quality of service of the telecommunication system on the basis of the information received from the analysis means (56).

18. A system (50) according to Claim 13, characterized in that said telecommunication system is a mobile communication system (10).




Fig. 1




Fig. 2




Fig. 3




Fig. 4

3/3




Fig. 5

#### INTERNATIONAL SEARCH REPORT

International application No.

PCT/FI 99/00384

#### A. CLASSIFICATION OF SUBJECT MATTER

IPC7: H04Q 7/34, H04Q 7/38
According to International Patent Classification (IPC) or to both national classification and IPC

### **B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

#### IPC7: H04Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

### SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GB 2327175 A (MERCURY ONE 2 ONE (INCORPORATED IN THE UNITED KINGDOM)), 13 January 1999 (13.01.99), page 1, line 26 - page 2, line 18; page 3, line 16 - page 5, line 34, figure 1	1,13
	<del></del>	
A	WO 9830045 A1 (SIEMENS BUSINESS COMMUNICATION SYSTEMS, INC.), 9 July 1998 (09.07.98), page 3, line 1 - line 22	1-18
A	Patent Abstracts of Japan, abstract of JP 10-256982 A (NIPPON TELEGR & TELEPH CORP"NTT"), 25 Sept 1998 (25.09.98), whole document	1-18
	<del></del>	

- Special categories of cited documents:
- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" erlier document but published on or after the international filing date
- document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- document referring to an oral disclosure, use, exhibition or other means
- document published prior to the international filing date but later than the priority date claimed
- later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

annex.

- "X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- "&" document member of the same patent family

Date of the actual completion of the international search Date of mailing of the international search report 28 -02- 2000 21 February 2000 Name and mailing address of the ISA/ Authorized officer Swedish Patent Office Inger Löfving / JA A Box 5055, S-102 42 STOCKHOLM Facsimile No. +46 8 666 02 86 Telephone No. + 46 8 782 25 00

## INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.
PCT/FI 99/00384

02/12/99

Patent document cited in search report		Publication date	Patent family member(s)		Publication date	
GB	2327175	A	13/01/99	GB	9714419 D	00/00/00
WO	9830045	A1	09/07/98	EP	0950333 A	20/10/99

Form PCT/ISA/210 (patent family annex) (July 1992)