




(86) **Date de dépôt PCT/PCT Filing Date:** 2010/02/12
(87) **Date publication PCT/PCT Publication Date:** 2010/08/19
(45) **Date de délivrance/Issue Date:** 2014/10/14
(85) **Entrée phase nationale/National Entry:** 2011/08/04
(86) **N° demande PCT/PCT Application No.:** US 2010/024024
(87) **N° publication PCT/PCT Publication No.:** 2010/093870
(30) **Priorité/Priority:** 2009/02/13 (US61/152,303)


(51) **Cl.Int./Int.Cl.** **A47C 4/06** (2006.01),
A45B 11/00 (2006.01), **A45B 3/00** (2006.01),
A47C 7/62 (2006.01), **A47C 7/66** (2006.01)
(72) **Inventeur/Inventor:**
QUINN, THOMAS A., US
(73) **Propriétaire/Owner:**
PRO PERFORMANCE SPORTS, US
(74) **Agent:** OYEN WIGGS GREEN & MUTALA LLP

(54) **Titre : CHAISE DE JARDIN PLIANTE**
(54) **Title: FOLDING CANOPY CHAIR**



(57) **Abrégé/Abstract:**

The folding canopy chair includes a frame, a seat, a back, and arm rests. An umbrella is secured to the frame and is pivotal between an upright use position extending above the chair and a downward storage position adjacent the frame. The umbrella is



(57) Abrégé(suite)/Abstract(continued):

pivotal about both a horizontal axis and a vertical axis for selective positioning of the umbrella relative to the chair, so as to shade a person sitting in the chair from the sun. The umbrella is non-symmetrical, and is removably mounted on either the left or right side of the chair using a clip.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
19 August 2010 (19.08.2010)

PCT

(10) International Publication Number
WO 2010/093870 A3

(51) International Patent Classification:

A47C 4/06 (2006.01) A45B 3/00 (2006.01)
A47C 7/62 (2006.01) A45B 11/00 (2006.01)
A47C 7/66 (2006.01)

(21) International Application Number:

PCT/US2010/024024

(22) International Filing Date:

12 February 2010 (12.02.2010)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

61/152,303 13 February 2009 (13.02.2009) US

(71) Applicant (for all designated States except US): **PRO PERFORMANCE SPORTS** [US/US]; 5823 Newton Drive, Suite 130, Carlsbad, CA 92008 (US).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **QUINN, Thomas, A.** [US/US]; 5823 Newton Drive, Suite 130, Carlsbad, CA 92008 (US).

(74) Agent: **HARTUNG, Kirk, M.**; McKee, Voorhees & Sease, PLC, 801 Grand Avenue, Suite 3200, Des Moines, IA 50309-2721 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: FOLDING CANOPY CHAIR




FIG. 1

(57) Abstract: The folding canopy chair includes a frame, a seat, a back, and arm rests. An umbrella is secured to the frame and is pivotal between an upright use position extending above the chair and a downward storage position adjacent the frame. The umbrella is pivotal about both a horizontal axis and a vertical axis for selective positioning of the umbrella relative to the chair, so as to shade a person sitting in the chair from the sun. The umbrella is non-symmetrical, and is removably mounted on either the left or right side of the chair using a clip.

WO 2010/093870 A3

WO 2010/093870 A3



Declarations under Rule 4.17:

— *as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii))*

— *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments (Rule 48.2(h))*

Published:

— *with international search report (Art. 21(3))*

(88) Date of publication of the international search report:

21 October 2010

WO 2010/093870

PCT/US2010/024024

TITLE: FOLDING CANOPY CHAIR

5

BACKGROUND OF THE INVENTION

10 Folding chairs having a collapsible frame with fabric materials attached to the frame to form the chair seat and back rest are popular for outdoor activities and events. These chairs fold along perpendicular lateral and longitudinal axes, so as to be compact and fit easily into a sleeve-type bag for carrying and storage.

Canopies of various types are known for attachment to numerous types of folding
15 chairs. These prior art canopies are generally symmetrical in shape and typically are mounted to the back of the chair using a pair of support arms on opposite sides of the chair frame, or using a single centered arm or post, such as for an umbrella attachment. These canopies and umbrellas sometimes limit the fold-ability of the chair, or must be removed before the chair is folded. Some canopies or umbrellas are removably or detachably
20 mounted to the frame. These various prior art coverings often provide little adjustability of the canopy or umbrella over the chair to protect the person from the sun or rain.

Therefore, a primary objective of the present invention is the provision of an improved folding canopy chair having an adjustable umbrella.

An objective of the present invention is the provision of a folding canopy chair
25 wherein the umbrella is pivotal about horizontal and vertical axes.

Another objective of the present invention is the provision of an improved folding canopy chair wherein the chair frame is foldable about two perpendicular axes without disconnecting the umbrella.

A further objective of the present invention is the provision of a folding canopy
30 chair wherein the umbrella is asymmetrical and has a single post for mounting to the chair frame.

Still another objective of the present invention is the provision of a folding canopy chair having an umbrella with a jointed support post for adjustability of the umbrella.

Yet another objective of the present invention is the provision of a folding chair having a canopy which can be selectively mounted to the left or right side of the chair.

5 Another objective of the present invention is the provision of a folding canopy chair wherein the umbrella is pivotal approximately 180° between the upright use position and the down storage position, while connected to the chair.

A further objective of the present invention is an improved folding canopy chair wherein the umbrella can be rotated 360° about a vertical axis to shade a person sitting in
10 the chair from the sun.

Another objective of the present invention is the provision of a folding canopy chair having storage pockets attached to the arm and seat of the chair.

A further objective of the present invention is the provision of an improved folding canopy chair having a lumbar support.

15 Still another objective of the present invention is the provision of an improved folding canopy chair having a built-in bottle opener.

Yet another objective of the present invention is the provision of a folding canopy chair where the covering has a metallic undercoating.

Another objective of the present invention is the provision of a folding canopy chair
20 wherein the canopy can be connected to either side of the chair using a clip.

A further objective of the present invention is the provision of a folding canopy chair wherein the umbrella post has two push button hinges for adjustability about horizontal axes.

Another objective of the present invention is the provision of an improved folding
25 canopy chair which is economical to manufacture, and durable and safe in use.

Another objective of the present invention is the provision of an improved folding canopy chair which can be quickly and easily converted between use and storage positions.

SUMMARY OF THE INVENTION

30 The folding canopy chair of the present invention has a detachable canopy or umbrella which can be mounted to either side of the chair via a clip connection. The post

of the umbrella has two push button hinges for pivotal movement about two horizontal axes, while the umbrella top pivots 360 degrees about the post axis, to allow the position of the umbrella over the chair to be adjusted to protect a person sitting in the chair from the sun and/or rain. The chair includes a lumbar support in the back rest, one or more storage
 5 pockets, a zipper with a bottle cap opener, and a beverage can and bottle holder. The chair can be folded without removing the canopy from the chair frame. The chair and attached canopy can be inserted into a sleeve bag for storage and carrying.

BRIEF DESCRIPTION OF THE DRAWINGS

10 Figure 1 is a perspective view of the improved folding canopy chair of the present invention, showing the umbrella in alternative positions on the left and right sides of the chair.

Figure 2 is a front elevation view of the canopy chair.

Figure 3 is a left side elevation view of the canopy chair.

15 Figure 4 is a right side elevation view of the canopy chair.

Figure 5 is a view similar to Figure 4 showing one adjusted position of the umbrella.

Figure 6 is a rear elevation view of the canopy chair.

20 Figure 7 is a top plan view of the canopy chair, showing the umbrella in alternative positions rotated about a substantially vertical axis.

Figure 8 is a perspective view of the chair with the umbrella folded down to a storage position adjacent the chair frame.

Figure 9 is an enlarged, exploded view of the clip components of the chair and umbrella.

25 Figure 10 is an enlarged view of one of the push button hinges of the canopy post.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The chair of the present invention is generally designated in the drawings by the reference numeral 10. The chair includes a folding frame 12 which forms the legs of the
 30 chair and the supports for the back rest, seat, and arm rests of the chair 10. Fabric material is attached to the frame 12 so as to form the chair seat 14, back rest 16, and arm rests 18.

The frame 12 folds about perpendicular axes extending laterally transverse and longitudinally front to back, so that the chair 10 can be folded and unfolded between a use position and a storage position. The general construction of the frame 12, seat 14, back rest 16 and arm rests 18 may take various forms known in the art, such as the commercially available "Kelsyus" chair.

The chair 10 includes a canopy 20 removably connected to the frame 12. The canopy 20 is in the form of an umbrella, with a post 22, a plurality of spokes 24, and a fabric covering or body 26.

The lower end of the post 22 is mounted to the frame 12 using a clip 28. The clip 28 may take any convenient form. In a preferred form, the clip 28 includes a female receptacle 30 fixed to an upper side of the frame 12 adjacent the back rest 16 of the chair 10. The lower end of the post 22 includes a male member 32 with a resilient tab 34 received in the female receptacle 30 so as to lock the canopy 20 to the frame 12. The receptacle 30 has an opening so that a person's finger can depress the tab 34 to unclip the umbrella 20 from the chair 10. The resilient tab 34 allows the canopy 20 to be removed from the female receptacle 30. As seen in the drawings, a female receptacle 30 is provided on both the left and right sides of the frame 12, such that the canopy 22 can be selectively positioned in either side of the chair 10, as desired by a person sitting in the chair.

In the preferred embodiment, the post 22 of the canopy 20 has upper and lower segments 36, 38. A push button hinge 40 is provided at the juncture of the upper and lower segments 36, 38, to allow the upper segment 36 to pivot forwardly and rearwardly approximately 180°- 270° about a horizontal axis relative to the lower segment 38. A second push button hinge 42 is provided at the bottom of the lower segment 38, adjacent the male clip member 32, which allows the lower segment to pivot forwardly and rearwardly at least 270° between the arm rests of the chair 10 and the back corner of the frame 12. Preferably, the hinge 42 allows 360° rotation of the umbrella 20 relative to the chair 10. The push button hinge 42 allows the canopy 20 to move between a use position extending above the chair 10 and a storage position adjacent the frame 12. The hinges 40 and 42 lock in position at incremental angles. When the button of the hinge is depressed, the hinge is unlocked to allow rotational movement about the button axis. When the button is released, the hinge locks in the selected angular orientation. Thus, the umbrella can be

pivoted about one or both hinges 40, 42 to provide shade to the chair 10, depending on the sun angle relative to the chair. The post segments 36, 38 can be co-axially aligned, as shown in Figures 1-4, or may be disposed at various angles, as shown in one example of Figure 5.

5 A Velcro strap 44 may be provided to hold the collapsed umbrella body 26 in the storage position, as shown in Figure 8. The Velcro strap 44, if long enough, may also extend around the frame 12 to secure the canopy 20 in the storage position. The storage position of the canopy 20 can be maintained when the chair 10 is folded open for use or folded down for storage and carrying in a sleeve bag (not shown).

10 The body 26 of the canopy or umbrella 20 is rotationally mounted on the upper end of the post 22 for 360° rotation in either direction about the axis of the upper post segment 36. Thus, rotation of the body 20 about the axis of the upper post segment 36, and the pivotal movement of the post segments 36, 38 about the horizontal axes of the push button hinges 40, 42 allows the canopy or umbrella 20 to be selectively positioned by persons
15 sitting in the chair to provide the desired protection from the sun, wind and/or rain. The umbrella 20 can also be clipped to either side of the chair, depending on the sun angle, for the best protection.

 The shape of the body 26 of the canopy or umbrella 20 is non-symmetrical, with the post 22 being offset with respect to the center of the body 26. The spokes 24 do not have
20 equal lengths, as in a conventional umbrella. For example, as best seen in Figure 7, there are two short spokes, two long spokes and two intermediate spokes. This offset, non-symmetrical shape of the canopy or umbrella 20 allows the umbrella to be mounted to one side of the chair frame 12, while still providing shade or protection across the full width of the chair 10, as best shown in Figure 7. The umbrella shape defines a long side, a short
25 side, and opposite lateral sides, any of which may be positioned toward the front of the chair 10, to provide desired shade while also allowing a person sitting in the chair to view an activity or event without obstruction by the umbrella. Preferably, the underside of the body 26 has a coating or metallic layer to provide enhanced ultraviolet protection and heat resistance.

30 The chair 10 has additional unique features for comfort and convenience. Padding may be provided in the fabric of the seat 14, back rest 16, and arm rests 18. A lumbar

support 46 is provided in the back rest 16 for added comfort. A beverage receptacle 48 may be provided in one or both of the arm rests 18. Storage pockets 50, 52 may be provided on one or more of the arm rests 18 and on the front of the seat 14. Preferably, the pockets 50, 52 include zippers 54 for opening and closing the pockets. One of the zippers
5 54 may also include a bottle cap opener on the zipper pull.

In use, when a person is finished sitting in the chair 10, the spokes or ribs 24 can be quickly and easily collapsed or retracted to fold down the umbrella body 26 by pulling downward on a collar slidably mounted on the post 22 and to which the inner ends of the spokes are attached, similar to a conventional umbrella. Then, the post segments 36,38 are
10 straightened, if angularly oriented, by depressing push button hinge 40. Then, the push button hinge 42 can be actuated so that the post 22 can be folded rearwardly and downwardly to a position adjacent the rear corner of the frame 12. The frame 12 can then be folded to a fully collapsed position and inserted into a carrying bag or case, as is known in the art, without detaching the canopy 20. The left and right side clips, the button hinges,
15 and the rotational body of the umbrella allow for substantially infinite positioning options of the umbrella relative to the chair.

The invention has been shown and described above with the preferred embodiments, and it is understood that many modifications, substitutions, and additions may be made which are within the intended spirit and scope of the invention. For example,
20 the post 22 can be detachably connected to the frame 12 with a connector or mounting means other than the clip 28, and different hinges may be used for pivoting the post 22 relative to the frame 12 or chair 10. The post 22 may also be a single piece or multiple pieces, or have a telescoping construction. The structure of the chair may also vary from that shown in the drawings.

25 From the foregoing, it can be seen that the present invention accomplishes at least all of its stated objectives.

What is claimed is:

1. A folding chair and umbrella combination, comprising:
a folding chair including:
a folding chair frame having a first side and a second side;
a seat on the folding frame;
a first frame fitting on the first side of the frame;
a second frame fitting on the second side of the frame; and
an umbrella including:
a single pole and a collapsible canopy attached to the single pole;
a pole fitting on a lower end of the single pole engageable with both the
first frame fitting and the second frame fitting, to allow the umbrella to be
attached on either side of the folding chair frame.
2. The folding chair and umbrella combination of claim 1 wherein the canopy is rotatably
attached to the pole and includes spokes of non-equal length.
3. The folding chair and umbrella combination of claim 1 with the pole comprising a first
segment attached to a second segment by a hinge lockable when the first segment is at one or
more selected angles relative to the second segment.
4. The folding chair and umbrella combination of claim 3 with the hinge comprising a
locking push button hinge.
5. The folding chair and umbrella combination of claim 1 with the canopy attached to the
pole via a rotation joint to allow the canopy to rotate relative to the chair frame.
6. A folding chair and umbrella combination, comprising:
a chair including:
a folding chair frame left and right frame members;
a seat and a back support attached to the folding chair frame;

a left frame fitting in a permanent fixed position on the left frame member;
a right frame fitting in a permanently fixed position on the right frame member;
and

an umbrella including:


a single pole and a canopy attached to the pole;
a pole fitting on a lower end of the pole, with the pole fitting adapted to
releasably attach to the left frame fitting and to the right frame fitting.


7. The folding chair of claim 6 wherein the canopy is attached to the pole via a rotation joint, and with the canopy having spokes of non-equal length.

8. The folding chair of claim 6 with the pole comprising a first segment attached to a second segment by a hinge lockable when the first segment is at one or more selected angles relative to the second segment.

9. The folding chair of claim 8 with the hinge comprising a locking push button hinge.

1/10



2/10**FIG. 2**

3/10




FIG. 3

4/10








FIG. 4


5/10**FIG. 5**


6/10**FIG. 6**

7/10



8/10**FIG. 8**

9/10**FIG. 9**

10/10**FIG. 10**

