



US00D776640S

(12) **United States Design Patent** (10) **Patent No.:** **US D776,640 S**
Simonian et al. (45) **Date of Patent:** **** Jan. 17, 2017**

(54) **COMPUTER-GENERATED USER
INTERFACE CONTROLLER**

DESCRIPTION

(71) Applicant: **GOOGLE INC.**, Mountain View, CA (US)

(72) Inventors: **Michael Simonian**, San Francisco, CA (US); **Basheer Tome**, San Francisco, CA (US); **Maaiké Evers**, San Francisco, CA (US); **Hayes S. Raffle**, Palo Alto, CA (US); **Albert Lee**, San Francisco, CA (US)

(73) Assignee: **Google Inc.**, Mountain View, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/565,065**

(22) Filed: **May 17, 2016**

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/218**

(58) **Field of Classification Search**
USPC D14/137, 174, 217–218, 240, 247,
D14/388–390, 396, 511; D21/516;
D13/162–164, 168; 715/738; 434/350;
600/323; 348/211.99, 14.05, 114, 734;
341/175–176; 455/575.1
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D571,305 S * 6/2008 Thursfield D13/168
D602,473 S * 10/2009 Moller D14/218
(Continued)

Primary Examiner — Ralf Seifert

(74) *Attorney, Agent, or Firm* — Brake Hughes
Bellermann LLP

(57) **CLAIM**

What is claimed is an ornamental design for a computer-generated user interface controller, as shown and described herein.

FIG. 1 is a front perspective view of a computer-generated user interface controller;
FIG. 2 is a top view of the computer-generated user interface controller shown in FIG. 1;
FIG. 3 is a bottom view of the computer-generated user interface controller shown in FIG. 1;
FIG. 4 is a front-side view of the computer-generated user interface controller shown in FIG. 1;
FIG. 5 is a back-side view of the computer-generated user interface controller shown in FIG. 1;
FIG. 6 is a right-side view of the computer-generated user interface controller shown in FIG. 1; and
FIG. 7 is a left-side view of the computer-generated user interface controller shown in FIG. 1.
FIG. 8 is a front perspective view of a computer-generated user interface controller;
FIG. 9 is a top view of the computer-generated user interface controller shown in FIG. 8;
FIG. 10 is a bottom view of the computer-generated user interface controller shown in FIG. 8;
FIG. 11 is a front-side view of the computer-generated user interface controller shown in FIG. 8;
FIG. 12 is a back-side view of the computer-generated user interface controller shown in FIG. 8;
FIG. 13 is a right-side view of the computer-generated user interface controller shown in FIG. 8; and
FIG. 14 is a left-side view of the computer-generated user interface controller shown in FIG. 8.
FIG. 15 is a front perspective view of a computer-generated user interface controller;
FIG. 16 is a top view of the computer-generated user interface controller shown in FIG. 15;
FIG. 17 is a bottom view of the computer-generated user interface controller shown in FIG. 15;
FIG. 18 is a front-side view of the computer-generated user interface controller shown in FIG. 15;
FIG. 19 is a back-side view of the computer-generated user interface controller shown in FIG. 15;
FIG. 20 is a right-side view of the computer-generated user interface controller shown in FIG. 15; and
FIG. 21 is a left-side view of the computer-generated user interface controller shown in FIG. 15.

(Continued)





FIG. 22 is a front perspective view of a computer-generated user interface controller;
 FIG. 23 is a top view of the computer-generated user interface controller shown in FIG. 22;
 FIG. 24 is a bottom view of the computer-generated user interface controller shown in FIG. 22;
 FIG. 25 is a front-side view of the computer-generated user interface controller shown in FIG. 22;
 FIG. 26 is a back-side view of the computer-generated user interface controller shown in FIG. 22;
 FIG. 27 is a right-side view of the computer-generated user interface controller shown in FIG. 22; and,
 FIG. 28 is a left-side view of the computer-generated user interface controller shown in FIG. 22.
 Any broken lines in the drawings are for purposes of illustrating portions of the controller and form no part of the claimed design.

1 Claim, 28 Drawing Sheets

(58) **Field of Classification Search**

CPC G08C 23/04; G08C 19/12; H04N 5/44;
 H04L 17/02

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D628,988	S	*	12/2010	Yu	D14/218
D633,478	S	*	3/2011	Bolton	D14/218
D646,280	S	*	10/2011	Yano	D14/188
D647,510	S	*	10/2011	Maier	D14/218
D647,511	S	*	10/2011	Maier	D14/218
D651,589	S	*	1/2012	Fischer	D14/218
D663,288	S	*	7/2012	Aquillano	D14/218
D679,680	S	*	4/2013	Wood	D14/218
D681,608	S	*	5/2013	Takami	D14/218
D688,232	S	*	8/2013	Zhang	D14/218
D695,272	S	*	12/2013	Hansen	D14/218
D714,762	S	*	10/2014	O'Neil	D14/218
D722,046	S	*	2/2015	Kuh	D14/218
D729,774	S	*	5/2015	Uchiyama	D14/218
D735,166	S	*	7/2015	Hansen	D14/218
D735,696	S	*	8/2015	Sirpal	D14/218
D749,061	S	*	2/2016	Lee	D14/218
D757,692	S	*	5/2016	Maxwell	D14/218
D758,352	S	*	6/2016	Sirpal	D14/218
D760,197	S	*	6/2016	Huebner	D14/218
D763,830	S	*	8/2016	Jones	D14/218

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28