(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

WPOPCT

(19) World Intellectual Property Organization International Bureau

l Bureau


(43) International Publication Date 6 June 2013 (06.06.2013)

- (51) International Patent Classification: A61B 5/00 (2006.01)
- (21) International Application Number:
- PCT/US2012/065990
- (22) International Filing Date: 20 November 2012 (20.1 1.2012)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 13/308,1 11 30 November 2011 (30. 11.201 1) US
- (71) Applicant: LINCOLN DIAGNOSTICS, INC. [US/US]; P.O. Box 1128, Decatur, IL 62525 (US).
- (72) Inventors: HEIN, Gary, L., Jr.; c/o Lincoln Diagnostics, Inc., P.O. Box 1128, Decatur, IL 62525 (US). HEIN, Douglas, S.; c/o Lincoln Diagnostics, Inc., P.O. Box 1128, Decatur, IL 62525 (US).
- (74) Agents: VAN PELT, Bradley, J. et al; Banner & Witcoff, Ltd., 10 South Wacker Drive, Suite 3000, Chicago, IL 60606 (US).

(10) International Publication Number WO 2013/081901 Al

- (81) Designated States (unless otherwise indicated, for every kind *f* national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind f regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on nextpage]



(54) Title: ALLERGY TESTING DEVICE AND METHOD OF TESTING FOR ALLERGIES

(57) Abstract: An allergy testing system comprises a skin test device having a grip portion for holding the device. One or more legs extend from the grip, and each leg is oriented to interact with a well containing a potential allergen. Each leg has a test head, and each test head has a plurality of elong-ated spike members. The elongated spike members have a sharp end configured to receive the potential allergen from a well and to puncture a patient's skin. In addition, each test head has at least one touch activator. The touch activator is longer than the plurality of elongated spike members, such that during an allergy test, the touch activator comes into contact with the skin prior to the elongated spike members, causing the touch activators to activate nerve tissue that blocks transmission of pain, resulting in a reduction of pain and/or discomfort during testing.

Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(H))
- as to the applicant's entitlement to claim the priority *f* the earlier application (Rule 4.17(Hi))

Published:

- with international search report (Art. 21(3))
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments (Rule 48.2(h))

ALLERGY TESTING DEVICE AND METHOD OF TESTING FOR ALLERGIES

CROSS REFERENCE TO RELATED APPLICATION

[01] This application claims priority to U.S. Patent Application No. 13/308111 filed November 30, 2011, which prior application is incorporated herein in its entirety and made part hereof.

FIELD

[02] This disclosure generally relates to reducing pain in a skin testing device system commonly used for applying test solution, such as liquid antigens, employed in skin testing for allergies, to patients' skin via skin test devices that have sharp pointed ends.

BACKGROUND

[03] Skin testing to identify potential allergens that a patient may be allergic to is well known in many forms. The person conducting the skin testing may apply a relatively large number of test solutions to a patient's skin. To perform skin tests of this type, the person conducting the skin test typically places the skin test devices into a test solution such that a small amount of test solution adheres to the sharp pointed ends on the legs of the skin testing device via capillary attraction. The loaded skin test device is then pressed into a site on the patient's skin in a predetermined sequence. However, the sharp pointed ends of the skin test device may cause discomfort to some patients and much pain to other patients because the sharp pointed ends must penetrate the epidermis of the skin in order to get meaningful allergy test results. The discomfort and/or pain caused by the testing can be traumatic for the patient and disruptive to the nurse or doctor administering the testing.

BRIEF SUMMARY

[04] In an exemplary embodiment, an allergy testing system is disclosed. The allergy testing system comprises a skin test device and a plurality of wells, each having a reservoir for receiving test solutions such as potential allergens or controls. The skin test device can have an elongated grip portion for holding the device. A plurality of legs extends from the grip, and the plurality of legs is spaced and oriented to contact a

corresponding well containing the test solution. Each of the plurality of legs has a test head, and each test head has a plurality of elongated spike members. The elongated spike members have sharp ends configured to receive the test solution or potential allergen from a well, for example via capillary attraction, and to puncture a patient's skin to deliver the test solution or allergen. In addition, each test head has at least one touch activator. The touch activator is longer than the plurality of elongated spike members, such that during an allergy test, the touch activator comes into contact with the skin prior to the elongated spike members, causing the touch activator to activate nerve tissue that blocks pain transmission resulting in a reduction of discomfort and/or pain during testing. Each well reservoir is sized and oriented to receive a separate test head of the allergy testing applicator.

[05] It will be appreciated by those skilled in the art, given the benefit of the following description of certain exemplary embodiments disclosed herein, that at least some of these embodiments have improved or alternative configurations suitable to provide enhanced benefits. These and other aspects, features and advantages of this disclosure or of certain embodiments of the disclosure will be further understood by those skilled in the art from the following description of exemplary embodiments taken in conjunction with the following drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

- [06] To understand the present disclosure, it will now be described by way of example, with reference to the accompanying drawings in which:
- [07] FIG. 1 shows a perspective view of a skin testing device in accordance with an exemplary embodiment;
- [08] FIG. 2 shows a magnified perspective view of a test head in accordance with an exemplary embodiment.
- [09] FIG. 3 shows a bottom view of the exemplary embodiment shown in FIG. 2.
- [10] FIG. 4 shows a front view of the exemplary embodiment shown in FIG. 2, wherein the rear view is a mirror image of FIG. 4.
- [11] FIG. 5 shows a right side view of the exemplary embodiment shown in FIG. 2, wherein the left side view is a mirror image of FIG. 5.

- [12] FIG. 6 shows a magnified perspective view of a test head in accordance with another exemplary embodiment.
- [13] FIG. 7 shows a bottom view of the exemplary embodiment shown in FIG. 6.
- [14] FIG. 8 shows a front view of the exemplary embodiment shown in FIG. 6.
- [15] FIG. 9 shows a left side view of the exemplary embodiment shown in FIG. 6.
- [16] FIG. 10 shows a right side view of the exemplary embodiment shown in FIG. 6.
- [17] FIG. 11 shows a magnified perspective view of a test head in accordance with another exemplary embodiment.
- [18] FIG. 12 shows a bottom view of the exemplary embodiment shown in FIG. 11.
- [19] FIG. 13 shows a front view of the exemplary embodiment shown in FIG. 11, wherein the rear view is a mirror image of FIG. 13.
- [20] FIG. 14 shows a right side view of the exemplary embodiment shown in FIG. 11, wherein the left side view is a mirror image of FIG 14.
- [21] FIG. 15 shows a magnified perspective view of a test head in accordance with another exemplary embodiment.
- [22] FIG. 16 shows a bottom view of the exemplary embodiment shown in FIG. 15.
- [23] FIG. 17 shows a front view of the exemplary embodiment shown in FIG. 15, wherein the rear view is a mirror image of FIG. 17.
- [24] FIG. 18 shows a right side view of the exemplary embodiment shown in FIG. 15, wherein the left side view is a mirror image of FIG. 18.

DETAILED DESCRIPTION OF CERTAIN EXEMPLARY EMBODIMENTS

- [25] While this disclosure is susceptible of embodiments in many different forms, there are shown in the drawings and will herein be described in detail exemplary embodiments with the understanding that the present disclosure is to be considered as an exemplification of the principles of the invention and is not intended to limit the broad aspect of the invention to the embodiments illustrated.
- [26] The embodiments disclosed herein are adaptations of the neurological gate-control theory to help reduce the amount of pain felt by the patient during allergy skin testing.

The neurological gate-control theory involves the activation of nerve cells that block pain transmission resulting in pain suppression. This theory of pain acknowledges that activation of nerves that do not transmit pain signals can restrict transmission signals from pain fibers and inhibit pain perception.

- [27] As shown in FIG. 1, an exemplary skin test device 10 is shown having a plurality of test legs 12, although a device with a single leg is also contemplated. The skin test device 10 has an elongated grip portion 18 for holding the device. The test legs 12 extend from the grip 18 and are spaced and oriented to come into contact with corresponding wells 16 containing test solutions or allergens prior to being placed into contact with the skin of a patient. The skin test device 10 can be provided with an extension 22, which can be formed in the shape of a "T" on the elongated grip 18 to ensure that the skin test device 10 is placed into the wells 16 in the proper orientation as is disclosed in U.S. Patent No. 5,792,071 to Hein, which is fully incorporated herein by reference.
- [28] Each elongated gripping portion 18 can be provided with one or more test heads 14, which are described in more detail below. Each of the test heads 14 are preferably shaped for being dipped into a series of wells 16. When the test heads 14 are placed into the wells, the test solution in the corresponding well 16 adheres to the corresponding test head 14. The test heads 14, which can be approximately 0.15 in. in diameter, are configured to be placed into contact with a patient's skin to apply the test solution and to determine whether the patient reacts positively to a particular allergen indicating that the patient is allergic to that allergen.
- [29] The series of wells 16 each have a reservoir for receiving test solutions such as potential allergens or control solutions. A different test solution, such as an allergen or a control solution is placed into each reservoir, e.g., by using a dropper or any other suitable method known in the art. Each reservoir is sized and oriented to receive a separate test head 14 of the skin test device 10. The test wells 16 can be provided with guide tabs 20 for preventing the reversing of the skin test device 10 position in the wells 16.
- [30] FIG. 2 shows a perspective view of an exemplary test head, which can be used in conjunction with the skin test device 10 shown in FIG. 1. The test head of FIGS. 2-5

can be located at each end of the test legs 12 as shown in FIG. 1. The test head is provided with a plurality of elongated spikes 202 each having a sharp pointed end 204. The elongated spikes 202 can have the shape of a pyramid, with a base formed in a square shape. It is noted, however, that other suitable shapes of the elongated spikes 202 are also contemplated.

- [31] The exemplary test head shown in FIGS. 2-5 also has a touch activator formed as touch post 206, which can be formed as a cylinder with a blunt convex top end 208. It is noted, however, that other suitable shapes of the touch post 206 are also contemplated. The blunt convex end 208 can be configured slightly longer than the elongated spikes 202 such that the convex end 208 of the touch post 206 makes contact with the patient's skin prior to the sharp pointed ends 204 of the elongated spikes 202.
- [32] As shown in FIG. 3, which is a bottom view of the exemplary test head, the test head can be provided with six elongated spikes 202; however, it is contemplated that different numbers of spikes can be used to accomplish acceptable allergy test results. For example, it is believed that the test head ideally may have between 3 and 6 spikes, but with smaller skin reactions with less than 6 spikes. The elongated spikes 202 can be arranged circumferentially around the touch post 206. However, other arrangements of the elongated spikes 202 and the touch post 206 are also contemplated. The arrangement shown in FIGS. 2-5 advantageously provides uniform loads of testing solutions on each test head during testing.
- [33] FIGS. 6-10 show another embodiment of an exemplary test head, which can be used in conjunction with the skin test device 10 shown in FIG. 1. Again the exemplary head shown in FIGS. 6-10 can be located at each of the ends of the legs 12 shown in FIG. 1. FIG. 7 shows a bottom view of the exemplary embodiment of the test head in FIG. 6. This embodiment is similar to the embodiment shown in FIGS. 2-5. However, in this embodiment, the touch activator is formed as a touch collar 308. Also, as shown in FIGS. 6-10, the touch collar 308 is shaped with a convex outer surface 3 10A and a concave inner surface 3 10B and has a generally flat top surface.
- [34] In addition, the touch collar 308 is arranged off center on the test head on a first side, and the elongated spikes 302 are arranged on a second side. As shown in FIG. 7, the

WO 2013/081901

6

touch collar 308 is located radially outward from the center of the test head, and the elongated spikes 302 can be located radially outward from the center of the test head in the opposite direction from the touch collar 308. The elongated spikes 302 can be located as far away from the touch collar 308 as possible on the test head at a distance less than the diameter of the test head. In this embodiment, the placement of the elongated spikes are configured to conform to the circumference of the test head for ease of injection and to generally provide a maximum space between the touch activator 308 and the elongated spikes 302 to provide for a reduction of pain. This allows the elongated spikes 302 to penetrate the skin as much as possible, while maximizing the height of the touch activator 308 to provide for adequate pain reduction during testing. In addition, the outer convex surface 31OA can generally follow the circumference of the test head. The concave inner surface 310B can follow the same curvature of the outer convex surface 310A. The touch collar 308 can also be formed with a tapered portion such that the touch collar is tapered from its base to its end portion. As shown in FIG. 7, a triangular arrangement is one suitable arrangement of the elongated spikes 302. However, again other arrangements of the elongated spikes 302 are also contemplated.

[35] FIGS. 11-14 show another exemplary test head, which can be used in conjunction with the skin test device 10 shown in FIG. 1. This embodiment is similar to the However, in this embodiment two touch embodiment shown in FIGS. 6-10. activators formed as touch collars 408 are arranged off center on the test head or radially outward from the center and on opposite sides of the test head, and the elongated spikes 402 are arranged radially inward closer to the center of the test head. As shown in FIG. 12, the test head can be formed with four elongated spike members 402 having sharp pointed ends 404 that are arranged in a diamond shaped pattern. The elongated spikes 402 can be arranged at a distance from the touch collars 408, which is less than the radius of the test head. Additionally, like in the embodiment shown in FIGS. 6-10, the outer convex surfaces 410A of the touch collars 408 can generally follow the circumference of the test head. Likewise, the concave inner surfaces 4 10B can follow the same curvature of the outer convex surfaces 4 10A. The touch collars 408 can also be formed with a tapered portion.

- [36] FIGS. 15-18 show another exemplary test head, which can be used in conjunction with the skin test device 10 shown in FIG. 1. This embodiment is similar to the embodiment shown in FIGS. 11-14; however, in this embodiment there are six elongated spikes 502 arranged in two rows of three. The elongated spikes 502 can be arranged at a distance from the touch collars 508, which is less than the radius of the test head. Additionally, like in the embodiment shown in FIGS. 11-14, the outer convex surfaces 510A of touch collars 508 generally follow the circumference of the test head and the inner concave surfaces 510B can follow the same curvature. The touch collars 508 can also be formed with a tapered portion.
- [37] Again, the shapes and arrangements of the components described in the embodiments above are merely exemplary; other shapes and arrangements are also contemplated. In each of the embodiments shown in FIGS. 2-18, the touch activators are longer than the elongated spikes, such that the touch activators always come into contact with the patient's skin prior to the elongated spikes. This is necessary to provide adequate pain gate control or activation of nerve cells that block pain transmission, which results in pain suppression.
- [38] In the above embodiments, each of the elongated spikes can be manufactured at the same length and can all be the same length shorter than the touch activator(s). In addition, in the above embodiments, the touch activators can be manufactured at the same height so that the touch activators are the same length longer than the elongated spikes. However, arranging the elongated spikes at different lengths on the same or different test heads is also contemplated. Also length variances may occur due to manufacturing capabilities. However, it is noted that setting the touch activators at the same length as the elongated spikes will still produce satisfactory wheal sizes or allergy test results, but without the relief of pain to the patient.
- [39] Referring back to FIG. 1, in one exemplary process for using the system, the health care administrator of the test may place the test heads 14 into the series of wells 16. The guide 20 in conjunction with the extension 22 on the elongated grip 18 ensures that the allergy testing applicator 10 is placed into the wells 16 in the proper orientation reducing the possibility of testing errors. The test heads 14 are configured to receive test solutions, such as potential allergens or control solutions, from the series of wells 16. During use, the test heads 14 are pressed firmly into contact with

the skin of the patient. The touch activators come into contact with the skin before the elongated spikes, such that the touch activators activate nerve tissue that blocks pain, resulting in a reduction of pain and/or discomfort during testing. During use, the elongated spikes of the test heads 14 puncture the skin and administer the allergens, but, the patient will feel less pain from the elongated spikes. The test administrator may subsequently interpret the results to determine whether the patient is allergic to a particular allergen.

- [40] In the exemplary embodiments disclosed in FIGS. 2-18, the touch activators activate nerve cells that inhibit pain, while sharp refined points apply the test solution. The refined points provide well-defined wheals with very little tissue trauma. This design provides high sensitivity, high specificity, and low variability in results with little pain felt by the patient.
- [41] It has been discovered that there is an ideal distance between the top of the touch activators and the ends of the elongated spikes for realizing pain suppression, while also gaining sufficient penetration of the pointed ends. Lengths of touch activators in the range of approximately 0.005 in. to 0.010 in. longer than the elongated spikes (when measured from the top of the touch activator to the tip or sharp point of the elongated spikes) provide acceptable results. As discussed below, providing touch activators that are 0.007 in. to 0.010 in. longer than the elongated spikes provided the best test results for the disclosed embodiments while suppressing meaningful pain felt by the subjects. As further discussed below, a difference in length of 0.010 in. between the touch activators and elongated spikes provided the best observed results. However, it may be the case that different distances between the top of the touch activators of allergy skin testing devices. The test results are described below in more detail.
- [42] In the first test, the top of the touch activators were manufactured flush with the ends of the elongated spikes. No pain relief was observed, but the tests provided satisfactory wheal sizes from histamine at 1 mg/ml.

- [43] In the second test, the top of the touch activators were manufactured 0.003 in. longer than the ends of the elongated spikes. No pain relief was observed; however, the tests provided satisfactory wheal sizes from histamine.
- [44] In the third test, the top of the touch activators were manufactured 0.005 in. longer than the ends of the elongated spikes. Some reduction of pain was observed, and the tests provided satisfactory wheal sizes.
- [45] In the fourth test, the top of the touch activators were manufactured 0.007 in. longer than the ends of the elongated spikes. A meaningful reduction of pain was observed, and the tests provided satisfactory wheal sizes.
- [46] In the fifth test, the top of the touch activators were manufactured 0.010 in. longer than the ends of the elongated spikes. Virtually no pain was observed by the subjects, and the tests provided satisfactory wheal sizes that averaged 7 mm in diameter with very low variation in wheal sizes.
- [47] Incorporating the touch activators on the same test head as the elongated spikes provides many benefits. Previously, many allergists placed drops of extract on the skin and then pricked through the skin at the drops with a metal point; however, this practice is no longer widely used. Most doctors handling allergy diagnosis use self-loading devices that involve immersion of the points into testing solutions, allowing the points to load via capillary attraction. By incorporating the pain suppresser near the pain producer on the same test head, the skin testing devices can be immersed easily into the wells 16 shown in FIG 1. The dimensions of the exemplary skin testing devices disclosed herein can remain the same as those on other skin testing devices currently manufactured, such as those by the current assignee Lincoln Diagnostics, Inc. Consequently, the elongated spikes of the skin testing devices disclosed herein to the currently existing wells.
- [48] Also by incorporating the touch activator and the elongated spikes on the same test head, it is simpler to inspect the devices for compliance with the critical length dimensions described above and to package them. In contrast, the use of pain suppressers separated from each test head would make inspection more complex and require larger and more complex unit containers.

- [49] Devices that employ the pain suppressers separated from the test head are difficult and impractical to use with existing wells containing test solutions. In these devices, it would also be difficult to accomplish reliable self-loading of allergen extracts via capillary attraction. Additionally, less plastic is used when the touch activator and the elongated spikes are incorporated onto the same test head.
- [50] Also, for the skin testing devices disclosed herein, the amount of test solution is less in volume than that for the previous skin testing devices because of the arrangement of the elongated spikes and the touch activators. The end result is more test sites from a 5 ml vial of test solutions, such as allergens, allergenic extracts, and controls.
- [51] Given the benefit of the above disclosure and description of exemplary embodiments, it will be apparent to those skilled in the art that numerous alternative and different embodiments are possible in keeping with the general principles of the invention disclosed here. Those skilled in this art will recognize that all such various modifications and alternative embodiments are within the true scope and spirit of the invention. The appended claims are intended to cover all such modifications and alternative embodiments. It should be understood that the use of a singular indefinite or definite article (e.g., "a," "an," "the," etc.) in this disclosure and in the following claims follows the traditional approach in patents of meaning "at least one" unless in a particular instance it is clear from context that the term is intended in that particular instance to mean specifically one and only one. Likewise, the term "comprising" is open ended, not excluding additional items, features, components, etc.

What is claimed is:

1. An allergy testing system comprising:

a skin test device comprising:

an elongated grip portion for holding the device;

a plurality of legs extending from the grip, the plurality of legs spaced and oriented to interact with a plurality of wells containing test solutions; wherein each of the plurality of legs has a test head, each test head having a plurality of elongated spikes each having a sharp end configured to receive the test solution from a well and to puncture skin to deliver the test solution, each test head having at least one touch activator, wherein the touch activator is longer than the plurality of elongated spikes, such that during an allergy test, the touch activator comes into contact with the skin prior to the elongated spikes, causing the touch activators to activate nerve tissue that suppresses transmission of pain, resulting in a reduction of pain during testing; and

a plurality of wells each well having a reservoir for receiving test solutions and wherein each reservoir is sized and oriented to receive a separate test head of the skin test device.

2. The allergy testing system of claim 1, wherein at least one of the touch activators on the plurality of test heads has a convex end portion.

3. The allergy testing system of claim 1, wherein the touch activator on each of the plurality of test heads is a cylindrical shaped post.

4. The allergy testing system of claim 1, wherein the elongated spikes are generally pyramid shaped and wherein the base of the elongated spikes is generally square shaped.

5. The allergy testing system of claim 1, wherein the elongated spikes surround the touch activator.

6. The allergy testing system of claim 1, wherein the touch activator has a convex outer portion and a concave inner portion.

7. The allergy testing system of claim 1, wherein the plurality of test heads each comprise two touch activators, each touch activator being arranged radially outward from a

center of the test head and the elongated spikes being located radially inward on a portion of the test head between each touch activator.

8. The allergy testing system of claim 1, wherein the plurality of test heads each comprise one touch activator, the touch activator being arranged radially outward on the test head from a test head center and the elongated spikes being located radially outward from the test head center in the generally opposite direction from the touch activator.

9. The allergy testing system of claim 1, wherein a touch activator has a convex surface that generally follows the circumference of the test heads.

10. The allergy testing system of claim 1, wherein each touch activator is in the range of 0.005 in. to 0.010 in. longer than the longest of the elongated spikes.

11. The allergy testing system of claim 1, wherein each touch activator is approximately0.010 in. longer than the longest of the elongated spikes.

12. A skin test device comprising:

a grip portion for holding the skin test device;

at least one leg extending from the grip portion, each leg oriented to interact with a well containing a test solution; and

wherein each leg has a test head, each test head having a plurality of elongated spikes having a sharp end configured to receive the test solution from a well and to puncture skin for delivering the test solution, each test head having at least one touch activator, wherein the touch activator is longer than the plurality of elongated spikes, such that during an allergy test, the touch activator comes into contact with the skin prior to the elongated spikes, causing the touch activator to activate nerve tissue that suppresses pain, resulting in a reduction of pain during testing.

13. The skin test device of claim 12 wherein the touch activator on each test head has a convex end portion.

14. The skin test device of claim 12 wherein the touch activator on each test head is a cylindrical shaped post.

15. The skin test device of claim 12 wherein the elongated spikes are pyramid shaped, and wherein the base of the elongated spikes is square shaped.

16. The skin test device of claim 12 wherein the elongated spikes surround the touch activator.

17. The skin test device of claim 12 wherein the at least one touch activator has a convex outer portion and a concave inner portion.

18. The skin test device of claim 12 wherein each test head comprises two touch activators, each touch activator being arranged radially outward from a center of the test head and the elongated spikes being located radially inward on a portion of the test head between each touch activator.

19. The skin test device of claim 12 wherein each test head comprises one touch activator, the touch activator being arranged radially outward on the test head from a test head center, and the elongated spikes being located radially outward from the test head center in the opposite direction from the touch activator.

20. The skin test device of claim 12 wherein the touch activator has a convex surface that generally follows the circumference of the test head.

21. The skin test device of claim 12 wherein each touch activator is in the range of 0.005in. to 0.010 in. longer than the longest of the elongated spikes.

22. The skin test device of claim 12 wherein each touch activator is approximately 0.010 in. longer than the longest of the elongated spikes.

23. A skin test device comprising:

a grip portion for holding the skin test device;

at least one leg extending from the grip portion, the leg being oriented to interact with a well containing a test solution; and

wherein the leg has a test head, the test head having at least one elongated spike having a sharp end configured to receive the test solution from a well and to puncture skin for delivering the test solution, the test head having at least one touch activator, wherein the touch activator is longer than the elongated spike, such that during an allergy test, the touch activator comes into contact with the skin prior to the elongated spike, causing the touch activator to activate nerve tissue that suppresses pain, resulting in a reduction of pain during testing.

24. The skin test device of claim 23, wherein the touch activator on the test head has a convex end portion.

25. The skin test device of claim 23, wherein the touch activator on the test head is a cylindrical shaped post.

26. The skin test device of claim 23, wherein the elongated spike is pyramid shaped, and wherein the base of the elongated spike is square shaped.

27. The skin test device of claim 23, wherein the test head comprises a plurality of elongated spikes and wherein the elongated spikes surround the touch activator.


28. A method for administering an allergy test with an allergy test device having a test head with a plurality of elongated spikes and at least one touch activator longer than the plurality of elongated spikes comprising:


placing the allergy testing device into at least one well containing a test solution to load the test solution onto the test head;


administering the test solution to skin of a patient by pressing the allergy testing device against the skin such that the touch activator of the test head comes into contact with the skin prior to the elongated spikes of the test head puncturing the skin of the patient and delivering the test solution, wherein the touch activator activates nerve tissue that suppresses pain, resulting in a reduction of pain during testing.


29. The method of claim 28 further comprising using an allergy testing device with a plurality of legs and test heads, wherein each of the test heads comprise a plurality of elongated spikes and at least one touch activator and placing each of the plurality of test heads into a respective well containing a test solution.


30. The method of claim 29 further comprising pressing the plurality of test heads against the skin of a patient such that each of the test head touch activators come into contact with the skin before the elongated spikes of each test head resulting in a reduction of pain at each contact site of each test head.




















INTERNATIONAL SEARCH REPORT

A. CLASSIFICATION OF SUBJECT MATTER IPC(8) - A61 B 5/00 (201 3.01) USPC - 600/556			
According to International Patent Classification (IPC) or to both national classification $a^{n}d$ IPC			
B. FIELDS SEARCHED			
Minimum documentation searched (classification system followed by classification symbols) IPC(8): A61B 5/00 (2013.01) USPC: 600/556			
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched USPC: 604/46, 47, 19, 22, 112, 191, 181			
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) PatBase; Google Scholar Terms: Cylindrical, spike, pierc*, spike, sharp, needle, penetrating, pain, sensitiv*, reduc *, suppress *, lessen *, decreas *, inhibit*, allerg *, test *			
C. DOCUMENTS CONSIDERED TO BE RELEVANT			
Category*	Citation of document, with indication, where ap	ppropriate, of the relevant passages	Relevant to claim No.
Y	US 2010/0022910 A1 (Lane et al.) 28 January 2010 (28.01.2010): Abstract; Figs. 3, 9- 1 1; para[0042], [0054]-[0058]		1, 4, 10-12, 15, 21-23, 26, 28-30
A			2-3, 5-9, 13-14, 16-20, 24 -25, 27
Y A	US 2010/0010374 A1 (Escutia et al.) 14 January 2010 para[0006], [0010]	(14.01 .2010); Figs. 7-8; para[0075];	1, 4, 10-12, 15, 21-23, 26, 28-30
			2-3, 5-9, 13-14, 16-20, 24 -25, 27
Y	US 2010/0030100 A1 (Tokumoto et al.) 04 February 2010 (04.02.2010); para[0032]		4, 15, 26
А	US 5,139,029 A (Fishman et al.) 18 August 1992 (18.08.1992); entire document		1-30
А	US 2008/01 14298 A1 (Cantor et al.) 15 May 2008 (15.05.2008); entire document		1-30
А	WO 2008/007906 A1 (Kim et al.) 17 January 2008 (17.01.2008); entire document		1-30
А	US 5,820,562 A (Hsiao) 13 October 1998 (13.10.1998); entire document		1-30
A, P	US 2012/0089048 A1 (Harish et al.) 12 April 2012 (12.04.2012); entire document		1-30
А	US 6,024,706 A (Hsiao) 15 February 2000 (15.02.2000); entire document		1-30
Furthe	er documents are listed in the continuation of Box C.		
 * Special categories of cited documents: *A" document defining the general state of the art which is not considered to be of particular relevance *T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention 			
		"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone	
- document which had allow docus on promy channels of which is		"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination	
"P" document published prior to the international filing date but later than "&" document member of the same patent family			
Date of the	actual completion of the international search	Date of mailing of the international search	*
27 February 2013 (27.02.2013)		2 2 MAR 2	2013
Name and mailing address of the ISA/US Mail Stop PCT, Attn: ISA/US, Commissioner for Patents P.O. Box 1450, Alexandria, Virginia 22313-1450 Facsimile No. 571-273-3201		Authorized officer: Lee W. Young PCT Helpdesk: 571-272-4300 PCT OSP: 571-272-7774	

Form PCT/ISA/2 10 (second sheet) (July 2009)