


INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : D21F 1/00, 7/10	A1	(11) International Publication Number: WO 00/09802 (43) International Publication Date: 24 February 2000 (24.02.00)
(21) International Application Number: PCT/US99/18061 (22) International Filing Date: 9 August 1999 (09.08.99) (30) Priority Data: 09/133,142 12 August 1998 (12.08.98) US (71) Applicant: ASTEN, INC. [US/US]; 4399 Corporate Road, P.O. Box 118001, Charleston, SC 29423-8001 (US). (72) Inventors: LEE, Henry, J.; 100 Brighton Lane, Summerville, SC 29485 (US). SUMMER, Billy; 414 Picken Street, Joanna, SC 29351 (US). (74) Agents: VOLPE, Anthony, S. et al.; Volpe and Koenig, P.C., 400 One Penn Center, 1617 John F. Kennedy Boulevard, Philadelphia, PA 19103 (US).		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>

(54) Title: LAMINATED MULTI-LAYERED SEAM PRODUCT WITH FORMED LOOPS



(57) Abstract

An endless woven papermaker's fabric of having warp yarns (14) in at least two layers and continuous weft yarns (12) in at least two layers. The warp and weft yarns are interwoven to form a fabric where the first warp yarn layer is adjacent to the second warp layer and the weft yarns define seam loops (17, 19) at two ends of the fabric. Each end of the fabric has at least one warp yarn (14B) which is free of interweaving with the weft yarns (12) and is removed to form the seam loops (17, 19).

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

LAMINATED MULTI-LAYERED SEAM PRODUCT WITH FORMED LOOPS**BACKGROUND OF THE INVENTION****Field of the Invention**

5 The present invention generally relates to a woven fabric which is designed for use in a paper, cellulose or board manufacturing machine, and which along each end, has a plurality of loops to be included in a seam to form an endless woven fabric. The invention also relates to a
10 method of manufacturing such a fabric.

Description of the Prior Art

Seamed papermaking fabrics have seams that allow the fabric to be assembled and disassembled on a papermaking
15 machine without the requirement of stitching or weaving. Prior art seamed fabrics can be divided into two basic categories, the first having seams formed outside of the weaving loom and the second having seams formed in the weaving loom.

20 The first category of fabrics, those having seams formed outside the weaving loom, includes flat woven fabrics with an independent seam structure attached to the ends of the fabric, such as by sewing a woven tape onto the fabric or piercing it with clipper hooks. These structures have
25 provided poor caliper and density profiles in the seam area. Other structures, such as described in U.S. Patent No. 4,244,084, are formed with an area free of cross direction

folding each end of the fabric back along itself and then stitching each end to hold the folded ends. This structure again provides poor caliper and density profiles in the seam area due to the fold back thickness, and has a strength and
5 life which is limited to the strength of the stitching holding the folded fabric. These problems have effectively precluded the successful use of any of these types of fabric seams in the wet press section of papermaking machines. Seam loops have also been formed on flat woven fabrics by
10 tying back machine direction yarns at each end of the fabric. However, tying back is generally a time consuming process which must be performed after the fabric is woven.

In the second category, in which a pin seam is formed during the weaving process on the loom, a conventional
15 approach for forming such seam loops is shown in U.S. Patent No. 3,815,645. In that process, pairs of weft yarns are woven around a forming wire to form the loops and then the forming wire is removed. Seam loops formed by this process are often difficult to mesh together because of their
20 inconsistent sizes, shapes and orientations which result from the weaving method. In addition, when the forming wire is removed, the resultant fabric is generally a flat fabric with loop ends at each end thereof. Along the length of the fabric, the warp yarns weave with both layers of weft yarns,
25 thereby joining the two weft yarns together.

Accordingly, there exists a need for a base fabric having seam loops which provide better fabric properties in the seam area while being easier to make and install.

SUMMARY OF THE INVENTION

The present invention relates to an endless woven papermaker's fabric of a type having warp yarns in at least two layers and continuous weft yarns in at least two layers.

5 The warp and weft yarns are interwoven to form a fabric where the first warp yarn layer is adjacent to the second warp layer and the weft yarns define seam loops at two ends of the fabric. Each end of the fabric has at least one warp yarn which is free of interweaving with the weft yarns and

10 is removed to form the seam loops.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a schematic perspective view of the base fabric of the present invention as woven.

15 **Figure 2** is a schematic perspective view of the base fabric of the present invention with each end folded over.

Figure 3 is a side elevation view of a portion of the fabric of the present invention with the ends joined.

20 DESCRIPTION OF THE PREFERRED EMBODIMENT

The present invention will be described with reference to the drawing figures where like numerals represent like elements throughout.

Referring to **Figures 1** and **2**, the preferred embodiment

25 of the base fabric **10** of the present invention is shown. The preferred base fabric **10** generally comprises weft yarns **12** that form two layers which are interwoven with two layers of warp yarns **14** as an endless woven fabric. Seam loops **17**,

19 are formed at each end of the base fabric 10 by the absence of warp yarns 14b from areas at each end of the fabric 10. Each warp free area 16, 18 has an area of substantially uncrimped weft yarns 12 which form the seam loops 17, 19.

Although the warp yarns 14b may be interwoven with the weft yarns 12, it is preferred that those warp yarns 14b are not interwoven. Instead, the appropriate heddles are maintained in a stationary position during weaving, and therefore, do not move warp yarns 14b up and down to interweave with the weft yarns 12. As a result, all of the weft yarns 12 weave about only one side of each warp yarn 14b. The warp yarns 14b are easily removed from the woven base fabric 10 before any finishing processes to form the warp free areas 16, 18. As a result of the warp free areas 16, 18, the seam loops 17, 19 remain substantially uncrimped after heat setting. The warp free areas 16, 18 are preferably, but do not have to be, formed on the loom edges. In applications in which the warp free areas 16, 18 are not formed on the loom edges, the seam loops 17, 19 can be aligned at the ends of fabric 10 after the fabric 10 is removed from the loom. The length of the seam loops 17, 19 can be varied depending on the requirements of a particular application.

To seam the fabric 10 on a papermaking machine, the ends of the fabric 10 are brought toward each other as shown in Figure 2. The seam loops 17, 19 are intermeshed and a pintle 20 is inserted therethrough to join the fabric 10, as

shown in **Figure 3**. Other joining methods known in the art may also be utilized. For example, coil type loops may be inserted between the loop seams **17, 19**. A layer of batt material **30** may be applied to one or both sides of the base fabric **10** as desired.

If a particular application requires a more dense fabric, stuffer yarns may be inserted between the layers of the base fabric **10**. If a longer machine direction fabric is desired, the base fabric **10** can be produced using known endless fabric weaving methods. In such a fabric, the warp free areas **16, 18** will exist on opposite ends of the fabric once the edges of the fabric are extended in the machine direction.

While the present invention has been described in terms of the preferred embodiments, other variations which are within the scope of the invention as outlined in the claims will be apparent to those skilled in the art.

*

*

*

What is claimed is:

1. An improved endless woven papermaker's fabric of a type having warp yarns in at least two layers and continuous weft yarns in at least two layers, the warp and weft yarns interwoven to form a fabric where the first warp
5 yarn layer is adjacent to the second warp layer and the weft yarns define seam loops at two ends of the fabric, the fabric is characterized by having at least one warp yarn in each fabric end which is free of interweaving with the weft yarns.

2. The fabric of claim 1 wherein the fabric is woven on a loom having opposed edges and the warp yarns which are free of interweaving are adjacent to the edges during weaving.

3. The fabric of claim 1 wherein the fabric is woven on a loom having opposed edges and the warp yarns which are free of interweaving are spaced from the edges during weaving.



4. The fabric of claim 1 wherein batt material is attached to the fabric.

5. The fabric of claim 1 wherein stuffer yarns are positioned between the warp yarn layers.

6. An improved method of forming an open ended papermaker's fabric of a type having a defined number of warp yarns in at least two layers and continuous weft yarns in at least two layers and where the first warp yarn layer is adjacent to the second warp layer and the weft yarns define seam loops at two ends of the fabric which are interdigitated to form a pintle receiving channel, the improvement characterized by the steps of:

interweaving the weft yarns with the defined number minus N warp yarns, wherein N is an integer at least as great as 2, thereby maintaining N warp yarns unwoven but within the fabric; and

removing the unwoven warp yarns to form the seam loops.



MISSING AT THE TIME OF PUBLICATION

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 99/18061

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 D21F1/00 D21F7/10

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 D21F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 89 12717 A (SCAPA GROUP PLC) 28 December 1989 (1989-12-28) page 4, line 8 - line 20; figures 4,5	1-4,6
A	EP 0 341 041 A (ASTEN GROUP) 8 November 1989 (1989-11-08) column 4, line 32 - line 46; figures	1,2,4,6
A	GB 2 266 731 A (SCAPA GROUP PLC) 10 November 1993 (1993-11-10) page 3, line 4 - line 15; figures	1,2,6
A	US 3 815 645 A (CODORNIU F) 11 June 1974 (1974-06-11) cited in the application	
A	US 5 053 109 A (PENVEN PATRICK H) 1 October 1991 (1991-10-01)	

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

21 December 1999

Date of mailing of the international search report

11/01/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Rebiere, J-L

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 99/18061

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 8912717 A	28-12-1989	AT 119955 T AU 3839889 A DE 68921754 D DE 68921754 T DK 289490 A EP 0425523 A GB 2238272 A,B NO 905412 A	15-04-1995 12-01-1990 20-04-1995 13-07-1995 05-12-1990 08-05-1991 29-05-1991 14-12-1990
EP 0341041 A	08-11-1989	US 4991630 A US 4883096 A US 5053109 A CA 1319289 A FI 892118 A CA 1323235 A EP 0341043 A FI 892117 A JP 2068389 A	12-02-1991 28-11-1989 01-10-1991 22-06-1993 05-11-1989 19-10-1993 08-11-1989 05-11-1989 07-03-1990
GB 2266731 A	10-11-1993	AU 4078593 A CA 2135407 A FI 945247 A,B WO 9323611 A SE 507340 C SE 9403806 A US 5609931 A	13-12-1993 25-11-1993 08-11-1994 25-11-1993 18-05-1998 07-11-1994 11-03-1997
US 3815645 A	11-06-1974	SE 355389 B AU 459906 B AU 3753171 A CA 943044 A DE 2164700 A GB 1381651 A NL 7118173 A	16-04-1973 10-04-1975 05-07-1973 05-03-1974 20-07-1972 22-01-1975 04-07-1972
US 5053109 A	01-10-1991	CA 1319289 A CA 1323235 A EP 0341041 A EP 0341043 A FI 892117 A FI 892118 A JP 2068389 A	22-06-1993 19-10-1993 08-11-1989 08-11-1989 05-11-1989 05-11-1989 07-03-1990