



US00D375263S

United States Patent [19]

[11] Patent Number: **Des. 375,263**

Knickerbocker

[45] Date of Patent: ****Nov. 5, 1996**

[54] ACTUATOR FOR FLUID DISPENSER

[75] Inventor: **Michael G. Knickerbocker**, Crystal Lake, Ill.

[73] Assignee: **Aptar Group**, Cary, Ill.

[**] Term: **14 Years**

[21] Appl. No.: **38,852**

[22] Filed: **May 8, 1995**

[52] U.S. Cl. **D9/448**

[58] Field of Search D9/300, 338, 523, D9/434, 435, 436, 444-450; D7/392.1; 222/402.13, 402.11, 153.13, 153.11, 251, 320, 321.1; 220/915

[56] References Cited

U.S. PATENT DOCUMENTS

D. 206,691	1/1967	Charles	D9/448
D. 206,692	1/1967	Charles	D9/448
D. 228,547	10/1973	Grothoff	D9/448
D. 291,782	9/1987	O'Niel, Jr. et al.	D9/448
D. 295,834	5/1988	Crasper	D9/300
D. 310,723	9/1990	Su	D9/300 X
D. 337,054	7/1993	Chong	D9/448
D. 352,901	11/1994	Ufferfilge	D9/448
3,407,975	10/1968	Schroeder	222/402.13
3,494,510	2/1970	Rahn	222/402.13
3,512,682	5/1970	Hendrickson et al.	D9/448 X
4,095,725	6/1978	Goncalves	222/402.13 X
4,324,351	4/1982	Meshberg	222/402.11
4,620,646	11/1986	Crasper	222/153.11
5,388,730	2/1995	Abbott et al.	222/153.13

Primary Examiner—Jeffrey Asch
Attorney, Agent, or Firm—Frijouf, Rust & Pyle, P.A.

[57] CLAIM

The ornamental design for a actuator for fluid dispenser, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of my new design for a actuator

for fluid dispenser with an overcap attached thereto and with an actuator button disposed in a first position;

FIG. 2 is a front view of my new design for the actuator for fluid dispenser of FIG. 1;

FIG. 3 is a right side view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a rear view thereof;

FIG. 8 is an isometric view of my new design for the actuator for fluid dispenser with the actuator button disposed in a second position;

FIG. 9 is a front view of my new design for the actuator for fluid dispenser of FIG. 8;

FIG. 10 is a right side view thereof;

FIG. 11 is a left side view thereof;

FIG. 12 is a top view thereof;

FIG. 13 is a bottom view thereof;

FIG. 14 is a rear view thereof;

FIG. 15 is an isometric view of my new design for the actuator for fluid dispenser illustrating an upper portion of a container with the overcap being removed;

FIG. 16 is a front view of my new design for the actuator for fluid dispenser of FIG. 15;

FIG. 17 is a right side view thereof;

FIG. 18 is a left side view thereof;

FIG. 19 is a top view thereof;



FIG. 20 is a bottom view thereof;

FIG. 21 is a right side view partially in section; and,

FIG. 22 is a rear view thereof.

The overcap has not been shown in FIGS. 15-22 and the lower portion of the actuator has not been shown in FIGS. 6, 13, and 20, both for convenience of illustration. The broken line showings of the upper portion of a container in FIGS. 1-4, 7-11, 14-18, and 21-22 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22