



(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
14.01.2015 Bulletin 2015/03

(51) Int Cl.:
C07H 19/20 ^(2006.01) **A61K 31/7072** ^(2006.01)
A61P 31/00 ^(2006.01)

(21) Application number: **14179593.0**

(22) Date of filing: **26.03.2008**

(84) Designated Contracting States:
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MT NL NO PL PT RO SE SI SK TR

(30) Priority: **30.03.2007 US 909315 P**
24.10.2007 US 982309 P
21.03.2008 US 53015

(62) Document number(s) of the earlier application(s) in accordance with Art. 76 EPC:
14151876.1 / 2 792 680
08732818.3 / 2 203 462

(71) Applicant: **Gilead Pharmasset LLC**
Foster City, CA 94404 (US)

(72) Inventors:
• **Du, Jinfa**
New Hope
PA 18938 (US)

- **Wang, Peiyuan**
Glen Rock
NJ 07452 (US)
- **Nagarathnam, Dhanapalan**
Bethany
CT 06524 (US)
- **Sofia, Michael Joseph**
Doylestown
PA 18902 (US)


(74) Representative: **Wallace, Sheila Jane**
Marks & Clerk LLP
90 Long Acre
London WC2E 9RA (GB)

Remarks:

This application was filed on 01-08-2014 as a divisional application to the application mentioned under INID code 62.

(54) **Nucleoside phosphoramidate prodrugs**

(57) Disclosed herein are phosphoramidate prodrugs of nucleoside derivatives for the treatment of viral infections in mammals, which is a compound, its stereoisomer, salt (acid or basic addition salt), hydrate, solvate, or crystalline form thereof, represented by the following structure:



I

Also disclosed are methods of treatment, uses, and processes for preparing each of which utilize the compound represented by formula I.

Description

[0001] This application is being filed on March 25, 2008, as a PCT International Patent application in the name of Pharmasset, Inc., a U.S. national corporation, applicant for the designation of all countries except the US, and Michael Joseph Sofia, a citizen of the U.S.; Jinfa Du, a citizen of the U.S.; Peiyuan Wang, a citizen of the People's Republic of China; and Dhanapalan Nagarathnam, a citizen of the U.S.; applicants for the designation of the US only, and claims priority to U.S. Provisional Application Nos. 60/909,315, filed March 30, 2007; 60/982,309, filed October 24, 2007; and U.S. Non-Provisional Application No. 12/053,015, filed March 21, 2008. The contents of each of the above-noted applications is hereby incorporated by reference in its entirety.

Field of Invention

[0002] The present invention pertains to nucleoside phosphoramidates and their use as agents for treating viral diseases. These compounds are inhibitors of RNA-dependent RNA viral replication and are useful as inhibitors of HCV NS5B polymerase, as inhibitors of HCV replication and for treatment of hepatitis C infection in mammals. The invention provides novel chemical compounds, and the use of these compounds alone or in combination with other antiviral agents for treating HCV infection.

Background

[0003] Hepatitis C virus (HCV) infection is a major health problem that leads to chronic liver disease, such as cirrhosis and hepatocellular carcinoma, in a substantial number of infected individuals, estimated to be 2-15% of the world's population. There are an estimated 4.5 million infected people in the United States alone, according to the U.S. Center for Disease Control. According to the World Health Organization, there are more than 200 million infected individuals worldwide, with at least 3 to 4 million people being infected each year. Once infected, about 20% of people clear the virus, but the rest can harbor HCV the rest of their lives. Ten to twenty percent of chronically infected individuals eventually develop liver-destroying cirrhosis or cancer. The viral disease is transmitted parenterally by contaminated blood and blood products, contaminated needles, or sexually and vertically from infected mothers or carrier mothers to their offspring. Current treatments for HCV infection, which are restricted to immunotherapy with recombinant interferon- α alone or in combination with the nucleoside analog ribavirin, are of limited clinical benefit. Moreover, there is no established vaccine for HCV. Consequently, there is an urgent need for improved therapeutic agents that effectively combat chronic HCV infection.

[0004] The HCV virion is an enveloped positive-strand RNA virus with a single oligoribonucleotide genomic sequence of about 9600 bases which encodes a polyprotein of about 3,010 amino acids. The protein products of the HCV gene consist of the structural proteins C, E1, and E2, and the non-structural proteins NS2, NS3, NS4A and NS4B, and NS5A and NS5B. The nonstructural (NS) proteins are believed to provide the catalytic machinery for viral replication. The NS3 protease releases NS5B, the RNA-dependent RNA polymerase from the polyprotein chain. HCV NS5B polymerase is required for the synthesis of a double-stranded RNA from a single-stranded viral RNA that serves as a template in the replication cycle of HCV. Therefore, NS5B polymerase is considered to be an essential component in the HCV replication complex (K. Ishi, et al, Hepatology, 1999, 29: 1227-1235; V. Lohmann, et al., Virology, 1998, 249: 108-118). Inhibition of HCV NS5B polymerase prevents formation of the double-stranded HCV RNA and therefore constitutes an attractive approach to the development of HCV-specific antiviral therapies.

[0005] HCV belongs to a much larger family of viruses that share many common features.

Flaviviridae Viruses

[0006] The Flaviviridae family of viruses comprises at least three distinct genera: *pestiviruses*, which cause disease in cattle and pigs; *flaviviruses*, which are the primary cause of diseases such as dengue fever and yellow fever; and *hepaciviruses*, whose sole member is HCV. The flavivirus genus includes more than 68 members separated into groups on the basis of serological relatedness (Calisher et al., J. Gen. Virol., 1993, 70, 37-43). Clinical symptoms vary and include fever, encephalitis and hemorrhagic fever (Fields Virology, Editors: Fields, B. N., Knipe, D. M., and Howley, P. M., Lippincott-Raven Publishers, Philadelphia, PA, 1996, Chapter 31, 931-959). Flaviviruses of global concern that are associated with human disease include the Dengue Hemorrhagic Fever viruses (DHF), yellow fever virus, shock syndrome and Japanese encephalitis virus (Halstead, S. B., Rev. Infect. Dis., 1984, 6, 251-264; Halstead, S. B., Science, 239:476-481, 1988; Monath, T. P., New Eng. J. Med., 1988, 319, 64 1-643).

[0007] The pestivirus genus includes bovine viral diarrhea virus (BVDV), classical swine fever virus (CSFV, also called hog cholera virus) and border disease virus (BDV) of sheep (Moennig, V. et al. Adv. Vir. Res. 1992, 41, 53-98). Pestivirus infections of domesticated livestock (cattle, pigs and sheep) cause significant economic losses worldwide. BVDV causes

mucosal disease in cattle and is of significant economic importance to the livestock industry (Meyers, G. and Thiel, H.J., *Advances in Virus Research*, 1996, 47, 53-118; Moennig V., et al, *Adv. Vir. Res.* 1992, 41, 53-98). Human pestiviruses have not been as extensively characterized as the animal pestiviruses. However, serological surveys indicate considerable pestivirus exposure in humans.

[0008] Pestiviruses and hepaciviruses are closely related virus groups within the Flaviviridae family. Other closely related viruses in this family include the GB virus A, GB virus A-like agents, GB virus-B and GB virus-C (also called hepatitis G virus, HGV). The hepacivirus group (hepatitis C virus; HCV) consists of a number of closely related but genotypically distinguishable viruses that infect humans. There are at least 6 HCV genotypes and more than 50 subtypes. Due to the similarities between pestiviruses and hepaciviruses, combined with the poor ability of hepaciviruses to grow

efficiently in cell culture, bovine viral diarrhea virus (BVDV) is often used as a surrogate to study the HCV virus. **[0009]** The genetic organization of pestiviruses and hepaciviruses is very similar. These positive stranded RNA viruses possess a single large open reading frame (ORF) encoding all the viral proteins necessary for virus replication. These proteins are expressed as a polyprotein that is co- and post-translationally processed by both cellular and virus-encoded proteinases to yield the mature viral proteins. The viral proteins responsible for the replication of the viral genome RNA are located within approximately the carboxy-terminal. Two-thirds of the ORF are termed nonstructural (NS) proteins. The genetic organization and polyprotein processing of the nonstructural protein portion of the ORF for pestiviruses and hepaciviruses is very similar. For both the pestiviruses and hepaciviruses, the mature nonstructural (NS) proteins, in sequential order from the amino-terminus of the nonstructural protein coding region to the carboxy-terminus of the ORF, consist of p7, NS2, NS3, NS4A, NS4B, NS5A, and NS5B.

[0010] The NS proteins of pestiviruses and hepaciviruses share sequence domains that are characteristic of specific protein functions. For example, the NS3 proteins of viruses in both groups possess amino acid sequence motifs characteristic of serine proteinases and of helicases (Gorbalenya et al., *Nature*, 1988, 333, 22; Bazan and Fletterick *Virology*, 1989, 171, 637-639; Gorbalenya et al., *Nucleic Acid Res.*, 1989, 17, 3889-3897). Similarly, the NS5B proteins of pestiviruses and hepaciviruses have the motifs characteristic of RNA-directed RNA polymerases (Koonin, E.V. and Dolja, V.V., *Crit. Rev. Biochem. Molec. Biol.* 1993, 28, 375-430).

[0011] The actual roles and functions of the NS proteins of pestiviruses and hepaciviruses in the lifecycle of the viruses are directly analogous. In both cases, the NS3 serine proteinase is responsible for all proteolytic processing of polyprotein precursors downstream of its position in the ORF (Wiskerchen and Collett, *Virology*, 1991, 184, 341-350; Bartenschlager et al., *J. Virol.* 1993, 67, 3835-3844; Eckart et al. *Biochem. Biophys. Res. Comm.* 1993, 192, 399-406; Grakoui et al., *J. Virol.* 1993, 67, 2832-2843; Grakoui et al., *Proc. Natl. Acad. Sci. USA* 1993, 90, 10583-10587; Hijikata et al., *J. Virol.* 1993, 67, 4665-4675; Tome et al., *J. Virol.*, 1993, 67, 4017-4026). The NS4A protein, in both cases, acts as a cofactor with the NS3 serine protease (Bartenschlager et al., *J. Virol.* 1994, 68, 5045-5055; Failla et al., *J. Virol.* 1994, 68, 3753-3760; Xu et al., *J. Virol.*, 1997, 71:53 12-5322). The NS3 protein of both viruses also functions as a helicase (Kim et al., *Biochem. Biophys. Res. Comm.*, 1995, 215, 160-166; Jin and Peterson, *Arch. Biochem. Biophys.*, 1995, 323, 47-53; Warrenner and Collett, *J. Virol.* 1995, 69, 1720-1726). Finally, the NS5B proteins of pestiviruses and hepaciviruses have the predicted RNA-directed RNA polymerases activity (Behrens et al., *EMBO*, 1996, 15, 12-22; Lechmann et al., *J. Virol.*, 1997, 71, 8416-8428; Yuan et al., *Biochem. Biophys. Res. Comm.* 1997, 232, 231-235; Hagedorn, *PCT WO* 97/12033; Zhong et al, *J. Virol.*, 1998, 72, 9365-9369).

[0012] Currently, there are limited treatment options for individuals infected with hepatitis C virus. The current approved therapeutic option is the use of immunotherapy with recombinant interferon- α alone or in combination with the nucleoside analog ribavirin. This therapy is limited in its clinical effectiveness and only 50% of treated patients respond to therapy. Therefore, there is significant need for more effective and novel therapies to address the unmet medical need posed by HCV infection.

[0013] A number of potential molecular targets for drug development of direct acting antivirals as anti-HCV therapeutics have now been identified including, but not limited to, the NS2-NS3 autoprotease, the NS3 protease, the NS3 helicase and the NS5B polymerase. The RNA-dependent RNA polymerase is absolutely essential for replication of the single-stranded, positive sense, RNA genome and this enzyme has elicited significant interest among medicinal chemists.

[0014] Inhibitors of HCV NS5B as potential therapies for HCV infection have been reviewed: Tan, S.-L., et al., *Nature Rev. Drug Discov.*, 2002, 1, 867-881; Walker, M.P. et al., *Exp. Opin. Investigational Drugs*, 2003, 12, 1269-1280; Ni, Z.-J., et al., *Current Opinion in Drug Discovery and Development*, 2004, 7, 446-459; Beaulieu, P. L., et al., *Current Opinion in Investigational Drugs*, 2004, 5, 838-850; Wu, J., et al., *Current Drug Targets-Infectious Disorders*, 2003, 3, 207-219; Griffith, R.C., et al, *Annual Reports in Medicinal Chemistry*, 2004, 39, 223-237; Carrol, S., et al., *Infectious Disorders-Drug Targets*, 2006, 6, 17-29. The potential for the emergence of resistant HCV strains and the need to identify agents with broad genotype coverage supports the need for continuing efforts to identify novel and more effective nucleosides as HCV NS5B inhibitors.

[0015] Nucleoside inhibitors of NS5B polymerase can act either as a non-natural substrate that results in chain termination or as a competitive inhibitor which competes with nucleotide binding to the polymerase. To function as a chain terminator the nucleoside analog must be taken up by the cell and converted *in vivo* to a triphosphate to compete for


the polymerase nucleotide binding site. This conversion to the triphosphate is commonly mediated by cellular kinases which imparts additional structural requirements on a potential nucleoside polymerase inhibitor. Unfortunately, this limits the direct evaluation of nucleosides as inhibitors of HCV replication to cell-based assays capable of *in situ* phosphorylation.

[0016] In some cases, the biological activity of a nucleoside is hampered by its poor substrate characteristics for one or more of the kinases needed to convert it to the active triphosphate form. Formation of the monophosphate by a nucleoside kinase is generally viewed as the rate limiting step of the three phosphorylation events. To circumvent the need for the initial phosphorylation step in the metabolism of a nucleoside to the active triphosphate analog, the preparation of stable phosphate prodrugs has been reported. Nucleoside phosphoramidate prodrugs have been shown to be precursors of the active nucleoside triphosphate and to inhibit viral replication when administered to viral infected whole cells (McGuigan, C., et al., J. Med. Chem., 1996, 39, 1748-1753; Valette, G., et al., J. Med. Chem., 1996, 39, 1981-1990; Balzarini, J., et al., Proc. National Acad Sci USA, 1996, 93, 7295-7299; Siddiqui, A. Q., et al., J. Med. Chem., 1999, 42, 4122-4128; Eisenberg, E. J., et al., Nucleosides, Nucleotides and Nucleic Acids, 2001, 20, 1091-1098; Lee, W.A., et al., Antimicrobial Agents and Chemotherapy, 2005, 49, 1898); US 2006/0241064; and WO 2007/095269.

[0017] Also limiting the utility of nucleosides as viable therapeutic agents is their sometimes poor physicochemical and pharmacokinetic properties. These poor properties can limit the intestinal absorption of an agent and limit uptake into the target tissue or cell. To improve on their properties prodrugs of nucleosides have been employed. It has been demonstrated that preparation of nucleoside phosphoramidates improves the systemic absorption of a nucleoside and furthermore, the phosphoramidate moiety of these "pronucleotides" is masked with neutral lipophilic groups to obtain a suitable partition coefficient to optimize uptake and transport into the cell dramatically enhancing the intracellular concentration of the nucleoside monophosphate analog relative to administering the parent nucleoside alone. Enzyme-mediated hydrolysis of the phosphate ester moiety produces a nucleoside monophosphate wherein the rate limiting initial phosphorylation is unnecessary.

SUMMARY OF THE INVENTION

[0018] The present invention is directed toward novel phosphoramidate prodrugs of nucleoside derivatives for the treatment of viral infections in mammals, which is a compound, its stereoisomers, salts (acid or basic addition salts), hydrates, solvates, or crystalline forms thereof, represented by the following structure:



I

wherein

(a) R¹ is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C₁₋₆ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₁₋₆ alkoxy, F, Cl, Br, I, nitro, cyano, C₁₋₆ haloalkyl, -N(R¹')₂, C₁₋₆ acylamino, -NHSO₂C₁₋₆ alkyl, -SO₂N(R¹')₂, COR¹", and -SO₂C₁₋₆ alkyl; (R¹' is independently hydrogen or alkyl, which includes, but is not limited to, C₁₋₂₀ alkyl, C₁₋₁₀ alkyl, or C₁₋₆ alkyl, R¹ is -OR' or -N(R¹')₂);

(b) R² is hydrogen, C₁₋₁₀ alkyl, R³ᵃ or R³ᵇ and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms, C(O)CR³ᵃR³ᵇNHR¹, where n is 2 to 4 and R¹, R³ᵃ, and R³ᵇ;

(c) R³ᵃ and R³ᵇ are (i) independently selected from hydrogen, C₁₋₁₀ alkyl, cycloalkyl, -(CH₂)_c(NR³')₂, C₁₋₆ hydroxyalkyl, -CH₂SH, -(CH₂)₂S(O)_dMe, -(CH₂)₃NHC(=NH)NH₂, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, -(CH₂)_eCOR³", aryl and aryl C₁₋₃ alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C₁₋₁₀ alkyl, C₁₋₆ alkoxy, halogen, nitro and cyano; (ii) R³ᵃ and R³ᵇ both are C₁₋₆ alkyl; (iii) R³ᵃ and R³ᵇ together are (CH₂)_f so as to form a spiro ring; (iv) R³ᵃ is hydrogen and R³ᵇ and R² together are (CH₂)_n so as to form a cyclic

ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where R^3 is independently hydrogen or C_{1-6} alkyl and $R^{3''}$ is $-OR'$ or $-N(R^3)_2$; (vi) R^{3a} is H and R^{3b} is H, CH_3 , CH_2CH_3 , $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph , CH_2 -indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H , $CH_2C(O)NH_2$, CH_2CH_2COOH , $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2 -imidazol-4-yl, CH_2OH , $CH(OH)CH_3$, $CH_2((4'-OH)-Ph)$, CH_2SH , or lower cycloalkyl; or (viii) R^{3a} is CH_3 , $-CH_2CH_3$, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph , CH_2 -indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H , $CH_2C(O)NH_2$, CH_2CH_2COOH , $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2 -imidazol-4-yl, CH_2OH , $CH(OH)CH_3$, $CH_2((4'-OH)-Ph)$, CH_2SH , or lower cycloalkyl and R^{3b} is H, where R^3 is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{3''}$ is $-OR'$ or $-N(R^3)_2$;

(d) R^4 is hydrogen, C_{1-10} alkyl, C_{1-10} alkyl optionally substituted with a lower alkyl, alkoxy, di(lower alkyl)-amino, or halogen, C_{1-10} haloalkyl, C_{3-10} cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;


(e) R^5 is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., $-(CH_2)_pOH$, where p is 1-6, including hydroxyl methyl (CH_2OH), CH_2F , N_3 , CH_2CN , CH_2NH_2 , CH_2NHCH_3 , $CH_2N(CH_3)_2$, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R^6 is H, R^5 cannot be N_3 and when X is OH, R^6 is CH_3 or CH_2F and B is a purine base, R^5 cannot be H;

(f) R^6 is H, CH_3 , CH_2F , CHF_2 , CF_3 , F, or CN;

(g) X is H, OH, F, OMe, halogen, NH_2 , or N_3 ;

(h) Y is OH, H, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, vinyl, N_3 , CN, Cl, Br, F, I, NO_2 , $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{2-4}$ alkynyl), $OC(O)O(C_{2-4}$ alkenyl), OC_{1-10} haloalkyl, O(aminoacyl), $O(C_{1-10}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2 , $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl) $_2$, $N(C_{1-18}$ acyl) $_2$, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N_3 , CN, one to three halogen (Cl, Br, F, I), NO_2 , $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{2-4}$ alkynyl), $C(O)O(C_{2-4}$ alkenyl), $O(C_{1-4}$ acyl), $O(C_{1-4}$ alkyl), $O(C_{2-4}$ alkenyl), $S(C_{1-4}$ acyl), $S(C_{1-4}$ alkyl), $S(C_{2-4}$ alkynyl), $S(C_{2-4}$ alkenyl), $SO(C_{1-4}$ acyl), $SO(C_{1-4}$ alkyl), $SO(C_{2-4}$ alkynyl), $SO(C_{2-4}$ alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkenyl), NH_2 , $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl) $_2$, $N(C_{1-4}$ acyl) $_2$;

the base is a naturally occurring or modified purine or pyrimidine base represented by the following structures:



wherein

Z is N or CR^{12} ;

R^7 , R^8 , R^9 , R^{10} , and R^{11} are independently H, F, Cl, Br, I, OH, OR' , SH, SR' , NH_2 , NHR' , NR'_2 , lower alkyl of C_1-C_6 , halogenated (F, Cl, Br, I) lower alkyl of C_1-C_6 , lower alkenyl of C_2-C_6 , halogenated (F, Cl, Br, I) lower alkenyl of

C₂-C₆, lower alkynyl of C₂-C₆ such as C≡CH, halogenated (F, Cl, Br, I) lower alkynyl of C₂-C₆, lower alkoxy of C₁-C₆, halogenated (F, Cl, Br, I) lower alkoxy of C₁-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R',

wherein R' is an optionally substituted alkyl, which includes, but is not limited to, an optionally substituted C₁₋₂₀ alkyl, an optionally substituted C₁₋₁₀ alkyl, an optionally substituted lower alkyl; an optionally substituted cycloalkyl; an optionally substituted alkynyl of C₂-C₆, an optionally substituted lower alkenyl of C₂-C₆, or optionally substituted acyl, which includes but is not limited to C(O) alkyl, C(O)(C₁₋₂₀ alkyl), C(O)(C₁₋₁₀ alkyl), or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

R¹² is H, halogen (including F, Cl, Br, I), OH, OR', SH, SR', NH₂, NHR', NR'₂, NO₂ lower alkyl of C₁-C₆, halogenated (F, Cl, Br, I) lower alkyl of C₁-C₆, lower alkenyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkenyl of C₂-C₆, lower alkynyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkynyl of C₂-C₆, lower alkoxy of C₁-C₆, halogenated (F, Cl, Br, I) lower alkoxy of C₁-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'; with the proviso that when base is represented by the structure c with R¹¹ being hydrogen, R¹² is not a: (i) -C≡C-H, (ii) -C=CH₂, or (iii) -NO₂.

DEFINITIONS

[0019] The phrase "a" or "an" entity as used herein refers to one or more of that entity; for example, a compound refers to one or more compounds or at least one compound. As such, the terms "a" (or "an"), "one or more", and "at least one" can be used interchangeably herein.

[0020] The phrase "as defined herein above" refers to the first definition provided in the Summary of the Invention.

[0021] The terms "optional" or "optionally" as used herein means that a subsequently described event or circumstance may but need not occur, and that the description includes instances where the event or circumstance occurs and instances in which it does not. For example, "optional bond" means that the bond may or may not be present, and that the description includes single, double, or triple bonds.

[0022] The term "independently" is used herein to indicate that a variable is applied in any one instance without regard to the presence or absence of a variable having that same or a different definition within the same compound. Thus, in a compound in which R appears twice and is defined as "independently carbon or nitrogen", both R's can be carbon, both R's can be nitrogen, or one R' can be carbon and the other nitrogen.

[0023] The term "alkenyl" refers to an unsubstituted hydrocarbon chain radical having from 2 to 10 carbon atoms having one or two olefinic double bonds, preferably one olefinic double bond. The term "C_{2-N} alkenyl" refers to an alkenyl comprising 2 to N carbon atoms, where N is an integer having the following values: 3, 4, 5, 6, 7, 8, 9, or 10. The term "C₂₋₁₀ alkenyl" refers to an alkenyl comprising 2 to 10 carbon atoms. The term "C₂₋₄ alkenyl" refers to an alkenyl comprising 2 to 4 carbon atoms. Examples include, but are not limited to, vinyl, 1-propenyl, 2-propenyl (allyl) or 2-butenyl (crotyl).

[0024] The term "halogenated alkenyl" refers to an alkenyl comprising at least one of F, Cl, Br, and I.

[0025] The term "alkyl" refers to an unbranched or branched chain, saturated, monovalent hydrocarbon residue containing 1 to 30 carbon atoms. The term "C_{1-M} alkyl" refers to an alkyl comprising 1 to M carbon atoms, where M is an integer having the following values: 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30. The term "C₁₋₄ alkyl" refers to an alkyl containing 1 to 4 carbon atoms. The term "lower alkyl" denotes a straight or branched chain hydrocarbon residue comprising 1 to 6 carbon atoms. "C₁₋₂₀ alkyl" as used herein refers to an alkyl comprising 1 to 20 carbon atoms. "C₁₋₁₀ alkyl" as used herein refers to an alkyl comprising 1 to 10 carbons. Examples of alkyl groups include, but are not limited to, lower alkyl groups include methyl, ethyl, propyl, *i*-propyl, *n*-butyl, *i*-butyl, *t*-butyl or pentyl, isopentyl, neopentyl, hexyl, heptyl, and octyl. The term (ar)alkyl or (heteroaryl)alkyl indicate the alkyl group is optionally substituted by an aryl or a heteroaryl group respectively.


[0026] The term "cycloalkyl" refers to an unsubstituted or substituted carbocycle, in which the carbocycle contains 3 to 10 carbon atoms; preferably 3 to 8 carbon atoms; more preferably 3 to 6 carbon atoms (i.e., lower cycloalkyls). Examples of cycloalkyl groups include, but are not limited to, cyclopropyl, 2-methyl-cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl.

[0027] The term "cycloalkyl alkyl" refers to an additionally unsubstituted or substituted alkyl substituted by a lower cycloalkyl. Examples of cycloalkyl alkyls include, but are not limited to, any one of methyl, ethyl, propyl, *i*-propyl, *n*-butyl, *i*-butyl, *t*-butyl or pentyl, isopentyl, neopentyl, hexyl, heptyl, and octyl that is substituted with cyclopropyl, 2-methyl-cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl.

[0028] The term "cycloheteroalkyl" refers to an unsubstituted or substituted heterocycle, in which the heterocycle contains 2 to 9 carbon atoms; preferably 2 to 7 carbon atoms; more preferably 2 to 5 carbon atoms. Examples of cycloheteroalkyls include, but are not limited to, aziridin-2-yl, *N*-C₁₋₃-alkyl-aziridin-2-yl, azetidiny, *N*-C₁₋₃-alkyl-azetidiny

m'-yl, pyrrolidin-m'-yl, N-C₁₋₃-alkyl-pyrrolidin-m'-yl, piperidin-m'-yl, and N-C₁₋₃-alkyl-piperidin-m'-yl, where m' is 2, 3, or 4 depending on the cycloheteroalkyl. Specific examples of N-C₁₋₃-alkyl-cycloheteroalkyls include, but are not limited to, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-2-yl, N-methyl-piperidin-3-yl, and N-methyl-piperidin-4-yl. In the instance of R⁴, the point of attachment between the cycloheteroalkyl ring carbon and the oxygen occurs at any one of m'

[0029] The term "heterocycle" refers to an unsubstituted or substituted heterocycle containing carbon, hydrogen, and at least one of N, O, and S, where the C and N can be trivalent or tetravalent, i.e., sp²- or sp³-hybridized. Examples of heterocycles include, but are not limited to, aziridine, azetidine, pyrrolidine, piperidine, imidazole, oxazole, piperazine, etc. In the instance of piperazine, as related to R¹⁰ for NR'₂, the corresponding opposite nitrogen atom of the piperazinyl is substituted by a lower alkyl represented by the following structure:



Preferably, the opposite nitrogen of the piperazinyl is substituted by a methyl group.

[0030] The term "halogenated alkyl" (or "haloalkyl") refers to an unbranched or branched chain alkyl comprising at least one of F, Cl, Br, and I. The term "C_{1-M} haloalkyl" refers to an alkyl comprising 1 to M carbon atoms that comprises at least one of F, Cl, Br, and I, where M is an integer having the following values: 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30. "C₁₋₃ haloalkyl" refers to a haloalkyl comprising 1 to 3 carbons and at least one of F, Cl, Br, and I. The term "halogenated lower alkyl" (or "lower haloalkyl") refers to a haloalkyl comprising 1 to 6 carbon atoms and at least one of F, Cl, Br, and I. Examples include, but are not limited to, fluoromethyl, chloromethyl, bromomethyl, iodomethyl, difluoromethyl, dichloromethyl, dibromomethyl, diiodomethyl, trifluoromethyl, trichloromethyl, tribromomethyl, triiodomethyl, 1-fluoroethyl, 1-chloroethyl, 1-bromoethyl, 1-iodoethyl, 2-fluoroethyl, 2-chloroethyl, 2-bromoethyl, 2-iodoethyl, 2,2-difluoroethyl, 2,2-dichloroethyl, 2,2-dibromomethyl, 2,2-diiodomethyl, 3-fluoropropyl, 3-chloropropyl, 3-bromopropyl, 2,2,2-trifluoroethyl or 1,1,2,2,2-pentafluoroethyl.

[0031] The term "alkynyl" refers to an unbranched or branched hydrocarbon chain radical having from 2 to 10 carbon atoms, preferably 2 to 5 carbon atoms, and having one triple bond. The term "C_{2-N} alkynyl" refers to an alkynyl comprising 2 to N carbon atoms, where N is an integer having the following values: 3, 4, 5, 6, 7, 8, 9, or 10. The term "C₂₋₄ alkynyl" refers to an alkynyl comprising 2 to 4 carbon atoms. The term "C₂₋₁₀ alkynyl" refers to an alkynyl comprising 2 to 10 carbons. Examples include, but are limited to, ethynyl, 1-propynyl, 2-propynyl, 1-butylnyl, 2-butylnyl or 3-butylnyl.

[0032] The term "halogenated alkynyl" refers to an unbranched or branched hydrocarbon chain radical having from 2 to 10 carbon atoms, preferably 2 to 5 carbon atoms, and having one triple bond and at least one of F, Cl, Br, and I.

[0033] The term "cycloalkyl" refers to a saturated carbocyclic ring comprising 3 to 8 carbon atoms, i.e. cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cycloheptyl or cyclooctyl. The term "C₃₋₇ cycloalkyl" as used herein refers to a cycloalkyl comprising 3 to 7 carbons in the carbocyclic ring.

[0034] The term "alkoxy" refers to an -O-alkyl group or an -O-cycloalkyl group, wherein alkyl and cycloalkyl are as defined above. Examples of -O-alkyl groups include, but are not limited to, methoxy, ethoxy, n-propyloxy, i-propyloxy, n-butyloxy, i-butyloxy, t-butyloxy. "Lower alkoxy" as used herein denotes an alkoxy group with a "lower alkyl" group as previously defined. "C₁₋₁₀ alkoxy" refers to an -O-alkyl wherein alkyl is C₁₋₁₀. Examples of -O-cycloalkyl groups include, but are not limited to, -O-c-propyl, -O-c-butyl, -O-c-pentyl, and -O-c-hexyl.

[0035] The term "halogenated alkoxy" refers to an -O-alkyl group in which the alkyl group comprises at least one of F, Cl, Br, and I.

[0036] The term "halogenated lower alkoxy" refers to an -O-(lower alkyl) group in which the lower alkyl group comprises at least one of F, Cl, Br, and I.

[0037] The term "amino acid" includes naturally occurring and synthetic α , β , γ or δ amino acids, and includes but is not limited to, amino acids found in proteins, i.e. glycine, alanine, valine, leucine, isoleucine, methionine, phenylalanine, tryptophan, proline, serine, threonine, cysteine, tyrosine, asparagine, glutamine, aspartate, glutamate, lysine, arginine and histidine. In a preferred embodiment, the amino acid is in the L-configuration. Alternatively, the amino acid can be a derivative of alanyl, valinyl, leucinyl, isoleucinyl, prolinyl, phenylalaninyl, tryptophanyl, methioninyl, glycynyl, serinyl, threoninyl, cysteinyl, tyrosinyl, asparaginyl, glutaminyl, aspartoyl, glutaroyl, lysinyl, argininyl, histidinyl, β -alanyl, β -valinyl, β -leucinyl, β -isoleucinyl, β -prolinyl, β -phenylalaninyl, β -tryptophanyl, β -methioninyl, β -glycynyl, β -serinyl, β -threoninyl, β -cysteinyl, β -tyrosinyl, β -asparaginyl, β -glutaminyl, β -aspartoyl, β -glutaroyl, β -lysinyl, β -argininyl or β -histidinyl. When the term amino acid is used, it is considered to be a specific and independent disclosure of each of the esters of α , β , γ or δ glycine, alanine, valine, leucine, isoleucine, methionine, phenylalanine, tryptophan, proline, serine, threonine, cysteine, tyrosine, asparagine, glutamine, aspartate, glutamate, lysine, arginine and histidine in the D and L-configurations.

[0038] The term "aminoacyl" includes N,N-unsubstituted, N,N-monosubstituted, and N,N-disubstituted derivatives of

naturally occurring and synthetic α , β γ or δ amino acyls, where the amino acyls are derived from amino acids. The amino-nitrogen can be substituted or unsubstituted. When the amino-nitrogen is substituted, the nitrogen is either mono- or di-substituted, where the substituent bound to the amino-nitrogen is a lower alkyl or an alkaryl. In the instance of its use for Y, the expression "O(aminoacyl)" is used. It is understood that the C3' carbon of the ribose is bound to the oxygen

"O", which is then bound to the carbonyl carbon of the aminoacyl.

[0039] The terms "alkylamino" or "arylamino" refer to an amino group that has one or two alkyl or aryl substituents, respectively.

[0040] The term "protected," as used herein and unless otherwise defined, refers to a group that is added to an oxygen, nitrogen, or phosphorus atom to prevent its further reaction or for other purposes. A wide variety of oxygen and nitrogen protecting groups are known to those skilled in the art of organic synthesis. Nonlimiting examples include: C(O)-alkyl, C(O)Ph, C(O)aryl, CH₃, CH₂-alkyl, CH₂-alkenyl, CH₂Ph, CH₂-aryl, CH₂O-alkyl, CH₂O-aryl, SO₂-alkyl, SO₂-aryl, *tert*-butyldimethylsilyl, *tert*-butyldiphenylsilyl, and 1,3-(1,1,3,3-tetraisopropylidisiloxanylidene).

[0041] The term "aryl," as used herein, and unless otherwise specified, refers to substituted or unsubstituted phenyl (Ph), biphenyl, or naphthyl, preferably the term aryl refers to substituted or unsubstituted phenyl. The aryl group can be substituted with one or more moieties selected from among hydroxyl, F, Cl, Br, I, amino, alkylamino, arylamino, alkoxy, aryloxy, nitro, cyano, sulfonic acid, sulfate, phosphonic acid, phosphate, and phosphonate, either unprotected, or protected as necessary, as known to those skilled in the art, for example, as taught in T.W. Greene and P.G. M. Wuts, "Protective Groups in Organic Synthesis," 3rd ed., John Wiley & Sons, 1999.

[0042] The terms "alkaryl" or "alkylaryl" refer to an alkyl group with an aryl substituent, such as benzyl. The terms "aralkyl" or "arylalkyl" refer to an aryl group with an alkyl substituent.

[0043] The term "di(lower alkyl)amino-lower alkyl" refers to a lower alkyl substituted by an amino group that is itself substituted by two lower alkyl groups. Examples include, but are not limited to, (CH₃)₂NCH₂, (CH₃)₂NCH₂CH₂, (CH₃)₂NCH₂CH₂CH₂, etc. The examples above show lower alkyls substituted at the terminus carbon atom with an N,N-dimethyl-amino substituent. These are intended as examples only and are not intended to limit the meaning of the term "di(lower alkyl)amino-lower alkyl" so as to require the same. It is contemplated that the lower alkyl chain can be substituted with an N,N-di(lower alkyl)-amino at any point along the chain, e.g., CH₃CH(N-(lower alkyl)₂)CH₂CH₂.

[0044] The term "halo," as used herein, includes chloro, bromo, iodo and fluoro.

[0045] The term "acyl" refers to a substituent containing a carbonyl moiety and a non-carbonyl moiety. The carbonyl moiety contains a double-bond between the carbonyl carbon and a heteroatom, where the heteroatom is selected from among O, N and S. When the heteroatom is N, the N is substituted by a lower alkyl. The non-carbonyl moiety is selected from straight, branched, and cyclic alkyl, which includes, but is not limited to, a straight, branched, or cyclic C₁₋₂₀ alkyl, C₁₋₁₀ alkyl, or lower alkyl; alkoxyalkyl, including methoxymethyl; aralkyl, including benzyl; aryloxyalkyl, such as phenoxymethyl; or aryl, including phenyl optionally substituted with halogen (F, Cl, Br, I), hydroxyl, C₁ to C₄ alkyl, or C₁ to C₄ alkoxy, sulfonate esters, such as alkyl or aralkyl sulphonyl, including methanesulfonyl, the mono, di or triphosphate ester, trityl or monomethoxytrityl, substituted benzyl, trialkylsilyl (e.g. dimethyl-*t*-butylsilyl) or diphenylmethylsilyl. When at least one aryl group is present in the non-carbonyl moiety, it is preferred that the aryl group comprises a phenyl group.

[0046] The term "lower acyl" refers to an acyl group in which the non-carbonyl moiety is lower alkyl.


[0047] The term "purine" or "pyrimidine" base includes, but is not limited to, adenine, N⁶-alkylpurines, N⁶-acylpurines (wherein acyl is C(O)(alkyl, aryl, alkylaryl, or arylalkyl), N⁶-benzylpurine, N⁶-halopurine, N⁶-vinylpurine, N⁶-acetylenic purine, N⁶-acyl purine, N⁶-hydroxyalkyl purine, N⁶-allylaminopurine, N⁶-thioallyl purine, N²-alkylpurines, N²-alkyl-6-thiopurines, thymine, cytosine, 5-fluorocytosine, 5-methylcytosine, 6-azapyrimidine, including 6-azacytosine, 2- and/or 4-mercaptopyrimidine, uracil, 5-halouracil, including 5-fluorouracil, C⁵-alkylpyrimidines, C⁵-benzylpyrimidines, C⁵-halopyrimidines, C⁵-vinylpyrimidine, C⁵-acetylenic pyrimidine, C⁵-acyl pyrimidine, C⁵-hydroxyalkyl purine, C⁵-amidopyrimidine, C⁵-cyanopyrimidine, C⁵-iodopyrimidine, C⁶-iodo-pyrimidine, C⁵-Br-vinyl pyrimidine, C⁶-Br-vinyl pyrimidine, C⁵-nitropyrimidine, C⁵-amino-pyrimidine, N²-alkylpurines, N²-alkyl-6-thiopurines, 5-azacytidinyl, 5-azauracil, triazolopyridinyl, imidazolopyridinyl, pyrrolopyrimidinyl, and pyrazolopyrimidinyl. Purine bases include, but are not limited to, guanine, adenine, hypoxanthine, 2,6-diaminopurine, and 6-chloropurine. Functional oxygen and nitrogen groups on the base can be protected as necessary or desired. Suitable protecting groups are well known to those skilled in the art, and include trimethylsilyl, dimethylhexylsilyl, *t*-butyldimethylsilyl, and *t*-butyldiphenylsilyl, trityl, alkyl groups, and acyl groups such as acetyl and propionyl, methanesulfonyl, and *p*-toluenesulfonyl.

[0048] The term "tautomerism" and "tautomers" have their accepted plain meanings.

[0049] The term "P*" means that the phosphorous atom is chiral and that it has a corresponding Cahn-Ingold-Prelog designation of "R" or "S" which have their accepted plain meanings. It is contemplated that compounds of the formula I are racemic because the chirality at phosphorous. Applicants contemplate use of the racemate and/or the resolved enantiomers. In some instances, an asterisk does not appear next to the phosphoroamidate phosphorous atom. In these instances, it is understood that the phosphorous atom is chiral and that one of ordinary skill understands this to be so unless the substituents bound to the phosphorous exclude the possibility of chirality at phosphorous, such as in P(O)Cl₃.

DETAILED DESCRIPTION OF THE INVENTION

[0050] An aspect of the invention is directed to a compound, its salts, hydrates, solvates, crystalline forms, and the like represented by formula I:



wherein

(a) R¹ is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C₁₋₆ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₁₋₆ alkoxy, F, Cl, Br, I, nitro, cyano, C₁₋₆ haloalkyl, -N(R¹')₂, C₁₋₆ acylamino, -NHSO₂C₁₋₆ alkyl, -SO₂N(R¹')₂, COR¹'', and -SO₂C₁₋₆ alkyl; (R¹' is independently hydrogen or alkyl, which includes, but is not limited to, C₁₋₂₀ alkyl, C₁₋₁₀ alkyl, or C₁₋₆ alkyl, R¹'' is -OR' or -N(R¹')₂);

(b) R² is hydrogen, C₁₋₁₀ alkyl, R³ᵃ or R³ᵇ and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms, C(O)CR³ᵃR³ᵇNHR¹, where n is 2 to 4 and R¹, R³ᵃ, and R³ᵇ;

(c) R³ᵃ and R³ᵇ are (i) independently selected from hydrogen, C₁₋₁₀ alkyl, cycloalkyl, -(CH₂)_c(NR³')₂, C₁₋₆ hydroxy-alkyl, -CH₂SH, -(CH₂)_dS(O)_eMe, -(CH₂)₃NHC(=NH)NH₂, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, -(CH₂)_eCOR³'', aryl and aryl C₁₋₃ alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C₁₋₁₀ alkyl, C₁₋₆ alkoxy, halogen, nitro and cyano; (ii) R³ᵃ and R³ᵇ both are C₁₋₆ alkyl; (iii) R³ᵃ and R³ᵇ together are (CH₂)_f so as to form a spiro ring; (iv) R³ᵃ is hydrogen and R³ᵇ and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms (v) R³ᵇ is hydrogen and R³ᵃ and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where R³' is independently hydrogen or C₁₋₆ alkyl and R³'' is -OR' or -N(R³')₂; (vi) R³ᵃ is H and R³ᵇ is H, CH₃, CH₂CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl; or (viii) R³ᵃ is CH₃, -CH₂CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl and R³ᵇ is H, where R³' is independently hydrogen or alkyl, which includes, but is not limited to, C₁₋₂₀ alkyl, C₁₋₁₀ alkyl, or C₁₋₆ alkyl, R³'' is -OR' or -N(R³')₂;

(d) R⁴ is hydrogen, C₁₋₁₀ alkyl, C₁₋₁₀ alkyl optionally substituted with a lower alkyl, alkoxy, di(lower alkyl)-amino, or halogen, C₁₋₁₀ haloalkyl, C₃₋₁₀ cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R⁵ is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., -(CH₂)_pOH, where p is 1-6, including hydroxyl methyl (CH₂OH), CH₂F, N₃, CH₂CN, CH₂NH₂, CH₂NHCH₃, CH₂N(CH₃)₂, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R⁶ is H, R⁵ cannot be N₃ and when X is OH, R⁶ is CH₃ or CH₂F and B is a purine base, R⁵ cannot be H;


(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OMe, halogen, NH₂, or N₃;

(h) Y is OH, H, C₁₋₄ alkyl, C₂₋₄ alkenyl, C₂₋₄ alkynyl, vinyl, N₃, CN, Cl, Br, F, I, NO₂, OC(O)O(C₁₋₄ alkyl), OC(O)O(C₁₋₄ alkyl), OC(O)O(C₂₋₄ alkynyl), OC(O)O(C₂₋₄ alkenyl), OC₁₋₁₀ haloalkyl, O(aminoacyl), O(C₁₋₁₀ acyl), O(C₁₋₄ alkyl),

O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkynyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₁₈ acyl)₂, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N₃, CN, one to three halogen (Cl, Br, F, I), NO₂, C(O)O(C₁₋₄ alkyl), C(O)O(C₁₋₄ alkyl), C(O)O(C₂₋₄ alkynyl), C(O)O(C₂₋₄ alkenyl), O(C₁₋₄ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkynyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₄ acyl)₂;

the base is a naturally occurring or modified purine or pyrimidine base represented by the following structures:



wherein

Z is N or CR¹²;


R⁷, R⁸, R⁹, R¹⁰, and R¹¹ are independently H, F, Cl, Br, I, OH, OR', SH, SR', NH₂, NHR', NR'₂, lower alkyl of C₁-C₆, halogenated (F, Cl, Br, I) lower alkyl of C₁-C₆, lower alkenyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkenyl of C₂-C₆, lower alkynyl of C₂-C₆ such as C=CH, halogenated (F, Cl, Br, I) lower alkynyl of C₂-C₆, lower alkoxy of C₁-C₆, halogenated (F, Cl, Br, I) lower alkoxy of C₁-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R',

wherein R' is an optionally substituted alkyl, which includes, but is not limited to, an optionally substituted C₁₋₂₀ alkyl, an optionally substituted C₁₋₁₀ alkyl, an optionally substituted lower alkyl; an optionally substituted cycloalkyl; an optionally substituted alkynyl of C₂-C₆, an optionally substituted lower alkenyl of C₂-C₆, or optionally substituted acyl, which includes but is not limited to C(O) alkyl, C(O)(C₁₋₂₀ alkyl), C(O)(C₁₋₁₀ alkyl), or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

R¹² is H, halogen (including F, Cl, Br, I), OH, OR', SH, SR', NH₂, NHR', NR'₂, NO₂ lower alkyl of C₁-C₆, halogenated (F, Cl, Br, I) lower alkyl of C₁-C₆, lower alkenyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkenyl of C₂-C₆, lower alkynyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkynyl of C₂-C₆, lower alkoxy of C₁-C₆, halogenated (F, Cl, Br, I) lower alkoxy of C₁-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'; with the proviso that when base is represented by the structure c with R¹¹ being hydrogen, R¹² is not a: (i) -C≡C-H, (ii) -C=CH₂, or (iii) -NO₂.

[0051] As can be appreciated from the structure represented by formula I above, there are myriad ways to express the several embodiments and aspects of each embodiment of the present invention. As seen below, the inventors have disclosed certain embodiments directed to the compound of formula I, each having several aspects, based on the identity of the modified purine or pyrimidine base. This is not intended to be an explicit or implicit admission that the three embodiments are independent or distinct nor should it be interpreted as such. Rather, it is intended to convey information so that the full breadth of the present invention can be understood. Furthermore, the following embodiments, and aspects thereof, are not meant to be limiting on the full breadth of the invention as recited by the structure of formula I.

[0052] A first embodiment of the invention is directed to a compound represented by formula I-1:



I-1

wherein

(a) R^1 is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-6} alkoxy, F, Cl, Br, I, nitro, cyano, C_{1-6} haloalkyl, $-N(R^1)_2$, C_{1-6} acylamino, $-NHSO_2C_{1-6}$ alkyl, $-SO_2N(R^1)_2$, $COR^{1''}$, and $-SO_2C_{1-6}$ alkyl; ($R^{1'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{1''}$ is $-OR'$ or $-N(R^1)_2$);

(b) R^2 is hydrogen, C_{1-10} alkyl, R^{3a} or R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, $C(O)CR^{3a}R^{3b}NHR^1$, where n is 2 to 4 and R^1 , R^{3a} , and R^{3b} ;

(c) R^{3a} and R^{3b} are (i) independently selected from hydrogen, C_{1-10} alkyl, cycloalkyl, $-(CH_2)_c(NR^{3'})_2$, C_{1-6} hydroxy-alkyl, $-CH_2SH$, $-(CH_2)_2S(O)_dMe$, $-(CH_2)_3NHC(=NH)NH_2$, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, $-(CH_2)_eCOR^{3''}$, aryl and aryl C_{1-3} alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C_{1-10} alkyl, C_{1-6} alkoxy, halogen, nitro and cyano; (ii) R^{3a} and R^{3b} both are C_{1-6} alkyl; (iii) R^{3a} and R^{3b} together are $(CH_2)_f$ so as to form a spiro ring; (iv) R^{3a} is hydrogen and R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where $R^{3'}$ is independently hydrogen or C_{1-6} alkyl and $R^{3''}$ is $-OR'$ or $-N(R^3)_2$; (vi) R^{3a} is H and R^{3b} is H, CH_3 , CH_2CH_3 , $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph , CH_2 -indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H , $CH_2C(O)NH_2$, CH_2CH_2COOH , $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2 -imidazol-4-yl, CH_2OH , $CH(OH)CH_3$, $CH_2((4'-OH)-Ph)$, CH_2SH , or lower cycloalkyl; or (viii) R^{3a} is CH_3 , $-CH_2CH_3$, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph , CH_2 -indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H , $CH_2C(O)NH_2$, CH_2CH_2COOH , $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2 -imidazol-4-yl, CH_2OH , $CH(OH)CH_3$, $CH_2((4'-OH)-Ph)$, CH_2SH , or lower cycloalkyl and R^{3b} is H, where $R^{3'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{3''}$ is $-OR'$ or $-N(R^3)_2$;

(d) R^4 is hydrogen, C_{1-10} alkyl, C_{1-10} alkyl optionally substituted with a lower alkyl, alkoxy, di(lower alkyl)-amino, or halogen, C_{1-10} haloalkyl, C_{3-10} cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)-amino, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R^5 is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., $-(CH_2)_pOH$, where p is 1-6, including hydroxyl methyl (CH_2OH), CH_2F , N_3 , CH_2CN , CH_2NH_2 , CH_2NHCH_3 , $CH_2N(CH_3)_2$, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R^6 is H, R^5 cannot

be N₃ and when X is OH, R⁶ is CH₃ or CH₂F and B is a purine base, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OMe, Cl, Br, I, NH₂, or N₃;

(h) Y is OH, H, C₁₋₄ alkyl, C₂₋₄ alkenyl, C₂₋₄ alkynyl, vinyl, N₃, CN, Cl, Br, F, I, NO₂, OC(O)O(C₁₋₄ alkyl), OC(O)O(C₁₋₄ alkenyl), OC(O)O(C₂₋₄ alkynyl), OC(O)O(C₂₋₄ alkenyl), OC₁₋₁₀ haloalkyl, O(aminoacyl), O(C₁₋₁₀ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkynyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₁₈ acyl)₂, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N₃, CN, one to three halogen (Cl, Br, F, I), NO₂, C(O)O(C₁₋₄ alkyl), C(O)O(C₁₋₄ alkenyl), C(O)O(C₂₋₄ alkynyl), C(O)O(C₂₋₄ alkenyl), O(C₁₋₄ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkynyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₄ acyl)₂;

(i) R⁷, R⁸, R⁹ are independently H, F, Cl, Br, I, OH, OR', SH, SR', NH₂, NHR', NR'₂, lower alkyl, halogenated (F, Cl, Br, I) lower alkyl, lower alkenyl of C₂-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, wherein R' is a C₁₋₂₀ alkyl; a C₁₋₂₀ cycloalkyl; a C₂-C₆ alkenyl, a C₂-C₆ alkynyl.

[0053] A first aspect of the first embodiment is directed to a compound represented by formula I-1 wherein

(a) R¹ is hydrogen, n-alkyl or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C₁₋₆ alkyl, C₁₋₆ alkoxy, F, Cl, Br, I, nitro, cyano, C₁₋₆ haloalkyl;

(b) R² is hydrogen or CH₃;

(c) R^{3a} and R^{3b} are independently (i) R^{3a} is hydrogen and R^{3b} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 3 to 5, n is 2 to 4, and where R^{3'} is independently hydrogen or C₁₋₆ alkyl and R^{3''} is -OR' or -N(R^{3'})₂; (vi) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl; or (viii) R^{3a} is CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), or CH₂SH and R^{3b} is H;

(d) R⁴ is hydrogen, C₁₋₁₀ alkyl, C₁₋₁₀ alkyl optionally substituted with a lower alkyl, alkoxy, di(lower alkyl)-amino, or halogen, C₁₋₁₀ haloalkyl, C₃₋₁₀ cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R⁵ is H, CN, CH₃, vinyl, OCH₃, OCH₂CH₃, CH₂OH, CH₂(halo), such as CH₂F, N₃, CH₂CN, CH₂N₃, CH₂NH₂, CH₂NHCH₃, CH₂N(CH₃)₂, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R⁶ is H, R⁵ cannot be N₃;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OMe, Cl, Br, I, NH₂, or N₃;

(h) Y is OH, H, C₁₋₄ alkyl, vinyl, N₃, CN, Cl, Br, F, I, O(C₁₋₆ acyl), O(C₁₋₄ alkyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₁₈ acyl)₂, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N₃, CN, one to three halogen (Cl, Br, F, I), NO₂, OC(O)O(C₁₋₄ alkyl), OC(O)O(C₁₋₄ alkenyl), OC(O)O(C₂₋₄ alkynyl), OC(O)O(C₂₋₄ alkenyl), OC₁₋₄ haloalkyl, O(aminoacyl), O(C₁₋₄ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl),

SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, or N(C₁₋₄ acyl)₂;

(i) R⁷, R⁸, R⁹ are independently H, F, Cl, Br, I, OH, OR', SH, SR', NH₂, NHR', NR'₂, lower alkyl, halogenated (F, Cl, Br, I) lower alkyl, lower alkenyl of C₂-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, wherein R' is a C₁₋₂₀ alkyl; a C₁₋₂₀ cycloalkyl; a C₂-C₆ alkenyl, a C₂-C₆ alkynyl.

[0054] A second aspect of the first embodiment is directed to a compound represented by formula I-1 wherein

(a) R¹ is hydrogen, n-alkyl or a substituted or unsubstituted phenyl, where the substituent of the substituted phenyl is at least one of a C₁₋₃ alkyl, a C₁₋₃ alkoxy, F, Cl, Br, I, nitro, cyano, and a C₁₋₃ haloalkyl;

(b) R² is hydrogen or CH₃;

(c) R^{3a} and R^{3b} are independently (i) R^{3a} is hydrogen and R^{3b} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 3 to 5, n is 2 to 4, and where R³ is independently hydrogen or C₁₋₆ alkyl and R^{3'} is -OR' or -N(R^{3'})₂; (vi) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl; or (viii) R^{3a} is CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), or CH₂SH and R^{3b} is H;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, di(lower alkyl)amino-lower alkyl, or aminoacyl;

(e) R⁵ is H, CN, CH₃, OCH₃, CH₂OH, CH₂(halo), such as CH₂F, N₃, CH₂CN, CH₂N₃, CH₂NH₂, CH₂NHCH₃, CH₂N(CH₃)₂, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R⁶ is H, R⁵ cannot be N₃;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OCH₃, NH₂, or N₃;

(h) Y is OH, H, CH₃, vinyl, N₃, CN, Cl, Br, F, I, OC(O)CH₃, OCH₃, NH₂, NHCH₃, NH(vinyl), NH(acetyl), NH(C(O)CH₃), N(CH₃)₂, N(C(O)CH₃)₂, or O(aminoacyl);

(i) R⁷ and R⁸ are independently H, F, Cl, Br, I, OH, OCH₃, SH, SCH₃, NH₂, NHCH₃, N(CH₃)₂, CH₃, CH_{3-q}X_q, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO₂H, CO₂CH₃, CONH₂, CONHCH₃, or CON(CH₃)₂; and

(j) R⁹ is selected from among OH, OCH₃, SH, SCH₃, NH₂, NHCH₃, N(CH₃)₂, OC(O)(C₁₋₂₀ alkyl), which include but are not limited to OC(O)(CH₂)_sCH₃, NHC(O)(C₁₋₂₀ alkyl), which include but are not limited to NHC(O)(CH₂)_sCH₃, and N(C(O)(CH₂)_sCH₃)₂, which include but are not limited to N(C(O)(CH₂)_sCH₃)₂, where s is an integer selected from 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19.

[0055] A third aspect of the first embodiment is directed to a compound represented by formula I-1 wherein

(a) R¹ is hydrogen, n-alkyl or a substituted or unsubstituted phenyl, where the substituent of the substituted phenyl is at least one of a CH₃, OCH₃, F, Cl, Br, I, nitro, cyano, and a CH_{3-q}X_q, where X is F, Cl, Br, or I, and q is 1-3;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH_3 , $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph , CH_2 -indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H , $CH_2C(O)NH_2$, CH_2CH_2COOH , $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2 -imidazol-4-yl, CH_2OH , $CH(OH)CH_3$, $CH_2((4'-OH)-Ph)$, CH_2SH , or lower cycloalkyl or R^{3a} is CH_3 , $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph , CH_2 -indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H , $CH_2C(O)NH_2$, CH_2CH_2COOH , $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2 -imidazol-4-yl, CH_2OH , $CH(OH)CH_3$, $CH_2((4'-OH)-Ph)$, CH_2SH , or lower cycloalkyl and R^{3b} is H;

(d) R^4 is hydrogen, CH_3 , Et, iPr , nPr , nBu , 2-butyl, tBu , benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, lower haloalkyl, di(lower alkyl)amino-lower alkyl, or aminoacyl;

(e) R^5 is H, CN, CH_3 , OCH_3 , CH_2OH , $CH_2(halo)$, such as CH_2F , N_3 , CH_2CN , CH_2N_3 , CH_2NH_2 , CH_2NHCH_3 , $CH_2N(CH_3)_2$, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R^6 is H, R^5 cannot be N_3 ;

(f) R^6 is H, CH_3 , CH_2F , CHF_2 , CF_3 , F, or CN;


(g) X is H, OH, F, OCH_3 , NH_2 , or N_3 ;

(h) Y is OH, H, CH_3 , vinyl, N_3 , CN, Cl, Br, F, I, $OC(O)CH_3$, OCH_3 , NH_2 , $NHCH_3$, $NH(vinyl)$, $NH(acetyl)$, $NH(C(O)CH_3)$, $N(CH_3)_2$, $N(C(O)CH_3)_2$, or O(aminoacyl);

(i) R^7 and R^8 are independently H, F, Cl, Br, I, OH, OCH_3 , SH, SCH_3 , NH_2 , $NHCH_3$, $N(CH_3)_2$, CH_3 , $CH_{3-q}X_q$, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO_2H , CO_2CH_3 , $CONH_2$, $CONHCH_3$, or $CON(CH_3)_2$, wherein R^7 is a C_{1-20} alkyl; a C_{1-20} cycloalkyl; a C_2-C_6 alkenyl, a C_2-C_6 alkynyl'; and

(j) R^9 is selected from among OH, OCH_3 , SH, SCH_3 , NH_2 , $NHCH_3$, $N(CH_3)_2$, $OC(O)(C_{1-20} \text{ alkyl})$, which include but are not limited to $OC(O)(CH_2)_sCH_3$, $NHC(O)(C_{1-20} \text{ alkyl})$, which include but are not limited to $NHC(O)(CH_2)_sCH_3$, and $N(C(O)(CH_2)_sCH_3)_2$, which include but is not limited to $N(C(O)(CH_2)_sCH_3)_2$, where s is an integer selected from 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19.

[0056] A fourth aspect of the first embodiment is directed to a compound represented by formula I-2



I-2

wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, or a substituted or unsubstituted phenyl, where the substituent of the substituted phenyl is at least one of a CH₃, OCH₃, F, Cl, Br, I, nitro, cyano, and a CH_{3-q}X_q, where X is F, Cl, Br, or I, and q is 1-3;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl or R^{3a} is CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl and R^{3b} is H;

(d) R⁴ is hydrogen, C₁₋₁₀ alkyl, C₁₋₁₀ alkyl optionally substituted with a lower alkyl, alkoxy or halogen, C₁₋₁₀ haloalkyl, C₃₋₁₀cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)amino-lower alkyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R⁵ is H, CN, CH₃, OCH₃, CH₂OH, CH₂F, N₃, CH₂CN, CH₂N₃, CH₂NH₂, CH₂NHCH₃, CH₂N(CH₃)₂, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R⁶ is H, R⁵ cannot be N₃;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OCH₃, Cl, Br, I, NH₂, or N₃;

(h) Y is OH, H, CH₃, vinyl, N₃, CN, Cl, Br, F, I, OC(O)CH₃, OCH₃, NH₂, NHCH₃, NH(vinyl), NH(acetyl), NH(C(O)CH₃), N(CH₃)₂, N(C(O)CH₃)₂, or O(aminoacyl);

(i) R⁷ and R⁸ are independently H, F, Cl, Br, I, OH, OCH₃, SH, SCH₃, NH₂, NHCH₃, N(CH₃)₂, CH₃, CH_{3-q}X_q, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO₂H, CO₂CH₃, CONH₂, CONHCH₃, or CON(CH₃)₂, wherein R⁷ is a C₁₋₂₀ alkyl; a C₁₋₂₀ cycloalkyl; a C₂-C₆ alkenyl, a C₂-C₆ alkynyl; and

(j) R⁹ is selected from among OH, OCH₃, SH, SCH₃, NH₂, NHCH₃, N(CH₃)₂, OC(O)(C₁₋₂₀ alkyl), which include but are not limited to OC(O)(CH₂)_sCH₃, NHC(O)(C₁₋₂₀ alkyl), which include but are not limited to NHC(O)(CH₂)_sCH₃, and and N(C(O)(CH₂)_sCH₃), which include but is not limited to N(C(O)(CH₂)_sCH₃)₂, where s is an integer selected from 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19.

[0057] A fifth aspect of the first embodiment is directed to a compound represented by formula I-2 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, lower haloalkyl, di(lower alkyl)amino-lower alkyl, or aminoacyl;

(e) R⁵ is H, CN, CH₃, OCH₃, CH₂OH, CH₂F, halogen, including F, Cl, Br, or I;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OCH₃, NH₂, or N₃;

(h) Y is OH, H, CH₃, vinyl, N₃, CN, Cl, Br, F, I, OC(O)CH₃, OCH₃, or O(aminoacyl);

(i) R⁷ and R⁸ are independently H, F, Cl, Br, I, OH, OCH₃, SH, SCH₃, NH₂, NHCH₃, N(CH₃)₂, CH₃, CH_{3-q}X_q, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO₂H, CO₂CH₃, CONH₂, CONHCH₃, or CON(CH₃)₂, wherein R' is a C₁₋₂₀ alkyl; a C₁₋₂₀ cycloalkyl; a C₂₋₆ alkenyl, a C₂₋₆ alkynyl; and

5 (j) R⁹ is selected from among OH, OCH₃, SH, SCH₃, NH₂, NHCH₃, N(CH₃)₂, OC(O)(C₁₋₂₀ alkyl), which include but are not limited to OC(O)(CH₂)_sCH₃, NHC(O)(C₁₋₂₀ alkyl), which include but are not limited to NHC(O)(CH₂)_sCH₃, and N(C(O)(CH₂)_sCH₃)₂, which include but is not limited to N(C(O)(CH₂)_sCH₃)₂, where s is an integer selected from 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19.

10 **[0058]** A sixth aspect of the first embodiment is directed to a compound represented by formula I-2 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

15 (b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

20 (d) R⁴ is hydrogen, C₁₋₁₀ alkyl, C₁₋₁₀ alkyl optionally substituted with a lower alkyl, alkoxy or halogen, C₁₋₁₀ haloalkyl, C₃₋₁₀ cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)amino-lower alkyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R⁵ is H, OMe, CN, CH₂F, F, Cl, Br, or I;

25 (f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, F, OCH₃, F, Cl, Br, I, or N₃;

(h) Y is H, OH, CH₃, F, Cl, Br, I, or N₃, OCH₃, OC(O)CH₃, or O(aminoacyl);

30 (i) R⁷ and R⁸ are independently H, F, Br, SCH₃, CH₃, CH_{3-q}X_q, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO₂CH₃, CONH₂, CONHCH₃, or CON(CH₃)₂; and

35 (j) R⁹ is selected from among OH, OCH₃, SH, SCH₃, NH₂, NHCH₃, N(CH₃)₂, OC(O)(C₁₋₂₀ alkyl), which include but are not limited to OC(O)(CH₂)_sCH₃, NHC(O)(C₁₋₂₀ alkyl), which include but are not limited to NHC(O)(CH₂)_sCH₃, and N(C(O)(CH₂)_sCH₃)₂, which include but is not limited to N(C(O)(CH₂)_sCH₃)₂, where s is an integer selected from 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19.

40 **[0059]** A seventh aspect of the first embodiment is directed to a compound represented by formula I-2 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

45 (b) R² is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

50 (d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H;

55 (f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, OCH₃, F, or N₃;

(h) Y is OH, OCH₃, OC(O)CH₃, or O(aminoacyl);

(i) R⁷ and R⁸ are independently H, F, Br, SCH₃, CH₃, CH_{3-q}X_q, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO₂CH₃, CONH₂, CONHCH₃, or CON(CH₃)₂; and

(j) R⁹ is selected from among OH, OCH₃, NH₂, NHCH₃, N(CH₃)₂, OC(O)(C₁₋₂₀ alkyl), which include but are not limited to OC(O)(CH₂)_sCH₃, NHC(O)(C₁₋₂₀ alkyl), which include but are not limited to NHC(O)(CH₂)_sCH₃, and N(C(O)(CH₂)_sCH₃)₂, which include but is not limited to N(C(O)(CH₂)_sCH₃)₂, where s is an integer selected from among 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19.

[0060] An eighth aspect of the first embodiment is directed to a compound represented by formula **I-2** wherein

(a) R¹ is hydrogen, methyl, phenyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R² is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, OCH₃, F, or N₃;


(h) Y is OH, OCH₃, OC(O)CH₃, or O(aminoacyl);

(i) R⁷ and R⁸ are independently H, F, Br, SCH₃, CH₃, CH_{3-q}X_q, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO₂CH₃, CONH₂, CONHCH₃, or CON(CH₃)₂;

(j) R⁹ is selected from among OH, OCH₃, NH₂, NHCH₃, N(CH₃)₂, OC(O)(C₁₋₂₀ alkyl), which include but are not limited to OC(O)(CH₂)_sCH₃, NHC(O)(C₁₋₂₀ alkyl), which include but are not limited to NHC(O)(CH₂)_sCH₃, and N(C(O)(CH₂)_sCH₃)₂, which include but is not limited to N(C(O)(CH₂)_sCH₃)₂, where s is an integer selected from among 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19.

[0061] A second embodiment of the invention is directed to a compound represented by formula **I** in which the base is a structure represented by formula **b** above, wherein R¹, R², R^{3a}, R^{3b}, R⁴, R⁵, R⁶, X, Y, R⁷, and R⁸ are defined in the Summary of the Invention section above.

[0062] A first aspect of the second embodiment is directed to a compound represented by formula **I-3**



I-3

wherein

(a) R^1 is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-6} alkoxy, F, Cl, Br, I, nitro, cyano, C_{1-6} haloalkyl, $-N(R^1)_2$, C_{1-6} acylamino, $-NHSO_2C_{1-6}$ alkyl, $-SO_2N(R^1)_2$, $COR^{1'}$, and $-SO_2C_{1-6}$ alkyl; ($R^{1'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{1''}$ is $-OR'$ or $-N(R^1)_2$);

(b) R^2 is hydrogen or CH_3 ;

(c) R^{3a} and R^{3b} are (i) independently selected from hydrogen, C_{1-10} alkyl, cycloalkyl, $-(CH_2)_c(NR^{3'})_2$, C_{1-6} hydroxy-alkyl, $-CH_2SH$, $-(CH_2)_2S(O)_dMe$, $-(CH_2)_3NHC(=NH)NH_2$, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, $-(CH_2)_eCOR^{3''}$, aryl and aryl C_{1-3} alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C_{1-10} alkyl, C_{1-6} alkoxy, halogen, nitro and cyano; (ii) R^{3a} and R^{3b} both are C_{1-6} alkyl; (iii) R^{3a} and R^{3b} together are $(CH_2)_f$ so as to form a spiro ring; (iv) R^{3a} is hydrogen and R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where $R^{3'}$ is independently hydrogen or C_{1-6} alkyl and $R^{3''}$ is $-OR'$ or $-N(R^{3'})_2$; (vi) R^{3a} is H and R^{3b} is H, CH_3 , CH_2CH_3 , $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph , CH_2 -indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H , $CH_2C(O)NH_2$, CH_2CH_2COOH , $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2 -imidazol-4-yl, CH_2OH , $CH(OH)CH_3$, $CH_2((4'-OH)-Ph)$, CH_2SH , or lower cycloalkyl; or (viii) R^{3a} is CH_3 , $-CH_2CH_3$, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph , CH_2 -indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H , $CH_2C(O)NH_2$, CH_2CH_2COOH , $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2 -imidazol-4-yl, CH_2OH , $CH(OH)CH_3$, $CH_2((4'-OH)-Ph)$, CH_2SH , or lower cycloalkyl and R^{3b} is H, where $R^{3'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{3''}$ is $-OR'$ or $-N(R^{3'})_2$;

(d) R^4 is hydrogen, C_{1-10} alkyl, C_{1-10} alkyl optionally substituted with a lower alkyl, alkoxy or halogen, C_{1-10} haloalkyl, C_{3-10} cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)amino-lower alkyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R^5 is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., $-(CH_2)_pOH$, where p is 1-6, including hydroxyl methyl (CH_2OH), CH_2F , N_3 , CH_2CN , CH_2NH_2 , CH_2NHCH_3 , $CH_2N(CH_3)_2$, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R^6 is H, R^5 cannot be N_3 and when X is OH, R^6 is CH_3 or CH_2F and B is a purine base, R^5 cannot be H;

(f) R^6 is H, CH_3 , CH_2F , CHF_2 , CF_3 , F, or CN;

(g) X is H, OH, F, OMe, Cl, Br, I, NH_2 , or N_3 ;

(h) Y is OH, H, C₁₋₄ alkyl, C₂₋₄ alkenyl, C₂₋₄ alkynyl, vinyl, N₃, CN, Cl, Br, F, I, NO₂, OC(O)O(C₁₋₄ alkyl), OC(O)O(C₁₋₄ alkenyl), OC(O)O(C₂₋₄ alkynyl), OC(O)O(C₂₋₄ alkenyl), OC₁₋₁₀ haloalkyl, O(aminoacyl), O(C₁₋₁₀ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, or N(C₁₋₁₈ acyl)₂, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N₃, CN, one to three halogen (Cl, Br, F, I), NO₂, C(O)O(C₁₋₄ alkyl), C(O)O(C₁₋₄ alkenyl), C(O)O(C₂₋₄ alkynyl), C(O)O(C₂₋₄ alkenyl), O(C₁₋₄ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, or N(C₁₋₄ acyl)₂;

(i) R⁷ and R⁸ are independently H, F, Cl, Br, I, OH, OR', SH, SR', NH₂, NHR', NR'₂, lower alkyl, halogenated (F, Cl, Br, I) lower alkyl, lower alkenyl of C₂-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, wherein R' is a C₁₋₂₀ alkyl; a C₁₋₂₀ cycloalkyl; a C₂-C₆ alkenyl, a C₂-C₆ alkynyl.

[0063] The second aspect of the second embodiment is directed to a compound represented by formula I-3 wherein

(a) R¹ is hydrogen, n-alkyl or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C₁₋₆ alkyl, C₁₋₆ alkoxy, F, Cl, Br, I, nitro, cyano, C₁₋₆ haloalkyl;

(b) R² is hydrogen or CH₃;

(c) R^{3a} and R^{3b} are independently (i) R^{3a} is hydrogen and R^{3b} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 3 to 5, n is 2 to 4, and where R³ is independently hydrogen or C₁₋₆ alkyl and R^{3'} is -OR' or -N(R^{3'})₂; (vi) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl; or (viii) R^{3a} is CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), or CH₂SH and R^{3b} is H;

(d) R⁴ is hydrogen, C₁₋₁₀ alkyl, C₁₋₁₀ alkyl optionally substituted with a lower alkyl, alkoxy or halogen, C₁₋₁₀ haloalkyl, C₃₋₁₀ cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)amino-lower alkyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R⁵ is H, CN, CH₃, vinyl, OCH₃, OCH₂CH₃, CH₂OH, CH₂(halo), such as CH₂F, N₃, CH₂CN, CH₂N₃, CH₂NH₂, CH₂NHCH₃, CH₂N(CH₃)₂, halogen, including F, Cl, Br, or I;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OMe, halogen, NH₂, or N₃;

(h) Y is OH, H, C₁₋₄ alkyl, vinyl, N₃, CN, Cl, Br, F, I, O(C₁₋₆ acyl), O(C₁₋₄ alkyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₁₈ acyl)₂, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N₃, CN, one to three halogen (Cl, Br, F, I), NO₂, OC(O)O(C₁₋₄ alkyl), OC(O)O(C₁₋₄ alkenyl), OC(O)O(C₂₋₄ alkynyl), OC(O)O(C₂₋₄ alkenyl), OC₁₋₁₀ haloalkyl, O(aminoacyl), O(C₁₋₄ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₄ acyl)₂;

(i) R⁷ and R⁸ are independently H, F, Cl, Br, I, OH, OR', SH, SR', NH₂, NHR', NR'₂, lower alkyl, halogenated (F, Cl, Br, I) lower alkyl, lower alkenyl of C₂-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, wherein R' is a C₁₋₂₀ alkyl; a C₁₋₂₀ cycloalkyl; a C₂-C₆ alkenyl, a C₂-C₆ alkynyl.

[0064] The third aspect of the second embodiment is directed to a compound represented by formula I-3 wherein

(a) R¹ is hydrogen, n-alkyl or a substituted or unsubstituted phenyl, where the substituent of the substituted phenyl is at least one of a C₁₋₃ alkyl, a C₁₋₃ alkoxy, F, Cl, Br, I, nitro, cyano, and a C₁₋₃ haloalkyl;

(b) R² is hydrogen, CH₃, R^{3a} or R^{3b} and R² together are (CH₂)₃ so as to form a cyclic ring that includes the adjoining N and C atoms, C(O)CR^{3a}R^{3b}NHR¹, where n is 2 to 4 and R¹, R^{3a}, and R^{3b} are as defined herein;

(c) R^{3a} and R^{3b} are independently (i) R^{3a} is hydrogen and R^{3b} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 3 to 5, n is 2 to 4, and where R³ is independently hydrogen or C₁₋₆ alkyl and R^{3'} is -OR' or -N(R^{3'})₂; (vi) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl; or (viii) R^{3a} is CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl and R^{3b} is H;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, CN, CH₃, OCH₃, CH₂OH, CH₂(halo), such as CH₂F, N₃, CH₂CN, CH₂N₃, CH₂NH₂, CH₂NHCH₃, CH₂N(CH₃)₂, halogen, including F, Cl, Br, or I;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OCH₃, halogen, NH₂, or N₃

(h) Y is OH, H, CH₃, vinyl, N₃, CN, Cl, Br, F, I, OC(O)CH₃, OCH₃, NH₂, NHCH₃, NH(vinyl), NH(acetyl), NH(C(O)CH₃), N(CH₃)₂, N(C(O)CH₃)₂;

(i) R⁷ and R⁸ are independently H, F, Cl, Br, I, OH, OCH₃, SH, SCH₃, NH₂, NHCH₃, N(CH₃)₂, CH₃, CH_{3-q}X_q, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO₂H, CO₂CH₃, CONH₂, CONHCH₃, or CON(CH₃)₂.

[0065] The fourth aspect of the second embodiment is directed to a compound represented by formula I-3 wherein

(a) R¹ is hydrogen, n-alkyl or a substituted or unsubstituted phenyl, where the substituent of the substituted phenyl is at least one of a CH₃, OCH₃, F, Cl, Br, I, nitro, cyano, and a CH_{3-q}X_q, where X is F, Cl, Br, or I, and q is 1-3;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl or R^{3a} is CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl and R^{3b} is H;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, CN, CH₃, OCH₃, CH₂OH, CH₂(halo), such as CH₂F, N₃, CH₂CN, CH₂N₃, CH₂NH₂, CH₂NHCH₃, CH₂N(CH₃)₂, halogen, including F, Cl, Br, or I;


(f) R^6 is H, CH_3 , CH_2F , CHF_2 , CF_3 , F, or CN;

(g) X is H, OH, F, OCH_3 , NH_2 , or N_3 ;

(h) Y is OH, H, CH_3 , vinyl, N_3 , CN, Cl, Br, F, I, $OC(O)CH_3$, OCH_3 , NH_2 , $NHCH_3$, $NH(vinyl)$, $NH(acetyl)$, $NH(C(O)CH_3)$, $N(CH_3)_2$, $N(C(O)CH_3)_2$;

(i) R^7 and R^8 are independently H, F, Cl, Br, I, OH, OCH_3 , SH, SCH_3 , NH_2 , $NHCH_3$, $N(CH_3)_2$, CH_3 , CH_3-qX_q , where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO_2H , CO_2CH_3 , $CONH_2$, $CONHCH_3$, or $CON(CH_3)_2$, wherein R' is a C_{1-20} alkyl; a C_{1-20} cycloalkyl; a C_2-C_6 alkenyl, a C_2-C_6 alkynyl.

[0066] The fifth aspect of the second embodiment is directed to a compound represented by formula **I-4**



I-4

wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, or a substituted or unsubstituted phenyl, where the substituent of the substituted phenyl is at least one of a CH_3 , OCH_3 , F, Cl, Br, I, nitro, cyano, and a CH_3-qX_q , where X is F, Cl, Br, or I, and q is 1-3;

(b) R^2 is hydrogen or CH_3 ;

(c) R^{3a} is H and R^{3b} is H, CH_3 , $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph , CH_2 -indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H , $CH_2C(O)NH_2$, CH_2CH_2COOH , $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2 -imidazol-4-yl, CH_2OH , $CH(OH)CH_3$, $CH_2((4'-OH)-Ph)$, CH_2SH , or lower cycloalkyl or R^{3a} is CH_3 , $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph , CH_2 -indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H , $CH_2C(O)NH_2$, CH_2CH_2COOH , $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2 -imidazol-4-yl, CH_2OH , $CH(OH)CH_3$, $CH_2((4'-OH)-Ph)$, CH_2SH , or lower cycloalkyl and R^{3b} is H;

(d) R^4 is hydrogen, CH_3 , Et, iPr , nPr , nBu , 2-butyl, tBu , benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, CN, CH_3 , OCH_3 , CH_2OH , CH_2F , N_3 , CH_2CN , CH_2N_3 , CH_2NH_2 , CH_2NHCH_3 , $CH_2N(CH_3)_2$, halogen, including F, Cl, Br, or I;

(f) R^6 is H, CH_3 , CH_2F , CHF_2 , CF_3 , F, or CN;

(g) X is H, OH, F, OCH_3 , Cl, Br, I, NH_2 , or N_3 ;

(h) Y is OH, H, CH₃, vinyl, N₃, CN, Cl, Br, F, I, OC(O)CH₃, OCH₃, NH₂, NHCH₃, NH(vinyl), NH(acetyl), NH(C(O)CH₃), N(CH₃)₂, N(C(O)CH₃)₂;

(i) R⁷ and R⁸ are independently H, F, Cl, Br, I, OH, OCH₃, SH, SCH₃, NH₂, NHCH₃, N(CH₃)₂, CH₃, CH_{3-q}X_q, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO₂H, CO₂CH₃, CONH₂, CONHCH₃, or CON(CH₃)₂, wherein R' is a C₁₋₂₀ alkyl; a C₁₋₂₀ cycloalkyl; a C₂₋₆ alkenyl, a C₂₋₆ alkynyl,

[0067] The sixth aspect of the second embodiment is directed to a compound represented by formula **I-4** wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, CN, CH₃, OCH₃, CH₂OH, CH₂F, halogen, including F, Cl, Br, or I;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OCH₃, NH₂, or N₃;

(h) Y is OH, H, CH₃, vinyl, NH₂, N₃, CN, Cl, Br, F, I, OC(O)CH₃, OCH₃;

(i) R⁷ and R⁸ are independently H, F, Cl, Br, I, OH, OCH₃, SH, SCH₃, NH₂, NHCH₃, N(CH₃)₂, CH₃, CH_{3-q}X_q, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO₂H, CO₂CH₃, CONH₂, CONHCH₃, or CON(CH₃)₂, wherein R' is a C₁₋₂₀ alkyl; a C₁₋₂₀ cycloalkyl; a C₂₋₆ alkenyl, a C₂₋₆ alkynyl.

[0068] The seventh aspect of the second embodiment is directed to a compound represented by formula **I-4** wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, OMe, CN, CH₂F, F, Cl, Br, or I;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, F, OCH₃, F, Cl, Br, I, NH₂ or N₃;

(h) Y is H, OH, CH₃, F, Cl, Br, I, NH₂ or N₃, OCH₃, or OC(O)CH₃;

(i) R⁷ and R⁸ are independently H, F, Br, SCH₃, CH₃, CH_{3-q}X_q, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO₂CH₃, CONH₂, CONHCH₃, or CON(CH₃)₂;

[0069] The eighth aspect of the second embodiment is directed to a compound represented by formula **I-4** wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ^{*i*}Pr, ^{*n*}Pr, ^{*n*}Bu, 2-butyl, ^{*t*}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, OCH₃, F, NH₂ or N₃;

(h) Y is OH, NH₂, OCH₃, or OC(O)CH₃;

(i) R⁷ and R⁸ are independently H, F, Br, SCH₃, CH₃, CH_{3-q}X_q, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO₂CH₃, CONH₂, CONHCH₃, or CON(CH₃)₂.

[0070] The ninth aspect of the second embodiment is directed to a compound represented by formula **I-4** wherein

(a) R¹ is hydrogen, methyl, phenyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ^{*i*}Pr, ^{*n*}Pr, ^{*n*}Bu, 2-butyl, ^{*t*}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;


(g) X is H, OH, OCH₃, F, or N₃;

(h) Y is OH, OCH₃, or OC(O)CH₃;

(i) R⁷ and R⁸ are independently H, F, Br, SCH₃, CH₃, CH_{3-q}X_q, where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO₂CH₃, CONH₂, CONHCH₃, or CON(CH₃)₂.

[0071] A third embodiment of the invention is directed to a compound represented by formula **I** in which the base is a structure represented by formula **c** above wherein R¹, R², R^{3a}, R^{3b}, R⁴, R⁵, R⁶, X, Y, Z, R¹⁰, R¹¹, and R¹² are defined in the Summary of the Invention section above; with the proviso that R¹¹ is not H.

[0072] A first aspect of the third embodiment is directed to a compound represented by formula **I-5**



I-5

wherein

(a) R¹ is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C₁-₆ alkyl, C₂-₆ alkenyl, C₂-₆ alkynyl, C₁-₆ alkoxy, F, Cl, Br, I, nitro, cyano, C₁-₆ haloalkyl, -N(R¹')₂, C₁-₆ acylamino, -NHSO₂C₁-₆ alkyl, -SO₂N(R¹')₂, COR¹", and -SO₂C₁-₆ alkyl; (R¹' is independently hydrogen or alkyl, which includes, but is not limited to, C₁-₂₀ alkyl, C₁-₁₀ alkyl, or C₁-₆ alkyl, R¹" is -OR' or -N(R¹')₂);

(b) R² is hydrogen or CH₃;

(c) R³ᵃ and R³ᵇ are (i) independently selected from hydrogen, C₁-₁₀ alkyl, cycloalkyl, -(CH₂)ᶜ(NR³')₂, C₁-₆ hydroxy-alkyl, -CH₂SH, -(CH₂)₂S(O)ᵈMe, -(CH₂)₃NHC(=NH)NH₂, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, -(CH₂)ₑCOR³", aryl and aryl C₁-₃ alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C₁-₁₀ alkyl, C₁-₆ alkoxy, halogen, nitro and cyano; (ii) R³ᵃ and R³ᵇ both are C₁-₆ alkyl; (iii) R³ᵃ and R³ᵇ together are (CH₂)ᶠ so as to form a spiro ring; (iv) R³ᵃ is hydrogen and R³ᵇ and R² together are (CH₂)ₙ so as to form a cyclic ring that includes the adjoining N and C atoms (v) R³ᵇ is hydrogen and R³ᵃ and R² together are (CH₂)ₙ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where R³' is independently hydrogen or C₁-₆ alkyl and R³" is -OR' or -N(R³')₂; (vi) R³ᵃ is H and R³ᵇ is from H, CH₃, CH₂CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl; or (viii) R³ᵃ is CH₃, -CH₂CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl and R³ᵇ is H, where R³' is independently hydrogen or alkyl, which includes, but is not limited to, C₁-₂₀ alkyl, C₁-₁₀ alkyl, or C₁-₆ alkyl, R³" is -OR' or -N(R³')₂;

(d) R⁴ is hydrogen, C₁-₁₀ alkyl, C₁-₁₀ alkyl optionally substituted with a lower alkyl, alkoxy or halogen, C₁-₁₀ haloalkyl, C₃-₁₀ cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)amino-lower alkyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R⁵ is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., -(CH₂)ₚOH, where p is 1-6, including hydroxyl methyl (CH₂OH), CH₂F, N₃, CH₂CN, CH₂NH₂, CH₂NHCH₃, CH₂N(CH₃)₂, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R⁶ is H, R⁵ cannot be N₃ and when X is OH, R⁶ is CH₃ or CH₂F and B is a purine base, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OMe, halogen, NH₂, or N₃;

(h) Y is OH, H, C₁-₄ alkyl, C₂-₄ alkenyl, C₂-₄ alkynyl, vinyl, N₃, CN, Cl, Br, F, I, NO₂, OC(O)O(C₁-₄ alkyl), OC(O)O(C₁-₄ alkyl), OC(O)O(C₂-₄ alkynyl), OC(O)O(C₂-₄ alkenyl), OC₁-₁₀ haloalkyl, O(aminoacyl), O(C₁-₁₀ acyl), O(C₁-₄ alkyl),

O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₁₈ acyl)₂, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N₃, CN, one to three halogen (Cl, Br, F, I), NO₂, C(O)O(C₁₋₄ alkyl), C(O)O(C₁₋₄ alkyl), C(O)O(C₂₋₄ alkynyl), C(O)O(C₂₋₄ alkenyl), O(C₁₋₄ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₄ acyl)₂;

(i) R¹⁰ and R¹¹ are independently H, F, Cl, Br, I, OH, OR', SH, SR', NH₂, NHR', NR'₂, lower alkyl of C₁-C₆, halogenated (F, Cl, Br, I) lower alkyl of C₁-C₆, lower alkenyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkenyl of C₂-C₆, lower alkynyl of C₂-C₆ such as C=CH, halogenated (F, Cl, Br, I) lower alkynyl of C₂-C₆, lower alkoxy of C₁-C₆, halogenated (F, Cl, Br, I) lower alkoxy of C₁-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R', with the proviso that when R¹⁰ is OH and R¹¹ is not NH₂;

wherein R' is an optionally substituted alkyl, which includes, but is not limited to, an optionally substituted C₁₋₂₀ alkyl, an optionally substituted C₁₋₁₀ alkyl, an optionally substituted lower alkyl; an optionally substituted cycloalkyl; an optionally substituted alkynyl of C₂-C₆, an optionally substituted lower alkenyl of C₂-C₆, or optionally substituted acyl, which includes but is not limited to C(O) alkyl, C(O)(C₁₋₂₀ alkyl), C(O)(C₁₋₁₀ alkyl), or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is an H, halogen (including F, Cl, Br, I), OH, OR', SH, SR', NH₂, NHR', NR'₂, NO₂ lower alkyl of C₁-C₆, halogenated (F, Cl, Br, I) lower alkyl of C₁-C₆, lower alkenyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkenyl of C₂-C₆, lower alkynyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkynyl of C₂-C₆, lower alkoxy of C₁-C₆, halogenated (F, Cl, Br, I) lower alkoxy of C₁-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'.

[0073] A second aspect of the third embodiment is directed to a compound represented by formula I-5

wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, CN, CH₃, OCH₃, CH₂OH, CH₂F, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H.

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OCH₃, Cl, Br, I, NH₂, or N₃;

(h) Y is OH, H, CH₃, vinyl, NH₂, N₃, CN, Cl, Br, F, I, OC(O)CH₃, OCH₃;

(i) R¹⁰ and R¹¹ are independently H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R', with the proviso that when R¹⁰ is OH and R¹¹ is not NH₂;

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'.

[0074] A third aspect of the third embodiment is directed to a compound represented by formula I-5 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ^{*i*}Pr, ^{*n*}Pr, ^{*n*}Bu, 2-butyl, ^{*t*}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, CN, CH₂F, F, Cl, Br, or I; with the proviso that X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, F, OCH₃, F, Cl, Br, I, NH₂ or N₃;

(h) Y is H, OH, CH₃, F, Cl, Br, I, NH₂ or N₃, OCH₃, or OC(O)CH₃;

(i) R¹⁰ and R¹¹ are independently H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R', with the proviso that when R¹⁰ is OH and R¹¹ is not NH₂; wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'.

[0075] A fourth aspect of the third embodiment is directed to a compound represented by formula I-5 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ^{*i*}Pr, ^{*n*}Pr, ^{*n*}Bu, 2-butyl, ^{*t*}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, OCH₃, F, NH₂ or N₃;

(h) Y is OH, NH₂, OCH₃, or OC(O)CH₃;

(i) R¹⁰ and R¹¹ are independently H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R', with the proviso that when R¹⁰ is OH and R¹¹ is not NH₂; wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'.

5 **[0076]** A fifth aspect of the third embodiment is directed to a compound represented by formula I-5 wherein

(a) R¹ is hydrogen, methyl, phenyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

10 (b) R² is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

15 (d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

20 (f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, OCH₃, F, NH₂ or N₃;

25 (h) Y is OH, NH₂, OCH₃, or OC(O)CH₃;

(i) R¹⁰ and R¹¹ are independently H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R', with the proviso that when R¹⁰ is OH and R¹¹ is not NH₂;

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

30 (j) Z is N or CR¹²; and
R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'.

35 **[0077]** A sixth aspect of the third embodiment is directed to a compound represented by formula I-5 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

40 (b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl;

45 (d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

50 (e) R⁵ is H, CN, CH₃, OCH₃, CH₂OH, CH₂F, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H.

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

55 (g) X is H, OH, F, OCH₃, Cl, Br, I, NH₂, or N₃;

(h) Y is OH, H, CH₃, vinyl, NH₂, N₃, CN, Cl, Br, F, I, OC(O)CH₃, OCH₃;

(i) R¹⁰ is NH₂ and R¹¹ is H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R';
 wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'.

[0078] A seventh aspect of the third embodiment is directed to a compound represented by formula I-5 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, *i*Pr, *n*Pr, *n*Bu, 2-butyl, *t*Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, CN, CH₂F, F, Cl, Br, or I; with the proviso that X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, F, OCH₃, F, Cl, Br, I, NH₂ or N₃;

(h) Y is H, OH, CH₃, F, Cl, Br, I, NH₂ or N₃, OCH₃, or OC(O)CH₃;

(i) R¹⁰ is NH₂ and R¹¹ is H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R';
 wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'.

[0079] An eighth aspect of the third embodiment is directed to a compound represented by formula I-5 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, *i*Pr, *n*Pr, *n*Bu, 2-butyl, *t*Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl;

(e) R⁵ is H, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, OCH₃, F, NH₂ or N₃;

(h) Y is OH, NH₂, OCH₃, or OC(O)CH₃;

(i) R¹⁰ is NH₂ and R¹¹ is H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R';

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'.

[0080] A ninth aspect of the third embodiment is directed to a compound represented by formula I-5 wherein

(a) R¹ is hydrogen, methyl, phenyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R² is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, or N-methyl-pyrrolidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, OCH₃, F, NH₂ or N₃;

(h) Y is OH, NH₂, OCH₃, or OC(O)CH₃;


(i) R¹⁰ is NH₂ and R¹¹ is H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R';

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'.

[0081] A tenth aspect of the third embodiment is directed to a compound represented by formula I-6



I-6

wherein

(a) R¹ is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C₁₋₆ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₁₋₆ alkoxy, F, Cl, Br, I, nitro, cyano, C₁₋₆ haloalkyl, -N(R¹)₂, C₁₋₆ acylamino, -NHSO₂C₁₋₆ alkyl, -SO₂N(R¹)₂, COR¹, and -SO₂C₁₋₆ alkyl; (R¹' is independently hydrogen or alkyl, which includes, but is not limited to, C₁₋₂₀ alkyl, C₁₋₁₀ alkyl, or C₁₋₆ alkyl, R¹'' is -OR' or -N(R¹')₂);

(b) R² is hydrogen or CH₃;

(c) R³ᵃ and R³ᵇ are (i) independently selected from hydrogen, C₁₋₁₀ alkyl, cycloalkyl, -(CH₂)_c(NR³')₂, C₁₋₆ hydroxy-alkyl, -CH₂SH, -(CH₂)₂S(O)_dMe, -(CH₂)₃NHC(=NH)NH₂, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, -(CH₂)_eCOR³'', aryl and aryl C₁₋₃ alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C₁₋₁₀ alkyl, C₁₋₆ alkoxy, halogen, nitro and cyano; (ii) R³ᵃ and R³ᵇ both are C₁₋₆ alkyl; (iii) R³ᵃ and R³ᵇ together are (CH₂)_f so as to form a spiro ring; (iv) R³ᵃ is hydrogen and R³ᵇ and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms (v) R³ᵇ is hydrogen and R³ᵃ and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where R³' is independently hydrogen or C₁₋₆ alkyl and R³'' is -OR' or -N(R³')₂; (vi) R³ᵃ is H and R³ᵇ is H, CH₃, CH₂CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl; or (viii) R³ᵃ is CH₃, -CH₂CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl and R³ᵇ is H, where R³' is independently hydrogen or alkyl, which includes, but is not limited to, C₁₋₂₀ alkyl, C₁₋₁₀ alkyl, or C₁₋₆ alkyl, R³'' is -OR' or -N(R³')₂;

(d) R⁴ is hydrogen, C₁₋₁₀ alkyl, C₁₋₁₀ alkyl optionally substituted with a lower alkyl, alkoxy or halogen, C₁₋₁₀ haloalkyl, C₃₋₁₀ cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)amino-lower alkyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R⁵ is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., -(CH₂)_pOH, where p is 1-6, including hydroxyl methyl (CH₂OH), CH₂F, N₃, CH₂CN, CH₂NH₂, CH₂NHCH₃, CH₂N(CH₃)₂, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R⁶ is H, R⁵ cannot be N₃ and when X is OH, R⁶ is CH₃ or CH₂F and B is a purine base, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OMe, Cl, Br, I, NH₂, or N₃;

(h) Y is OH, H, C₁₋₄ alkyl, C₂₋₄ alkenyl, C₂₋₄ alkynyl, vinyl, N₃, CN, Cl, Br, F, I, NO₂, OC(O)O(C₁₋₄ alkyl), OC(O)O(C₁₋₄

alkyl), OC(O)O(C₂₋₄ alkynyl), OC(O)O(C₂₋₄ alkenyl), OC₁₋₁₀ haloalkyl, O(aminoacyl), O(C₁₋₁₀ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₁₈ acyl)₂, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N₃, CN, one to three halogen (Cl, Br, F, I), NO₂, C(O)O(C₁₋₄ alkyl), C(O)O(C₁₋₄ alkyl), C(O)O(C₂₋₄ alkynyl), C(O)O(C₂₋₄ alkenyl), O(C₁₋₄ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₄ acyl)₂;

(i) R¹⁰ and R¹¹ are independently H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R', with the proviso that when R¹⁰ is OH and R¹¹ is not NH₂;

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'.

[0082] An eleventh aspect of the third embodiment is directed to a compound represented by formula I-6 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂-(4'-OH)-Ph, CH₂SH, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ^tBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, CN, CH₃, OCH₃, CH₂OH, CH₂F, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OCH₃, Cl, Br, I, NH₂, or N₃;

(h) Y is OH, H, CH₃, vinyl, NH₂, N₃, CN, Cl, Br, F, I, OC(O)CH₃, OCH₃;

(i) R¹⁰ and R¹¹ are independently H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R', with the proviso that when R¹⁰ is OH and R¹¹ is not NH₂;

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'.

[0083] A twelfth aspect of the third embodiment is directed to a compound represented by formula I-6 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, CN, CH₂F, F, Cl, Br, or I, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, F, OCH₃, F, Cl, Br, I, NH₂ or N₃;

(h) Y is H, OH, CH₃, F, Cl, Br, I, NH₂ or N₃, OCH₃, or OC(O)CH₃;

(i) R¹⁰ and R¹¹ are independently H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R', with the proviso that when R¹⁰ is OH and R¹¹ is not NH₂;

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is a H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'.

[0084] A thirteenth aspect of the third embodiment is directed to a compound represented by formula I-6 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, OCH₃, F, NH₂ or N₃;

(h) Y is OH, NH₂, OCH₃, or OC(O)CH₃;

(i) R¹⁰ and R¹¹ are independently H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R', with the proviso that when R¹⁰ is OH and R¹¹ is not NH₂;

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'.

[0085] A fourteenth aspect of the third embodiment is directed to a compound represented by formula I-6 wherein

(a) R¹ is hydrogen, methyl, phenyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R² is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, OCH₃, F, NH₂ or N₃;

(h) Y is OH, NH₂, OCH₃, or OC(O)CH₃;

(i) R¹⁰ and R¹¹ are independently H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R', with the proviso that when R¹⁰ is OH and R¹¹ is not NH₂; wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'.

[0086] A fifteenth aspect of the third embodiment is directed to a compound represented by formula I-6 wherein

(a) R¹ is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C₁₋₆ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₁₋₆ alkoxy, F, Cl, Br, I, nitro, cyano, C₁₋₆ haloalkyl, -N(R^{1'})₂, C₁₋₆ acylamino, -NHSO₂C₁₋₆ alkyl, -SO₂N(R^{1'})₂, COR^{1''}, and -SO₂C₁₋₆ alkyl; (R^{1'} is independently hydrogen or alkyl, which includes, but is not limited to, C₁₋₂₀ alkyl, C₁₋₁₀ alkyl, or C₁₋₆ alkyl, R^{1''} is -OR' or -N(R^{1'})₂);

(b) R² is hydrogen or CH₃;

(c) R^{3a} and R^{3b} are (i) independently selected from hydrogen, C₁₋₁₀ alkyl, cycloalkyl, -(CH₂)_c(NR^{3'})₂, C₁₋₆ hydroxy-alkyl, -CH₂SH, -(CH₂)₂S(O)_dMe, -(CH₂)₃NHC(=NH)NH₂, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, -(CH₂)_eCOR^{3''}, aryl and aryl C₁₋₃ alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C₁₋₁₀ alkyl, C₁₋₆ alkoxy, halogen, nitro and cyano; (ii) R^{3a} and R^{3b} both are C₁₋₆ alkyl; (iii) R^{3a} and R^{3b} together are (CH₂)_f so as to form a spiro ring; (iv) R^{3a} is hydrogen and R^{3b} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where R^{3'} is independently hydrogen or C₁₋₆ alkyl and R^{3''} is -OR' or -N(R^{3'})₂; (vi) R^{3a} is H and R^{3b} is H, CH₃, CH₂CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl; or (viii) R^{3a} is CH₃, -CH₂CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl and R^{3b} is H, where R^{3'} is independently hydrogen or alkyl, which includes, but is not limited to, C₁₋₂₀ alkyl, C₁₋₁₀ alkyl, or C₁₋₆ alkyl, R^{3''} is -OR' or -N(R^{3'})₂;

(d) R⁴ is hydrogen, C₁₋₁₀ alkyl, C₁₋₁₀ alkyl optionally substituted with a lower alkyl, alkoxy or halogen, C₁₋₁₀ haloalkyl, C₃₋₁₀ cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)amino-lower alkyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R⁵ is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., -(CH₂)_pOH, where p is 1-6, including hydroxyl methyl (CH₂OH), CH₂F, N₃, CH₂CN, CH₂NH₂, CH₂NHCH₃, CH₂N(CH₃)₂, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R⁶ is H, R⁵ cannot be N₃ and when X is OH, R⁶ is CH₃ or CH₂F and B is a purine base, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OMe, halogen, NH₂, or N₃;

(h) Y is OH, H, C₁₋₄ alkyl, C₂₋₄ alkenyl, C₂₋₄ alkynyl, vinyl, N₃, CN, Cl, Br, F, I, NO₂, OC(O)O(C₁₋₄ alkyl), OC(O)O(C₁₋₄ alkyl), OC(O)O(C₂₋₄ alkynyl), OC(O)O(C₂₋₄ alkenyl), OC₁₋₁₀ haloalkyl, O(aminoacyl), O(C₁₋₁₀ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₁₈ acyl)₂, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N₃, CN, one to three halogen (Cl, Br, F, I), NO₂, C(O)O(C₁₋₄ alkyl), C(O)O(C₁₋₄ alkyl), C(O)O(C₂₋₄ alkynyl), C(O)O(C₂₋₄ alkenyl), O(C₁₋₄ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₄ alkyl)₂, N(C₁₋₄ acyl)₂;

(i) R¹⁰ is NH₂ and R¹¹ is H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R';

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'.

[0087] A sixteenth aspect of the third embodiment is directed to a compound represented by formula I-6 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ^{*i*}Pr, ^{*n*}Pr, ^{*n*}Bu, 2-butyl, ^{*t*}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, CN, CH₃, OCH₃, CH₂OH, CH₂F, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OCH₃, Cl, Br, I, NH₂, or N₃;

(h) Y is OH, H, CH₃, vinyl, NH₂, N₃, CN, Cl, Br, F, I, OC(O)CH₃, OCH₃;

(i) R¹⁰ is NH₂ and R¹¹ is H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R';

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'.

5 **[0088]** A seventeenth aspect of the third embodiment is directed to a compound represented by formula I-6 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

10 (b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

15 (d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, CN, CH₂F, F, Cl, Br, or I, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

20 (f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, F, OCH₃, F, Cl, Br, I, NH₂ or N₃;

25 (h) Y is H, OH, CH₃, F, Cl, Br, I, NH₂ or N₃, OCH₃, or OC(O)CH₃;

(i) R¹⁰ is NH₂ and R¹¹ is H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R';

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

30 (j) Z is N or CR¹²; and
R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'.

35 **[0089]** An eighteenth aspect of the third embodiment is directed to a compound represented by formula I-6 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

40 (b) R² is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

45 (d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

50 (f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, OCH₃, F, NH₂ or N₃;

55 (h) Y is OH, NH₂, OCH₃, or OC(O)CH₃;

(i) R¹⁰ is NH₂ and R¹¹ is H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R';

wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R'

comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'.

[0090] A nineteenth aspect of the third embodiment is directed to a compound represented by formula I-6 wherein

(a) R¹ is hydrogen, methyl, phenyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R² is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, OCH₃, F, NH₂ or N₃;

(h) Y is OH, NH₂, OCH₃, or OC(O)CH₃;

(i) R¹⁰ is NH₂ and R¹¹ are independently H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R';


wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'.

[0091] A fourth embodiment of the invention is directed to a compound represented by formula I in which the base is a structure represented by formula c above, where R¹¹ is H and R², R^{3a}, R^{3b}, R⁴, R⁵, R⁶, X, and Y are defined in the Summary of the Invention section above.

[0092] A first aspect of the fourth embodiment is directed to a compound represented by formula I-7



I-7

wherein

(a) R¹ is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C₁₋₅ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₁₋₆ alkoxy, F, Cl, Br, I, nitro, cyano, C₁₋₆ haloalkyl, -N(R^{1'})₂, C₁₋₆ acylamino, -NHSO₂C₁₋₆ alkyl, -SO₂N(R^{1'})₂, COR^{1''}, and -SO₂C₁₋₆ alkyl; (R^{1'} is independently hydrogen or alkyl, which includes, but is not limited to, C₁₋₂₀ alkyl, C₁₋₁₀ alkyl, or C₁₋₆ alkyl, R^{1''} is -OR' or -N(R^{1'})₂);

(b) R² is hydrogen or CH₃;

(c) R^{3a} and R^{3b} are (i) independently selected from hydrogen, C₁₋₁₀ alkyl, cycloalkyl, -(CH₂)_c(NR^{3'})₂, C₁₋₆ hydroxy-alkyl, -CH₂SH, -(CH₂)₂S(O)_dMe, -(CH₂)₃NHC(=NH)NH₂, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, -(CH₂)_eCOR^{3''}, aryl and aryl C₁₋₃ alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C₁₋₁₀ alkyl, C₁₋₆ alkoxy, halogen, nitro and cyano; (ii) R^{3a} and R^{3b} both are C₁₋₆ alkyl; (iii) R^{3a} and R^{3b} together are (CH₂)_f so as to form a spiro ring; (iv) R^{3a} is hydrogen and R^{3b} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where R^{3'} is independently hydrogen or C₁₋₆ alkyl and R^{3''} is -OR' or -N(R^{3'})₂; (vi) R^{3a} is H and R^{3b} is H, CH₃, CH₂CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl; or (viii) R^{3a} is CH₃, -CH₂CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl and R^{3b} is H, where R^{3'} is independently hydrogen or alkyl, which includes, but is not limited to, C₁₋₂₀ alkyl, C₁₋₁₀ alkyl, or C₁₋₆ alkyl, R^{3''} is -OR' or -N(R^{3'})₂;

(d) R⁴ is hydrogen, C₁₋₁₀ alkyl, C₁₋₁₀ alkyl optionally substituted with a lower alkyl, alkoxy or halogen, C₁₋₁₀ haloalkyl, C₃₋₁₀ cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)amino-lower alkyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R⁵ is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., -(CH₂)_pOH, where p is 1-6, including hydroxyl methyl (CH₂OH), CH₂F, N₃, CH₂CN, CH₂NH₂, CH₂NHCH₃, CH₂N(CH₃)₂, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R⁶ is H, R⁵ cannot be N₃ and when X is OH, R⁶ is CH₃ or CH₂F and B is a purine base, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OMe, halogen, NH₂, or N₃;

(h) Y is OH, H, C₁₋₄ alkyl, C₂₋₄ alkenyl, C₂₋₄ alkynyl, vinyl, N₃, CN, Cl, Br, F, I, NO₂, OC(O)O(C₁₋₄ alkyl), OC(O)O(C₁₋₄ alkyl), OC(O)O(C₂₋₄ alkynyl), OC(O)O(C₂₋₄ alkenyl), OC(O)O(C₂₋₄ alkynyl), O(aminoacyl), O(C₁₋₁₀ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkynyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₁₈ acyl)₂, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N₃, CN, one to three halogen (Cl, Br, F, I), NO₂, C(O)O(C₁₋₄ alkyl), C(O)O(C₁₋₄ alkyl), C(O)O(C₂₋₄ alkynyl), C(O)O(C₂₋₄ alkenyl), O(C₁₋₄ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkynyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₄ alkyl)₂, N(C₁₋₄ acyl)₂;

(i) R¹⁰ is H, F, Cl, Br, I, OH, OR', SH, SR', NH₂, NHR', NR'₂, lower alkyl of C₁₋₆, halogenated (F, Cl, Br, I) lower alkyl of C₁₋₆, lower alkenyl of C₂₋₆, halogenated (F, Cl, Br, I) lower alkenyl of C₂₋₆, lower alkynyl of C₂₋₆ such as C=CH, halogenated (F, Cl, Br, I) lower alkynyl of C₂₋₆, lower alkoxy of C₁₋₆, halogenated (F, Cl, Br, I) lower alkoxy of C₁₋₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R', wherein R' is an optionally substituted alkyl, which includes, but is not limited to, an optionally substituted C₁₋₂₀ alkyl, an optionally substituted C₁₋₁₀ alkyl, an optionally substituted lower alkyl; an optionally substituted cycloalkyl; an optionally substituted alkynyl of C₂₋₆, an optionally substituted lower alkenyl of C₂₋₆, or optionally substituted

acyl, which includes but is not limited to C(O) alkyl, C(O)(C₁₋₂₀ alkyl), C(O)(C₁₋₁₀ alkyl), or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is H, halogen (including F, Cl, Br, I), OH, OR', SH, SR', NH₂, NHR', NR'₂, NO₂ lower alkyl of C₁-C₆, halogenated (F, Cl, Br, I) lower alkyl of C₁-C₆, lower alkenyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkenyl of C₂-C₆, lower alkynyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkynyl of C₂-C₆, lower alkoxy of C₁-C₆, halogenated (F, Cl, Br, I) lower alkoxy of C₁-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'; with the proviso that R¹² is not a: (i) -C≡C-H, (ii) -C=CH₂, or (iii) -NO₂.

[0093] A second aspect of the fourth embodiment is directed to a compound represented by formula I-7 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, *i*Pr, *n*Pr, *n*Bu, 2-butyl, *t*Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, CN, CH₃, OCH₃, CH₂OH, CH₂F, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H.

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OCH₃, halogen, NH₂, or N₃;

(h) Y is OH, H, CH₃, vinyl, NH₂, N₃, CN, Cl, Br, F, I, OC(O)CH₃, OCH₃;

(i) R¹⁰ is H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R', wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'; with the proviso that R¹² is not a: (i) -C≡C-H, (ii) -C=CH₂, or (iii) -NO₂.

[0094] A third aspect of the third embodiment is directed to a compound represented by formula I-7 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, *i*Pr, *n*Pr, *n*Bu, 2-butyl, *t*Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, CN, CH₂F, F, Cl, Br, or I; with the proviso that X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, F, OCH₃, F, Cl, Br, I, NH₂ or N₃;

5 (h) Y is H, OH, CH₃, F, Cl, Br, I, NH₂ or N₃, OCH₃, or OC(O)CH₃;

(i) R¹⁰ is H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R', wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

10 (j) Z is N or CR¹²; and
R¹² is H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'; with the proviso that R¹² is not a: (i) -C≡C-H, (ii) -C=CH₂, or (iii) -NO₂.

15 **[0095]** A fourth aspect of the fourth embodiment is directed to a compound represented by formula I-7 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

20 (b) R² is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

25 (d) R⁴ is hydrogen, CH₃, Et, ^{*i*}Pr, ^{*n*}Pr, ^{*n*}Bu, 2-butyl, ^{*t*}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

30 (f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, OCH₃, F, NH₂ or N₃;

(h) Y is OH, NH₂, OCH₃, or OC(O)CH₃;

35 (i) R¹⁰ and R¹¹ H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R', wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

40 (j) Z is N or CR¹²; and
R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'; with the proviso that R¹² is not a: (i) -C≡C-H, (ii) -C=CH₂, or (iii) -NO₂.

45 **[0096]** A fifth aspect of the fourth embodiment is directed to a compound represented by formula I-7 wherein

(a) R¹ is hydrogen, methyl, phenyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

50 (b) R² is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

55 (d) R⁴ is hydrogen, CH₃, Et, ^{*i*}Pr, ^{*n*}Pr, ^{*n*}Bu, 2-butyl, ^{*t*}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, with the provisos that when X is OH, R^6 is CH_3 or CH_2F , R^5 cannot be H;

(f) R^6 is H, CH_3 , CH_2F , CHF_2 , CF_3 , or F;

(g) X is H, OH, OCH_3 , F, NH_2 or N_3 ;


(h) Y is OH, NH_2 , OCH_3 , or $OC(O)CH_3$;

(i) R^{10} is H, F, Br, I, OH, OR' , NH_2 , NHR' , NR'_2 , CO_2R' , $CONH_2$, $CONHR'$, $CONR'_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$, wherein R' is a lower alkyl, a lower cycloalkyl, or $C(O)$ (lower alkyl) or alternatively, in the instance of NR'_2 , each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR^{12} ; and

R^{12} is H, halogen (including F, Cl, Br, I), OR' , NH_2 , NHR' , NR'_2 , NO_2 , lower alkyl of C_1 - C_6 , CO_2R' , $CONH_2$, $CONHR'$, $CONR'_2$, $CH=CHCO_2H$, or $CH=CHCO_2R'$.

[0097] A sixth aspect of the fourth embodiment is directed to a compound represented by formula I-8



I-8

wherein

(a) R^1 is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-6} alkoxy, F, Cl, Br, I, nitro, cyano, C_{1-6} haloalkyl, $-N(R^1)_2$, C_{1-6} acylamino, $-NHSO_2C_{1-6}$ alkyl, $-SO_2N(R^1)_2$, $COR^{1'}$, and $-SO_2C_{1-6}$ alkyl; (R^1 is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{1'}$ is $-OR'$ or $-N(R^1)_2$);

(b) R^2 is hydrogen or CH_3 ;

(c) R^{3a} and R^{3b} are (i) independently selected from hydrogen, C_{1-10} alkyl, cycloalkyl, $-(CH_2)_c(NR^{3'})_2$, C_{1-6} hydroxy-alkyl, $-CH_2SH$, $-(CH_2)_2S(O)_dMe$, $-(CH_2)_3NHC(=NH)NH_2$, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, $-(CH_2)_eCOR^{3''}$, aryl and aryl C_{1-3} alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C_{1-10} alkyl, C_{1-6} alkoxy, halogen, nitro and cyano; (ii) R^{3a} and R^{3b} both are C_{1-6} alkyl; (iii) R^{3a} and R^{3b} together are $(CH_2)_f$ so as to form a spiro ring; (iv) R^{3a} is hydrogen and R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where $R^{3'}$ is independently hydrogen or C_{1-6} alkyl and $R^{3''}$ is $-OR'$ or $-N(R^3)_2$; (vi) R^{3a} is H and R^{3b} is H, CH_3 , CH_2CH_3 , $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph , CH_2 -indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H , $CH_2C(O)NH_2$, CH_2CH_2COOH , $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2 -imidazol-4-yl, CH_2OH , $CH(OH)CH_3$, $CH_2((4'-OH)-Ph)$, CH_2SH , or lower cycloalkyl; or (viii) R^{3a} is CH_3 , $-CH_2CH_3$, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph , CH_2 -indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H , $CH_2C(O)NH_2$,

CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl and R^{3b} is H, where R^{3'} is independently hydrogen or alkyl, which includes, but is not limited to, C₁₋₂₀ alkyl, C₁₋₁₀ alkyl, or C₁₋₆ alkyl, R^{3''} is -OR' or -N(R^{3'})₂;

(d) R⁴ is hydrogen, C₁₋₁₀ alkyl, C₁₋₁₀ alkyl optionally substituted with a lower alkyl, alkoxy or halogen, C₁₋₁₀ haloalkyl, C₃₋₁₀ cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)amino-lower alkyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R⁵ is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., -(CH₂)_pOH, where p is 1-6, including hydroxyl methyl (CH₂OH), CH₂F, N₃, CH₂CN, CH₂NH₂, CH₂NHCH₃, CH₂N(CH₃)₂, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R⁶ is H, R⁵ cannot be N₃ and when X is OH, R⁶ is CH₃ or CH₂F and B is a purine base, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OMe, halogen, NH₂, or N₃;

(h) Y is OH, H, C₁₋₄ alkyl, C₂₋₄ alkenyl, C₂₋₄ alkynyl, vinyl, N₃, CN, Cl, Br, F, I, NO₂, OC(O)O(C₁₋₄ alkyl), OC(O)O(C₂₋₄ alkynyl), OC(O)O(C₂₋₄ alkenyl), OC₁₋₁₀ haloalkyl, O(aminoacyl), O(C₁₋₁₀ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkynyl), OS(O)₂(C₂₋₄ alkenyl), NH(C₁₋₄ alkyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₁₈ acyl)₂, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N₃, CN, one to three halogen (Cl, Br, F, I), NO₂, C(O)O(C₁₋₄ alkyl), C(O)O(C₁₋₄ alkyl), C(O)O(C₂₋₄ alkynyl), C(O)O(C₂₋₄ alkenyl), O(C₁₋₄ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkynyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₄ acyl)₂;

(i) R¹⁰ is H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R', wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'; with the proviso that when base is represented by the structure c with R¹¹ being hydrogen, R¹² is not a: (i) -C≡C-H, (ii) -C=CH₂, or (iii) -NO₂.

[0098] A seventh aspect of the fourth embodiment is directed to a compound represented by formula I-8 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, CN, CH₃, OCH₃, CH₂OH, CH₂F, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OCH₃, halogen, NH₂, or N₃;

(h) Y is OH, H, CH₃, vinyl, NH₂, N₃, CN, Cl, Br, F, I, OC(O)CH₃, OCH₃;

(i) R¹⁰ is H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R', wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'; with the proviso that R¹² is not a: (i) -C≡C-H, (ii) -C=CH₂, or (iii) -NO₂.

[0099] An eighth aspect of the fourth embodiment is directed to a compound represented by formula I-8

wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ^{*i*}Pr, ^{*n*}Pr, ^{*n*}Bu, 2-butyl, ^{*t*}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, CN, CH₂F, F, Cl, Br, or I, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, F, OCH₃, F, Cl, Br, I, NH₂ or N₃;

(h) Y is H, OH, CH₃, F, Cl, Br, I, NH₂ or N₃, OCH₃, or OC(O)CH₃;

(i) R¹⁰ is H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R', wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'; with the proviso that R¹² is not a: (i) -C≡C-H, (ii) -C=CH₂, or (iii) -NO₂.

[0100] A ninth aspect of the fourth embodiment is directed to a compound represented by formula I-8

wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ^{*i*}Pr, ^{*n*}Pr, ^{*n*}Bu, 2-butyl, ^{*t*}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, OCH₃, F, NH₂ or N₃;

(h) Y is OH, NH₂, OCH₃, or OC(O)CH₃;

(i) R¹⁰ is H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R', wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'; with the proviso that R¹² is not a: (i) -C≡C-H, (ii) -C=CH₂, or (iii) -NO₂.

[0101] A tenth aspect of the fourth embodiment is directed to a compound represented by formula I-8 wherein

(a) R¹ is hydrogen, methyl, phenyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R² is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, OCH₃, F, NH₂ or N₃;

(h) Y is OH, NH₂, OCH₃, or OC(O)CH₃;


(i) R¹⁰ is H, F, Br, I, OH, OR', NH₂, NHR', NR'₂, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R', wherein R' is a lower alkyl, a lower cycloalkyl, or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

(j) Z is N or CR¹²; and

R¹² is an H, halogen (including F, Cl, Br, I), OR', NH₂, NHR', NR'₂, NO₂, lower alkyl of C₁-C₆, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'; with the proviso that R¹² is not a: (i) -C≡C-H, (ii) -C=CH₂, or (iii) -NO₂.

[0102] A fifth embodiment of the invention is directed to a compound represented by formula I in which the base is a structure represented by formula d above, wherein R¹, R², R^{3a}, R^{3b}, R⁴, R⁵, R⁶, X, and Y are defined in the Summary of the Invention section above.

[0103] The first aspect of the fifth embodiment is directed to a compound represented by formula I-9



I-9

wherein

(a) R¹ is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C₁₋₆ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₁₋₆ alkoxy, F, Cl, Br, I, nitro, cyano, C₁₋₆ haloalkyl, -N(R^{1'})₂, C₁₋₆ acylamino, -NHSO₂C₁₋₆ alkyl, -SO₂N(R^{1'})₂, COR^{1''}, and -SO₂C₁₋₆ alkyl; (R^{1'} is independently hydrogen or alkyl, which includes, but is not limited to, C₁₋₂₀ alkyl, C₁₋₁₀ alkyl, or C₁₋₆ alkyl, R^{1''} is -OR' or -N(R^{1'})₂);

(b) R² is hydrogen or CH₃;

(c) R^{3a} and R^{3b} are (i) independently selected from hydrogen, C₁₋₁₀ alkyl, cycloalkyl, -(CH₂)_c(NR^{3'})₂, C₁₋₆ hydroxy-alkyl, -CH₂SH, -(CH₂)₂S(O)_dMe, -(CH₂)₃NHC(=NH)NH₂, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, -(CH₂)_eCOR^{3''}, aryl and aryl C₁₋₃ alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C₁₋₁₀ alkyl, C₁₋₆ alkoxy, halogen, nitro and cyano; (ii) R^{3a} and R^{3b} both are C₁₋₆ alkyl; (iii) R^{3a} and R^{3b} together are (CH₂)_f so as to form a spiro ring; (iv) R^{3a} is hydrogen and R^{3b} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where R^{3'} is independently hydrogen or C₁₋₆ alkyl and R^{3''} is -OR' or -N(R^{3'})₂; (vi) R^{3a} is H and R^{3b} is H, CH₃, CH₂CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl; or (viii) R^{3a} is CH₃, -CH₂CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl and R^{3b} is H, where R^{3'} is independently hydrogen or alkyl, which includes, but is not limited to, C₁₋₂₀ alkyl, C₁₋₁₀ alkyl, or C₁₋₆ alkyl, R^{3''} is -OR' or -N(R^{3'})₂;

(d) R⁴ is hydrogen, C₁₋₁₀ alkyl, C₁₋₁₀ alkyl optionally substituted with a lower alkyl, alkoxy or halogen, C₁₋₁₀ haloalkyl, C₃₋₁₀ cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, di(lower alkyl)amino-lower alkyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R⁵ is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., -(CH₂)_pOH, where p is 1-6, including hydroxyl methyl (CH₂OH), CH₂F, N₃, CH₂CN, CH₂NH₂, CH₂NHCH₃, CH₂N(CH₃)₂, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R⁶ is H, R⁵ cannot be N₃ and when X is OH, R⁶ is CH₃ or CH₂F and B is a purine base, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OMe, halogen, NH₂, or N₃;

(h) Y is OH, H, C₁₋₄ alkyl, C₂₋₄ alkenyl, C₂₋₄ alkynyl, vinyl, N₃, CN, Cl, Br, F, I, NO₂, OC(O)O(C₁₋₄ alkyl), OC(O)O(C₁₋₄ alkyl), OC(O)O(C₂₋₄ alkynyl), OC(O)O(C₂₋₄ alkenyl), OC₁₋₁₀ haloalkyl, O(aminoacyl), O(C₁₋₁₀ acyl), O(C₁₋₄ alkyl),

O(C₂₋₄alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₁₈ acyl)₂, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N₃, CN, one to three halogen (Cl, Br, F, I), NO₂, C(O)O(C₁₋₄ alkyl), C(O)O(C₁₋₄ alkyl), C(O)O(C₂₋₄ alkynyl), C(O)O(C₂₋₄ alkenyl), O(C₁₋₄ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₄ acyl)₂.

[0104] A second aspect of the fifth embodiment is directed to a compound represented by formula I-9 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ^{*i*}Pr, ^{*n*}Pr, ^{*n*}Bu, 2-butyl, ^{*t*}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, CN, CH₃, OCH₃, CH₂OH, CH₂F, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H.

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OCH₃, halogen, NH₂, or N₃;

(h) Y is OH, H, CH₃, vinyl, NH₂, N₃, CN, Cl, Br, F, I, OC(O)CH₃, OCH₃;

[0105] A third aspect of the fifth embodiment is directed to a compound represented by formula I-9 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ^{*i*}Pr, ^{*n*}Pr, ^{*n*}Bu, 2-butyl, ^{*t*}Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, CN, CH₂F, F, Cl, Br, or I; with the proviso that X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, F, OCH₃, F, Cl, Br, I, NH₂ or N₃;

(h) Y is H, OH, CH₃, F, Cl, Br, I, NH₂, N₃, OCH₃, or OC(O)CH₃;

[0106] A fourth aspect of the fifth embodiment is directed to a compound represented by formula I-9 wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, *i*Pr, *n*Pr, *n*Bu, 2-butyl, *t*Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, OCH₃, F, NH₂ or N₃;

(h) Y is OH, NH₂, OCH₃, or OC(O)CH₃;

[0107] A fifth aspect of the fifth embodiment is directed to a compound represented by formula **I-9** wherein

(a) R¹ is hydrogen, methyl, phenyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, *i*Pr, *n*Pr, *n*Bu, 2-butyl, *t*Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;


(e) R⁵ is H, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, OCH₃, F, NH₂ or N₃;

(h) Y is OH, NH₂, OCH₃, or OC(O)CH₃;

[0108] A sixth aspect of the fifth embodiment is directed to a compound represented by formula **I-10**



I-10

wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, or a substituted or unsubstituted phenyl, where the substituent of the substituted phenyl is at least one of a CH₃, OCH₃, F, Cl, Br, I, nitro, cyano, and a CH₃-X_q, where X is F, Cl, Br, or I, and q is 1-3;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl or R^{3a} is CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl and R^{3b} is H;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, CN, CH₃, OCH₃, CH₂OH, CH₂F, N₃, CH₂CN, CH₂N₃, CH₂NH₂, CH₂NHCH₃, CH₂N(CH₃)₂, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OCH₃, Cl, Br, I, NH₂, or N₃;

(h) Y is OH, H, CH₃, vinyl, N₃, CN, Cl, Br, F, I, OC(O)CH₃, OCH₃, NH₂, NHCH₃, NH(vinyl), NH(acetyl), NH(C(O)CH₃), N(CH₃)₂, N(C(O)CH₃)₂;

[0109] A seventh aspect of the fifth embodiment is directed to a compound represented by formula **I-10** wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, CN, CH₃, OCH₃, CH₂OH, CH₂F, halogen, including F, Cl, Br, or I, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OCH₃, Cl, Br, I, NH₂, or N₃; and

(h) Y is OH, H, CH₃, vinyl, NH₂, N₃, CN, Cl, Br, F, I, OC(O)CH₃, OCH₃.

[0110] An eighth aspect of the fifth embodiment is directed to a compound represented by formula **I-10** wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, p-tolyl, p-bromo-phenyl, p-chloro-phenyl, p-fluorophenyl;

(b) R² is hydrogen or CH₃;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, CN, CH₂F, F, Cl, Br, or I, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, F, OCH₃, F, Cl, Br, I, NH₂ or N₃;

(h) Y is H, OH, CH₃, F, Cl, Br, I, NH₂ or N₃, OCH₃, or OC(O)CH₃;

[0111] A ninth aspect of the fifth embodiment is directed to a compound represented by formula **I-10** wherein

(a) R¹ is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, phenyl, *p*-tolyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R⁵ is H, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, OCH₃, F, NH₂ or N₃;

(h) Y is OH, NH₂, OCH₃, or OC(O)CH₃;

[0112] A tenth aspect of the fifth embodiment is directed to a compound represented by formula **I-10** wherein

(a) R¹ is hydrogen, methyl, phenyl, *p*-bromo-phenyl, *p*-chloro-phenyl, *p*-fluorophenyl;

(b) R² is hydrogen;

(c) R^{3a} is H and R^{3b} is H, CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, or lower cycloalkyl;

(d) R⁴ is hydrogen, CH₃, Et, ⁱPr, ⁿPr, ⁿBu, 2-butyl, ^tBu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;


(e) R⁵ is H, with the provisos that when X is OH, R⁶ is CH₃ or CH₂F, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, or F;

(g) X is H, OH, OCH₃, F, NH₂ or N₃;

(h) Y is OH, NH₂, OCH₃, or OC(O)CH₃.

[0113] The following tables contain numeric identifiers associated with various substituent designators that should be viewed in light of the accompanying structure. These structures are contemplated species of the various aspects of the disclosed embodiments and are not intended to be limiting on full breadth of the contemplated compound represented by the structure of formula I. However, it is contemplated that any one of the exemplified nucleoside bases can be used in combination with any one of contemplated species that specify a particular combination of R¹, R², R^{3a}, R^{3b}, R⁴, R⁵, R⁶, X, and Y. In each of the presented tables, the phosphoramidate substituent containing the substituents R^{3a} and R^{3b} are depicted without reference to stereochemical structure (*cf.* structures I-1, I-3, I-5, I-7, and I-9 above). It is contemplated that the compounds recited below embody compounds in which R^{3a} projects toward the viewer while R^{3b} projects away from the viewer (*cf.* structures I-2, I-4, I-6, I-8, and I-10). Moreover, it is contemplated that the compounds recited below also embody compounds in which R^{3a} projects away from the viewer while R^{3b} projects towards the viewer. Not meant to be limiting, however, it is contemplated that preferred compounds are those in which R^{3a} projects towards the viewer and R^{3b} projects away from the viewer such that the natural L-amino acid (S)-configuration is presented. Additionally, the inventors recognize that the phosphorus atom of the phosphoramidate moiety is another source of chirality. Although the structures below do not specifically depict chirality at phosphorus, the inventors recognize that stereochemical configurations are possible such that in a staggered (or zigzag) line structure the oxo-substituent projects towards the viewer while the OR¹ substituent projects away from the viewer, and vice versa, i.e., where the Cahn-Ingold-Prelog stereochemical designation of phosphorous is either R or S. Therefore, the structures below include all possible stereochemical configurations possible for phosphorus.



II

Table II-1.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-1-1	CH ₃	H	H	H	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-1-2	CH ₃	H	H	CH ₃	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-1-8	CH ₃	*	H	*	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-2.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-2-1	Et	H	H	H	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-2-2	Et	H	H	CH ₃	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-2-8	Et	*	H	*	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-3-1	ⁱ Pr	H	H	H	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-3-2	ⁱ Pr	H	H	CH ₃	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-3-3	ⁱ Pr	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-3-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-3-5	ⁱ Pr	H	H	CH ₂ Ph	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-3-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-3-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-3-8	ⁱ Pr	*	H	*	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-4-1	^t Bu	H	H	H	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-4-2	^t Bu	H	H	CH ₃	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-4-3	^t Bu	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-4-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-4-5	^t Bu	H	H	CH ₂ Ph	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-4-6	^t Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-4-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-4-8	^t Bu	*	H	*	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-5.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-5-1	Ph	H	H	H	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-5-2	Ph	H	H	CH ₃	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-5-8	Ph	*	H	*	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-6.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-6-1	p-Me-Ph	H	H	H	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-6-8	p-Me-Ph	*	H	*	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-7.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-7-1	p-F-Ph	H	H	H	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
5 II-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
10 II-7-20	p-F-Ph	*	H	*	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
20 II-8-1	p-Cl-Ph	H	H	H	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
25 II-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
30 II-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
35 II-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
40 II-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
45 II-8-8	p-Cl-Ph	*	H	*	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-9-1	p-Br-Ph	H	H	H	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-9-20	p-Br-Ph	*	H	*	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-10.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-10-1	p-I-Ph	H	H	H	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂
II-10-8	p-I-Ph	*	H	*	CH ₃	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-11.

Table II-11:												
N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-11-1	CH ₃	H	H	H	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-11-2	CH ₃	H	H	CH ₃	Et	H	CH ₃	OH	OH	H	H	NH ₂
N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-11-8	CH ₃	*	H	*	Et	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-12-1	Et	H	H	H	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-12-2	Et	H	H	CH ₃	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-12-5	Et	H	H	CH ₂ Ph	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-12-8	Et	*	H	*	Et	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-13-1	ⁱ Pr	H	H	H	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-13-2	ⁱ Pr	H	H	CH ₃	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-13-3	ⁱ Pr	H	H	CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-13-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-13-5	ⁱ Pr	H	H	CH ₂ Ph	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-13-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-13-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-13-8	ⁱ Pr	*	H	*	Et	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-14.

N ^o	R ¹	R ²	R	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
			3a									
II-14-1	^t Bu	H	H	H	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-14-2	^t Bu	H	H	CH ₃	Et	H	CH ₃	OH	OH	H	H	NH ₂

N ^o	R ¹	R ²	R	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
			3a									
II-14-3	^t Bu	H	H	CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-14-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-14-5	^t Bu	H	H	CH ₂ Ph	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-14-6	^t Bu	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-14-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-14-8	^t Bu	*	H	*	Et	H	CH ₃	OH	OH	H	H	NH ₂
*R ² and R ^{3b} joined together by (CH ₂) ₃ to form five-membered ring.												

Table II-15.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-15-1	Ph	H	H	H	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-15-2	Ph	H	H	CH ₃	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-15-3	Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-15-5	Ph	H	H	CH ₂ Ph	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-15-8	Ph	*	H	*	Et	H	CH ₃	OH	OH	H	H	NH ₂
*R ² and R ^{3b} joined together by (CH ₂) ₃ to form five-membered ring.												

Table II-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II- 16-1	p-Me- Ph	H	H	H	Et	H	CH ₃	OH	OH	H	H	NH ₂
II- 16-2	p-Me- Ph	H	H	CH ₃	Et	H	CH ₃	OH	OH	H	H	NH ₂
II- 16-3	p-Me- Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H	NH ₂
II- 16-4	p-Me- Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H	NH ₂
II- 16-5	p-Me- Ph	H	H	CH ₂ Ph	Et	H	CH ₃	OH	OH	H	H	NH ₂
II- 16-6	p-Me- Ph	H	H	CH ₂ -indol-3- yl	Et	H	CH ₃	OH	OH	H	H	NH ₂
II- 16-7	p-Me- Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	OH	OH	H	H	NH ₂
N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
16-7												
II- 16-8	p-Me- Ph	*	H	*	Et	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-17-1	p-F-Ph	H	H	H	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-17-2	p-F-Ph	H	H	CH ₃	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-17-8	p-F-Ph	*	H	*	Et	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-18.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-18-1	p-Cl-Ph	H	H	H	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	OH	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
18-5												
II-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-18-8	p-Cl-Ph	*	H	*	Et	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-19.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-19-1	p-Br-Ph	H	H	H	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-19-2	p-Br-Ph	H	H	CH ₃	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	OH	OH	H	H	NH ₂
II-19-8	p-Br-Ph	*	H	*	Et	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-20.

Table II-20:													
N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹	
II-20-1	p-I-Ph	H	H	H	Et	H	CH ₃	OH	OH	H	H	NH ₂	
II-20-2	p-I-Ph	H	H	CH ₃	Et	H	CH ₃	OH	OH	H	H	NH ₂	
II-20-	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H	NH ₂	
N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹	
3													
II-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H	NH ₂	
II-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	OH	OH	H	H	NH ₂	
II-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	OH	OH	H	H	NH ₂	
II-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	OH	OH	H	H	NH ₂	
II-20-8	p-I-Ph	*	H	*	Et	H	CH ₃	OH	OH	H	H	NH ₂	

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-21-1	CH ₃	H	H	H	ⁱ Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-21-2	CH ₃	H	H	CH ₃	ⁱ Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-21-3	CH ₃	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-21-5	CH ₃	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-21-8	CH ₃	*	H	*	ⁱ Pr	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-22-1	Et	H	H	H	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-22-2	Et	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-22-3	Et	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-22-5	Et	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-22-6	Et	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-22-8	Et	*	H	*	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-24-1	^t Bu	H	H	H	ⁱ Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-24-2	^t Bu	H	H	CH ₃	ⁱ Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-24-3	^t Bu	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-24-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-24-5	^t Bu	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-24-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-24-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-24-8	^t Bu	*	H	*	ⁱ Pr	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-25-1	Ph	H	H	H	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-25-2	Ph	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-25-3	Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-25-5	Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-25-6	Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-25-8	Ph	*	H	*	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-26-1	p-Mc-Ph	H	H	H	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-26-2	p-Mc-Ph	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-26-3	p-Mc-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-26-4	p-Mc-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-26-5	p-Mc-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-26-6	p-Mc-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-26-7	p-Mc-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-26-8	p-Mc-Ph	*	H	*	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-27.

Table II-27:												
N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-27-1	p-F-Ph	H	H	H	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-27-2	p-F-Ph	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-27-5	p-F-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-27-8	p-F-Ph	*	H	*	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-28.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II- 28-1	p-Cl- Ph	H	H	H	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II- 28-2	p-Cl- Ph	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II- 28-3	p-Cl- Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II- 28-4	p-Cl- Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II- 28-5	p-Cl- Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II- 28-6	p-Cl- Ph	H	H	CH ₂ -indol-3- yl	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II- 28-7	p-Cl- Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II- 28-8	p-Cl- Ph	*	H	*	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II- 29-1	p-Br- Ph	H	H	H	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II- 29-2	p-Br- Ph	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II- 29-3	p-Br- Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II- 29-4	p-Br- Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II- 29-5	p-Br- Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II- 29-6	p-Br- Ph	H	H	CH ₂ -indol-3- yl	ⁱ Pr	H	CH ₃	OH	OH	H	H	NH ₂
II- 29-7	p-Br- Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	OH	OH	H	H	NH ₂
II- 29-8	p-Br- Ph	*	H	*	ⁱ Pr	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-30-1	p-I-Ph	H	H	H	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-30-2	p-I-Ph	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-30-5	p-I-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂
II-30-8	p-I-Ph	*	H	*	<i>i</i> Pr	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-31-1	CH ₃	H	H	H	<i>n</i> Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-31-2	CH ₃	H	H	CH ₃	<i>n</i> Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-31-3	CH ₃	H	H	CH(CH ₃) ₂	<i>n</i> Bu	H	CH ₃	OH	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-31-5	CH ₃	H	H	CH ₂ Ph	<i>n</i> Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-31-8	CH ₃	*	H	*	<i>n</i> Bu	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-32-1	Et	H	H	H	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-32-2	Et	H	H	CH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-32-8	Et	*	H	*	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-33-1	<i>i</i> Pr	H	H	H	<i>n</i> Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-33-2	<i>i</i> Pr	H	H	CH ₃	<i>n</i> Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-33-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>n</i> Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-33-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-33-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>n</i> Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-33-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-33-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-33-8	<i>i</i> Pr	*	H	*	<i>n</i> Bu	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-34-1	^t Bu	H	H	H	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-34-8	^t Bu	*	H	*	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-35-1	Ph	H	H	H	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-35-2	Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-35-8	Ph	*	H	*	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-	p-	H	H	CH ₂ -indol-3-	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
36-6	Me-Ph			yl								
II-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-37.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II- 37-1	p-F- Ph	H	H	H	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II- 37-2	p-F- Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II- 37-3	p-F- Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II- 37-4	p-F- Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II- 37-5	p-F- Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II- 37-6	p-F- Ph	H	H	CH ₂ -indol-3- yl	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II- 37-7	p-F- Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II- 37-8	p-F- Ph	*	H	*	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-38.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II- 38-1	p-Cl- Ph	H	H	H	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II- 38-2	p-Cl- Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II- 38-3	p-Cl- Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II- 38-4	p-Cl- Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II- 38-5	p-Cl- Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II- 38-6	p-Cl- Ph	H	H	CH ₂ -indol-3- yl	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II- 38-7	p-Cl- Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II- 38-8	p-Cl- Ph	*	H	*	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
*R ² and R ^{3b} joined together by (CH ₂) ₃ to form five-membered ring.												

Table II-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II- 39-1	p-Br- Ph	H	H	H	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II- 39-2	p-Br- Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II- 39-3	p-Br- Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II- 39-4	p-Br- Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II- 39-5	p-Br- Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II- 39-6	p-Br- Ph	H	H	CH ₂ -indol-3- yl	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II- 39-7	p-Br- Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II- 39-8	p-Br- Ph	*	H	*	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
*R ² and R ^{3b} joined together by (CH ₂) ₃ to form five-membered ring.												

Table II-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
5 II-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
10 II-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
15 II-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
20 II-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
25 II-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
II-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂
30 II-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
40 II-41-1	CH ₃	H	H	H	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-41-2	CH ₃	H	H	CH ₃	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H	NH ₂
45 II-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	OH	OH	H	H	NH ₂
50 II-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-41-8	CH ₃	*	H	*	Bz	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-42-1	Et	H	H	H	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-42-2	Et	H	H	CH ₃	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-42-5	Et	H	H	CH ₂ Ph	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	OH	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-42-8	Et	*	H	*	Bz	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-43-1	ⁱ Pr	H	H	H	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-43-2	ⁱ Pr	H	H	CH ₃	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-43-3	ⁱ Pr	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-43-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-43-5	ⁱ Pr	H	H	CH ₂ Ph	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-43-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-43-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-43-8	ⁱ Pr	*	H	*	Bz	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-44-1	^t Bu	H	H	H	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-44-2	^t Bu	H	H	CH ₃	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-44-3	^t Bu	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-44-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-44-5	^t Bu	H	H	CH ₂ Ph	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-44-6	^t Bu	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-44-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-44-8	^t Bu	*	H	*	Bz	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-45-1	Ph	H	H	H	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-45-2	Ph	H	H	CH ₃	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-45-5	Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	OH	OH	H	H	NH ₂

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-45-8	Ph	*	H	*	Bz	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-46-1	p-Me-Ph	H	H	H	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-46-8	p-Me-Ph	*	H	*	Bz	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-47-1	p-F-Ph	H	H	H	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-47-2	p-F-Ph	H	H	CH ₃	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-47-	p-F-Ph	H	H	CH ₂ -indol-3-	Bz	H	CH ₃	OH	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
6				yl								
5 II-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	OH	OH	H	H	NH ₂
10 II-47-8	p-F-Ph	*	H	*	Bz	H	CH ₃	OH	OH	H	H	NH ₂
*R ² and R ^{3b} joined together by (CH ₂) ₃ to form five-membered ring.												

Table II-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
15 II-48-1	p-Cl-Ph	H	H	H	Bz	H	CH ₃	OH	OH	H	H	NH ₂
20 II-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	CH ₃	OH	OH	H	H	NH ₂
25 II-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H	NH ₂
30 II-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H	NH ₂
35 II-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	OH	OH	H	H	NH ₂
40 II-48-8	p-Cl-Ph	*	H	*	Bz	H	CH ₃	OH	OH	H	H	NH ₂
*R ² and R ^{3b} joined together by (CH ₂) ₃ to form five-membered ring.												

Table II-49.


N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-49-1	p-Br-Ph	H	H	H	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H	NH ₂
N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
49-4												
II-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-49-8	p-Br-Ph	*	H	*	Bz	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table II-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
II-50-1	p-I-Ph	H	H	H	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-50-2	p-I-Ph	H	H	CH ₃	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	OH	OH	H	H	NH ₂
II-50-8	p-I-Ph	*	H	*	Bz	H	CH ₃	OH	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.



III

Table III-1.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-1-1	CH ₃	H	H	H	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-1-2	CH ₃	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-1-8	CH ₃	*	H	*	CH ₃	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-2.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-2-1	Et	H	H	H	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-2-2	Et	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-2-8	Et	*	H	*	CH ₃	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-3-1	<i>i</i> Pr	H	H	H	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-3-8	<i>i</i> Pr	*	H	*	CH ₃	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-4-1	^t Bu	H	H	H	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-4-2	^t Bu	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-4-3	^t Bu	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-4-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-4-5	^t Bu	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-4-6	^t Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-4-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-4-8	^t Bu	*	H	*	CH ₃	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-5.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-5-1	Ph	H	H	H	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-5-2	Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-5-8	Ph	*	H	*	CH ₃	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-6.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-6-1	p-Me-Ph	H	H	H	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-6-8	p-Me-Ph	*	H	*	CH ₃	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-7.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-7-1	p-F-Ph	H	H	H	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-7-	p-F-	*	H	*	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
20	Ph											

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-8-1	p-Cl-Ph	H	H	H	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-8-8	p-Cl-Ph	*	H	*	CH ₃	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-9-1	p-Br-Ph	H	H	H	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-9-	p-Br-Ph	H	H	CH ₂ -indol-3-	CH ₃	H	CH ₃	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
7				yl								
III-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-9-20	p-Br-Ph	*	H	*	CH ₃	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-10-1	p-I-Ph	H	H	H	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
III-10-8	p-I-Ph	*	H	*	CH ₃	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-11-1	CH ₃	H	H	H	Et	H	CH ₃	F	OH	H	H	NH ₂
III-11-2	CH ₃	H	H	CH ₃	Et	H	CH ₃	F	OH	H	H	NH ₂
III-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H	NH ₂
III-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H	NH ₂
III-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH	H	H	NH ₂
III-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH	H	H	NH ₂
III-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH	H	H	NH ₂
III-11-8	CH ₃	*	H	*	Et	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-12-1	Et	H	H	H	Et	H	CH ₃	F	OH	H	H	NH ₂
III-12-2	Et	H	H	CH ₃	Et	H	CH ₃	F	OH	H	H	NH ₂
III-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H	NH ₂
III-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H	NH ₂
III-12-5	Et	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH	H	H	NH ₂
III-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH	H	H	NH ₂
III-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH	H	H	NH ₂
III-12-8	Et	*	H	*	Et	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-13-1	<i>i</i> Pr	H	H	H	Et	H	CH ₃	F	OH	H	H	NH ₂
III-13-2	<i>i</i> Pr	H	H	CH ₃	Et	H	CH ₃	F	OH	H	H	NH ₂
III-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H	NH ₂
III-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H	NH ₂
III-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH	H	H	NH ₂
III-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH	H	H	NH ₂
III-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH	H	H	NH ₂
III-13-8	<i>i</i> Pr	*	H	*	Et	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-14.

Table III-14.													
N ^o	R ¹	R ²	R	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹	
			3a										
III-14-1	<i>t</i> Bu	H	H	H	Et	H	CH ₃	F	OH	H	H	NH ₂	
III-14-2	<i>t</i> Bu	H	H	CH ₃	Et	H	CH ₃	F	OH	H	H	NH ₂	
III-14-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H	NH ₂	
III-14-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H	NH ₂	
4													
III-14-5	<i>t</i> Bu	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH	H	H	NH ₂	
III-14-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH	H	H	NH ₂	
III-14-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH	H	H	NH ₂	
III-14-8	<i>t</i> Bu	*	H	*	Et	H	CH ₃	F	OH	H	H	NH ₂	

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-15-1	Ph	H	H	H	Et	H	CH ₃	F	OH	H	H	NH ₂
III-15-2	Ph	H	H	CH ₃	Et	H	CH ₃	F	OH	H	H	NH ₂
III-15-3	Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H	NH ₂
III-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H	NH ₂
III-15-5	Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH	H	H	NH ₂
III-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH	H	H	NH ₂
III-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH	H	H	NH ₂
III-15-8	Ph	*	H	*	Et	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-16-1	p-Me-Ph	H	H	H	Et	H	CH ₃	F	OH	H	H	NH ₂
III-16-2	p-Me-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH	H	H	NH ₂
III-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H	NH ₂
III-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H	NH ₂
III-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-16-6	p-Mc-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH	H	H	NH ₂
III-16-7	p-Mc-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH	H	H	NH ₂
III-16-8	p-Mc-Ph	*	H	*	Et	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-17-1	p-F-Ph	H	H	H	Et	H	CH ₃	F	OH	H	H	NH ₂
III-17-2	p-F-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH	H	H	NH ₂
III-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H	NH ₂
III-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H	NH ₂
III-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH	H	H	NH ₂
III-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH	H	H	NH ₂
III-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH	H	H	NH ₂
III-17-8	p-F-Ph	*	H	*	Et	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-18.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-18-1	p-Cl-Ph	H	H	H	Et	H	CH ₃	F	OH	H	H	NH ₂
III-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH	H	H	NH ₂
III-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H	NH ₂
III-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH	H	H	NH ₂
III-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH	H	H	NH ₂
III-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH	H	H	NH ₂
III-18-8	p-Cl-Ph	*	H	*	Et	H	CH ₃	F	OH	H	H	NH ₂
*R ² and R ^{3b} joined together by (CH ₂) ₃ to form five-membered ring.												

Table III-19.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-19-1	p-Br-Ph	H	H	H	Et	H	CH ₃	F	OH	H	H	NH ₂
III-19-2	p-Br-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH	H	H	NH ₂
III-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H	NH ₂
III-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H	NH ₂
III-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH	H	H	NH ₂
III-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH	H	H	NH ₂
III-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH	H	H	NH ₂
III-19-8	p-Br-Ph	*	H	*	Et	H	CH ₃	F	OH	H	H	NH ₂
*R ² and R ^{3b} joined together by (CH ₂) ₃ to form five-membered ring.												

Table III-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-20-1	p-I-Ph	H	H	H	Et	H	CH ₃	F	OH	H	H	NH ₂
III-20-2	p-I-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH	H	H	NH ₂
III-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H	NH ₂
III-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H	NH ₂
III-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH	H	H	NH ₂
III-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH	H	H	NH ₂
III-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH	H	H	NH ₂
III-20-8	p-I-Ph	*	H	*	Et	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-21-1	CH ₃	H	H	H	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-21-2	CH ₃	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-21-3	CH ₃	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-21-5	CH ₃	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-21-8	CH ₃	*	H	*	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-22-1	Et	H	H	H	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-22-2	Et	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-22-3	Et	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-22-5	Et	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-22-6	Et	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-22-8	Et	*	H	*	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-24-1	^t Bu	H	H	H	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-24-2	^t Bu	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-24-3	^t Bu	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-24-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-24-5	^t Bu	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-24-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-24-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-24-8	^t Bu	*	H	*	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-25-1	Ph	H	H	H	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-25-2	Ph	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-25-3	Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-25-5	Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-25-6	Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-25-8	Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-26-1	p-Me-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-26-8	p-Me-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-27-1	p-F-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-27-	p-F-Ph	H	H	CH ₂ -indol-3-	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
6				yl								
III-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-27-8	p-F-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-28.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-29-1	p-Br-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-29-	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
4												
III-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂
III-29-8	p-Br-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-30-1	p-I-Ph	H	H	H	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-30-2	p-I-Ph	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-30-5	p-I-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂
III-30-8	p-I-Ph	*	H	*	<i>i</i> Pr	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-31-1	CH ₃	H	H	H	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-31-8	CH ₃	*	H	*	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-32.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-32-1	Et	H	H	H	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-32-2	Et	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-32-8	Et	*	H	*	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-33.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-33-1	ⁱ Pr	H	H	H	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-33-2	ⁱ Pr	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-33-3	ⁱ Pr	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-33-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-33-5	ⁱ Pr	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-33-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-33-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-33-8	ⁱ Pr	*	H	*	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-34-1	^t Bu	H	H	H	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-34-8	^t Bu	*	H	*	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-35-1	Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-35-2	Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-35-8	Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-	p-Me-Ph	H	H	CH ₂ -indol-3-	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
36-6				yl								
III-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-37.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-38.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
38-4												
III-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-40.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-40-	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
2												
III-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂
III-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-41.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-41-1	CH ₃	H	H	H	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-41-2	CH ₃	H	H	CH ₃	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-41-8	CH ₃	*	H	*	Bz	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-42-1	Et	H	H	H	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-42-2	Et	H	H	CH ₃	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-42-5	Et	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-42-8	Et	*	H	*	Bz	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-43-1	ⁱ Pr	H	H	H	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-43-2	ⁱ Pr	H	H	CH ₃	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-43-3	ⁱ Pr	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-43-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-43-5	ⁱ Pr	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-43-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-43-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-43-8	ⁱ Pr	*	H	*	Bz	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-44-1	^t Bu	H	H	H	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-44-2	^t Bu	H	H	CH ₃	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-44-3	^t Bu	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-44-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-44-5	^t Bu	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-44-6	^t Bu	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-44-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-44-8	^t Bu	*	H	*	Bz	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-45-1	Ph	H	H	H	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-45-2	Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-45-5	Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-45-8	Ph	*	H	*	Bz	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-46-1	p-Me-Ph	H	H	H	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-46-8	p-Me-Ph	*	H	*	Bz	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-47-1	p-F-Ph	H	H	H	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-47-	p-F-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
2												
III-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-47-8	p-F-Ph	*	H	*	Bz	H	CH ₃	F	OH	H	H	NH ₂
*R ² and R ^{3b} joined together by (CH ₂) ₃ to form five-membered ring.												

Table III-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-48-1	p-Cl-Ph	H	H	H	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-48-8	p-Cl-Ph	*	H	*	Bz	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-49.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-49-1	p-Br-Ph	H	H	H	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-49-8	p-Br-Ph	*	H	*	Bz	H	CH ₃	F	OH	H	H	NH ₂


*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table III-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
III-50-1	p-I-Ph	H	H	H	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-50-2	p-I-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH	H	H	NH ₂
III-50-	p-I-	*	H	*	Bz	H	CH ₃	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
8	Ph											

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.



IV

Table IV-1.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-1-1	CH ₃	H	H	H	CH ₃	H	F	F	OH	H	H	NH ₂
IV-1-2	CH ₃	H	H	CH ₃	CH ₃	H	F	F	OH	H	H	NH ₂
IV-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H	NH ₂
IV-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H	NH ₂
IV-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	F	F	OH	H	H	NH ₂
IV-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH	H	H	NH ₂
IV-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH	H	H	NH ₂
IV-1-8	CH ₃	*	H	*	CH ₃	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-2.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-2-1	Et	H	H	H	CH ₃	H	F	F	OH	H	H	NH ₂
IV-2-2	Et	H	H	CH ₃	CH ₃	H	F	F	OH	H	H	NH ₂
IV-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H	NH ₂
IV-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H	NH ₂
IV-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	F	F	OH	H	H	NH ₂
IV-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH	H	H	NH ₂
IV-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH	H	H	NH ₂

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-2-8	Et	*	H	*	CH ₃	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-3-1	<i>i</i> Pr	H	H	H	CH ₃	H	F	F	OH	H	H	NH ₂
IV-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	H	F	F	OH	H	H	NH ₂
IV-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H	NH ₂
IV-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H	NH ₂
IV-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	H	F	F	OH	H	H	NH ₂
IV-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH	H	H	NH ₂
IV-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH	H	H	NH ₂
IV-3-8	<i>i</i> Pr	*	H	*	CH ₃	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-4-1	^t Bu	H	H	H	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
IV-4-2	^t Bu	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
IV-4-3	^t Bu	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
IV-4-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
IV-4-5	^t Bu	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
IV-4-6	^t Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
IV-4-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H	NH ₂
IV-4-8	^t Bu	*	H	*	CH ₃	H	CH ₃	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-5.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-5-1	Ph	H	H	H	CH ₃	H	F	F	OH	H	H	NH ₂
IV-5-2	Ph	H	H	CH ₃	CH ₃	H	F	F	OH	H	H	NH ₂
IV-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H	NH ₂
IV-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H	NH ₂
IV-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH	H	H	NH ₂
IV-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH	H	H	NH ₂
IV-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH	H	H	NH ₂
IV-5-8	Ph	*	H	*	CH ₃	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-6.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-6-1	p-Me-Ph	H	H	H	CH ₃	H	F	F	OH	H	H	NH ₂
IV-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	F	F	OH	H	H	NH ₂
IV-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H	NH ₂
IV-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H	NH ₂
IV-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH	H	H	NH ₂
IV-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH	H	H	NH ₂
IV-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH	H	H	NH ₂
IV-6-8	p-Me-Ph	*	H	*	CH ₃	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-7.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-7-1	p-F-Ph	H	H	H	CH ₃	H	F	F	OH	H	H	NH ₂
IV-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	F	F	OH	H	H	NH ₂
IV-7-3	p-F-	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-7-4	Ph p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H	NH ₂
IV-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH	H	H	NH ₂
IV-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH	H	H	NH ₂
IV-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH	H	H	NH ₂
IV-7-20	p-F-Ph	*	H	*	CH ₃	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-8-1	p-Cl-Ph	H	H	H	CH ₃	H	F	F	OH	H	H	NH ₂
IV-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	F	F	OH	H	H	NH ₂
IV-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H	NH ₂
IV-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H	NH ₂
IV-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH	H	H	NH ₂
IV-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH	H	H	NH ₂
IV-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH	H	H	NH ₂
IV-8-8	p-Cl-Ph	*	H	*	CH ₃	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-9.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-9-1	p-Br-Ph	H	H	H	CH ₃	H	F	F	OH	H	H	NH ₂
IV-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	F	F	OH	H	H	NH ₂
IV-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H	NH ₂
IV-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H	NH ₂
IV-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH	H	H	NH ₂
IV-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH	H	H	NH ₂
IV-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH	H	H	NH ₂
IV-9-20	p-Br-Ph	*	H	*	CH ₃	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-10.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-10-1	p-I-Ph	H	H	H	CH ₃	H	F	F	OH	H	H	NH ₂
IV-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	F	F	OH	H	H	NH ₂
IV-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H	NH ₂
IV-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H	NH ₂
IV-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH	H	H	NH ₂
IV-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH	H	H	NH ₂
IV-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH	H	H	NH ₂
IV-10-8	p-I-Ph	*	H	*	CH ₃	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-11.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-11-1	CH ₃	H	H	H	Et	H	F	F	OH	H	H	NH ₂
IV-11-2	CH ₃	H	H	CH ₃	Et	H	F	F	OH	H	H	NH ₂
IV-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	F	F	OH	H	H	NH ₂
IV-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH	H	H	NH ₂
IV-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	F	F	OH	H	H	NH ₂
IV-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH	H	H	NH ₂
IV-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH	H	H	NH ₂
IV-11-8	CH ₃	*	H	*	Et	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-12-1	Et	H	H	H	Et	H	F	F	OH	H	H	NH ₂
IV-12-2	Et	H	H	CH ₃	Et	H	F	F	OH	H	H	NH ₂
IV-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	F	F	OH	H	H	NH ₂
IV-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH	H	H	NH ₂
IV-12-5	Et	H	H	CH ₂ Ph	Et	H	F	F	OH	H	H	NH ₂
IV-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH	H	H	NH ₂
IV-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH	H	H	NH ₂
IV-12-8	Et	*	H	*	Et	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-13-1	<i>i</i> Pr	H	H	H	Et	H	F	F	OH	H	H	NH ₂
IV-13-2	<i>i</i> Pr	H	H	CH ₃	Et	H	F	F	OH	H	H	NH ₂
IV-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	H	F	F	OH	H	H	NH ₂
IV-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH	H	H	NH ₂
IV-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	H	F	F	OH	H	H	NH ₂
IV-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH	H	H	NH ₂
IV-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH	H	H	NH ₂
IV-13-8	<i>i</i> Pr	*	H	*	Et	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-14.

N ^o	R ¹	R ²	R	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
			3a									
IV-14-	^t Bu	H	H	H	Et	H	F	F	OH	H	H	NH ₂

1

N ^o	R ¹	R ²	R	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
			3a									
IV-14-2	<i>t</i> Bu	H	H	CH ₃	Et	H	F	F	OH	H	H	NH ₂
IV-14-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Et	H	F	F	OH	H	H	NH ₂
IV-14-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH	H	H	NH ₂
IV-14-5	<i>t</i> Bu	H	H	CH ₂ Ph	Et	H	F	F	OH	H	H	NH ₂
IV-14-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH	H	H	NH ₂
IV-14-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH	H	H	NH ₂
IV-14-8	<i>t</i> Bu	*	H	*	Et	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-15-1	Ph	H	H	H	Et	H	F	F	OH	H	H	NH ₂
IV-15-2	Ph	H	H	CH ₃	Et	H	F	F	OH	H	H	NH ₂
IV-15-3	Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH	H	H	NH ₂
IV-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH	H	H	NH ₂
IV-15-5	Ph	H	H	CH ₂ Ph	Et	H	F	F	OH	H	H	NH ₂
IV-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH	H	H	NH ₂
IV-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH	H	H	NH ₂
IV-15-8	Ph	*	H	*	Et	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-16-1	p-Me-Ph	H	H	H	Et	H	F	F	OH	H	H	NH ₂
IV-16-2	p-Me-Ph	H	H	CH ₃	Et	H	F	F	OH	H	H	NH ₂
IV-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH	H	H	NH ₂
N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
3												
IV-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH	H	H	NH ₂
IV-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH	H	H	NH ₂
IV-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH	H	H	NH ₂
IV-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH	H	H	NH ₂
IV-16-8	p-Me-Ph	*	H	*	Et	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-17-1	p-F-Ph	H	H	H	Et	H	F	F	OH	H	H	NH ₂
IV-17-2	p-F-Ph	H	H	CH ₃	Et	H	F	F	OH	H	H	NH ₂
IV-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH	H	H	NH ₂
IV-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH	H	H	NH ₂
IV-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH	H	H	NH ₂
IV-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH	H	H	NH ₂
IV-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH	H	H	NH ₂
IV-17-8	p-F-Ph	*	H	*	Et	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-18.

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-18-1	p-Cl-Ph	H	H	H	Et	H	F	F	OH	H	H	NH ₂
IV-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	F	F	OH	H	H	NH ₂
IV-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH	H	H	NH ₂
IV-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH	H	H	NH ₂
IV-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH	H	H	NH ₂
N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
5												
IV-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH	H	H	NH ₂
IV-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH	H	H	NH ₂
IV-18-8	p-Cl-Ph	*	H	*	Et	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-19.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-19-1	p-Br-Ph	H	H	H	Et	H	F	F	OH	H	H	NH ₂
IV-19-2	p-Br-Ph	H	H	CH ₃	Et	H	F	F	OH	H	H	NH ₂
IV-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH	H	H	NH ₂
IV-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH	H	H	NH ₂
IV-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH	H	H	NH ₂
IV-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH	H	H	NH ₂
IV-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH	H	H	NH ₂
IV-19-8	p-Br-Ph	*	H	*	Et	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-20.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-20-1	p-I-Ph	H	H	H	Et	H	F	F	OH	H	H	NH ₂
IV-20-2	p-I-Ph	H	H	CH ₃	Et	H	F	F	OH	H	H	NH ₂
IV-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH	H	H	NH ₂
IV-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH	H	H	NH ₂
IV-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH	H	H	NH ₂
IV-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH	H	H	NH ₂
IV-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH	H	H	NH ₂
IV-20-8	p-I-Ph	*	H	*	Et	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-21-1	CH ₃	H	H	H	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-21-2	CH ₃	H	H	CH ₃	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-21-3	CH ₃	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-21-5	CH ₃	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-21-8	CH ₃	*	H	*	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-22-1	Et	H	H	H	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-22-2	Et	H	H	CH ₃	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-22-3	Et	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-22-5	Et	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-22-6	Et	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-22-8	Et	*	H	*	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-24-1	<i>t</i> Bu	H	H	H	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-24-2	<i>t</i> Bu	H	H	CH ₃	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-24-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-24-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-24-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-24-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-24-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-24-8	<i>t</i> Bu	*	H	*	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-25-1	Ph	H	H	H	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-25-2	Ph	H	H	CH ₃	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-25-3	Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-25-5	Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-25-6	Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-25-8	Ph	*	H	*	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-26.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-26-1	p-Me-Ph	H	H	H	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-26-2	p-Me-Ph	H	H	CH ₃	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-26-	p-Me-	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
4	Ph											
IV-26-5	p-Me-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂
IV-26-8	p-Me-Ph	*	H	*	<i>i</i> Pr	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-27-1	p-F-Ph	H	H	H	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-27-8	p-F-Ph	*	H	*	ⁱ Pr	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-28.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-28-	p-Cl-Ph	H	H	CH ₂ -indol-3-	ⁱ Pr	H	F	F	OH	H	H	NH ₂
6				yl								
IV-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-29.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-29-1	p-Br-Ph	H	H	H	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-29-8	p-Br-Ph	*	H	*	ⁱ Pr	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-30.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-30-1	p-I-Ph	H	H	H	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH	H	H	NH ₂
IV-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH	H	H	NH ₂

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-30-8	p-I-Ph	*	H	*	ⁱ Pr	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-31-1	CH ₃	H	H	H	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-31-8	CH ₃	*	H	*	ⁿ Bu	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-32-1	Et	H	H	H	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-32-2	Et	H	H	CH ₃	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-32-8	Et	*	H	*	ⁿ Bu	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-33-1	ⁱ Pr	H	H	H	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-33-2	ⁱ Pr	H	H	CH ₃	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-33-3	ⁱ Pr	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-33-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-33-5	ⁱ Pr	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-33-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-33-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-33-8	ⁱ Pr	*	H	*	ⁿ Bu	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-34-1	^t Bu	H	H	H	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-34-8	^t Bu	*	H	*	ⁿ Bu	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-35.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-35-1	Ph	H	H	H	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-35-2	Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-35-8	Ph	*	H	*	ⁿ Bu	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-37.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-38.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H	NH ₂
N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	F	F	OH	H	H	NH ₂

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH	H	H	NH ₂
IV-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-41.

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-41-1	CH ₃	H	H	H	Bz	H	F	F	OH	H	H	NH ₂
IV-41-2	CH ₃	H	H	CH ₃	Bz	H	F	F	OH	H	H	NH ₂
IV-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH	H	H	NH ₂
IV-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH	H	H	NH ₂
IV-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	F	F	OH	H	H	NH ₂
IV-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH	H	H	NH ₂
IV-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH	H	H	NH ₂
IV-41-8	CH ₃	*	H	*	Bz	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-42-1	Et	H	H	H	Bz	H	F	F	OH	H	H	NH ₂
IV-42-2	Et	H	H	CH ₃	Bz	H	F	F	OH	H	H	NH ₂
IV-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH	H	H	NH ₂
IV-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH	H	H	NH ₂
IV-42-5	Et	H	H	CH ₂ Ph	Bz	H	F	F	OH	H	H	NH ₂
IV-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH	H	H	NH ₂
IV-42-8	Et	*	H	*	Bz	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-43-1	<i>i</i> Pr	H	H	H	Bz	H	F	F	OH	H	H	NH ₂
IV-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	H	F	F	OH	H	H	NH ₂
IV-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH	H	H	NH ₂
IV-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH	H	H	NH ₂
IV-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	H	F	F	OH	H	H	NH ₂
IV-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH	H	H	NH ₂
IV-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH	H	H	NH ₂
IV-43-8	<i>i</i> Pr	*	H	*	Bz	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-44.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-44-1	^t Bu	H	H	H	Bz	H	F	F	OH	H	H	NH ₂
IV-44-2	^t Bu	H	H	CH ₃	Bz	H	F	F	OH	H	H	NH ₂
IV-44-3	^t Bu	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH	H	H	NH ₂
IV-44-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH	H	H	NH ₂
IV-44-5	^t Bu	H	H	CH ₂ Ph	Bz	H	F	F	OH	H	H	NH ₂
IV-44-6	^t Bu	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH	H	H	NH ₂
IV-44-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH	H	H	NH ₂
IV-44-8	^t Bu	*	H	*	Bz	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-45.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-45-1	Ph	H	H	H	Bz	H	F	F	OH	H	H	NH ₂
IV-45-2	Ph	H	H	CH ₃	Bz	H	F	F	OH	H	H	NH ₂
IV-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH	H	H	NH ₂
IV-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH	H	H	NH ₂
IV-45-5	Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH	H	H	NH ₂
IV-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH	H	H	NH ₂
IV-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH	H	H	NH ₂

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-45-8	Ph	*	H	*	Bz	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-46-1	p-Me-Ph	H	H	H	Bz	H	F	F	OH	H	H	NH ₂
IV-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	F	F	OH	H	H	NH ₂
IV-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH	H	H	NH ₂
IV-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH	H	H	NH ₂
IV-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH	H	H	NH ₂
IV-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH	H	H	NH ₂
IV-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH	H	H	NH ₂
IV-46-8	p-Me-Ph	*	H	*	Bz	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-47-1	p-F-Ph	H	H	H	Bz	H	F	F	OH	H	H	NH ₂
IV-47-2	p-F-Ph	H	H	CH ₃	Bz	H	F	F	OH	H	H	NH ₂
IV-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH	H	H	NH ₂
IV-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH	H	H	NH ₂
IV-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH	H	H	NH ₂
IV-47-	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
6												
IV-47-	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH	H	H	NH ₂
7												
IV-47-	p-F-Ph	*	H	*	Bz	H	F	F	OH	H	H	NH ₂
8												
*R ² and R ^{3b} joined together by (CH ₂) ₃ to form five-membered ring.												

Table IV-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
1	IV-48- p-Cl- Ph	H	H	H	Bz	H	F	F	OH	H	H	NH ₂
2	IV-48- p-Cl- Ph	H	H	CH ₃	Bz	H	F	F	OH	H	H	NH ₂
3	IV-48- p-Cl- Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH	H	H	NH ₂
4	IV-48- p-Cl- Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH	H	H	NH ₂
5	IV-48- p-Cl- Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH	H	H	NH ₂
6	IV-48- p-Cl- Ph	H	H	CH ₂ -indol-3- yl	Bz	H	F	F	OH	H	H	NH ₂
7	IV-48- p-Cl- Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH	H	H	NH ₂
8	IV-48- p-Cl- Ph	*	H	*	Bz	H	F	F	OH	H	H	NH ₂
*R ² and R ^{3b} joined together by (CH ₂) ₃ to form five-membered ring.												

Table IV-49.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-49-1	p-Br-Ph	H	H	H	Bz	H	F	F	OH	H	H	NH ₂
IV-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	F	F	OH	H	H	NH ₂
IV-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH	H	H	NH ₂
IV-49-	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH	H	H	NH ₂


No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
4												
IV-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH	H	H	NH ₂
IV-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH	H	H	NH ₂
IV-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH	H	H	NH ₂
IV-49-8	p-Br-Ph	*	H	*	Bz	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IV-50.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
IV-50-1	p-I-Ph	H	H	H	Bz	H	F	F	OH	H	H	NH ₂
IV-50-2	p-I-Ph	H	H	CH ₃	Bz	H	F	F	OH	H	H	NH ₂
IV-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH	H	H	NH ₂
IV-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH	H	H	NH ₂
IV-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH	H	H	NH ₂
IV-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH	H	H	NH ₂
IV-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH	H	H	NH ₂
IV-50-8	p-I-Ph	*	H	*	Bz	H	F	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.



V

Table V-1.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-1-1	CH ₃	H	H	H	CH ₃	H	H	F	OH	H	H	NH ₂
V-1-2	CH ₃	H	H	CH ₃	CH ₃	H	H	F	OH	H	H	NH ₂
V-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H	NH ₂
V-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H	NH ₂
V-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	H	F	OH	H	H	NH ₂
V-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH	H	H	NH ₂
V-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH	H	H	NH ₂
V-1-8	CH ₃	*	H	*	CH ₃	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-2.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-2-1	Et	H	H	H	CH ₃	H	H	F	OH	H	H	NH ₂
V-2-2	Et	H	H	CH ₃	CH ₃	H	H	F	OH	H	H	NH ₂
V-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H	NH ₂
V-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H	NH ₂
V-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	H	F	OH	H	H	NH ₂
V-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH	H	H	NH ₂
V-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH	H	H	NH ₂
V-2-8	Et	*	H	*	CH ₃	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-3-1	<i>i</i> Pr	H	H	H	CH ₃	H	H	F	OH	H	H	NH ₂
V-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	H	H	F	OH	H	H	NH ₂
V-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H	NH ₂
V-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H	NH ₂
V-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	H	H	F	OH	H	H	NH ₂
V-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH	H	H	NH ₂
V-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH	H	H	NH ₂
V-3-8	<i>i</i> Pr	*	H	*	CH ₃	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-4-1	^t Bu	H	H	H	CH ₃	H	H	F	OH	H	H	NH ₂
V-4-2	^t Bu	H	H	CH ₃	CH ₃	H	H	F	OH	H	H	NH ₂
V-4-3	^t Bu	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H	NH ₂
V-4-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H	NH ₂
V-4-5	^t Bu	H	H	CH ₂ Ph	CH ₃	H	H	F	OH	H	H	NH ₂
V-4-6	^t Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH	H	H	NH ₂
V-4-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH	H	H	NH ₂
V-4-8	^t Bu	*	H	*	CH ₃	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-5.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-5-1	Ph	H	H	H	CH ₃	H	H	F	OH	H	H	NH ₂
V-5-2	Ph	H	H	CH ₃	CH ₃	H	H	F	OH	H	H	NH ₂
V-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H	NH ₂
V-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H	NH ₂
V-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH	H	H	NH ₂
V-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH	H	H	NH ₂
V-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH	H	H	NH ₂
V-5-8	Ph	*	H	*	CH ₃	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-6.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-6-1	p-Me-Ph	H	H	H	CH ₃	H	H	F	OH	H	H	NH ₂
V-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	H	F	OH	H	H	NH ₂
V-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H	NH ₂
V-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H	NH ₂
V-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH	H	H	NH ₂
V-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-	CH ₃	H	H	F	OH	H	H	NH ₂
N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
6				yl								
V-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH	H	H	NH ₂
V-6-8	p-Me-Ph	*	H	*	CH ₃	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-7.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-7-1	p-F-Ph	H	H	H	CH ₃	H	H	F	OH	H	H	NH ₂
V-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	H	F	OH	H	H	NH ₂
V-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H	NH ₂
V-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H	NH ₂
V-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH	H	H	NH ₂
V-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH	H	H	NH ₂
V-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH	H	H	NH ₂
V-7-20	p-F-Ph	*	H	*	CH ₃	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-8-1	p-Cl-Ph	H	H	H	CH ₃	H	H	F	OH	H	H	NH ₂
V-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	H	F	OH	H	H	NH ₂
V-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H	NH ₂
V-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H	NH ₂
V-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
5 V-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH	H	H	NH ₂
V-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH	H	H	NH ₂
10 V-8-8	p-Cl-Ph	*	H	*	CH ₃	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
20 V-9-1	p-Br-Ph	H	H	H	CH ₃	H	H	F	OH	H	H	NH ₂
V-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	H	F	OH	H	H	NH ₂
25 V-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H	NH ₂
V-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H	NH ₂
30 V-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH	H	H	NH ₂
V-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH	H	H	NH ₂
35 V-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH	H	H	NH ₂
V-9-20	p-Br-Ph	*	H	*	CH ₃	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-10-1	p-I-Ph	H	H	H	CH ₃	H	H	F	OH	H	H	NH ₂
V-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	H	F	OH	H	H	NH ₂
V-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H	NH ₂
V-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H	NH ₂
V-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH	H	H	NH ₂
V-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH	H	H	NH ₂
V-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH	H	H	NH ₂
V-10-8	p-I-Ph	*	H	*	CH ₃	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-11-1	CH ₃	H	H	H	Et	H	H	F	OH	H	H	NH ₂
V-11-2	CH ₃	H	H	CH ₃	Et	H	H	F	OH	H	H	NH ₂
V-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	H	F	OH	H	H	NH ₂
V-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH	H	H	NH ₂
V-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	H	F	OH	H	H	NH ₂
V-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH	H	H	NH ₂
V-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH	H	H	NH ₂
V-11-8	CH ₃	*	H	*	Et	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-12-1	Et	H	H	H	Et	H	H	F	OH	H	H	NH ₂
V-12-2	Et	H	H	CH ₃	Et	H	H	F	OH	H	H	NH ₂
V-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	H	F	OH	H	H	NH ₂
V-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH	H	H	NH ₂
V-12-5	Et	H	H	CH ₂ Ph	Et	H	H	F	OH	H	H	NH ₂
V-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH	H	H	NH ₂
V-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH	H	H	NH ₂
V-12-8	Et	*	H	*	Et	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-13-1	<i>i</i> Pr	H	H	H	Et	H	H	F	OH	H	H	NH ₂
V-13-2	<i>i</i> Pr	H	H	CH ₃	Et	H	H	F	OH	H	H	NH ₂
V-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	H	H	F	OH	H	H	NH ₂
V-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH	H	H	NH ₂
V-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	H	H	F	OH	H	H	NH ₂
V-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH	H	H	NH ₂
V-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH	H	H	NH ₂
V-13-8	<i>i</i> Pr	*	H	*	Et	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-14.

N ^o	R ¹	R ²	R	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
			3a									
V-14-1	^t Bu	H	H	H	Et	H	H	F	OH	H	H	NH ₂
V-14-2	^t Bu	H	H	CH ₃	Et	H	H	F	OH	H	H	NH ₂
V-14-3	^t Bu	H	H	CH(CH ₃) ₂	Et	H	H	F	OH	H	H	NH ₂
V-14-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH	H	H	NH ₂
V-14-5	^t Bu	H	H	CH ₂ Ph	Et	H	H	F	OH	H	H	NH ₂
V-14-6	^t Bu	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH	H	H	NH ₂
V-14-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH	H	H	NH ₂
V-14-8	^t Bu	*	H	*	Et	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-15-1	Ph	H	H	H	Et	H	H	F	OH	H	H	NH ₂
V-15-2	Ph	H	H	CH ₃	Et	H	H	F	OH	H	H	NH ₂
V-15-3	Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH	H	H	NH ₂
V-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH	H	H	NH ₂
V-15-5	Ph	H	H	CH ₂ Ph	Et	H	H	F	OH	H	H	NH ₂
V-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH	H	H	NH ₂
V-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH	H	H	NH ₂
V-15-8	Ph	*	H	*	Et	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-16.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-16-1	p-Me-Ph	H	H	H	Et	H	H	F	OH	H	H	NH ₂
V-16-2	p-Me-Ph	H	H	CH ₃	Et	H	H	F	OH	H	H	NH ₂
V-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH	H	H	NH ₂
V-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH	H	H	NH ₂
V-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH	H	H	NH ₂
No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH	H	H	NH ₂
V-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH	H	H	NH ₂
V-16-8	p-Me-Ph	*	H	*	Et	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-17.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-17-1	p-F-Ph	H	H	H	Et	H	H	F	OH	H	H	NH ₂
V-17-2	p-F-Ph	H	H	CH ₃	Et	H	H	F	OH	H	H	NH ₂
V-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH	H	H	NH ₂
V-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH	H	H	NH ₂
V-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH	H	H	NH ₂
V-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH	H	H	NH ₂
V-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH	H	H	NH ₂
V-17-8	p-F-Ph	*	H	*	Et	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-18.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-18-1	p-Cl-Ph	H	H	H	Et	H	H	F	OH	H	H	NH ₂
V-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	H	F	OH	H	H	NH ₂
V-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH	H	H	NH ₂
V-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH	H	H	NH ₂
V-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH	H	H	NH ₂
V-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH	H	H	NH ₂
V-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH	H	H	NH ₂
V-18-8	p-Cl-Ph	*	H	*	Et	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-19.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-19-1	p-Br-Ph	H	H	H	Et	H	H	F	OH	H	H	NH ₂
V-19-2	p-Br-Ph	H	H	CH ₃	Et	H	H	F	OH	H	H	NH ₂
V-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH	H	H	NH ₂
V-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH	H	H	NH ₂
V-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH	H	H	NH ₂
V-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH	H	H	NH ₂
V-19-8	p-Br-Ph	*	H	*	Et	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-20.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-20-1	p-I-Ph	H	H	H	Et	H	H	F	OH	H	H	NH ₂
V-20-2	p-I-Ph	H	H	CH ₃	Et	H	H	F	OH	H	H	NH ₂
V-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH	H	H	NH ₂
V-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH	H	H	NH ₂
V-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH	H	H	NH ₂
V-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH	H	H	NH ₂
V-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH	H	H	NH ₂
V-20-8	p-I-Ph	*	H	*	Et	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-21.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-21-1	CH ₃	H	H	H	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-21-2	CH ₃	H	H	CH ₃	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-21-3	CH ₃	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-21-5	CH ₃	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-21-8	CH ₃	*	H	*	ⁱ Pr	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-22.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-22-1	Et	H	H	H	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-22-2	Et	H	H	CH ₃	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-22-3	Et	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-22-5	Et	H	H	CH ₂ Ph	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-22-6	Et	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-22-8	Et	*	H	*	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
*R ² and R ^{3b} joined together by (CH ₂) ₃ to form five-membered ring.												

Table V-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
*R ² and R ^{3b} joined together by (CH ₂) ₃ to form five-membered ring.												

Table V-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-24-1	^t Bu	H	H	H	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-24-2	^t Bu	H	H	CH ₃	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-24-3	^t Bu	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-24-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-24-5	^t Bu	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-24-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-24-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-24-8	^t Bu	*	H	*	ⁱ Pr	H	H	F	OH	H	H	NH ₂
*R ² and R ^{3b} joined together by (CH ₂) ₃ to form five-membered ring.												

Table V-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-25-1	Ph	H	H	H	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-25-2	Ph	H	H	CH ₃	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-25-3	Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-25-5	Ph	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-25-6	Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-25-8	Ph	*	H	*	ⁱ Pr	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-26-1	p-Me-Ph	H	H	H	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-26-8	p-Me-Ph	*	H	*	ⁱ Pr	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-27-1	p-F-Ph	H	H	H	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-27-2	p-F-Ph	H	H	CH ₃	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-27-5	p-F-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-27-8	p-F-Ph	*	H	*	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-28.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-28-1	p-Cl-Ph	H	H	H	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-28-2	p-Cl-Ph	H	H	CH ₃	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-28-5	p-Cl-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-28-8	p-Cl-Ph	*	H	*	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-29-1	p-Br-Ph	H	H	H	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-29-2	p-Br-Ph	H	H	CH ₃	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-29-5	p-Br-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂
V-29-8	p-Br-Ph	*	H	*	<i>i</i> Pr	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-30-1	p-I-Ph	H	H	H	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH	H	H	NH ₂
V-30-8	p-I-Ph	*	H	*	ⁱ Pr	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-31.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-31-1	CH ₃	H	H	H	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-31-8	CH ₃	*	H	*	ⁿ Bu	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-32.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-32-1	Et	H	H	H	<i>n</i> Bu	H	H	F	OH	H	H	NH ₂
V-32-2	Et	H	H	CH ₃	<i>n</i> Bu	H	H	F	OH	H	H	NH ₂
V-32-3	Et	H	H	CH(CH ₃) ₂	<i>n</i> Bu	H	H	F	OH	H	H	NH ₂
V-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	H	H	F	OH	H	H	NH ₂
V-32-5	Et	H	H	CH ₂ Ph	<i>n</i> Bu	H	H	F	OH	H	H	NH ₂
V-32-6	Et	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	H	H	F	OH	H	H	NH ₂
V-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	H	H	F	OH	H	H	NH ₂
V-32-8	Et	*	H	*	<i>n</i> Bu	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-33-1	<i>i</i> Pr	H	H	H	<i>n</i> Bu	H	H	F	OH	H	H	NH ₂
V-33-2	<i>i</i> Pr	H	H	CH ₃	<i>n</i> Bu	H	H	F	OH	H	H	NH ₂
V-33-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>n</i> Bu	H	H	F	OH	H	H	NH ₂
V-33-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	H	H	F	OH	H	H	NH ₂
V-33-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>n</i> Bu	H	H	F	OH	H	H	NH ₂
V-33-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	H	H	F	OH	H	H	NH ₂
V-33-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	H	H	F	OH	H	H	NH ₂
V-33-8	<i>i</i> Pr	*	H	*	<i>n</i> Bu	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-34-1	^t Bu	H	H	H	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-34-8	^t Bu	*	H	*	ⁿ Bu	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-35-1	Ph	H	H	H	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-35-2	Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-35-8	Ph	*	H	*	ⁿ Bu	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-36-	p-Me-Ph	H	H	CH ₂ -indol-3-	ⁿ Bu	H	H	F	OH	H	H	NH ₂
6				yl								
V-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-37.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-38.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-38-	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
4												
V-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H	NH ₂
N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH	H	H	NH ₂
V-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-41-1	CH ₃	H	H	H	Bz	H	H	F	OH	H	H	NH ₂
V-41-2	CH ₃	H	H	CH ₃	Bz	H	H	F	OH	H	H	NH ₂
V-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH	H	H	NH ₂
V-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH	H	H	NH ₂
V-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	H	F	OH	H	H	NH ₂
V-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH	H	H	NH ₂
V-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH	H	H	NH ₂
V-41-8	CH ₃	*	H	*	Bz	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-42-1	Et	H	H	H	Bz	H	H	F	OH	H	H	NH ₂
V-42-2	Et	H	H	CH ₃	Bz	H	H	F	OH	H	H	NH ₂
V-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH	H	H	NH ₂
V-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH	H	H	NH ₂
V-42-5	Et	H	H	CH ₂ Ph	Bz	H	H	F	OH	H	H	NH ₂
V-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH	H	H	NH ₂
V-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH	H	H	NH ₂
V-42-8	Et	*	H	*	Bz	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-43-1	<i>i</i> Pr	H	H	H	Bz	H	H	F	OH	H	H	NH ₂
V-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	H	H	F	OH	H	H	NH ₂
V-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH	H	H	NH ₂
V-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH	H	H	NH ₂
V-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	H	H	F	OH	H	H	NH ₂
V-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH	H	H	NH ₂
V-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH	H	H	NH ₂
V-43-8	<i>i</i> Pr	*	H	*	Bz	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-44-1	^t Bu	H	H	H	Bz	H	H	F	OH	H	H	NH ₂
V-44-2	^t Bu	H	H	CH ₃	Bz	H	H	F	OH	H	H	NH ₂
V-44-3	^t Bu	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH	H	H	NH ₂
V-44-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH	H	H	NH ₂
V-44-5	^t Bu	H	H	CH ₂ Ph	Bz	H	H	F	OH	H	H	NH ₂
V-44-6	^t Bu	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH	H	H	NH ₂
V-44-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH	H	H	NH ₂
V-44-8	^t Bu	*	H	*	Bz	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-45-1	Ph	H	H	H	Bz	H	H	F	OH	H	H	NH ₂
V-45-2	Ph	H	H	CH ₃	Bz	H	H	F	OH	H	H	NH ₂
V-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH	H	H	NH ₂
V-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH	H	H	NH ₂
V-45-5	Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH	H	H	NH ₂
V-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH	H	H	NH ₂
V-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH	H	H	NH ₂
V-45-8	Ph	*	H	*	Bz	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-46-1	p-Me-Ph	H	H	H	Bz	H	H	F	OH	H	H	NH ₂
V-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	H	F	OH	H	H	NH ₂
V-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH	H	H	NH ₂
V-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH	H	H	NH ₂
V-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH	H	H	NH ₂
V-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH	H	H	NH ₂
V-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH	H	H	NH ₂
V-46-8	p-Me-Ph	*	H	*	Bz	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-47-1	p-F-Ph	H	H	H	Bz	H	H	F	OH	H	H	NH ₂
V-47-2	p-F-Ph	H	H	CH ₃	Bz	H	H	F	OH	H	H	NH ₂
V-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH	H	H	NH ₂
V-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH	H	H	NH ₂
V-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH	H	H	NH ₂
V-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH	H	H	NH ₂
V-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH	H	H	NH ₂
V-47-8	p-F-Ph	*	H	*	Bz	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-48-1	p-Cl-Ph	H	H	H	Bz	H	H	F	OH	H	H	NH ₂
V-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	H	F	OH	H	H	NH ₂
V-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH	H	H	NH ₂
V-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH	H	H	NH ₂
V-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH	H	H	NH ₂
V-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH	H	H	NH ₂
V-48-8	p-Cl-Ph	*	H	*	Bz	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-49.


N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-49-1	p-Br-Ph	H	H	H	Bz	H	H	F	OH	H	H	NH ₂
V-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	H	F	OH	H	H	NH ₂
V-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH	H	H	NH ₂
V-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH	H	H	NH ₂
V-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH	H	H	NH ₂
V-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH	H	H	NH ₂
V-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH	H	H	NH ₂
V-49-8	p-Br-Ph	*	H	*	Bz	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table V-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-50-1	p-I-Ph	H	H	H	Bz	H	H	F	OH	H	H	NH ₂
V-50-2	p-I-Ph	H	H	CH ₃	Bz	H	H	F	OH	H	H	NH ₂
V-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH	H	H	NH ₂
V-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH	H	H	NH ₂
V-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH	H	H	NH ₂
V-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH	H	H	NH ₂
N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
V-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH	H	H	NH ₂
V-50-8	p-I-Ph	*	H	*	Bz	H	H	F	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.



VI

Table VI-1.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-1-1	CH ₃	H	H	H	CH ₃	H	F	H	OH	H	H
VI-1-2	CH ₃	H	H	CH ₃	CH ₃	H	F	H	OH	H	H
VI-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H
VI-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H
VI-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	F	H	OH	H	H
VI-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH	H	H
VI-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH	H	H
VI-1-8	CH ₃	*	H	*	CH ₃	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-2.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-2-1	Et	H	H	H	CH ₃	H	F	H	OH	H	H
VI-2-2	Et	H	H	CH ₃	CH ₃	H	F	H	OH	H	H
VI-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H
VI-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H
VI-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	F	H	OH	H	H
VI-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH	H	H

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH	H	H
VI-2-8	Et	*	H	*	CH ₃	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-3-1	<i>i</i> Pr	H	H	H	CH ₃	H	F	H	OH	H	H
VI-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	H	F	H	OH	H	H
VI-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H
VI-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H
VI-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	H	F	H	OH	H	H
VI-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH	H	H
VI-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH	H	H
VI-3-8	<i>i</i> Pr	*	H	*	CH ₃	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-4-1	<i>t</i> Bu	H	H	H	CH ₃	H	F	H	OH	H	H
VI-4-2	<i>t</i> Bu	H	H	CH ₃	CH ₃	H	F	H	OH	H	H
VI-4-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H
VI-4-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H
VI-4-5	<i>t</i> Bu	H	H	CH ₂ Ph	CH ₃	H	F	H	OH	H	H
VI-4-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH	H	H
VI-4-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH	H	H
VI-4-8	<i>t</i> Bu	*	H	*	CH ₃	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-5.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-5-1	Ph	H	H	H	CH ₃	H	F	H	OH	H	H
VI-5-2	Ph	H	H	CH ₃	CH ₃	H	F	H	OH	H	H
VI-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H
VI-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H
VI-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH	H	H
VI-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH	H	H
VI-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH	H	H
VI-5-8	Ph	*	H	*	CH ₃	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-6.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-6-1	p-Me-Ph	H	H	H	CH ₃	H	F	H	OH	H	H
VI-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	F	H	OH	H	H
VI-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H
VI-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H
VI-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH	H	H
VI-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH	H	H
VI-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH	H	H
VI-6-8	p-Me-Ph	*	H	*	CH ₃	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-7.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-7-1	p-F-Ph	H	H	H	CH ₃	H	F	H	OH	H	H
VI-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	F	H	OH	H	H
VI-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H
VI-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H
VI-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH	H	H
VI-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH	H	H
VI-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH	H	H
VI-7-20	p-F-Ph	*	H	*	CH ₃	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-8-1	p-Cl-Ph	H	H	H	CH ₃	H	F	H	OH	H	H
VI-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	F	H	OH	H	H
VI-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H
VI-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H
VI-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH	H	H
VI-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH	H	H
VI-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH	H	H
VI-8-8	p-Cl-Ph	*	H	*	CH ₃	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-9-1	p-Br-Ph	H	H	H	CH ₃	H	F	H	OH	H	H
VI-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	F	H	OH	H	H
VI-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H
VI-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H
VI-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH	H	H
VI-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH	H	H
VI-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH	H	H
VI-9-20	p-Br-Ph	*	H	*	CH ₃	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-10-1	p-I-Ph	H	H	H	CH ₃	H	F	H	OH	H	H
VI-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	F	H	OH	H	H
VI-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H
VI-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H
VI-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH	H	H
VI-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH	H	H
VI-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH	H	H
VI-10-8	p-I-Ph	*	H	*	CH ₃	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-11-1	CH ₃	H	H	H	Et	H	F	H	OH	H	H
VI-11-2	CH ₃	H	H	CH ₃	Et	H	F	H	OH	H	H
VI-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	F	H	OH	H	H
VI-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH	H	H
VI-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	F	H	OH	H	H
VI-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH	H	H
VI-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH	H	H
VI-11-8	CH ₃	*	H	*	Et	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-12-1	Et	H	H	H	Et	H	F	H	OH	H	H
VI-12-2	Et	H	H	CH ₃	Et	H	F	H	OH	H	H
VI-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	F	H	OH	H	H
VI-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH	H	H
VI-12-5	Et	H	H	CH ₂ Ph	Et	H	F	H	OH	H	H
VI-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH	H	H
VI-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH	H	H
VI-12-8	Et	*	H	*	Et	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-13-1	<i>i</i> Pr	H	H	H	Et	H	F	H	OH	H	H
VI-13-2	<i>i</i> Pr	H	H	CH ₃	Et	H	F	H	OH	H	H
VI-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	H	F	H	OH	H	H
VI-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH	H	H
VI-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	H	F	H	OH	H	H
VI-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH	H	H
VI-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH	H	H
VI-13-8	<i>i</i> Pr	*	H	*	Et	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-14.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-14-1	^t Bu	H	H	H	Et	H	F	H	OH	H	H
VI-14-2	^t Bu	H	H	CH ₃	Et	H	F	H	OH	H	H
VI-14-3	^t Bu	H	H	CH(CH ₃) ₂	Et	H	F	H	OH	H	H
VI-14-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH	H	H
VI-14-5	^t Bu	H	H	CH ₂ Ph	Et	H	F	H	OH	H	H
VI-14-6	^t Bu	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH	H	H
VI-14-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH	H	H
VI-14-8	^t Bu	*	H	*	Et	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-15-1	Ph	H	H	H	Et	H	F	H	OH	H	H
VI-15-2	Ph	H	H	CH ₃	Et	H	F	H	OH	H	H
VI-15-3	Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH	H	H
VI-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH	H	H
VI-15-5	Ph	H	H	CH ₂ Ph	Et	H	F	H	OH	H	H
VI-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH	H	H
VI-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH	H	H
VI-15-8	Ph	*	H	*	Et	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-16-1	p-Me-Ph	H	H	H	Et	H	F	H	OH	H	H
VI-16-2	p-Me-Ph	H	H	CH ₃	Et	H	F	H	OH	H	H
VI-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH	H	H
VI-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH	H	H
VI-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	H	F	H	OH	H	H
VI-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH	H	H
VI-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH	H	H
VI-16-8	p-Me-Ph	*	H	*	Et	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
5											
10											
15											
20											

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-18.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
25											
30											
35											
40											

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-19.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-19-1	p-Br-Ph	H	H	H	Et	H	F	H	OH	H	H
VI-19-2	p-Br-Ph	H	H	CH ₃	Et	H	F	H	OH	H	H
VI-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH	H	H
VI-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH	H	H
VI-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	F	H	OH	H	H
VI-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH	H	H
VI-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH	H	H
VI-19-8	p-Br-Ph	*	H	*	Et	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-20-1	p-I-Ph	H	H	H	Et	H	F	H	OH	H	H
VI-20-2	p-I-Ph	H	H	CH ₃	Et	H	F	H	OH	H	H
VI-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH	H	H
VI-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH	H	H
VI-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	F	H	OH	H	H
VI-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH	H	H
VI-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH	H	H
VI-20-8	p-I-Ph	*	H	*	Et	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-21-1	CH ₃	H	H	H	ⁱ Pr	H	F	H	OH	H	H
VI-21-2	CH ₃	H	H	CH ₃	ⁱ Pr	H	F	H	OH	H	H
VI-21-3	CH ₃	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH	H	H
VI-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH	H	H
VI-21-5	CH ₃	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH	H	H
VI-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH	H	H
VI-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH	H	H
VI-21-8	CH ₃	*	H	*	ⁱ Pr	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-22-1	Et	H	H	H	ⁱ Pr	H	F	H	OH	H	H
VI-22-2	Et	H	H	CH ₃	ⁱ Pr	H	F	H	OH	H	H
VI-22-3	Et	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH	H	H
VI-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH	H	H
VI-22-5	Et	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH	H	H
VI-22-6	Et	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH	H	H
VI-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH	H	H
VI-22-8	Et	*	H	*	ⁱ Pr	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-23-1	ⁱ Pr	H	H	H	ⁱ Pr	H	F	H	OH	H	H
VI-23-2	ⁱ Pr	H	H	CH ₃	ⁱ Pr	H	F	H	OH	H	H

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH	H	H
VI-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH	H	H
VI-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	H	OH	H	H
VI-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	H	OH	H	H
VI-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	H	OH	H	H
VI-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-24.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-24-1	<i>t</i> Bu	H	H	H	<i>i</i> Pr	H	F	H	OH	H	H
VI-24-2	<i>t</i> Bu	H	H	CH ₃	<i>i</i> Pr	H	F	H	OH	H	H
VI-24-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH	H	H
VI-24-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH	H	H
VI-24-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	H	OH	H	H
VI-24-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	H	OH	H	H
VI-24-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	H	OH	H	H
VI-24-8	<i>t</i> Bu	*	H	*	<i>i</i> Pr	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-25.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-25-1	Ph	H	H	H	<i>i</i> Pr	H	F	H	OH	H	H
VI-25-2	Ph	H	H	CH ₃	<i>i</i> Pr	H	F	H	OH	H	H
VI-25-3	Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH	H	H
VI-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH	H	H
VI-25-5	Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	H	OH	H	H
VI-25-6	Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	H	OH	H	H
VI-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	H	OH	H	H
VI-25-8	Ph	*	H	*	<i>i</i> Pr	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-26-1	p-Me-Ph	H	H	H	ⁱ Pr	H	F	H	OH	H	H
VI-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH	H	H
VI-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH	H	H
VI-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH	H	H
VI-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH	H	H
VI-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH	H	H
VI-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH	H	H
VI-26-8	p-Me-Ph	*	H	*	ⁱ Pr	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-27-1	p-F-Ph	H	H	H	ⁱ Pr	H	F	H	OH	H	H
VI-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH	H	H
VI-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH	H	H
VI-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH	H	H
VI-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH	H	H
VI-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH	H	H
VI-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH	H	H
VI-27-8	p-F-Ph	*	H	*	ⁱ Pr	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-28.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-28-1	p-Cl-Ph	H	H	H	<i>i</i> Pr	H	F	H	OH	H	H
VI-28-2	p-Cl-Ph	H	H	CH ₃	<i>i</i> Pr	H	F	H	OH	H	H
VI-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH	H	H
VI-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH	H	H
VI-28-5	p-Cl-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	H	OH	H	H
VI-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	H	OH	H	H
VI-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	H	OH	H	H
VI-28-8	p-Cl-Ph	*	H	*	<i>i</i> Pr	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-29.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-29-1	p-Br-Ph	H	H	H	<i>i</i> Pr	H	F	H	OH	H	H
VI-29-2	p-Br-Ph	H	H	CH ₃	<i>i</i> Pr	H	F	H	OH	H	H
VI-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH	H	H
VI-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH	H	H
VI-29-5	p-Br-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	H	OH	H	H
VI-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	H	OH	H	H
VI-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	H	OH	H	H
VI-29-8	p-Br-Ph	*	H	*	<i>i</i> Pr	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-30-1	p-I-Ph	H	H	H	ⁱ Pr	H	F	H	OH	H	H
VI-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH	H	H
VI-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH	H	H
VI-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH	H	H
VI-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH	H	H
VI-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH	H	H
VI-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH	H	H
VI-30-8	p-I-Ph	*	H	*	ⁱ Pr	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-31-1	CH ₃	H	H	H	ⁿ Bu	H	F	H	OH	H	H
VI-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	F	H	OH	H	H
VI-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H
VI-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H
VI-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH	H	H
VI-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH	H	H
VI-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH	H	H
VI-31-8	CH ₃	*	H	*	ⁿ Bu	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-32-1	Et	H	H	H	ⁿ Bu	H	F	H	OH	H	H
VI-32-2	Et	H	H	CH ₃	ⁿ Bu	H	F	H	OH	H	H
VI-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H
VI-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H
VI-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH	H	H

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH	H	H
VI-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH	H	H
VI-32-8	Et	*	H	*	ⁿ Bu	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-33-1	ⁱ Pr	H	H	H	ⁿ Bu	H	F	H	OH	H	H
VI-33-2	ⁱ Pr	H	H	CH ₃	ⁿ Bu	H	F	H	OH	H	H
VI-33-3	ⁱ Pr	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H
VI-33-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H
VI-33-5	ⁱ Pr	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH	H	H
VI-33-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH	H	H
VI-33-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH	H	H
VI-33-8	ⁱ Pr	*	H	*	ⁿ Bu	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-34-1	^t Bu	H	H	H	ⁿ Bu	H	F	H	OH	H	H
VI-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	H	F	H	OH	H	H
VI-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H
VI-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H
VI-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH	H	H
VI-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH	H	H
VI-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH	H	H
VI-34-8	^t Bu	*	H	*	ⁿ Bu	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-35-1	Ph	H	H	H	ⁿ Bu	H	F	H	OH	H	H
VI-35-2	Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH	H	H
VI-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H
VI-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H
VI-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH	H	H
VI-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH	H	H

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH	H	H
VI-35-8	Ph	*	H	*	ⁿ Bu	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	F	H	OH	H	H
VI-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH	H	H
VI-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H
VI-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H
VI-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH	H	H
VI-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH	H	H
VI-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH	H	H
VI-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-37.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	F	H	OH	H	H
VI-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH	H	H
VI-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H
VI-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H
VI-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH	H	H
VI-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH	H	H
VI-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH	H	H
VI-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-38.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	F	H	OH	H	H
VI-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH	H	H
VI-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H
VI-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H
VI-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH	H	H
VI-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH	H	H
VI-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH	H	H
VI-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	F	H	OH	H	H
VI-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH	H	H
VI-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H
VI-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H
VI-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH	H	H
VI-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH	H	H
VI-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH	H	H
VI-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	F	H	OH	H	H
VI-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH	H	H
VI-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H
VI-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H
VI-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH	H	H
VI-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH	H	H
VI-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH	H	H
VI-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-41-1	CH ₃	H	H	H	Bz	H	F	H	OH	H	H
VI-41-2	CH ₃	H	H	CH ₃	Bz	H	F	H	OH	H	H
VI-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH	H	H
VI-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH	H	H
VI-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	F	H	OH	H	H
VI-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH	H	H
VI-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH	H	H
VI-41-8	CH ₃	*	H	*	Bz	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-42-1	Et	H	H	H	Bz	H	F	H	OH	H	H
VI-42-2	Et	H	H	CH ₃	Bz	H	F	H	OH	H	H
VI-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH	H	H
VI-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH	H	H
VI-42-5	Et	H	H	CH ₂ Ph	Bz	H	F	H	OH	H	H
VI-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH	H	H
VI-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH	H	H
VI-42-8	Et	*	H	*	Bz	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-43-1	<i>i</i> Pr	H	H	H	Bz	H	F	H	OH	H	H
VI-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	H	F	H	OH	H	H
VI-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH	H	H
VI-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH	H	H
VI-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	H	F	H	OH	H	H
VI-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH	H	H
VI-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH	H	H
VI-43-8	<i>i</i> Pr	*	H	*	Bz	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-44-1	<i>t</i> Bu	H	H	H	Bz	H	F	H	OH	H	H
VI-44-2	<i>t</i> Bu	H	H	CH ₃	Bz	H	F	H	OH	H	H
VI-44-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH	H	H
VI-44-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH	H	H
VI-44-5	<i>t</i> Bu	H	H	CH ₂ Ph	Bz	H	F	H	OH	H	H
VI-44-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH	H	H
VI-44-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH	H	H
VI-44-8	<i>t</i> Bu	*	H	*	Bz	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-45-1	Ph	H	H	H	Bz	H	F	H	OH	H	H
VI-45-2	Ph	H	H	CH ₃	Bz	H	F	H	OH	H	H
VI-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH	H	H
VI-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH	H	H
VI-45-5	Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH	H	H
VI-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH	H	H
VI-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH	H	H
VI-45-8	Ph	*	H	*	Bz	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-46-1	p-Me-Ph	H	H	H	Bz	H	F	H	OH	H	H
VI-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	F	H	OH	H	H
VI-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH	H	H
VI-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH	H	H
VI-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH	H	H
VI-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH	H	H
VI-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH	H	H
VI-46-8	p-Me-Ph	*	H	*	Bz	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-47-1	p-F-Ph	H	H	H	Bz	H	F	H	OH	H	H
VI-47-2	p-F-Ph	H	H	CH ₃	Bz	H	F	H	OH	H	H
VI-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH	H	H
VI-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH	H	H
VI-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH	H	H
VI-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH	H	H
VI-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH	H	H
VI-47-8	p-F-Ph	*	H	*	Bz	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-48-1	p-Cl-Ph	H	H	H	Bz	H	F	H	OH	H	H
VI-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	F	H	OH	H	H
VI-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH	H	H
VI-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH	H	H
VI-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH	H	H
VI-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH	H	H
VI-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH	H	H
VI-48-8	p-Cl-Ph	*	H	*	Bz	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-49.


N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-49-1	p-Br-Ph	H	H	H	Bz	H	F	H	OH	H	H
VI-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	F	H	OH	H	H
VI-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH	H	H
VI-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH	H	H
VI-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH	H	H
VI-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH	H	H
VI-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH	H	H
VI-49-8	p-Br-Ph	*	H	*	Bz	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VI-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VI-50-1	p-I-Ph	H	H	H	Bz	H	F	H	OH	H	H
VI-50-2	p-I-Ph	H	H	CH ₃	Bz	H	F	H	OH	H	H
VI-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH	H	H
VI-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH	H	H
VI-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH	H	H
VI-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH	H	H
VI-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH	H	H
VI-50-8	p-I-Ph	*	H	*	Bz	H	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.



VII

Table VII-1.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-1-1	CH ₃	H	H	H	CH ₃	H	F	H	OH	H	H	NH ₂
VII-1-2	CH ₃	H	H	CH ₃	CH ₃	H	F	H	OH	H	H	NH ₂
VII-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H	NH ₂
VII-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H	NH ₂
VII-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	F	H	OH	H	H	NH ₂
VII-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH	H	H	NH ₂
VII-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH	H	H	NH ₂
VII-1-8	CH ₃	*	H	*	CH ₃	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-2.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-2-1	Et	H	H	H	CH ₃	H	F	H	OH	H	H	NH ₂
VII-2-2	Et	H	H	CH ₃	CH ₃	H	F	H	OH	H	H	NH ₂
VII-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H	NH ₂
VII-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H	NH ₂
VII-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	F	H	OH	H	H	NH ₂
VII-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH	H	H	NH ₂
VII-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH	H	H	NH ₂
VII-2-8	Et	*	H	*	CH ₃	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-3-1	<i>i</i> Pr	H	H	H	CH ₃	H	F	H	OH	H	H	NH ₂
VII-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	H	F	H	OH	H	H	NH ₂
VII-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H	NH ₂
VII-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H	NH ₂
VII-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	H	F	H	OH	H	H	NH ₂
VII-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH	H	H	NH ₂
VII-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH	H	H	NH ₂
VII-3-8	<i>i</i> Pr	*	H	*	CH ₃	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-4.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-4-1	^t Bu	H	H	H	CH ₃	H	F	H	OH	H	H	NH ₂
VII-4-2	^t Bu	H	H	CH ₃	CH ₃	H	F	H	OH	H	H	NH ₂
VII-4-3	^t Bu	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H	NH ₂
VII-4-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H	NH ₂
VII-4-5	^t Bu	H	H	CH ₂ Ph	CH ₃	H	F	H	OH	H	H	NH ₂
VII-4-6	^t Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH	H	H	NH ₂
VII-4-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH	H	H	NH ₂
VII-4-8	^t Bu	*	H	*	CH ₃	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-5.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-5-1	Ph	H	H	H	CH ₃	H	F	H	OH	H	H	NH ₂
VII-5-2	Ph	H	H	CH ₃	CH ₃	H	F	H	OH	H	H	NH ₂
VII-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H	NH ₂
VII-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H	NH ₂
VII-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH	H	H	NH ₂
VII-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH	H	H	NH ₂
VII-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH	H	H	NH ₂
VII-5-8	Ph	*	H	*	CH ₃	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-6.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-6-1	p-Me-Ph	H	H	H	CH ₃	H	F	H	OH	H	H	NH ₂
VII-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	F	H	OH	H	H	NH ₂
VII-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H	NH ₂
VII-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H	NH ₂
VII-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH	H	H	NH ₂
VII-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH	H	H	NH ₂
VII-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH	H	H	NH ₂
VII-6-8	p-Me-Ph	*	H	*	CH ₃	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-7.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-7-1	p-F-Ph	H	H	H	CH ₃	H	F	H	OH	H	H	NH ₂
VII-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	F	H	OH	H	H	NH ₂
VII-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-7-4	Ph p-F- Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H	NH ₂
VII-7-6	Ph p-F- Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH	H	H	NH ₂
VII-7-7	Ph p-F- Ph	H	H	CH ₂ -indol-3- yl	CH ₃	H	F	H	OH	H	H	NH ₂
VII-7-8	Ph p-F- Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH	H	H	NH ₂
VII-7-20	Ph p-F- Ph	*	H	*	CH ₃	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-8-1	p-Cl-Ph	H	H	H	CH ₃	H	F	H	OH	H	H	NH ₂
VII-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	F	H	OH	H	H	NH ₂
VII-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H	NH ₂
VII-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H	NH ₂
VII-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH	H	H	NH ₂
VII-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH	H	H	NH ₂
VII-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH	H	H	NH ₂
VII-8-8	p-Cl-Ph	*	H	*	CH ₃	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-9-1	p-Br-Ph	H	H	H	CH ₃	H	F	H	OH	H	H	NH ₂
VII-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	F	H	OH	H	H	NH ₂
N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H	NH ₂
4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H	NH ₂
6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH	H	H	NH ₂
7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH	H	H	NH ₂
8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH	H	H	NH ₂
20	p-Br-Ph	*	H	*	CH ₃	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-10.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-10-1	p-I-Ph	H	H	H	CH ₃	H	F	H	OH	H	H	NH ₂
VII-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	F	H	OH	H	H	NH ₂
VII-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H	NH ₂
VII-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH	H	H	NH ₂
VII-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH	H	H	NH ₂
VII-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH	H	H	NH ₂
VII-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH	H	H	NH ₂
VII-10-8	p-I-Ph	*	H	*	CH ₃	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-11.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-11-1	CH ₃	H	H	H	Et	H	F	H	OH	H	H	NH ₂
VII-11-2	CH ₃	H	H	CH ₃	Et	H	F	H	OH	H	H	NH ₂
VII-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	F	H	OH	H	H	NH ₂
VII-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH	H	H	NH ₂
VII-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	F	H	OH	H	H	NH ₂
VII-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH	H	H	NH ₂
VII-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH	H	H	NH ₂
VII-11-8	CH ₃	*	H	*	Et	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-12-1	Et	H	H	H	Et	H	F	H	OH	H	H	NH ₂
VII-12-2	Et	H	H	CH ₃	Et	H	F	H	OH	H	H	NH ₂
VII-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	F	H	OH	H	H	NH ₂
VII-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH	H	H	NH ₂
VII-12-5	Et	H	H	CH ₂ Ph	Et	H	F	H	OH	H	H	NH ₂
VII-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH	H	H	NH ₂
VII-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH	H	H	NH ₂
VII-12-8	Et	*	H	*	Et	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-13-1	<i>i</i> Pr	H	H	H	Et	H	F	H	OH	H	H	NH ₂
VII-13-2	<i>i</i> Pr	H	H	CH ₃	Et	H	F	H	OH	H	H	NH ₂
VII-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	H	F	H	OH	H	H	NH ₂
VII-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH	H	H	NH ₂
VII-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	H	F	H	OH	H	H	NH ₂
VII-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH	H	H	NH ₂
VII-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH	H	H	NH ₂
VII-13-8	<i>i</i> Pr	*	H	*	Et	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-14.

N ^o	R ¹	R ²	R	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
			3a									
VII-14-1	^t Bu	H	H	H	Et	H	F	H	OH	H	H	NH ₂
VII-14-2	^t Bu	H	H	CH ₃	Et	H	F	H	OH	H	H	NH ₂
VII-14-3	^t Bu	H	H	CH(CH ₃) ₂	Et	H	F	H	OH	H	H	NH ₂
VII-14-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH	H	H	NH ₂
VII-14-5	^t Bu	H	H	CH ₂ Ph	Et	H	F	H	OH	H	H	NH ₂
VII-14-6	^t Bu	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH	H	H	NH ₂
VII-14-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH	H	H	NH ₂
VII-14-8	^t Bu	*	H	*	Et	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-15-1	Ph	H	H	H	Et	H	F	H	OH	H	H	NH ₂
VII-15-2	Ph	H	H	CH ₃	Et	H	F	H	OH	H	H	NH ₂
VII-15-3	Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH	H	H	NH ₂
VII-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH	H	H	NH ₂
VII-15-5	Ph	H	H	CH ₂ Ph	Et	H	F	H	OH	H	H	NH ₂
VII-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH	H	H	NH ₂
VII-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH	H	H	NH ₂
VII-15-8	Ph	*	H	*	Et	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-16-1	p-Mc-Ph	H	H	H	Et	H	F	H	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-16- 2	p-Me- Ph	H	H	CH ₃	Et	H	F	H	OH	H	H	NH ₂
VII-16- 3	p-Me- Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH	H	H	NH ₂
VII-16- 4	p-Me- Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH	H	H	NH ₂
VII-16- 5	p-Me- Ph	H	H	CH ₂ Ph	Et	H	F	H	OH	H	H	NH ₂
VII-16- 6	p-Me- Ph	H	H	CH ₂ -indol-3- yl	Et	H	F	H	OH	H	H	NH ₂
VII-16- 7	p-Me- Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH	H	H	NH ₂
VII-16- 8	p-Me- Ph	*	H	*	Et	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-17.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-17-1	p-F-Ph	H	H	H	Et	H	F	H	OH	H	H	NH ₂
VII-17-2	p-F-Ph	H	H	CH ₃	Et	H	F	H	OH	H	H	NH ₂
VII-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH	H	H	NH ₂
VII-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH	H	H	NH ₂
VII-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	F	H	OH	H	H	NH ₂
VII-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH	H	H	NH ₂
VII-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH	H	H	NH ₂
VII-17-8	p-F-Ph	*	H	*	Et	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-18.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-18-1	p-Cl-Ph	H	H	H	Et	H	F	H	OH	H	H	NH ₂
VII-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	F	H	OH	H	H	NH ₂
VII-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH	H	H	NH ₂
VII-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH	H	H	NH ₂
VII-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	F	H	OH	H	H	NH ₂
VII-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH	H	H	NH ₂
VII-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH	H	H	NH ₂
VII-18-8	p-Cl-Ph	*	H	*	Et	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-19.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-19-1	p-Br-Ph	H	H	H	Et	H	F	H	OH	H	H	NH ₂
VII-19-2	p-Br-Ph	H	H	CH ₃	Et	H	F	H	OH	H	H	NH ₂
VII-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH	H	H	NH ₂
VII-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH	H	H	NH ₂
VII-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	F	H	OH	H	H	NH ₂
VII-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH	H	H	NH ₂
VII-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH	H	H	NH ₂
VII-19-	p-Br-	*	H	*	Et	H	F	H	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
8	Ph											

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-20-1	p-I-Ph	H	H	H	Et	H	F	H	OH	H	H	NH ₂
VII-20-2	p-I-Ph	H	H	CH ₃	Et	H	F	H	OH	H	H	NH ₂
VII-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH	H	H	NH ₂
VII-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH	H	H	NH ₂
VII-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	F	H	OH	H	H	NH ₂
VII-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH	H	H	NH ₂
VII-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH	H	H	NH ₂
VII-20-8	p-I-Ph	*	H	*	Et	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-21.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-21-1	CH ₃	H	H	H	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-21-2	CH ₃	H	H	CH ₃	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-21-3	CH ₃	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-21-5	CH ₃	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-21-8	CH ₃	*	H	*	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-22.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-22-1	Et	H	H	H	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-22-2	Et	H	H	CH ₃	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-22-3	Et	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-22-5	Et	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-22-6	Et	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-22-8	Et	*	H	*	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-23.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-24-1	<i>t</i> Bu	H	H	H	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-24-2	<i>t</i> Bu	H	H	CH ₃	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-24-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-24-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-24-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-24-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-24-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-24-8	<i>t</i> Bu	*	H	*	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-25-1	Ph	H	H	H	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-25-2	Ph	H	H	CH ₃	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-25-3	Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-25-5	Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-25-6	Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂
VII-25-8	Ph	*	H	*	<i>i</i> Pr	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-26.

N_2	R^1	R^2	R^{3a}	R^{3b}	R^4	R^5	R^6	X	Y	R^7	R^8	R^9
VII-26-1	p-Me-Ph	H	H	H	i Pr	H	F	H	OH	H	H	NH ₂
VII-26-2	p-Me-Ph	H	H	CH ₃	i Pr	H	F	H	OH	H	H	NH ₂
VII-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	i Pr	H	F	H	OH	H	H	NH ₂
VII-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	i Pr	H	F	H	OH	H	H	NH ₂
VII-26-5	p-Me-Ph	H	H	CH ₂ Ph	i Pr	H	F	H	OH	H	H	NH ₂
VII-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	i Pr	H	F	H	OH	H	H	NH ₂
VII-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	i Pr	H	F	H	OH	H	H	NH ₂
VII-26-8	p-Me-Ph	*	H	*	i Pr	H	F	H	OH	H	H	NH ₂

* R^2 and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-27-1	p-F-Ph	H	H	H	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-27-	p-F-	*	H	*	ⁱ Pr	H	F	H	OH	H	H	NH ₂
N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
8	Ph											

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-28.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-29-1	p-Br-Ph	H	H	H	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-29-	p-Br-Ph	H	H	CH ₂ -indol-3-	ⁱ Pr	H	F	H	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
6				yl								
VII-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-29-8	p-Br-Ph	*	H	*	ⁱ Pr	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-30-1	p-I-Ph	H	H	H	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH	H	H	NH ₂
VII-30-8	p-I-Ph	*	H	*	ⁱ Pr	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-31-1	CH ₃	H	H	H	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-31-8	CH ₃	*	H	*	ⁿ Bu	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-32-1	Et	H	H	H	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-32-2	Et	H	H	CH ₃	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-32-8	Et	*	H	*	ⁿ Bu	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-33-1	<i>i</i> Pr	H	H	H	<i>n</i> Bu	H	F	H	OH	H	H	NH ₂
VII-33-2	<i>i</i> Pr	H	H	CH ₃	<i>n</i> Bu	H	F	H	OH	H	H	NH ₂
VII-33-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>n</i> Bu	H	F	H	OH	H	H	NH ₂
VII-33-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	H	F	H	OH	H	H	NH ₂
VII-33-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>n</i> Bu	H	F	H	OH	H	H	NH ₂
VII-33-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	H	F	H	OH	H	H	NH ₂
VII-33-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	H	F	H	OH	H	H	NH ₂
VII-33-8	<i>i</i> Pr	*	H	*	<i>n</i> Bu	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-34-1	^t Bu	H	H	H	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-34-8	^t Bu	*	H	*	ⁿ Bu	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-35-1	Ph	H	H	H	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-35-2	Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-35-8	Ph	*	H	*	ⁿ Bu	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-	p-Me-Ph	H	H	CH ₂ -indol-3-	ⁿ Bu	H	F	H	OH	H	H	NH ₂
36-6				yl								
VII-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-37.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-38.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
38-4												
5 VII-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH	H	H	NH ₂
10 VII-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH	H	H	NH ₂
15 VII-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
25 VII-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH	H	H	NH ₂
30 VII-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H	NH ₂
35 VII-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH	H	H	NH ₂
40 VII-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH	H	H	NH ₂
45 VII-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH	H	H	NH ₂
50 VII-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH	H	H	NH ₂
N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
3												
VII-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH	H	H	NH ₂
VII-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-41-1	CH ₃	H	H	H	Bz	H	F	H	OH	H	H	NH ₂
VII-41-2	CH ₃	H	H	CH ₃	Bz	H	F	H	OH	H	H	NH ₂
VII-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH	H	H	NH ₂
VII-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH	H	H	NH ₂
VII-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	F	H	OH	H	H	NH ₂
VII-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH	H	H	NH ₂
VII-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH	H	H	NH ₂
VII-41-8	CH ₃	*	H	*	Bz	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-42-1	Et	H	H	H	Bz	H	F	H	OH	H	H	NH ₂
VII-42-2	Et	H	H	CH ₃	Bz	H	F	H	OH	H	H	NH ₂
VII-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH	H	H	NH ₂
VII-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH	H	H	NH ₂
VII-42-5	Et	H	H	CH ₂ Ph	Bz	H	F	H	OH	H	H	NH ₂
VII-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH	H	H	NH ₂
VII-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH	H	H	NH ₂
VII-42-8	Et	*	H	*	Bz	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-43-1	ⁱ Pr	H	H	H	Bz	H	F	H	OH	H	H	NH ₂
VII-43-2	ⁱ Pr	H	H	CH ₃	Bz	H	F	H	OH	H	H	NH ₂
VII-43-3	ⁱ Pr	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH	H	H	NH ₂
VII-43-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH	H	H	NH ₂
VII-43-5	ⁱ Pr	H	H	CH ₂ Ph	Bz	H	F	H	OH	H	H	NH ₂
VII-43-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH	H	H	NH ₂
VII-43-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH	H	H	NH ₂
VII-43-8	ⁱ Pr	*	H	*	Bz	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-44-1	^t Bu	H	H	H	Bz	H	F	H	OH	H	H	NH ₂
VII-44-2	^t Bu	H	H	CH ₃	Bz	H	F	H	OH	H	H	NH ₂
VII-44-3	^t Bu	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH	H	H	NH ₂
VII-44-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH	H	H	NH ₂
VII-44-5	^t Bu	H	H	CH ₂ Ph	Bz	H	F	H	OH	H	H	NH ₂
VII-44-6	^t Bu	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH	H	H	NH ₂
VII-44-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH	H	H	NH ₂
VII-44-8	^t Bu	*	H	*	Bz	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-45-1	Ph	H	H	H	Bz	H	F	H	OH	H	H	NH ₂
VII-45-2	Ph	H	H	CH ₃	Bz	H	F	H	OH	H	H	NH ₂
VII-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH	H	H	NH ₂
VII-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH	H	H	NH ₂
VII-45-5	Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH	H	H	NH ₂
VII-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH	H	H	NH ₂
VII-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH	H	H	NH ₂
VII-45-8	Ph	*	H	*	Bz	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-46-1	p-Me-Ph	H	H	H	Bz	H	F	H	OH	H	H	NH ₂
VII-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	F	H	OH	H	H	NH ₂
VII-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH	H	H	NH ₂
VII-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH	H	H	NH ₂
VII-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH	H	H	NH ₂
VII-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH	H	H	NH ₂
VII-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH	H	H	NH ₂
VII-46-8	p-Me-Ph	*	H	*	Bz	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-47-1	p-F-Ph	H	H	H	Bz	H	F	H	OH	H	H	NH ₂
VII-47-2	p-F-Ph	H	H	CH ₃	Bz	H	F	H	OH	H	H	NH ₂
N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
3												
VII-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH	H	H	NH ₂
VII-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH	H	H	NH ₂
VII-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH	H	H	NH ₂
VII-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH	H	H	NH ₂
VII-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH	H	H	NH ₂
VII-47-8	p-F-Ph	*	H	*	Bz	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-48.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-48-1	p-Cl-Ph	H	H	H	Bz	H	F	H	OH	H	H	NH ₂
VII-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	F	H	OH	H	H	NH ₂
VII-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH	H	H	NH ₂
VII-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH	H	H	NH ₂
VII-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH	H	H	NH ₂
VII-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH	H	H	NH ₂
VII-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH	H	H	NH ₂
VII-48-8	p-Cl-Ph	*	H	*	Bz	H	F	H	OH	H	H	NH ₂

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-49.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-49-1	p-Br-Ph	H	H	H	Bz	H	F	H	OH	H	H	NH ₂
VII-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	F	H	OH	H	H	NH ₂
VII-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH	H	H	NH ₂
VII-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH	H	H	NH ₂
VII-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH	H	H	NH ₂
VII-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH	H	H	NH ₂
VII-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH	H	H	NH ₂
VII-49-8	p-Br-Ph	*	H	*	Bz	H	F	H	OH	H	H	NH ₂


*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VII-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
VII-50-1	p-I-Ph	H	H	H	Bz	H	F	H	OH	H	H	NH ₂
VII-50-2	p-I-Ph	H	H	CH ₃	Bz	H	F	H	OH	H	H	NH ₂
VII-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH	H	H	NH ₂
VII-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH	H	H	NH ₂
VII-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH	H	H	NH ₂
VII-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH	H	H	NH ₂
VII-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH	H	H	NH ₂
VII-50-	p-I-	*	H	*	Bz	H	F	H	OH	H	H	NH ₂

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸	R ⁹
8	Ph											

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.



VIII

Table VIII-1.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-1-1	CH ₃	H	H	H	CH ₃	H	CH ₃	OH	OH	H	H
VIII-1-2	CH ₃	H	H	CH ₃	CH ₃	H	CH ₃	OH	OH	H	H
VIII-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H
VIII-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H
VIII-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	CH ₃	OH	OH	H	H
VIII-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	OH	OH	H	H
VIII-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	OH	OH	H	H
VIII-1-8	CH ₃	*	H	*	CH ₃	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-2.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-2-1	Et	H	H	H	CH ₃	H	CH ₃	OH	OH	H	H
VIII-2-2	Et	H	H	CH ₃	CH ₃	H	CH ₃	OH	OH	H	H
VIII-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H
VIII-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H
VIII-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	CH ₃	OH	OH	H	H
VIII-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	OH	OH	H	H
VIII-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	OH	OH	H	H
VIII-2-8	Et	*	H	*	CH ₃	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-3-1	<i>i</i> Pr	H	H	H	CH ₃	H	CH ₃	OH	OH	H	H
VIII-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	H	CH ₃	OH	OH	H	H
VIII-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H
VIII-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H
VIII-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	H	CH ₃	OH	OH	H	H
VIII-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	OH	OH	H	H
VIII-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	OH	OH	H	H
VIII-3-8	<i>i</i> Pr	*	H	*	CH ₃	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-4-1	^t Bu	H	H	H	CH ₃	H	CH ₃	OH	OH	H	H
VIII-4-2	^t Bu	H	H	CH ₃	CH ₃	H	CH ₃	OH	OH	H	H
VIII-4-3	^t Bu	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H
VIII-4-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H
VIII-4-5	^t Bu	H	H	CH ₂ Ph	CH ₃	H	CH ₃	OH	OH	H	H
VIII-4-6	^t Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	OH	OH	H	H
VIII-4-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	OH	OH	H	H
VIII-4-8	^t Bu	*	H	*	CH ₃	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-5.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-5-1	Ph	H	H	H	CH ₃	H	CH ₃	OH	OH	H	H
VIII-5-2	Ph	H	H	CH ₃	CH ₃	H	CH ₃	OH	OH	H	H
VIII-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H
VIII-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H
VIII-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	OH	OH	H	H
VIII-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	OH	OH	H	H
VIII-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	OH	OH	H	H
VIII-5-8	Ph	*	H	*	CH ₃	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-6.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-6-1	p-Me-Ph	H	H	H	CH ₃	H	CH ₃	OH	OH	H	H
VIII-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	CH ₃	OH	OH	H	H
VIII-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H
VIII-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H
VIII-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	OH	OH	H	H
VIII-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	OH	OH	H	H
VIII-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	OH	OH	H	H
VIII-6-8	p-Me-Ph	*	H	*	CH ₃	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-7.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-7-1	p-F-Ph	H	H	H	CH ₃	H	CH ₃	OH	OH	H	H
VIII-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	CH ₃	OH	OH	H	H
VIII-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H
VIII-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H
VIII-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	OH	OH	H	H
VIII-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	OH	OH	H	H
VIII-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	OH	OH	H	H
VIII-7-20	p-F-Ph	*	H	*	CH ₃	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-8-1	p-Cl-Ph	H	H	H	CH ₃	H	CH ₃	OH	OH	H	H
VIII-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	CH ₃	OH	OH	H	H
VIII-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H
VIII-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H
VIII-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	OH	OH	H	H
VIII-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	OH	OH	H	H
VIII-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	OH	OH	H	H
VIII-8-8	p-Cl-Ph	*	H	*	CH ₃	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-9-1	p-Br-Ph	H	H	H	CH ₃	H	CH ₃	OH	OH	H	H
VIII-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	CH ₃	OH	OH	H	H
VIII-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H
VIII-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H
VIII-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	OH	OH	H	H
VIII-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	OH	OH	H	H
VIII-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	OH	OH	H	H
VIII-9-20	p-Br-Ph	*	H	*	CH ₃	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-10-1	p-I-Ph	H	H	H	CH ₃	H	CH ₃	OH	OH	H	H
VIII-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	CH ₃	OH	OH	H	H
VIII-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H
VIII-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	OH	OH	H	H
VIII-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	OH	OH	H	H
VIII-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	OH	OH	H	H
VIII-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	OH	OH	H	H
VIII-10-8	p-I-Ph	*	H	*	CH ₃	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-11-1	CH ₃	H	H	H	Et	H	CH ₃	OH	OH	H	H
VIII-11-2	CH ₃	H	H	CH ₃	Et	H	CH ₃	OH	OH	H	H
VIII-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H
VIII-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H
VIII-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	CH ₃	OH	OH	H	H
VIII-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	OH	OH	H	H
VIII-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	OH	OH	H	H
VIII-11-8	CH ₃	*	H	*	Et	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-12-1	Et	H	H	H	Et	H	CH ₃	OH	OH	H	H
VIII-12-2	Et	H	H	CH ₃	Et	H	CH ₃	OH	OH	H	H
VIII-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H
VIII-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H
VIII-12-5	Et	H	H	CH ₂ Ph	Et	H	CH ₃	OH	OH	H	H
VIII-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	OH	OH	H	H
VIII-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	OH	OH	H	H
VIII-12-8	Et	*	H	*	Et	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-13-1	<i>i</i> Pr	H	H	H	Et	H	CH ₃	OH	OH	H	H
VIII-13-2	<i>i</i> Pr	H	H	CH ₃	Et	H	CH ₃	OH	OH	H	H
VIII-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H
VIII-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H
VIII-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	H	CH ₃	OH	OH	H	H
VIII-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	OH	OH	H	H
VIII-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	OH	OH	H	H
VIII-13-8	<i>i</i> Pr	*	H	*	Et	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-14.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-14-1	<i>t</i> Bu	H	H	H	Et	H	CH ₃	OH	OH	H	H
VIII-14-2	<i>t</i> Bu	H	H	CH ₃	Et	H	CH ₃	OH	OH	H	H
VIII-14-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H
VIII-14-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H
VIII-14-5	<i>t</i> Bu	H	H	CH ₂ Ph	Et	H	CH ₃	OH	OH	H	H
VIII-14-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	OH	OH	H	H
VIII-14-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	OH	OH	H	H
VIII-14-8	<i>t</i> Bu	*	H	*	Et	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-15-1	Ph	H	H	H	Et	H	CH ₃	OH	OH	H	H
VIII-15-2	Ph	H	H	CH ₃	Et	H	CH ₃	OH	OH	H	H
VIII-15-3	Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H
VIII-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H
VIII-15-5	Ph	H	H	CH ₂ Ph	Et	H	CH ₃	OH	OH	H	H
VIII-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	OH	OH	H	H
VIII-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	OH	OH	H	H
VIII-15-8	Ph	*	H	*	Et	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-16-1	p-Me-Ph	H	H	H	Et	H	CH ₃	OH	OH	H	H
VIII-16-2	p-Me-Ph	H	H	CH ₃	Et	H	CH ₃	OH	OH	H	H
VIII-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H
VIII-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H
VIII-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	OH	OH	H	H
VIII-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	OH	OH	H	H
VIII-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	OH	OH	H	H
VIII-16-8	p-Me-Ph	*	H	*	Et	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-17-1	p-F-Ph	H	H	H	Et	H	CH ₃	OH	OH	H	H
VIII-17-2	p-F-Ph	H	H	CH ₃	Et	H	CH ₃	OH	OH	H	H
VIII-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H
VIII-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H
VIII-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	OH	OH	H	H
VIII-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	OH	OH	H	H
VIII-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	OH	OH	H	H
VIII-17-8	p-F-Ph	*	H	*	Et	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-18.

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-18-1	p-Cl-Ph	H	H	H	Et	H	CH ₃	OH	OH	H	H
VIII-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	CH ₃	OH	OH	H	H
VIII-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H
VIII-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H
VIII-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	OH	OH	H	H
VIII-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	OH	OH	H	H
VIII-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	OH	OH	H	H
VIII-18-8	p-Cl-Ph	*	H	*	Et	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-19.

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-19-1	p-Br-Ph	H	H	H	Et	H	CH ₃	OH	OH	H	H
VIII-19-2	p-Br-Ph	H	H	CH ₃	Et	H	CH ₃	OH	OH	H	H
VIII-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H
VIII-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H
VIII-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	OH	OH	H	H
VIII-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	OH	OH	H	H
VIII-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	OH	OH	H	H
VIII-19-8	p-Br-Ph	*	H	*	Et	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-20-1	p-I-Ph	H	H	H	Et	H	CH ₃	OH	OH	H	H
VIII-20-2	p-I-Ph	H	H	CH ₃	Et	H	CH ₃	OH	OH	H	H
VIII-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H
VIII-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	OH	OH	H	H
VIII-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	OH	OH	H	H
VIII-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	OH	OH	H	H
VIII-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	OH	OH	H	H
VIII-20-8	p-I-Ph	*	H	*	Et	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-21-1	CH ₃	H	H	H	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-21-2	CH ₃	H	H	CH ₃	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-21-3	CH ₃	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-21-5	CH ₃	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-21-8	CH ₃	*	H	*	ⁱ Pr	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-22-1	Et	H	H	H	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-22-2	Et	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-22-3	Et	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-22-5	Et	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-22-6	Et	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-22-8	Et	*	H	*	<i>i</i> Pr	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-24-1	<i>t</i> Bu	H	H	H	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-24-2	<i>t</i> Bu	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-24-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-24-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-24-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	OH	OH	H	H

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-24-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-24-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-24-8	<i>t</i> Bu	*	H	*	<i>i</i> Pr	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-25-1	Ph	H	H	H	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-25-2	Ph	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-25-3	Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-25-5	Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-25-6	Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	OH	OH	H	H
VIII-25-8	Ph	*	H	*	<i>i</i> Pr	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-26-1	p-Me-Ph	H	H	H	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-26-8	p-Me-Ph	*	H	*	ⁱ Pr	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-27-1	p-F-Ph	H	H	H	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-27-8	p-F-Ph	*	H	*	ⁱ Pr	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-28.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-29-1	p-Br-Ph	H	H	H	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-29-8	p-Br-Ph	*	H	*	ⁱ Pr	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-30-1	p-I-Ph	H	H	H	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	OH	OH	H	H
VIII-30-8	p-I-Ph	*	H	*	ⁱ Pr	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-31.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-31-1	CH ₃	H	H	H	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-31-8	CH ₃	*	H	*	ⁿ Bu	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-32.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-32-1	Et	H	H	H	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-32-2	Et	H	H	CH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-32-8	Et	*	H	*	ⁿ Bu	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-33.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-33-1	ⁱ Pr	H	H	H	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-33-2	ⁱ Pr	H	H	CH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-33-3	ⁱ Pr	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-33-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-33-5	ⁱ Pr	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-33-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-33-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-33-8	ⁱ Pr	*	H	*	ⁿ Bu	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-34.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-34-1	^t Bu	H	H	H	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-34-8	^t Bu	*	H	*	ⁿ Bu	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-35.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-35-1	Ph	H	H	H	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-35-2	Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-35-8	Ph	*	H	*	ⁿ Bu	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-37.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-38.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-38-	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H
2											
VIII-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	OH	OH	H	H
VIII-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-41.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-41-1	CH ₃	H	H	H	Bz	H	CH ₃	OH	OH	H	H
VIII-41-2	CH ₃	H	H	CH ₃	Bz	H	CH ₃	OH	OH	H	H
VIII-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H
VIII-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H
VIII-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	CH ₃	OH	OH	H	H
VIII-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	OH	OH	H	H
VIII-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	OH	OH	H	H
VIII-41-8	CH ₃	*	H	*	Bz	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-42.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-42-1	Et	H	H	H	Bz	H	CH ₃	OH	OH	H	H
VIII-42-2	Et	H	H	CH ₃	Bz	H	CH ₃	OH	OH	H	H
VIII-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H
VIII-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H
VIII-42-5	Et	H	H	CH ₂ Ph	Bz	H	CH ₃	OH	OH	H	H
VIII-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	OH	OH	H	H
VIII-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	OH	OH	H	H
VIII-42-8	Et	*	H	*	Bz	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-43.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-43-1	<i>i</i> Pr	H	H	H	Bz	H	CH ₃	OH	OH	H	H
VIII-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	H	CH ₃	OH	OH	H	H
VIII-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H
VIII-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H
VIII-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	H	CH ₃	OH	OH	H	H
VIII-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	OH	OH	H	H
VIII-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	OH	OH	H	H
VIII-43-8	<i>i</i> Pr	*	H	*	Bz	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-44-1	^t Bu	H	H	H	Bz	H	CH ₃	OH	OH	H	H
VIII-44-2	^t Bu	H	H	CH ₃	Bz	H	CH ₃	OH	OH	H	H
VIII-44-3	^t Bu	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H
VIII-44-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H
VIII-44-5	^t Bu	H	H	CH ₂ Ph	Bz	H	CH ₃	OH	OH	H	H
VIII-44-6	^t Bu	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	OH	OH	H	H
VIII-44-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	OH	OH	H	H
VIII-44-8	^t Bu	*	H	*	Bz	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-45-1	Ph	H	H	H	Bz	H	CH ₃	OH	OH	H	H
VIII-45-2	Ph	H	H	CH ₃	Bz	H	CH ₃	OH	OH	H	H
VIII-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H
VIII-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H
VIII-45-5	Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	OH	OH	H	H
VIII-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	OH	OH	H	H
VIII-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	OH	OH	H	H
VIII-45-8	Ph	*	H	*	Bz	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-46-1	p-Me-Ph	H	H	H	Bz	H	CH ₃	OH	OH	H	H
VIII-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	CH ₃	OH	OH	H	H
VIII-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H
VIII-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H
VIII-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	OH	OH	H	H
VIII-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	OH	OH	H	H
VIII-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	OH	OH	H	H
VIII-46-8	p-Me-Ph	*	H	*	Bz	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-47-1	p-F-Ph	H	H	H	Bz	H	CH ₃	OH	OH	H	H
VIII-47-2	p-F-Ph	H	H	CH ₃	Bz	H	CH ₃	OH	OH	H	H
VIII-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H
VIII-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H
VIII-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	OH	OH	H	H
VIII-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	OH	OH	H	H
VIII-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	OH	OH	H	H
VIII-47-8	p-F-Ph	*	H	*	Bz	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-48.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-48-1	p-Cl-Ph	H	H	H	Bz	H	CH ₃	OH	OH	H	H
VIII-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	CH ₃	OH	OH	H	H
VIII-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H
VIII-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H
VIII-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	OH	OH	H	H
VIII-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	OH	OH	H	H
VIII-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	OH	OH	H	H
VIII-48-8	p-Cl-Ph	*	H	*	Bz	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-49.


N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-49-1	p-Br-Ph	H	H	H	Bz	H	CH ₃	OH	OH	H	H
VIII-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	CH ₃	OH	OH	H	H
VIII-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H
VIII-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H
VIII-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	OH	OH	H	H
VIII-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	OH	OH	H	H
VIII-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	OH	OH	H	H
VIII-49-8	p-Br-Ph	*	H	*	Bz	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table VIII-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
VIII-50-1	p-I-Ph	H	H	H	Bz	H	CH ₃	OH	OH	H	H
VIII-50-2	p-I-Ph	H	H	CH ₃	Bz	H	CH ₃	OH	OH	H	H
VIII-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H
VIII-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	OH	OH	H	H
VIII-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	OH	OH	H	H
VIII-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	OH	OH	H	H
VIII-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	OH	OH	H	H
VIII-50-8	p-I-Ph	*	H	*	Bz	H	CH ₃	OH	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.



IX

Table IX-1.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-1-1	CH ₃	H	H	H	CH ₃	H	CH ₃	F	OH	H	H
IX-1-2	CH ₃	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H
IX-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H
IX-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H
IX-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H
IX-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH	H	H
IX-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H
IX-1-8	CH ₃	*	H	*	CH ₃	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-2.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-2-1	Et	H	H	H	CH ₃	H	CH ₃	F	OH	H	H
IX-2-2	Et	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H
IX-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H
IX-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H
IX-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H
IX-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH	H	H
IX-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H
IX-2-8	Et	*	H	*	CH ₃	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-3-1	ⁱ Pr	H	H	H	CH ₃	H	CH ₃	F	OH	H	H
IX-3-2	ⁱ Pr	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H
IX-3-3	ⁱ Pr	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H
IX-3-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H
IX-3-5	ⁱ Pr	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H
IX-3-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH	H	H
IX-3-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H
IX-3-8	ⁱ Pr	*	H	*	CH ₃	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-4-1	^t Bu	H	H	H	CH ₃	H	CH ₃	F	OH	H	H
IX-4-2	^t Bu	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H
IX-4-3	^t Bu	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H
IX-4-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H
IX-4-5	^t Bu	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H
IX-4-6	^t Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH	H	H
IX-4-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H
IX-4-8	^t Bu	*	H	*	CH ₃	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-5.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-5-1	Ph	H	H	H	CH ₃	H	CH ₃	F	OH	H	H
IX-5-2	Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H
IX-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H
IX-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H
IX-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H
IX-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH	H	H
IX-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H
IX-5-8	Ph	*	H	*	CH ₃	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-6.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-6-1	p-Me-Ph	H	H	H	CH ₃	H	CH ₃	F	OH	H	H
IX-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H
IX-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H
IX-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H
IX-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H
IX-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH	H	H
IX-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H
IX-6-8	p-Me-Ph	*	H	*	CH ₃	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-7.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-7-1	p-F-Ph	H	H	H	CH ₃	H	CH ₃	F	OH	H	H
IX-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H
IX-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H
IX-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H
IX-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H
IX-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH	H	H
IX-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H
IX-7-20	p-F-Ph	*	H	*	CH ₃	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-8-1	p-Cl-Ph	H	H	H	CH ₃	H	CH ₃	F	OH	H	H
IX-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H
IX-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H
IX-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H
IX-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H
IX-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH	H	H
IX-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H
IX-8-8	p-Cl-Ph	*	H	*	CH ₃	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-9-1	p-Br-Ph	H	H	H	CH ₃	H	CH ₃	F	OH	H	H
IX-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H
IX-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H
IX-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H
IX-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H
IX-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH	H	H
IX-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H
IX-9-20	p-Br-Ph	*	H	*	CH ₃	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-10-1	p-I-Ph	H	H	H	CH ₃	H	CH ₃	F	OH	H	H
IX-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH	H	H
IX-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H
IX-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH	H	H
IX-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH	H	H
IX-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH	H	H
IX-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH	H	H
IX-10-8	p-I-Ph	*	H	*	CH ₃	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-11-1	CH ₃	H	H	H	Et	H	CH ₃	F	OH	H	H
IX-11-2	CH ₃	H	H	CH ₃	Et	H	CH ₃	F	OH	H	H
IX-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H
IX-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H
IX-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH	H	H
IX-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH	H	H
IX-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH	H	H
IX-11-8	CH ₃	*	H	*	Et	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-12-1	Et	H	H	H	Et	H	CH ₃	F	OH	H	H
IX-12-2	Et	H	H	CH ₃	Et	H	CH ₃	F	OH	H	H
IX-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H
IX-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H
IX-12-5	Et	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH	H	H
IX-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH	H	H
IX-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH	H	H
IX-12-8	Et	*	H	*	Et	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-13-1	<i>i</i> Pr	H	H	H	Et	H	CH ₃	F	OH	H	H
IX-13-2	<i>i</i> Pr	H	H	CH ₃	Et	H	CH ₃	F	OH	H	H
IX-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H
IX-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H
IX-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH	H	H
IX-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH	H	H
IX-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH	H	H
IX-13-8	<i>i</i> Pr	*	H	*	Et	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-14.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-14-1	^t Bu	H	H	H	Et	H	CH ₃	F	OH	H	H
IX-14-2	^t Bu	H	H	CH ₃	Et	H	CH ₃	F	OH	H	H
IX-14-3	^t Bu	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H
IX-14-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H
IX-14-5	^t Bu	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH	H	H
IX-14-6	^t Bu	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH	H	H
IX-14-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH	H	H
IX-14-8	^t Bu	*	H	*	Et	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-15-1	Ph	H	H	H	Et	H	CH ₃	F	OH	H	H
IX-15-2	Ph	H	H	CH ₃	Et	H	CH ₃	F	OH	H	H
IX-15-3	Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H
IX-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H
IX-15-5	Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH	H	H
IX-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH	H	H
IX-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH	H	H
IX-15-8	Ph	*	H	*	Et	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-16-1	p-Me-Ph	H	H	H	Et	H	CH ₃	F	OH	H	H
IX-16-2	p-Me-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH	H	H
IX-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H
IX-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H
IX-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH	H	H
IX-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH	H	H
IX-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH	H	H
IX-16-8	p-Me-Ph	*	H	*	Et	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-17.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-17-1	p-F-Ph	H	H	H	Et	H	CH ₃	F	OH	H	H
IX-17-2	p-F-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH	H	H
IX-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H
IX-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H
IX-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH	H	H
IX-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH	H	H
IX-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH	H	H
IX-17-8	p-F-Ph	*	H	*	Et	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-18.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-18-1	p-Cl-Ph	H	H	H	Et	H	CH ₃	F	OH	H	H
IX-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH	H	H
IX-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H
IX-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H
IX-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH	H	H
IX-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH	H	H
IX-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH	H	H
IX-18-8	p-Cl-Ph	*	H	*	Et	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-19.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-19-1	p-Br-Ph	H	H	H	Et	H	CH ₃	F	OH	H	H
IX-19-2	p-Br-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH	H	H
IX-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H
IX-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H
IX-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH	H	H
IX-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH	H	H
IX-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH	H	H
IX-19-8	p-Br-Ph	*	H	*	Et	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-20-1	p-I-Ph	H	H	H	Et	H	CH ₃	F	OH	H	H
IX-20-2	p-I-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH	H	H
IX-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H
IX-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH	H	H
IX-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH	H	H
IX-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH	H	H
IX-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH	H	H
IX-20-8	p-I-Ph	*	H	*	Et	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-21-1	CH ₃	H	H	H	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-21-2	CH ₃	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-21-3	CH ₃	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-21-5	CH ₃	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-21-8	CH ₃	*	H	*	ⁱ Pr	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-22-1	Et	H	H	H	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-22-2	Et	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-22-3	Et	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-22-5	Et	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-22-6	Et	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-22-8	Et	*	H	*	ⁱ Pr	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-23.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-24.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-24-1	<i>t</i> Bu	H	H	H	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-24-2	<i>t</i> Bu	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-24-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-24-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-24-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-24-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-24-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-24-8	<i>t</i> Bu	*	H	*	<i>i</i> Pr	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-25.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-25-1	Ph	H	H	H	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-25-2	Ph	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-25-3	Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-25-5	Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-25-6	Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-25-8	Ph	*	H	*	<i>i</i> Pr	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-26-1	p-Me-Ph	H	H	H	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-26-2	p-Me-Ph	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-26-5	p-Me-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-26-8	p-Me-Ph	*	H	*	<i>i</i> Pr	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-27-1	p-F-Ph	H	H	H	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-27-2	p-F-Ph	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-27-5	p-F-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-27-8	p-F-Ph	*	H	*	<i>i</i> Pr	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-28.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-28-1	p-Cl-Ph	H	H	H	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-28-2	p-Cl-Ph	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-28-5	p-Cl-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	F	OH	H	H
IX-28-8	p-Cl-Ph	*	H	*	<i>i</i> Pr	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-29-1	p-Br-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-29-8	p-Br-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-30-1	p-I-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH	H	H
IX-30-8	p-I-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-31-1	CH ₃	H	H	H	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-31-8	CH ₃	*	H	*	ⁿ Bu	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-32-1	Et	H	H	H	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-32-2	Et	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-32-8	Et	*	H	*	ⁿ Bu	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-33-1	ⁱ Pr	H	H	H	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-33-2	ⁱ Pr	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-33-3	ⁱ Pr	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-33-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-33-5	ⁱ Pr	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-33-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-33-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-33-8	ⁱ Pr	*	H	*	ⁿ Bu	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-34-1	^t Bu	H	H	H	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-34-8	^t Bu	*	H	*	ⁿ Bu	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-35-1	Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-35-2	Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-35-8	Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-37.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-38.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH	H	H
IX-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-41-1	CH ₃	H	H	H	Bz	H	CH ₃	F	OH	H	H
IX-41-2	CH ₃	H	H	CH ₃	Bz	H	CH ₃	F	OH	H	H
IX-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H
IX-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H
IX-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH	H	H
IX-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH	H	H
IX-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH	H	H
IX-41-8	CH ₃	*	H	*	Bz	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-42-1	Et	H	H	H	Bz	H	CH ₃	F	OH	H	H
IX-42-2	Et	H	H	CH ₃	Bz	H	CH ₃	F	OH	H	H
IX-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H
IX-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H
IX-42-5	Et	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH	H	H
IX-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH	H	H
IX-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH	H	H
IX-42-8	Et	*	H	*	Bz	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-43-1	<i>i</i> Pr	H	H	H	Bz	H	CH ₃	F	OH	H	H
IX-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	H	CH ₃	F	OH	H	H
IX-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H
IX-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H
IX-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH	H	H
IX-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH	H	H
IX-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH	H	H
IX-43-8	<i>i</i> Pr	*	H	*	Bz	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-44-1	^t Bu	H	H	H	Bz	H	CH ₃	F	OH	H	H
IX-44-2	^t Bu	H	H	CH ₃	Bz	H	CH ₃	F	OH	H	H
IX-44-3	^t Bu	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H
IX-44-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H
IX-44-5	^t Bu	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH	H	H
IX-44-6	^t Bu	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH	H	H
IX-44-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH	H	H
IX-44-8	^t Bu	*	H	*	Bz	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-45-1	Ph	H	H	H	Bz	H	CH ₃	F	OH	H	H
IX-45-2	Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH	H	H
IX-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H
IX-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H
IX-45-5	Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH	H	H
IX-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH	H	H
IX-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH	H	H
IX-45-8	Ph	*	H	*	Bz	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-46-1	p-Me-Ph	H	H	H	Bz	H	CH ₃	F	OH	H	H
IX-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH	H	H
IX-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H
IX-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H
IX-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH	H	H
IX-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH	H	H
IX-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH	H	H
IX-46-8	p-Me-Ph	*	H	*	Bz	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-47-1	p-F-Ph	H	H	H	Bz	H	CH ₃	F	OH	H	H
IX-47-2	p-F-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH	H	H
IX-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H
IX-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H
IX-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH	H	H
IX-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH	H	H
IX-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH	H	H
IX-47-8	p-F-Ph	*	H	*	Bz	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-48-1	p-Cl-Ph	H	H	H	Bz	H	CH ₃	F	OH	H	H
IX-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH	H	H
IX-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H
IX-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H
IX-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH	H	H
IX-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH	H	H
IX-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH	H	H
IX-48-8	p-Cl-Ph	*	H	*	Bz	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-49.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-49-1	p-Br-Ph	H	H	H	Bz	H	CH ₃	F	OH	H	H
IX-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH	H	H
IX-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H
IX-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H
IX-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH	H	H
IX-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH	H	H
IX-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH	H	H
IX-49-8	p-Br-Ph	*	H	*	Bz	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table IX-50.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
IX-50-1	p-I-Ph	H	H	H	Bz	H	CH ₃	F	OH	H	H
IX-50-2	p-I-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH	H	H
IX-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H
IX-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH	H	H
IX-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH	H	H
IX-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH	H	H
IX-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH	H	H
IX-50-8	p-I-Ph	*	H	*	Bz	H	CH ₃	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.


**X**

Table X-1.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-1-1	CH ₃	H	H	H	CH ₃	H	F	F	OH	H	H
X-1-2	CH ₃	H	H	CH ₃	CH ₃	H	F	F	OH	H	H
X-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H
X-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H
X-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	F	F	OH	H	H
X-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH	H	H
X-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH	H	H
X-1-8	CH ₃	*	H	*	CH ₃	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-2.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-2-1	Et	H	H	H	CH ₃	H	F	F	OH	H	H
X-2-2	Et	H	H	CH ₃	CH ₃	H	F	F	OH	H	H
X-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H
X-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H
X-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	F	F	OH	H	H
X-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH	H	H
X-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH	H	H
X-2-8	Et	*	H	*	CH ₃	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-3.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-3-1	ⁱ Pr	H	H	H	CH ₃	H	F	F	OH	H	H
X-3-2	ⁱ Pr	H	H	CH ₃	CH ₃	H	F	F	OH	H	H
X-3-3	ⁱ Pr	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H
X-3-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H
X-3-5	ⁱ Pr	H	H	CH ₂ Ph	CH ₃	H	F	F	OH	H	H
X-3-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH	H	H
X-3-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH	H	H
X-3-8	ⁱ Pr	*	H	*	CH ₃	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-4.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-4-1	^t Bu	H	H	H	CH ₃	H	F	F	OH	H	H
X-4-2	^t Bu	H	H	CH ₃	CH ₃	H	F	F	OH	H	H
X-4-3	^t Bu	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H
X-4-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H
X-4-5	^t Bu	H	H	CH ₂ Ph	CH ₃	H	F	F	OH	H	H
X-4-6	^t Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH	H	H
X-4-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH	H	H
X-4-8	^t Bu	*	H	*	CH ₃	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-5.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-5-1	Ph	H	H	H	CH ₃	H	F	F	OH	H	H
X-5-2	Ph	H	H	CH ₃	CH ₃	H	F	F	OH	H	H
X-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H
X-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H
X-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH	H	H
X-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH	H	H
X-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH	H	H
X-5-8	Ph	*	H	*	CH ₃	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-6.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-6-1	p-Me-Ph	H	H	H	CH ₃	H	F	F	OH	H	H
X-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	F	F	OH	H	H
X-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H
X-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H
X-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH	H	H
X-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH	H	H
X-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH	H	H
X-6-8	p-Me-Ph	*	H	*	CH ₃	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-7.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-7-1	p-F-Ph	H	H	H	CH ₃	H	F	F	OH	H	H
X-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	F	F	OH	H	H
X-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H
X-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H
X-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH	H	H
X-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH	H	H
X-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH	H	H
X-7-20	p-F-Ph	*	H	*	CH ₃	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-8-1	p-Cl-Ph	H	H	H	CH ₃	H	F	F	OH	H	H
X-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	F	F	OH	H	H
X-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H
X-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H
X-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH	H	H
X-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH	H	H
X-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH	H	H
X-8-8	p-Cl-Ph	*	H	*	CH ₃	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-9-1	p-Br-Ph	H	H	H	CH ₃	H	F	F	OH	H	H
X-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	F	F	OH	H	H
X-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H
X-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H
X-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH	H	H
X-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH	H	H
X-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH	H	H
X-9-20	p-Br-Ph	*	H	*	CH ₃	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-10-1	p-I-Ph	H	H	H	CH ₃	H	F	F	OH	H	H
X-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	F	F	OH	H	H
X-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H
X-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH	H	H
X-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH	H	H
X-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH	H	H
X-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH	H	H
X-10-8	p-I-Ph	*	H	*	CH ₃	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-11-1	CH ₃	H	H	H	Et	H	F	F	OH	H	H
X-11-2	CH ₃	H	H	CH ₃	Et	H	F	F	OH	H	H
X-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	F	F	OH	H	H
X-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH	H	H
X-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	F	F	OH	H	H
X-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH	H	H
X-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH	H	H
X-11-8	CH ₃	*	H	*	Et	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-12-1	Et	H	H	H	Et	H	F	F	OH	H	H
X-12-2	Et	H	H	CH ₃	Et	H	F	F	OH	H	H
X-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	F	F	OH	H	H
X-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH	H	H
X-12-5	Et	H	H	CH ₂ Ph	Et	H	F	F	OH	H	H
X-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH	H	H
X-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH	H	H
X-12-8	Et	*	H	*	Et	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-13-1	<i>i</i> Pr	H	H	H	Et	H	F	F	OH	H	H
X-13-2	<i>i</i> Pr	H	H	CH ₃	Et	H	F	F	OH	H	H
X-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	H	F	F	OH	H	H
X-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH	H	H
X-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	H	F	F	OH	H	H
X-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH	H	H
X-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH	H	H
X-13-8	<i>i</i> Pr	*	H	*	Et	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-14.

N ^o	R ¹	R ²	R	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-14-1	^t Bu	H	H	H		Et	H	F	F	OH	H	H
X-14-2	^t Bu	H	H	CH ₃		Et	H	F	F	OH	H	H
X-14-3	^t Bu	H	H	CH(CH ₃) ₂		Et	H	F	F	OH	H	H
X-14-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂		Et	H	F	F	OH	H	H
X-14-5	^t Bu	H	H	CH ₂ Ph		Et	H	F	F	OH	H	H
X-14-6	^t Bu	H	H	CH ₂ -indol-3-yl		Et	H	F	F	OH	H	H
X-14-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃		Et	H	F	F	OH	H	H
X-14-8	^t Bu	*	H	*		Et	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-15-1	Ph	H	H	H	Et	H	F	F	OH	H	H
X-15-2	Ph	H	H	CH ₃	Et	H	F	F	OH	H	H
X-15-3	Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH	H	H
X-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH	H	H
X-15-5	Ph	H	H	CH ₂ Ph	Et	H	F	F	OH	H	H
X-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH	H	H
X-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH	H	H
X-15-8	Ph	*	H	*	Et	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-16-1	p-Me-Ph	H	H	H	Et	H	F	F	OH	H	H
X-16-2	p-Me-Ph	H	H	CH ₃	Et	H	F	F	OH	H	H
X-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH	H	H
X-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH	H	H
X-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH	H	H
X-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH	H	H
X-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH	H	H
X-16-8	p-Me-Ph	*	H	*	Et	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-17-1	p-F-Ph	H	H	H	Et	H	F	F	OH	H	H
X-17-2	p-F-Ph	H	H	CH ₃	Et	H	F	F	OH	H	H
X-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH	H	H
X-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH	H	H
X-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH	H	H
X-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH	H	H
X-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH	H	H
X-17-8	p-F-Ph	*	H	*	Et	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-18.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-18-1	p-Cl-Ph	H	H	H	Et	H	F	F	OH	H	H
X-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	F	F	OH	H	H
X-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH	H	H
X-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH	H	H
X-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH	H	H
X-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH	H	H
X-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH	H	H
X-18-8	p-Cl-Ph	*	H	*	Et	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-19.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-19-1	p-Br-Ph	H	H	H	Et	H	F	F	OH	H	H
X-19-2	p-Br-Ph	H	H	CH ₃	Et	H	F	F	OH	H	H
X-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH	H	H
X-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH	H	H
X-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH	H	H
X-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH	H	H
X-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH	H	H
X-19-8	p-Br-Ph	*	H	*	Et	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷
X-20-1	p-I-Ph	H	H	H	Et	H	F	F	OH	H
X-20-2	p-I-Ph	H	H	CH ₃	Et	H	F	F	OH	H
X-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH	H
X-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH	H
X-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH	H
X-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH	H
X-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH	H
X-20-8	p-I-Ph	*	H	*	Et	H	F	F	OH	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-21-1	CH ₃	H	H	H	ⁱ Pr	H	F	F	OH	H	H
X-21-2	CH ₃	H	H	CH ₃	ⁱ Pr	H	F	F	OH	H	H
X-21-3	CH ₃	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H
X-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H
X-21-5	CH ₃	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH	H	H
X-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH	H	H
X-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH	H	H
X-21-8	CH ₃	*	H	*	ⁱ Pr	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-22-1	Et	H	H	H	ⁱ Pr	H	F	F	OH	H	H
X-22-2	Et	H	H	CH ₃	ⁱ Pr	H	F	F	OH	H	H
X-22-3	Et	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H
X-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H
X-22-5	Et	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH	H	H
X-22-6	Et	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH	H	H
X-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH	H	H
X-22-8	Et	*	H	*	ⁱ Pr	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	H	F	F	OH	H	H
X-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	H	F	F	OH	H	H
X-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH	H	H
X-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH	H	H
X-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	F	OH	H	H
X-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	F	OH	H	H
X-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	F	OH	H	H
X-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-24-1	<i>t</i> Bu	H	H	H	<i>i</i> Pr	H	F	F	OH	H	H
X-24-2	<i>t</i> Bu	H	H	CH ₃	<i>i</i> Pr	H	F	F	OH	H	H
X-24-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH	H	H
X-24-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH	H	H
X-24-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	F	OH	H	H
X-24-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	F	OH	H	H
X-24-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	F	OH	H	H
X-24-8	<i>t</i> Bu	*	H	*	<i>i</i> Pr	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-25-1	Ph	H	H	H	<i>i</i> Pr	H	F	F	OH	H	H
X-25-2	Ph	H	H	CH ₃	<i>i</i> Pr	H	F	F	OH	H	H
X-25-3	Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH	H	H
X-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH	H	H
X-25-5	Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	F	OH	H	H
X-25-6	Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	F	OH	H	H
X-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	F	OH	H	H
X-25-8	Ph	*	H	*	<i>i</i> Pr	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-26-1	p-Me-Ph	H	H	H	ⁱ Pr	H	F	F	OH	H	H
X-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH	H	H
X-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H
X-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H
X-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH	H	H
X-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH	H	H
X-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH	H	H
X-26-8	p-Me-Ph	*	H	*	ⁱ Pr	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-27-1	p-F-Ph	H	H	H	ⁱ Pr	H	F	F	OH	H	H
X-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH	H	H
X-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H
X-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H
X-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH	H	H
X-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH	H	H
X-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH	H	H
X-27-8	p-F-Ph	*	H	*	ⁱ Pr	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-28.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	H	F	F	OH	H	H
X-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH	H	H
X-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H
X-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H
X-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH	H	H
X-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH	H	H
X-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH	H	H
X-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-29-1	p-Br-Ph	H	H	H	ⁱ Pr	H	F	F	OH	H	H
X-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH	H	H
X-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H
X-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H
X-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH	H	H
X-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH	H	H
X-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH	H	H
X-29-8	p-Br-Ph	*	H	*	ⁱ Pr	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-30-1	p-I-Ph	H	H	H	ⁱ Pr	H	F	F	OH	H	H
X-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH	H	H
X-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H
X-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH	H	H
X-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH	H	H
X-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH	H	H
X-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH	H	H
X-30-8	p-I-Ph	*	H	*	ⁱ Pr	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-31-1	CH ₃	H	H	H	ⁿ Bu	H	F	F	OH	H	H
X-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	F	F	OH	H	H
X-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H
X-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H
X-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH	H	H
X-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH	H	H
X-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH	H	H
X-31-8	CH ₃	*	H	*	ⁿ Bu	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-32.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-32-1	Et	H	H	H	ⁿ Bu	H	F	F	OH	H	H
X-32-2	Et	H	H	CH ₃	ⁿ Bu	H	F	F	OH	H	H
X-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H
X-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H
X-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH	H	H
X-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH	H	H
X-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH	H	H
X-32-8	Et	*	H	*	ⁿ Bu	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-33.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-33-1	ⁱ Pr	H	H	H	ⁿ Bu	H	F	F	OH	H	H
X-33-2	ⁱ Pr	H	H	CH ₃	ⁿ Bu	H	F	F	OH	H	H
X-33-3	ⁱ Pr	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H
X-33-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H
X-33-5	ⁱ Pr	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH	H	H
X-33-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH	H	H
X-33-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH	H	H
X-33-8	ⁱ Pr	*	H	*	ⁿ Bu	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-34.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-34-1	^t Bu	H	H	H	ⁿ Bu	H	F	F	OH	H	H
X-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	H	F	F	OH	H	H
X-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H
X-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H
X-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH	H	H
X-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH	H	H
X-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH	H	H
X-34-8	^t Bu	*	H	*	ⁿ Bu	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-35.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-35-1	Ph	H	H	H	ⁿ Bu	H	F	F	OH	H	H
X-35-2	Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH	H	H
X-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H
X-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H
X-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH	H	H
X-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH	H	H
X-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH	H	H
X-35-8	Ph	*	H	*	ⁿ Bu	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-36.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	F	F	OH	H	H
X-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH	H	H
X-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H
X-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H
X-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH	H	H
X-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH	H	H
X-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH	H	H
X-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-37.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	F	F	OH	H	H
X-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH	H	H
X-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H
X-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H
X-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH	H	H
X-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH	H	H
X-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH	H	H
X-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-38.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	F	F	OH	H	H
X-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH	H	H
X-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H
X-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H
X-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH	H	H
X-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH	H	H
X-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH	H	H
X-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	F	F	OH	H	H
X-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH	H	H
X-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H
X-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H
X-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH	H	H
X-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH	H	H
X-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH	H	H
X-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	F	F	OH	H	H
X-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH	H	H
X-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H
X-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH	H	H
X-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH	H	H
X-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH	H	H
X-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH	H	H
X-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-41-1	CH ₃	H	H	H	Bz	H	F	F	OH	H	H
X-41-2	CH ₃	H	H	CH ₃	Bz	H	F	F	OH	H	H
X-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH	H	H
X-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH	H	H
X-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	F	F	OH	H	H
X-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH	H	H
X-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH	H	H
X-41-8	CH ₃	*	H	*	Bz	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-42-1	Et	H	H	H	Bz	H	F	F	OH	H	H
X-42-2	Et	H	H	CH ₃	Bz	H	F	F	OH	H	H
X-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH	H	H
X-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH	H	H
X-42-5	Et	H	H	CH ₂ Ph	Bz	H	F	F	OH	H	H
X-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH	H	H
X-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH	H	H
X-42-8	Et	*	H	*	Bz	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-43-1	<i>i</i> Pr	H	H	H	Bz	H	F	F	OH	H	H
X-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	H	F	F	OH	H	H
X-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH	H	H
X-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH	H	H
X-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	H	F	F	OH	H	H
X-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH	H	H
X-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH	H	H
X-43-8	<i>i</i> Pr	*	H	*	Bz	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-44-1	^t Bu	H	H	H	Bz	H	F	F	OH	H	H
X-44-2	^t Bu	H	H	CH ₃	Bz	H	F	F	OH	H	H
X-44-3	^t Bu	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH	H	H
X-44-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH	H	H
X-44-5	^t Bu	H	H	CH ₂ Ph	Bz	H	F	F	OH	H	H
X-44-6	^t Bu	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH	H	H
X-44-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH	H	H
X-44-8	^t Bu	*	H	*	Bz	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-45-1	Ph	H	H	H	Bz	H	F	F	OH	H	H
X-45-2	Ph	H	H	CH ₃	Bz	H	F	F	OH	H	H
X-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH	H	H
X-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH	H	H
X-45-5	Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH	H	H
X-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH	H	H
X-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH	H	H
X-45-8	Ph	*	H	*	Bz	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-46-1	p-Me-Ph	H	H	H	Bz	H	F	F	OH	H	H
X-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	F	F	OH	H	H
X-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH	H	H
X-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH	H	H
X-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH	H	H
X-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH	H	H
X-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH	H	H
X-46-8	p-Me-Ph	*	H	*	Bz	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-47-1	p-F-Ph	H	H	H	Bz	H	F	F	OH	H	H
X-47-2	p-F-Ph	H	H	CH ₃	Bz	H	F	F	OH	H	H
X-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH	H	H
X-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH	H	H
X-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH	H	H
X-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH	H	H
X-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH	H	H
X-47-8	p-F-Ph	*	H	*	Bz	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-48-1	p-Cl-Ph	H	H	H	Bz	H	F	F	OH	H	H
X-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	F	F	OH	H	H
X-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH	H	H
X-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH	H	H
X-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH	H	H
X-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH	H	H
X-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH	H	H
X-48-8	p-Cl-Ph	*	H	*	Bz	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-49.


N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-49-1	p-Br-Ph	H	H	H	Bz	H	F	F	OH	H	H
X-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	F	F	OH	H	H
X-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH	H	H
X-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH	H	H
X-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH	H	H
X-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH	H	H
X-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH	H	H
X-49-8	p-Br-Ph	*	H	*	Bz	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table X-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
X-50-1	p-I-Ph	H	H	H	Bz	H	F	F	OH	H	H
X-50-2	p-I-Ph	H	H	CH ₃	Bz	H	F	F	OH	H	H
X-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH	H	H
X-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH	H	H
X-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH	H	H
X-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH	H	H
X-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH	H	H
X-50-8	p-I-Ph	*	H	*	Bz	H	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.



XI

Table XI-1.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-1-1	CH ₃	H	H	H	CH ₃	H	H	F	OH	H	H
XI-1-2	CH ₃	H	H	CH ₃	CH ₃	H	H	F	OH	H	H
XI-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H
XI-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H
XI-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	H	F	OH	H	H
XI-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH	H	H
XI-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH	H	H
XI-1-8	CH ₃	*	H	*	CH ₃	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-2.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-2-1	Et	H	H	H	CH ₃	H	H	F	OH	H	H
XI-2-2	Et	H	H	CH ₃	CH ₃	H	H	F	OH	H	H
XI-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H
XI-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H
XI-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	H	F	OH	H	H
XI-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH	H	H
XI-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH	H	H
XI-2-8	Et	*	H	*	CH ₃	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-3-1	<i>i</i> Pr	H	H	H	CH ₃	H	H	F	OH	H	H
XI-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	H	H	F	OH	H	H
XI-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H
XI-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H
XI-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	H	H	F	OH	H	H
XI-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH	H	H
XI-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH	H	H
XI-3-8	<i>i</i> Pr	*	H	*	CH ₃	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-4-1	^t Bu	H	H	H	CH ₃	H	H	F	OH	H	H
XI-4-2	^t Bu	H	H	CH ₃	CH ₃	H	H	F	OH	H	H
XI-4-3	^t Bu	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H
XI-4-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H
XI-4-5	^t Bu	H	H	CH ₂ Ph	CH ₃	H	H	F	OH	H	H
XI-4-6	^t Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH	H	H
XI-4-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH	H	H
XI-4-8	^t Bu	*	H	*	CH ₃	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-5.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-5-1	Ph	H	H	H	CH ₃	H	H	F	OH	H	H
XI-5-2	Ph	H	H	CH ₃	CH ₃	H	H	F	OH	H	H
XI-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H
XI-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H
XI-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH	H	H
XI-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH	H	H
XI-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH	H	H
XI-5-8	Ph	*	H	*	CH ₃	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-6.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-6-1	p-Me-Ph	H	H	H	CH ₃	H	H	F	OH	H	H
XI-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	H	F	OH	H	H
XI-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H
XI-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H
XI-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH	H	H
XI-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH	H	H
XI-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH	H	H
XI-6-8	p-Me-Ph	*	H	*	CH ₃	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-7.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-7-1	p-F-Ph	H	H	H	CH ₃	H	H	F	OH	H	H
XI-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	H	F	OH	H	H
XI-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H
XI-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H
XI-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH	H	H
XI-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH	H	H
XI-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH	H	H
XI-7-20	p-F-Ph	*	H	*	CH ₃	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-8-1	p-Cl-Ph	H	H	H	CH ₃	H	H	F	OH	H	H
XI-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	H	F	OH	H	H
XI-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H
XI-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H
XI-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH	H	H
XI-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH	H	H
XI-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH	H	H
XI-8-8	p-Cl-Ph	*	H	*	CH ₃	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-9-1	p-Br-Ph	H	H	H	CH ₃	H	H	F	OH	H	H
XI-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	H	F	OH	H	H
XI-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H
XI-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H
XI-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH	H	H
XI-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH	H	H
XI-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH	H	H
XI-9-20	p-Br-Ph	*	H	*	CH ₃	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-10.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-10-1	p-I-Ph	H	H	H	CH ₃	H	H	F	OH	H	H
XI-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	H	F	OH	H	H
XI-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H
XI-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH	H	H
XI-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH	H	H
XI-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH	H	H
XI-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH	H	H
XI-10-8	p-I-Ph	*	H	*	CH ₃	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-11.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-11-1	CH ₃	H	H	H	Et	H	H	F	OH	H	H
XI-11-2	CH ₃	H	H	CH ₃	Et	H	H	F	OH	H	H
XI-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	H	F	OH	H	H
XI-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH	H	H
XI-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	H	F	OH	H	H
XI-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH	H	H
XI-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH	H	H
XI-11-8	CH ₃	*	H	*	Et	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-12.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-12-1	Et	H	H	H	Et	H	H	F	OH	H	H
XI-12-2	Et	H	H	CH ₃	Et	H	H	F	OH	H	H
XI-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	H	F	OH	H	H
XI-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH	H	H
XI-12-5	Et	H	H	CH ₂ Ph	Et	H	H	F	OH	H	H
XI-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH	H	H
XI-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH	H	H
XI-12-8	Et	*	H	*	Et	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-13-1	<i>i</i> Pr	H	H	H	Et	H	H	F	OH	H	H
XI-13-2	<i>i</i> Pr	H	H	CH ₃	Et	H	H	F	OH	H	H
XI-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	H	H	F	OH	H	H
XI-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH	H	H
XI-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	H	H	F	OH	H	H
XI-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH	H	H
XI-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH	H	H
XI-13-8	<i>i</i> Pr	*	H	*	Et	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-14.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-14-1	<i>t</i> Bu	H	H	H	Et	H	H	F	OH	H	H
XI-14-2	<i>t</i> Bu	H	H	CH ₃	Et	H	H	F	OH	H	H
XI-14-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Et	H	H	F	OH	H	H
XI-14-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH	H	H
XI-14-5	<i>t</i> Bu	H	H	CH ₂ Ph	Et	H	H	F	OH	H	H
XI-14-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH	H	H
XI-14-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH	H	H
XI-14-8	<i>t</i> Bu	*	H	*	Et	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-15-1	Ph	H	H	H	Et	H	H	F	OH	H	H
XI-15-2	Ph	H	H	CH ₃	Et	H	H	F	OH	H	H
XI-15-3	Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH	H	H
XI-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH	H	H
XI-15-5	Ph	H	H	CH ₂ Ph	Et	H	H	F	OH	H	H
XI-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH	H	H
XI-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH	H	H
XI-15-8	Ph	*	H	*	Et	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-16-1	p-Me-Ph	H	H	H	Et	H	H	F	OH	H	H
XI-16-2	p-Me-Ph	H	H	CH ₃	Et	H	H	F	OH	H	H
XI-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH	H	H
XI-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH	H	H
XI-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH	H	H
XI-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH	H	H
XI-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH	H	H
XI-16-8	p-Me-Ph	*	H	*	Et	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-17-1	p-F-Ph	H	H	H	Et	H	H	F	OH	H	H
XI-17-2	p-F-Ph	H	H	CH ₃	Et	H	H	F	OH	H	H
XI-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH	H	H
XI-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH	H	H
XI-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH	H	H
XI-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH	H	H
XI-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH	H	H
XI-17-8	p-F-Ph	*	H	*	Et	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-18.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-18-1	p-Cl-Ph	H	H	H	Et	H	H	F	OH	H	H
XI-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	H	F	OH	H	H
XI-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH	H	H
XI-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH	H	H
XI-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH	H	H
XI-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH	H	H
XI-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH	H	H
XI-18-8	p-Cl-Ph	*	H	*	Et	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-19.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-19-1	p-Br-Ph	H	H	H	Et	H	H	F	OH	H	H
XI-19-2	p-Br-Ph	H	H	CH ₃	Et	H	H	F	OH	H	H
XI-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH	H	H
XI-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH	H	H
XI-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH	H	H
XI-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH	H	H
XI-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH	H	H
XI-19-8	p-Br-Ph	*	H	*	Et	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-20-1	p-I-Ph	H	H	H	Et	H	H	F	OH	H	H
XI-20-2	p-I-Ph	H	H	CH ₃	Et	H	H	F	OH	H	H
XI-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH	H	H
XI-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH	H	H
XI-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH	H	H
XI-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH	H	H
XI-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH	H	H
XI-20-8	p-I-Ph	*	H	*	Et	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-21-1	CH ₃	H	H	H	ⁱ Pr	H	H	F	OH	H	H
XI-21-2	CH ₃	H	H	CH ₃	ⁱ Pr	H	H	F	OH	H	H
XI-21-3	CH ₃	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH	H	H
XI-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH	H	H
XI-21-5	CH ₃	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH	H	H
XI-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH	H	H
XI-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH	H	H
XI-21-8	CH ₃	*	H	*	ⁱ Pr	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-22-1	Et	H	H	H	<i>i</i> Pr	H	H	F	OH	H	H
XI-22-2	Et	H	H	CH ₃	<i>i</i> Pr	H	H	F	OH	H	H
XI-22-3	Et	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H
XI-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H
XI-22-5	Et	H	H	CH ₂ Ph	<i>i</i> Pr	H	H	F	OH	H	H
XI-22-6	Et	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	H	F	OH	H	H
XI-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	H	F	OH	H	H
XI-22-8	Et	*	H	*	<i>i</i> Pr	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	H	H	F	OH	H	H
XI-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	H	H	F	OH	H	H
XI-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H
XI-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H
XI-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	H	H	F	OH	H	H
XI-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	H	F	OH	H	H
XI-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	H	F	OH	H	H
XI-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-24-1	<i>t</i> Bu	H	H	H	<i>i</i> Pr	H	H	F	OH	H	H
XI-24-2	<i>t</i> Bu	H	H	CH ₃	<i>i</i> Pr	H	H	F	OH	H	H
XI-24-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H
XI-24-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H
XI-24-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>i</i> Pr	H	H	F	OH	H	H
XI-24-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	H	F	OH	H	H
XI-24-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	H	F	OH	H	H
XI-24-8	<i>t</i> Bu	*	H	*	<i>i</i> Pr	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-25.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-25-1	Ph	H	H	H	<i>i</i> Pr	H	H	F	OH	H	H
XI-25-2	Ph	H	H	CH ₃	<i>i</i> Pr	H	H	F	OH	H	H
XI-25-3	Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H
XI-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H
XI-25-5	Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	H	F	OH	H	H
XI-25-6	Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	H	F	OH	H	H
XI-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	H	F	OH	H	H
XI-25-8	Ph	*	H	*	<i>i</i> Pr	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-26.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-26-1	p-Me-Ph	H	H	H	<i>i</i> Pr	H	H	F	OH	H	H
XI-26-2	p-Me-Ph	H	H	CH ₃	<i>i</i> Pr	H	H	F	OH	H	H
XI-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H
XI-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H
XI-26-5	p-Me-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	H	F	OH	H	H
XI-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	H	F	OH	H	H
XI-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	H	F	OH	H	H
XI-26-8	p-Me-Ph	*	H	*	<i>i</i> Pr	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-27.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-27-1	p-F-Ph	H	H	H	<i>i</i> Pr	H	H	F	OH	H	H
XI-27-2	p-F-Ph	H	H	CH ₃	<i>i</i> Pr	H	H	F	OH	H	H
XI-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H
XI-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H
XI-27-5	p-F-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	H	F	OH	H	H
XI-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	H	F	OH	H	H
XI-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	H	F	OH	H	H
XI-27-8	p-F-Ph	*	H	*	<i>i</i> Pr	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-28.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-28-1	p-Cl-Ph	H	H	H	<i>i</i> Pr	H	H	F	OH	H	H
XI-28-2	p-Cl-Ph	H	H	CH ₃	<i>i</i> Pr	H	H	F	OH	H	H
XI-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H
XI-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H
XI-28-5	p-Cl-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	H	F	OH	H	H
XI-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	H	F	OH	H	H
XI-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	H	F	OH	H	H
XI-28-8	p-Cl-Ph	*	H	*	<i>i</i> Pr	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-29.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-29-1	p-Br-Ph	H	H	H	<i>i</i> Pr	H	H	F	OH	H	H
XI-29-2	p-Br-Ph	H	H	CH ₃	<i>i</i> Pr	H	H	F	OH	H	H
XI-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H
XI-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H
XI-29-5	p-Br-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	H	F	OH	H	H
XI-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	H	F	OH	H	H
XI-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	H	F	OH	H	H
XI-29-8	p-Br-Ph	*	H	*	<i>i</i> Pr	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-30.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-30-1	p-I-Ph	H	H	H	<i>i</i> Pr	H	H	F	OH	H	H
XI-30-2	p-I-Ph	H	H	CH ₃	<i>i</i> Pr	H	H	F	OH	H	H
XI-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H
XI-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH	H	H
XI-30-5	p-I-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	H	F	OH	H	H
XI-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	H	F	OH	H	H
XI-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	H	F	OH	H	H
XI-30-8	p-I-Ph	*	H	*	<i>i</i> Pr	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-31-1	CH ₃	H	H	H	ⁿ Bu	H	H	F	OH	H	H
XI-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	H	F	OH	H	H
XI-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H
XI-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H
XI-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH	H	H
XI-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH	H	H
XI-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH	H	H
XI-31-8	CH ₃	*	H	*	ⁿ Bu	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-32-1	Et	H	H	H	ⁿ Bu	H	H	F	OH	H	H
XI-32-2	Et	H	H	CH ₃	ⁿ Bu	H	H	F	OH	H	H
XI-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H
XI-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H
XI-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH	H	H
XI-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH	H	H
XI-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH	H	H
XI-32-8	Et	*	H	*	ⁿ Bu	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-33-1	<i>i</i> Pr	H	H	H	ⁿ Bu	H	H	F	OH	H	H
XI-33-2	<i>i</i> Pr	H	H	CH ₃	ⁿ Bu	H	H	F	OH	H	H
XI-33-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H
XI-33-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H
XI-33-5	<i>i</i> Pr	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH	H	H
XI-33-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH	H	H
XI-33-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH	H	H
XI-33-8	<i>i</i> Pr	*	H	*	ⁿ Bu	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-34-1	^t Bu	H	H	H	ⁿ Bu	H	H	F	OH	H	H
XI-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	H	H	F	OH	H	H
XI-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H
XI-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H
XI-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH	H	H
XI-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH	H	H
XI-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH	H	H
XI-34-8	^t Bu	*	H	*	ⁿ Bu	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-35-1	Ph	H	H	H	ⁿ Bu	H	H	F	OH	H	H
XI-35-2	Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH	H	H
XI-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H
XI-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H
XI-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH	H	H
XI-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH	H	H
XI-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH	H	H
XI-35-8	Ph	*	H	*	ⁿ Bu	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	H	F	OH	H	H
XI-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH	H	H
XI-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H
XI-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H
XI-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH	H	H
XI-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH	H	H
XI-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH	H	H
XI-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-37.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	H	F	OH	H	H
XI-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH	H	H
XI-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H
XI-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H
XI-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH	H	H
XI-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH	H	H
XI-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH	H	H
XI-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-38.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	H	F	OH	H	H
XI-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH	H	H
XI-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H
XI-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H
XI-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH	H	H
XI-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH	H	H
XI-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH	H	H
XI-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	H	F	OH	H	H
XI-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH	H	H
XI-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H
XI-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H
XI-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH	H	H
XI-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH	H	H
XI-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH	H	H
XI-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	H	F	OH	H	H
XI-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH	H	H
XI-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H
XI-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH	H	H
XI-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH	H	H
XI-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH	H	H
XI-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH	H	H
XI-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-41-1	CH ₃	H	H	H	Bz	H	H	F	OH	H	H
XI-41-2	CH ₃	H	H	CH ₃	Bz	H	H	F	OH	H	H
XI-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH	H	H
XI-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH	H	H
XI-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	H	F	OH	H	H
XI-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH	H	H
XI-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH	H	H
XI-41-8	CH ₃	*	H	*	Bz	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-42-1	Et	H	H	H	Bz	H	H	F	OH	H	H
XI-42-2	Et	H	H	CH ₃	Bz	H	H	F	OH	H	H
XI-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH	H	H
XI-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH	H	H
XI-42-5	Et	H	H	CH ₂ Ph	Bz	H	H	F	OH	H	H
XI-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH	H	H
XI-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH	H	H
XI-42-8	Et	*	H	*	Bz	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-43-1	<i>i</i> Pr	H	H	H	Bz	H	H	F	OH	H	H
XI-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	H	H	F	OH	H	H
XI-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH	H	H
XI-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH	H	H
XI-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	H	H	F	OH	H	H
XI-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH	H	H
XI-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH	H	H
XI-43-8	<i>i</i> Pr	*	H	*	Bz	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-44-1	<i>t</i> Bu	H	H	H	Bz	H	H	F	OH	H	H
XI-44-2	<i>t</i> Bu	H	H	CH ₃	Bz	H	H	F	OH	H	H
XI-44-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH	H	H
XI-44-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH	H	H
XI-44-5	<i>t</i> Bu	H	H	CH ₂ Ph	Bz	H	H	F	OH	H	H
XI-44-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH	H	H
XI-44-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH	H	H
XI-44-8	<i>t</i> Bu	*	H	*	Bz	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-45-1	Ph	H	H	H	Bz	H	H	F	OH	H	H
XI-45-2	Ph	H	H	CH ₃	Bz	H	H	F	OH	H	H
XI-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH	H	H
XI-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH	H	H
XI-45-5	Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH	H	H
XI-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH	H	H
XI-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH	H	H
XI-45-8	Ph	*	H	*	Bz	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-46-1	p-Me-Ph	H	H	H	Bz	H	H	F	OH	H	H
XI-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	H	F	OH	H	H
XI-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH	H	H
XI-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH	H	H
XI-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH	H	H
XI-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH	H	H
XI-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH	H	H
XI-46-8	p-Me-Ph	*	H	*	Bz	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-47-1	p-F-Ph	H	H	H	Bz	H	H	F	OH	H	H
XI-47-2	p-F-Ph	H	H	CH ₃	Bz	H	H	F	OH	H	H
XI-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH	H	H
XI-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH	H	H
XI-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH	H	H
XI-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH	H	H
XI-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH	H	H
XI-47-8	p-F-Ph	*	H	*	Bz	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-48-1	p-Cl-Ph	H	H	H	Bz	H	H	F	OH	H	H
XI-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	H	F	OH	H	H
XI-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH	H	H
XI-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH	H	H
XI-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH	H	H
XI-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH	H	H
XI-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH	H	H
XI-48-8	p-Cl-Ph	*	H	*	Bz	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-49.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-49-1	p-Br-Ph	H	H	H	Bz	H	H	F	OH	H	H
XI-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	H	F	OH	H	H
XI-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH	H	H
XI-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH	H	H
XI-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH	H	H
XI-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH	H	H
XI-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH	H	H
XI-49-8	p-Br-Ph	*	H	*	Bz	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XI-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XI-50-1	p-I-Ph	H	H	H	Bz	H	H	F	OH	H	H
XI-50-2	p-I-Ph	H	H	CH ₃	Bz	H	H	F	OH	H	H
XI-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH	H	H
XI-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH	H	H
XI-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH	H	H
XI-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH	H	H
XI-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH	H	H
XI-50-8	p-I-Ph	*	H	*	Bz	H	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.


**XII**

Table XII-1.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-1-1	CH ₃	H	H	H	CH ₃	N ₃	F	F	OH	H	H
XII-1-2	CH ₃	H	H	CH ₃	CH ₃	N ₃	F	F	OH	H	H
XII-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	N ₃	F	F	OH	H	H
XII-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	F	F	OH	H	H
XII-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	N ₃	F	F	OH	H	H
XII-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	F	F	OH	H	H
XII-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	F	F	OH	H	H
XII-1-8	CH ₃	*	H	*	CH ₃	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-2.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-2-1	Et	H	H	H	CH ₃	N ₃	F	F	OH	H	H
XII-2-2	Et	H	H	CH ₃	CH ₃	N ₃	F	F	OH	H	H
XII-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	N ₃	F	F	OH	H	H
XII-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	F	F	OH	H	H
XII-2-5	Et	H	H	CH ₂ Ph	CH ₃	N ₃	F	F	OH	H	H
XII-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	F	F	OH	H	H
XII-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	F	F	OH	H	H
XII-2-8	Et	*	H	*	CH ₃	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-3-1	<i>i</i> Pr	H	H	H	CH ₃	N ₃	F	F	OH	H	H
XII-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	N ₃	F	F	OH	H	H
XII-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	N ₃	F	F	OH	H	H
XII-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	F	F	OH	H	H
XII-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	N ₃	F	F	OH	H	H
XII-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	F	F	OH	H	H
XII-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	F	F	OH	H	H
XII-3-8	<i>i</i> Pr	*	H	*	CH ₃	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-4-1	^t Bu	H	H	H	CH ₃	N ₃	F	F	OH	H	H
XII-4-2	^t Bu	H	H	CH ₃	CH ₃	N ₃	F	F	OH	H	H
XII-4-3	^t Bu	H	H	CH(CH ₃) ₂	CH ₃	N ₃	F	F	OH	H	H
XII-4-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	F	F	OH	H	H
XII-4-5	^t Bu	H	H	CH ₂ Ph	CH ₃	N ₃	F	F	OH	H	H
XII-4-6	^t Bu	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	F	F	OH	H	H
XII-4-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	F	F	OH	H	H
XII-4-8	^t Bu	*	H	*	CH ₃	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-5.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-5-1	Ph	H	H	H	CH ₃	N ₃	F	F	OH	H	H
XII-5-2	Ph	H	H	CH ₃	CH ₃	N ₃	F	F	OH	H	H
XII-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	N ₃	F	F	OH	H	H
XII-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	F	F	OH	H	H
XII-5-5	Ph	H	H	CH ₂ Ph	CH ₃	N ₃	F	F	OH	H	H
XII-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	F	F	OH	H	H
XII-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	F	F	OH	H	H
XII-5-8	Ph	*	H	*	CH ₃	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-6.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-6-1	p-Me-Ph	H	H	H	CH ₃	N ₃	F	F	OH	H	H
XII-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	N ₃	F	F	OH	H	H
XII-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	N ₃	F	F	OH	H	H
XII-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	F	F	OH	H	H
XII-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	N ₃	F	F	OH	H	H
XII-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	F	F	OH	H	H
XII-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	F	F	OH	H	H
XII-6-8	p-Me-Ph	*	H	*	CH ₃	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-7.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-7-1	p-F-Ph	H	H	H	CH ₃	N ₃	F	F	OH	H	H
XII-7-2	p-F-Ph	H	H	CH ₃	CH ₃	N ₃	F	F	OH	H	H
XII-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	N ₃	F	F	OH	H	H
XII-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	F	F	OH	H	H
XII-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	N ₃	F	F	OH	H	H
XII-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	F	F	OH	H	H
XII-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	F	F	OH	H	H
XII-7-20	p-F-Ph	*	H	*	CH ₃	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-8-1	p-Cl-Ph	H	H	H	CH ₃	N ₃	F	F	OH	H	H
XII-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	N ₃	F	F	OH	H	H
XII-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	N ₃	F	F	OH	H	H
XII-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	F	F	OH	H	H
XII-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	N ₃	F	F	OH	H	H
XII-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	F	F	OH	H	H
XII-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	F	F	OH	H	H
XII-8-8	p-Cl-Ph	*	H	*	CH ₃	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-9-1	p-Br-Ph	H	H	H	CH ₃	N ₃	F	F	OH	H	H
XII-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	N ₃	F	F	OH	H	H
XII-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	N ₃	F	F	OH	H	H
XII-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	F	F	OH	H	H
XII-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	N ₃	F	F	OH	H	H
XII-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	F	F	OH	H	H
XII-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	F	F	OH	H	H
XII-9-20	p-Br-Ph	*	H	*	CH ₃	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-10.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-10-1	p-I-Ph	H	H	H	CH ₃	N ₃	F	F	OH	H	H
XII-10-2	p-I-Ph	H	H	CH ₃	CH ₃	N ₃	F	F	OH	H	H
XII-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	N ₃	F	F	OH	H	H
XII-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	F	F	OH	H	H
XII-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	N ₃	F	F	OH	H	H
XII-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	F	F	OH	H	H
XII-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	F	F	OH	H	H
XII-10-8	p-I-Ph	*	H	*	CH ₃	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-11.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-11-1	CH ₃	H	H	H	Et	N ₃	F	F	OH	H	H
XII-11-2	CH ₃	H	H	CH ₃	Et	N ₃	F	F	OH	H	H
XII-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	N ₃	F	F	OH	H	H
XII-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	F	F	OH	H	H
XII-11-5	CH ₃	H	H	CH ₂ Ph	Et	N ₃	F	F	OH	H	H
XII-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	N ₃	F	F	OH	H	H
XII-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	F	F	OH	H	H
XII-11-8	CH ₃	*	H	*	Et	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-12.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-12-1	Et	H	H	H	Et	N ₃	F	F	OH	H	H
XII-12-2	Et	H	H	CH ₃	Et	N ₃	F	F	OH	H	H
XII-12-3	Et	H	H	CH(CH ₃) ₂	Et	N ₃	F	F	OH	H	H
XII-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	F	F	OH	H	H
XII-12-5	Et	H	H	CH ₂ Ph	Et	N ₃	F	F	OH	H	H
XII-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	N ₃	F	F	OH	H	H
XII-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	F	F	OH	H	H
XII-12-8	Et	*	H	*	Et	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-13.

N ₉	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-13-1	<i>i</i> Pr	H	H	H	Et	N ₃	F	F	OH	H	H
XII-13-2	<i>i</i> Pr	H	H	CH ₃	Et	N ₃	F	F	OH	H	H
XII-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	N ₃	F	F	OH	H	H
XII-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	F	F	OH	H	H
XII-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	N ₃	F	F	OH	H	H
XII-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	N ₃	F	F	OH	H	H
XII-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	F	F	OH	H	H
XII-13-8	<i>i</i> Pr	*	H	*	Et	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-14.

N ₉	R ¹	R ²	R	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
			3a								
XII-14-1	<i>t</i> Bu	H	H	H	Et	N	F	F	OH	H	H
					3						
XII-14-2	<i>t</i> Bu	H	H	CH ₃	Et	N	F	F	OH	H	H
					3						
XII-14-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Et	N	F	F	OH	H	H
					3						
XII-14-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	N	F	F	OH	H	H
					3						
XII-14-5	<i>t</i> Bu	H	H	CH ₂ Ph	Et	N	F	F	OH	H	H
					3						

N ₉	R ¹	R ²	R	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
			3a								
XII-14-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Et	N	F	F	OH	H	H
					3						
XII-14-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	N	F	F	OH	H	H
					3						
XII-14-8	<i>t</i> Bu	*	H	*	Et	N	F	F	OH	H	H
					3						

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-15-1	Ph	H	H	H	Et	N ₃	F	F	OH	H	H
XII-15-2	Ph	H	H	CH ₃	Et	N ₃	F	F	OH	H	H
XII-15-3	Ph	H	H	CH(CH ₃) ₂	Et	N ₃	F	F	OH	H	H
XII-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	F	F	OH	H	H
XII-15-5	Ph	H	H	CH ₂ Ph	Et	N ₃	F	F	OH	H	H
XII-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	N ₃	F	F	OH	H	H
XII-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	F	F	OH	H	H
XII-15-8	Ph	*	H	*	Et	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-16-1	p-Me-Ph	H	H	H	Et	N ₃	F	F	OH	H	H
XII-16-2	p-Me-Ph	H	H	CH ₃	Et	N ₃	F	F	OH	H	H
XII-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	N ₃	F	F	OH	H	H
XII-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	F	F	OH	H	H
XII-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	N ₃	F	F	OH	H	H
XII-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	N ₃	F	F	OH	H	H
XII-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	F	F	OH	H	H
XII-16-8	p-Me-Ph	*	H	*	Et	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-17-1	p-F-Ph	H	H	H	Et	N ₃	F	F	OH	H	H
XII-17-2	p-F-Ph	H	H	CH ₃	Et	N ₃	F	F	OH	H	H

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	N ₃	F	F	OH	H	H
XII-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	F	F	OH	H	H
XII-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	N ₃	F	F	OH	H	H
XII-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	N ₃	F	F	OH	H	H
XII-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	F	F	OH	H	H
XII-17-8	p-F-Ph	*	H	*	Et	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-18.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-18-1	p-Cl-Ph	H	H	H	Et	N ₃	F	F	OH	H	H
XII-18-2	p-Cl-Ph	H	H	CH ₃	Et	N ₃	F	F	OH	H	H
XII-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	N ₃	F	F	OH	H	H
XII-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	F	F	OH	H	H
XII-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	N ₃	F	F	OH	H	H
XII-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	N ₃	F	F	OH	H	H
XII-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	F	F	OH	H	H
XII-18-8	p-Cl-Ph	*	H	*	Et	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-19.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-19-1	p-Br-Ph	H	H	H	Et	N ₃	F	F	OH	H	H
XII-19-2	p-Br-Ph	H	H	CH ₃	Et	N ₃	F	F	OH	H	H
XII-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	N ₃	F	F	OH	H	H
XII-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	F	F	OH	H	H
XII-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	N ₃	F	F	OH	H	H
XII-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	N ₃	F	F	OH	H	H
XII-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	F	F	OH	H	H
XII-19-8	p-Br-Ph	*	H	*	Et	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-20.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷
XII-20-1	p-I-Ph	H	H	H	Et	N ₃	F	F	OH	H
XII-20-2	p-I-Ph	H	H	CH ₃	Et	N ₃	F	F	OH	H
XII-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	N ₃	F	F	OH	H
XII-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	F	F	OH	H
XII-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	N ₃	F	F	OH	H
XII-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	N ₃	F	F	OH	H
XII-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	F	F	OH	H
XII-20-8	p-I-Ph	*	H	*	Et	N ₃	F	F	OH	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-21.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-21-1	CH ₃	H	H	H	ⁱ Pr	N ₃	F	F	OH	H	H
XII-21-2	CH ₃	H	H	CH ₃	ⁱ Pr	N ₃	F	F	OH	H	H
XII-21-3	CH ₃	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	F	F	OH	H	H
XII-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	F	F	OH	H	H
XII-21-5	CH ₃	H	H	CH ₂ Ph	ⁱ Pr	N ₃	F	F	OH	H	H
XII-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	F	F	OH	H	H
XII-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	F	F	OH	H	H
XII-21-8	CH ₃	*	H	*	ⁱ Pr	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-22-1	Et	H	H	H	<i>i</i> Pr	N ₃	F	F	OH	H	H
XII-22-2	Et	H	H	CH ₃	<i>i</i> Pr	N ₃	F	F	OH	H	H
XII-22-3	Et	H	H	CH(CH ₃) ₂	<i>i</i> Pr	N ₃	F	F	OH	H	H
XII-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	N ₃	F	F	OH	H	H
XII-22-5	Et	H	H	CH ₂ Ph	<i>i</i> Pr	N ₃	F	F	OH	H	H
XII-22-6	Et	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	N ₃	F	F	OH	H	H
XII-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	N ₃	F	F	OH	H	H
XII-22-8	Et	*	H	*	<i>i</i> Pr	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	N ₃	F	F	OH	H	H
XII-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	N ₃	F	F	OH	H	H
XII-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	N ₃	F	F	OH	H	H
XII-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	N ₃	F	F	OH	H	H
XII-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	N ₃	F	F	OH	H	H
XII-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	N ₃	F	F	OH	H	H
XII-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	N ₃	F	F	OH	H	H
XII-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-24-1	^t Bu	H	H	H	ⁱ Pr	N ₃	F	F	OH	H	H
XII-24-2	^t Bu	H	H	CH ₃	ⁱ Pr	N ₃	F	F	OH	H	H
XII-24-3	^t Bu	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	F	F	OH	H	H
XII-24-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	F	F	OH	H	H
XII-24-5	^t Bu	H	H	CH ₂ Ph	ⁱ Pr	N ₃	F	F	OH	H	H
XII-24-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	F	F	OH	H	H
XII-24-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	F	F	OH	H	H
XII-24-8	^t Bu	*	H	*	ⁱ Pr	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-25-1	Ph	H	H	H	ⁱ Pr	N ₃	F	F	OH	H	H
XII-25-2	Ph	H	H	CH ₃	ⁱ Pr	N ₃	F	F	OH	H	H
XII-25-3	Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	F	F	OH	H	H
XII-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	F	F	OH	H	H
XII-25-5	Ph	H	H	CH ₂ Ph	ⁱ Pr	N ₃	F	F	OH	H	H
XII-25-6	Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	F	F	OH	H	H
XII-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	F	F	OH	H	H
XII-25-8	Ph	*	H	*	ⁱ Pr	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-26-1	p-Me-Ph	H	H	H	ⁱ Pr	N ₃	F	F	OH	H	H
XII-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	N ₃	F	F	OH	H	H
XII-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	F	F	OH	H	H
XII-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	F	F	OH	H	H
XII-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	N ₃	F	F	OH	H	H

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	F	F	OH	H	H
XII-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	F	F	OH	H	H
XII-26-8	p-Me-Ph	*	H	*	ⁱ Pr	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-27.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-27-1	p-F-Ph	H	H	H	ⁱ Pr	N ₃	F	F	OH	H	H
XII-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	N ₃	F	F	OH	H	H
XII-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	F	F	OH	H	H
XII-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	F	F	OH	H	H
XII-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	N ₃	F	F	OH	H	H
XII-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	F	F	OH	H	H
XII-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	F	F	OH	H	H
XII-27-8	p-F-Ph	*	H	*	ⁱ Pr	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-28.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	N ₃	F	F	OH	H	H
XII-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	N ₃	F	F	OH	H	H
XII-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	F	F	OH	H	H
XII-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	F	F	OH	H	H
XII-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	N ₃	F	F	OH	H	H
XII-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	F	F	OH	H	H
XII-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	F	F	OH	H	H
XII-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-29-1	p-Br-Ph	H	H	H	ⁱ Pr	N ₃	F	F	OH	H	H
XII-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	N ₃	F	F	OH	H	H
XII-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	F	F	OH	H	H
XII-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	F	F	OH	H	H
XII-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	N ₃	F	F	OH	H	H
XII-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	F	F	OH	H	H

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	F	F	OH	H	H
XII-29-8	p-Br-Ph	*	H	*	ⁱ Pr	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-30-1	p-I-Ph	H	H	H	ⁱ Pr	N ₃	F	F	OH	H	H
XII-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	N ₃	F	F	OH	H	H
XII-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	F	F	OH	H	H
XII-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	F	F	OH	H	H
XII-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	N ₃	F	F	OH	H	H
XII-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	F	F	OH	H	H
XII-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	F	F	OH	H	H
XII-30-8	p-I-Ph	*	H	*	ⁱ Pr	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-31-1	CH ₃	H	H	H	ⁿ Bu	N ₃	F	F	OH	H	H
XII-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	N ₃	F	F	OH	H	H
XII-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	F	F	OH	H	H
XII-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	F	F	OH	H	H
XII-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	N ₃	F	F	OH	H	H
XII-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	F	F	OH	H	H
XII-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	F	F	OH	H	H
XII-31-8	CH ₃	*	H	*	ⁿ Bu	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-32-1	Et	H	H	H	ⁿ Bu	N ₃	F	F	OH	H	H
XII-32-2	Et	H	H	CH ₃	ⁿ Bu	N ₃	F	F	OH	H	H
XII-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	F	F	OH	H	H
XII-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	F	F	OH	H	H
XII-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	N ₃	F	F	OH	H	H
XII-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	F	F	OH	H	H
XII-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	F	F	OH	H	H

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-32-8	Et	*	H	*	ⁿ Bu	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-33-1	<i>i</i> Pr	H	H	H	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-33-2	<i>i</i> Pr	H	H	CH ₃	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-33-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-33-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-33-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-33-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-33-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-33-8	<i>i</i> Pr	*	H	*	<i>n</i> Bu	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-34-1	<i>t</i> Bu	H	H	H	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-34-2	<i>t</i> Bu	H	H	CH ₃	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-34-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-34-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-34-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-34-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-34-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-34-8	<i>t</i> Bu	*	H	*	<i>n</i> Bu	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-35-1	Ph	H	H	H	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-35-2	Ph	H	H	CH ₃	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-35-3	Ph	H	H	CH(CH ₃) ₂	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-35-5	Ph	H	H	CH ₂ Ph	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-35-6	Ph	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	N ₃	F	F	OH	H	H
XII-35-8	Ph	*	H	*	<i>n</i> Bu	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-36.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-36-1	p-Me-Ph	H	H	H	ⁿ Bu	N ₃	F	F	OH	H	H
XII-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	N ₃	F	F	OH	H	H
XII-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	F	F	OH	H	H
XII-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	F	F	OH	H	H
XII-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	N ₃	F	F	OH	H	H
XII-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	F	F	OH	H	H
XII-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	F	F	OH	H	H
XII-36-8	p-Me-Ph	*	H	*	ⁿ Bu	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-37.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-37-1	p-F-Ph	H	H	H	ⁿ Bu	N ₃	F	F	OH	H	H
XII-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	N ₃	F	F	OH	H	H
XII-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	F	F	OH	H	H
XII-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	F	F	OH	H	H
XII-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	N ₃	F	F	OH	H	H
XII-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	F	F	OH	H	H
XII-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	F	F	OH	H	H
XII-37-8	p-F-Ph	*	H	*	ⁿ Bu	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-38.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	N ₃	F	F	OH	H	H
XII-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	N ₃	F	F	OH	H	H
XII-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	F	F	OH	H	H
XII-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	F	F	OH	H	H
XII-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	N ₃	F	F	OH	H	H
XII-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	F	F	OH	H	H
XII-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	F	F	OH	H	H
XII-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-39-1	p-Br-Ph	H	H	H	ⁿ Bu	N ₃	F	F	OH	H	H
XII-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	N ₃	F	F	OH	H	H
XII-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	F	F	OH	H	H
XII-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	F	F	OH	H	H
XII-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	N ₃	F	F	OH	H	H
XII-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	F	F	OH	H	H
XII-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	F	F	OH	H	H
XII-39-8	p-Br-Ph	*	H	*	ⁿ Bu	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-40-1	p-I-Ph	H	H	H	ⁿ Bu	N ₃	F	F	OH	H	H
XII-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	N ₃	F	F	OH	H	H
XII-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	F	F	OH	H	H
XII-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	F	F	OH	H	H
XII-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	N ₃	F	F	OH	H	H
XII-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	F	F	OH	H	H
XII-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	F	F	OH	H	H
XII-40-8	p-I-Ph	*	H	*	ⁿ Bu	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-41-1	CH ₃	H	H	H	Bz	N ₃	F	F	OH	H	H
XII-41-2	CH ₃	H	H	CH ₃	Bz	N ₃	F	F	OH	H	H
XII-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	N ₃	F	F	OH	H	H
XII-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	F	F	OH	H	H
XII-41-5	CH ₃	H	H	CH ₂ Ph	Bz	N ₃	F	F	OH	H	H
XII-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	N ₃	F	F	OH	H	H
XII-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	F	F	OH	H	H
XII-41-8	CH ₃	*	H	*	Bz	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-42-1	Et	H	H	H	Bz	N ₃	F	F	OH	H	H
XII-42-2	Et	H	H	CH ₃	Bz	N ₃	F	F	OH	H	H
XII-42-3	Et	H	H	CH(CH ₃) ₂	Bz	N ₃	F	F	OH	H	H
XII-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	F	F	OH	H	H
XII-42-5	Et	H	H	CH ₂ Ph	Bz	N ₃	F	F	OH	H	H
XII-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	N ₃	F	F	OH	H	H
XII-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	F	F	OH	H	H
XII-42-8	Et	*	H	*	Bz	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-43-1	<i>i</i> Pr	H	H	H	Bz	N ₃	F	F	OH	H	H
XII-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	N ₃	F	F	OH	H	H
XII-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	N ₃	F	F	OH	H	H
XII-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	F	F	OH	H	H
XII-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	N ₃	F	F	OH	H	H
XII-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	N ₃	F	F	OH	H	H
XII-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	F	F	OH	H	H
XII-43-8	<i>i</i> Pr	*	H	*	Bz	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-44-1	<i>t</i> Bu	H	H	H	Bz	N ₃	F	F	OH	H	H
XII-44-2	<i>t</i> Bu	H	H	CH ₃	Bz	N ₃	F	F	OH	H	H
XII-44-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Bz	N ₃	F	F	OH	H	H
XII-44-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	F	F	OH	H	H
XII-44-5	<i>t</i> Bu	H	H	CH ₂ Ph	Bz	N ₃	F	F	OH	H	H
XII-44-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Bz	N ₃	F	F	OH	H	H
XII-44-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	F	F	OH	H	H
XII-44-8	<i>t</i> Bu	*	H	*	Bz	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-45-1	Ph	H	H	H	Bz	N ₃	F	F	OH	H	H
XII-45-2	Ph	H	H	CH ₃	Bz	N ₃	F	F	OH	H	H
XII-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	N ₃	F	F	OH	H	H
XII-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	F	F	OH	H	H
XII-45-5	Ph	H	H	CH ₂ Ph	Bz	N ₃	F	F	OH	H	H
XII-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	N ₃	F	F	OH	H	H
XII-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	F	F	OH	H	H
XII-45-8	Ph	*	H	*	Bz	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-46-1	p-Me-Ph	H	H	H	Bz	N ₃	F	F	OH	H	H
XII-46-2	p-Me-Ph	H	H	CH ₃	Bz	N ₃	F	F	OH	H	H
XII-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	N ₃	F	F	OH	H	H
XII-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	F	F	OH	H	H
XII-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	N ₃	F	F	OH	H	H
XII-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	N ₃	F	F	OH	H	H
XII-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	F	F	OH	H	H
XII-46-8	p-Me-Ph	*	H	*	Bz	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-47-1	p-F-Ph	H	H	H	Bz	N ₃	F	F	OH	H	H
XII-47-2	p-F-Ph	H	H	CH ₃	Bz	N ₃	F	F	OH	H	H
XII-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	N ₃	F	F	OH	H	H
XII-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	F	F	OH	H	H
XII-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	N ₃	F	F	OH	H	H
XII-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	N ₃	F	F	OH	H	H
XII-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	F	F	OH	H	H
XII-47-8	p-F-Ph	*	H	*	Bz	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-48-1	p-Cl-Ph	H	H	H	Bz	N ₃	F	F	OH	H	H
XII-48-2	p-Cl-Ph	H	H	CH ₃	Bz	N ₃	F	F	OH	H	H
XII-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	N ₃	F	F	OH	H	H
XII-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	F	F	OH	H	H
XII-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	N ₃	F	F	OH	H	H
XII-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	N ₃	F	F	OH	H	H
XII-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	F	F	OH	H	H
XII-48-8	p-Cl-Ph	*	H	*	Bz	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-49.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-49-1	p-Br-Ph	H	H	H	Bz	N ₃	F	F	OH	H	H
XII-49-2	p-Br-Ph	H	H	CH ₃	Bz	N ₃	F	F	OH	H	H
XII-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	N ₃	F	F	OH	H	H
XII-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	F	F	OH	H	H
XII-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	N ₃	F	F	OH	H	H
XII-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	N ₃	F	F	OH	H	H
XII-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	F	F	OH	H	H
XII-49-8	p-Br-Ph	*	H	*	Bz	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XII-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XII-50-1	p-I-Ph	H	H	H	Bz	N ₃	F	F	OH	H	H
XII-50-2	p-I-Ph	H	H	CH ₃	Bz	N ₃	F	F	OH	H	H
XII-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	N ₃	F	F	OH	H	H
XII-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	F	F	OH	H	H
XII-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	N ₃	F	F	OH	H	H
XII-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	N ₃	F	F	OH	H	H
XII-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	F	F	OH	H	H
XII-50-8	p-I-Ph	*	H	*	Bz	N ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.


**XIII**

Table XIII-1.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-1-1	CH ₃	H	H	H	CH ₃	N ₃	H	F	OH	H	H
XIII-1-2	CH ₃	H	H	CH ₃	CH ₃	N ₃	H	F	OH	H	H
XIII-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	N ₃	H	F	OH	H	H
XIII-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	H	F	OH	H	H
XIII-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	N ₃	H	F	OH	H	H
XIII-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	H	F	OH	H	H
XIII-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	H	F	OH	H	H
XIII-1-8	CH ₃	*	H	*	CH ₃	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-2.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-2-1	Et	H	H	H	CH ₃	N ₃	H	F	OH	H	H
XIII-2-2	Et	H	H	CH ₃	CH ₃	N ₃	H	F	OH	H	H
XIII-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	N ₃	H	F	OH	H	H
XIII-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	H	F	OH	H	H
XIII-2-5	Et	H	H	CH ₂ Ph	CH ₃	N ₃	H	F	OH	H	H
XIII-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	H	F	OH	H	H
XIII-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	H	F	OH	H	H
XIII-2-8	Et	*	H	*	CH ₃	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-3-1	<i>i</i> Pr	H	H	H	CH ₃	N ₃	H	F	OH	H	H
XIII-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	N ₃	H	F	OH	H	H
XIII-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	N ₃	H	F	OH	H	H
XIII-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	H	F	OH	H	H
XIII-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	N ₃	H	F	OH	H	H
XIII-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	H	F	OH	H	H
XIII-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	H	F	OH	H	H
XIII-3-8	<i>i</i> Pr	*	H	*	CH ₃	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-4-1	<i>t</i> Bu	H	H	H	CH ₃	N ₃	H	F	OH	H	H
XIII-4-2	<i>t</i> Bu	H	H	CH ₃	CH ₃	N ₃	H	F	OH	H	H
XIII-4-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	CH ₃	N ₃	H	F	OH	H	H
XIII-4-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	H	F	OH	H	H
XIII-4-5	<i>t</i> Bu	H	H	CH ₂ Ph	CH ₃	N ₃	H	F	OH	H	H
XIII-4-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	H	F	OH	H	H
XIII-4-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	H	F	OH	H	H
XIII-4-8	<i>t</i> Bu	*	H	*	CH ₃	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-5.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-5-1	Ph	H	H	H	CH ₃	N ₃	H	F	OH	H	H
XIII-5-2	Ph	H	H	CH ₃	CH ₃	N ₃	H	F	OH	H	H
XIII-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	N ₃	H	F	OH	H	H
XIII-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	H	F	OH	H	H
XIII-5-5	Ph	H	H	CH ₂ Ph	CH ₃	N ₃	H	F	OH	H	H
XIII-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	H	F	OH	H	H
XIII-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	H	F	OH	H	H
XIII-5-8	Ph	*	H	*	CH ₃	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-6.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-6-1	p-Me-Ph	H	H	H	CH ₃	N ₃	H	F	OH	H	H
XIII-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	N ₃	H	F	OH	H	H
XIII-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	N ₃	H	F	OH	H	H
XIII-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	H	F	OH	H	H
XIII-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	N ₃	H	F	OH	H	H
XIII-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	H	F	OH	H	H
XIII-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	H	F	OH	H	H
XIII-6-8	p-Me-Ph	*	H	*	CH ₃	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-7.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-7-1	p-F-Ph	H	H	H	CH ₃	N ₃	H	F	OH	H	H
XIII-7-2	p-F-Ph	H	H	CH ₃	CH ₃	N ₃	H	F	OH	H	H
XIII-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	N ₃	H	F	OH	H	H
XIII-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	H	F	OH	H	H
XIII-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	N ₃	H	F	OH	H	H
XIII-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	H	F	OH	H	H
XIII-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	H	F	OH	H	H
XIII-7-20	p-F-Ph	*	H	*	CH ₃	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-8.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-8-1	p-Cl-Ph	H	H	H	CH ₃	N ₃	H	F	OH	H	H
XIII-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	N ₃	H	F	OH	H	H
XIII-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	N ₃	H	F	OH	H	H
XIII-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	H	F	OH	H	H
XIII-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	N ₃	H	F	OH	H	H
XIII-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	H	F	OH	H	H
XIII-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	H	F	OH	H	H
XIII-8-8	p-Cl-Ph	*	H	*	CH ₃	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-9-1	p-Br-Ph	H	H	H	CH ₃	N ₃	H	F	OH	H	H
XIII-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	N ₃	H	F	OH	H	H
XIII-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	N ₃	H	F	OH	H	H
XIII-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	H	F	OH	H	H
XIII-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	N ₃	H	F	OH	H	H
XIII-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	H	F	OH	H	H
XIII-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	H	F	OH	H	H
XIII-9-20	p-Br-Ph	*	H	*	CH ₃	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-10-1	p-I-Ph	H	H	H	CH ₃	N ₃	H	F	OH	H	H
XIII-10-2	p-I-Ph	H	H	CH ₃	CH ₃	N ₃	H	F	OH	H	H
XIII-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	N ₃	H	F	OH	H	H
XIII-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	H	F	OH	H	H
XIII-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	N ₃	H	F	OH	H	H
XIII-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	H	F	OH	H	H
XIII-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	H	F	OH	H	H
XIII-10-8	p-I-Ph	*	H	*	CH ₃	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-11-1	CH ₃	H	H	H	Et	N ₃	H	F	OH	H	H
XIII-11-2	CH ₃	H	H	CH ₃	Et	N ₃	H	F	OH	H	H
XIII-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	N ₃	H	F	OH	H	H
XIII-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	H	F	OH	H	H
XIII-11-5	CH ₃	H	H	CH ₂ Ph	Et	N ₃	H	F	OH	H	H
XIII-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	N ₃	H	F	OH	H	H
XIII-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	H	F	OH	H	H
XIII-11-8	CH ₃	*	H	*	Et	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-12-1	Et	H	H	H	Et	N ₃	H	F	OH	H	H
XIII-12-2	Et	H	H	CH ₃	Et	N ₃	H	F	OH	H	H
XIII-12-3	Et	H	H	CH(CH ₃) ₂	Et	N ₃	H	F	OH	H	H
XIII-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	H	F	OH	H	H
XIII-12-5	Et	H	H	CH ₂ Ph	Et	N ₃	H	F	OH	H	H
XIII-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	N ₃	H	F	OH	H	H
XIII-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	H	F	OH	H	H
XIII-12-8	Et	*	H	*	Et	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-13-1	<i>i</i> Pr	H	H	H	Et	N ₃	H	F	OH	H	H
XIII-13-2	<i>i</i> Pr	H	H	CH ₃	Et	N ₃	H	F	OH	H	H
XIII-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	N ₃	H	F	OH	H	H
XIII-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	H	F	OH	H	H
XIII-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	N ₃	H	F	OH	H	H
XIII-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	N ₃	H	F	OH	H	H
XIII-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	H	F	OH	H	H
XIII-13-8	<i>i</i> Pr	*	H	*	Et	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-14.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-14-1	<i>t</i> Bu	H	H	H	Et	N ₃	H	F	OH	H	H
XIII-14-2	<i>t</i> Bu	H	H	CH ₃	Et	N ₃	H	F	OH	H	H
XIII-14-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Et	N ₃	H	F	OH	H	H
XIII-14-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	H	F	OH	H	H
XIII-14-5	<i>t</i> Bu	H	H	CH ₂ Ph	Et	N ₃	H	F	OH	H	H
XIII-14-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Et	N ₃	H	F	OH	H	H
XIII-14-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	H	F	OH	H	H
XIII-14-8	<i>t</i> Bu	*	H	*	Et	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-15-1	Ph	H	H	H	Et	N ₃	H	F	OH	H	H
XIII-15-2	Ph	H	H	CH ₃	Et	N ₃	H	F	OH	H	H
XIII-15-3	Ph	H	H	CH(CH ₃) ₂	Et	N ₃	H	F	OH	H	H
XIII-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	H	F	OH	H	H
XIII-15-5	Ph	H	H	CH ₂ Ph	Et	N ₃	H	F	OH	H	H
XIII-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	N ₃	H	F	OH	H	H
XIII-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	H	F	OH	H	H
XIII-15-8	Ph	*	H	*	Et	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-16-1	p-Me-Ph	H	H	H	Et	N ₃	H	F	OH	H	H
XIII-16-2	p-Me-Ph	H	H	CH ₃	Et	N ₃	H	F	OH	H	H
XIII-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	N ₃	H	F	OH	H	H
XIII-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	H	F	OH	H	H
XIII-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	N ₃	H	F	OH	H	H
XIII-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	N ₃	H	F	OH	H	H
XIII-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	H	F	OH	H	H
XIII-16-8	p-Me-Ph	*	H	*	Et	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-17-1	p-F-Ph	H	H	H	Et	N ₃	H	F	OH	H	H
XIII-17-2	p-F-Ph	H	H	CH ₃	Et	N ₃	H	F	OH	H	H
XIII-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	N ₃	H	F	OH	H	H
XIII-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	H	F	OH	H	H
XIII-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	N ₃	H	F	OH	H	H
XIII-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	N ₃	H	F	OH	H	H
XIII-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	H	F	OH	H	H
XIII-17-8	p-F-Ph	*	H	*	Et	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-18.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-18-1	p-Cl-Ph	H	H	H	Et	N ₃	H	F	OH	H	H
XIII-18-2	p-Cl-Ph	H	H	CH ₃	Et	N ₃	H	F	OH	H	H
XIII-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	N ₃	H	F	OH	H	H
XIII-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	H	F	OH	H	H
XIII-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	N ₃	H	F	OH	H	H
XIII-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	N ₃	H	F	OH	H	H
XIII-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	H	F	OH	H	H
XIII-18-8	p-Cl-Ph	*	H	*	Et	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-19.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-19-1	p-Br-Ph	H	H	H	Et	N ₃	H	F	OH	H	H
XIII-19-2	p-Br-Ph	H	H	CH ₃	Et	N ₃	H	F	OH	H	H
XIII-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	N ₃	H	F	OH	H	H
XIII-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	H	F	OH	H	H
XIII-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	N ₃	H	F	OH	H	H
XIII-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	N ₃	H	F	OH	H	H
XIII-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	H	F	OH	H	H
XIII-19-8	p-Br-Ph	*	H	*	Et	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-20.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-20-1	p-I-Ph	H	H	H	Et	N ₃	H	F	OH	H	H
XIII-20-2	p-I-Ph	H	H	CH ₃	Et	N ₃	H	F	OH	H	H
XIII-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	N ₃	H	F	OH	H	H
XIII-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	H	F	OH	H	H
XIII-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	N ₃	H	F	OH	H	H
XIII-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	N ₃	H	F	OH	H	H
XIII-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	H	F	OH	H	H
XIII-20-8	p-I-Ph	*	H	*	Et	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-21-1	CH ₃	H	H	H	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-21-2	CH ₃	H	H	CH ₃	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-21-3	CH ₃	H	H	CH(CH ₃) ₂	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-21-5	CH ₃	H	H	CH ₂ Ph	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-21-8	CH ₃	*	H	*	<i>i</i> Pr	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-22-1	Et	H	H	H	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-22-2	Et	H	H	CH ₃	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-22-3	Et	H	H	CH(CH ₃) ₂	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-22-5	Et	H	H	CH ₂ Ph	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-22-6	Et	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-22-8	Et	*	H	*	<i>i</i> Pr	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-24.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-24-1	<i>t</i> Bu	H	H	H	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-24-2	<i>t</i> Bu	H	H	CH ₃	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-24-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-24-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-24-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-24-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-24-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-24-8	<i>t</i> Bu	*	H	*	<i>i</i> Pr	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-25.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-25-1	Ph	H	H	H	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-25-2	Ph	H	H	CH ₃	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-25-3	Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-25-5	Ph	H	H	CH ₂ Ph	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-25-6	Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	N ₃	H	F	OH	H	H
XIII-25-8	Ph	*	H	*	<i>i</i> Pr	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-26-1	p-Me-Ph	H	H	H	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-26-8	p-Me-Ph	*	H	*	ⁱ Pr	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-27-1	p-F-Ph	H	H	H	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-27-8	p-F-Ph	*	H	*	ⁱ Pr	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-28.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-29-1	p-Br-Ph	H	H	H	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-29-8	p-Br-Ph	*	H	*	ⁱ Pr	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-30-1	p-I-Ph	H	H	H	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	H	F	OH	H	H
XIII-30-8	p-I-Ph	*	H	*	ⁱ Pr	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-31.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-31-1	CH ₃	H	H	H	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-31-8	CH ₃	*	H	*	ⁿ Bu	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-32.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-32-1	Et	H	H	H	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-32-2	Et	H	H	CH ₃	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-32-8	Et	*	H	*	ⁿ Bu	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-33.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-33-1	ⁱ Pr	H	H	H	ⁿ Bu	N ₃	H	F	OH	H	H

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-33-2	<i>i</i> Pr	H	H	CH ₃	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-33-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-33-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-33-5	<i>i</i> Pr	H	H	CH ₂ Ph	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-33-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-33-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-33-8	<i>i</i> Pr	*	H	*	ⁿ Bu	N ₃	H	F	OH	H	H
*R ² and R ^{3b} joined together by (CH ₂) ₃ to form five-membered ring.											

Table XIII-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-34-1	^t Bu	H	H	H	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-34-8	^t Bu	*	H	*	ⁿ Bu	N ₃	H	F	OH	H	H
*R ² and R ^{3b} joined together by (CH ₂) ₃ to form five-membered ring.											

Table XIII-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-35-1	Ph	H	H	H	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-35-2	Ph	H	H	CH ₃	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-35-8	Ph	*	H	*	ⁿ Bu	N ₃	H	F	OH	H	H
*R ² and R ^{3b} joined together by (CH ₂) ₃ to form five-membered ring.											

Table XIII-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-36-1	p-Me-Ph	H	H	H	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-36-8	p-Me-Ph	*	H	*	ⁿ Bu	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-37.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-37-1	p-F-Ph	H	H	H	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-37-8	p-F-Ph	*	H	*	ⁿ Bu	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-38.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-39-1	p-Br-Ph	H	H	H	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	H	F	OH	H	H

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-39-8	p-Br-Ph	*	H	*	ⁿ Bu	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-40-1	p-I-Ph	H	H	H	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	H	F	OH	H	H
XIII-40-8	p-I-Ph	*	H	*	ⁿ Bu	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-41-1	CH ₃	H	H	H	Bz	N ₃	H	F	OH	H	H
XIII-41-2	CH ₃	H	H	CH ₃	Bz	N ₃	H	F	OH	H	H
XIII-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	N ₃	H	F	OH	H	H
XIII-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	H	F	OH	H	H
XIII-41-5	CH ₃	H	H	CH ₂ Ph	Bz	N ₃	H	F	OH	H	H
XIII-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	N ₃	H	F	OH	H	H
XIII-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	H	F	OH	H	H
XIII-41-8	CH ₃	*	H	*	Bz	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-42-1	Et	H	H	H	Bz	N ₃	H	F	OH	H	H
XIII-42-2	Et	H	H	CH ₃	Bz	N ₃	H	F	OH	H	H
XIII-42-3	Et	H	H	CH(CH ₃) ₂	Bz	N ₃	H	F	OH	H	H
XIII-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	H	F	OH	H	H

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-42-5	Et	H	H	CH ₂ Ph	Bz	N ₃	H	F	OH	H	H
XIII-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	N ₃	H	F	OH	H	H
XIII-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	H	F	OH	H	H
XIII-42-8	Et	*	H	*	Bz	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-43.

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-43-1	<i>i</i> Pr	H	H	H	Bz	N ₃	H	F	OH	H	H
XIII-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	N ₃	H	F	OH	H	H
XIII-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	N ₃	H	F	OH	H	H
XIII-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	H	F	OH	H	H
XIII-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	N ₃	H	F	OH	H	H
XIII-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	N ₃	H	F	OH	H	H
XIII-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	H	F	OH	H	H
XIII-43-8	<i>i</i> Pr	*	H	*	Bz	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-44.

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-44-1	<i>t</i> Bu	H	H	H	Bz	N ₃	H	F	OH	H	H
XIII-44-2	<i>t</i> Bu	H	H	CH ₃	Bz	N ₃	H	F	OH	H	H
XIII-44-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Bz	N ₃	H	F	OH	H	H
XIII-44-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	H	F	OH	H	H
XIII-44-5	<i>t</i> Bu	H	H	CH ₂ Ph	Bz	N ₃	H	F	OH	H	H
XIII-44-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Bz	N ₃	H	F	OH	H	H
XIII-44-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	H	F	OH	H	H
XIII-44-8	<i>t</i> Bu	*	H	*	Bz	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-45.

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-45-1	Ph	H	H	H	Bz	N ₃	H	F	OH	H	H
XIII-45-2	Ph	H	H	CH ₃	Bz	N ₃	H	F	OH	H	H
XIII-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	N ₃	H	F	OH	H	H
N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	H	F	OH	H	H
XIII-45-5	Ph	H	H	CH ₂ Ph	Bz	N ₃	H	F	OH	H	H
XIII-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	N ₃	H	F	OH	H	H
XIII-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	H	F	OH	H	H
XIII-45-8	Ph	*	H	*	Bz	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-46.

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-46-1	p-Me-Ph	H	H	H	Bz	N ₃	H	F	OH	H	H
XIII-46-2	p-Me-Ph	H	H	CH ₃	Bz	N ₃	H	F	OH	H	H
XIII-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	N ₃	H	F	OH	H	H
XIII-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	H	F	OH	H	H
XIII-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	N ₃	H	F	OH	H	H
XIII-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	N ₃	H	F	OH	H	H
XIII-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	H	F	OH	H	H
XIII-46-8	p-Me-Ph	*	H	*	Bz	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-47-1	p-F-Ph	H	H	H	Bz	N ₃	H	F	OH	H	H
XIII-47-2	p-F-Ph	H	H	CH ₃	Bz	N ₃	H	F	OH	H	H
XIII-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	N ₃	H	F	OH	H	H
XIII-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	H	F	OH	H	H
XIII-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	N ₃	H	F	OH	H	H
XIII-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	N ₃	H	F	OH	H	H
XIII-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	H	F	OH	H	H
XIII-47-8	p-F-Ph	*	H	*	Bz	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-48-1	p-Cl-Ph	H	H	H	Bz	N ₃	H	F	OH	H	H
XIII-48-2	p-Cl-Ph	H	H	CH ₃	Bz	N ₃	H	F	OH	H	H
XIII-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	N ₃	H	F	OH	H	H
XIII-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	H	F	OH	H	H
XIII-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	N ₃	H	F	OH	H	H
XIII-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	N ₃	H	F	OH	H	H
XIII-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	H	F	OH	H	H
XIII-48-8	p-Cl-Ph	*	H	*	Bz	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-49.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-49-1	p-Br-Ph	H	H	H	Bz	N ₃	H	F	OH	H	H
XIII-49-2	p-Br-Ph	H	H	CH ₃	Bz	N ₃	H	F	OH	H	H
XIII-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	N ₃	H	F	OH	H	H
XIII-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	H	F	OH	H	H
XIII-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	N ₃	H	F	OH	H	H
XIII-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	N ₃	H	F	OH	H	H
XIII-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	H	F	OH	H	H
XIII-49-8	p-Br-Ph	*	H	*	Bz	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIII-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIII-50-1	p-I-Ph	H	H	H	Bz	N ₃	H	F	OH	H	H
XIII-50-2	p-I-Ph	H	H	CH ₃	Bz	N ₃	H	F	OH	H	H
XIII-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	N ₃	H	F	OH	H	H
XIII-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	H	F	OH	H	H
XIII-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	N ₃	H	F	OH	H	H
XIII-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	N ₃	H	F	OH	H	H
XIII-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	H	F	OH	H	H
XIII-50-8	p-I-Ph	*	H	*	Bz	N ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.


**XIV**

Table XIV-1.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-1-1	CH ₃	H	H	H	CH ₃	N ₃	F	H	OH	H	H
XIV-1-2	CH ₃	H	H	CH ₃	CH ₃	N ₃	F	H	OH	H	H
XIV-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	N ₃	F	H	OH	H	H
XIV-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	F	H	OH	H	H
XIV-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	N ₃	F	H	OH	H	H
XIV-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	F	H	OH	H	H
XIV-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	F	H	OH	H	H
XIV-1-8	CH ₃	*	H	*	CH ₃	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-2.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-2-1	Et	H	H	H	CH ₃	N ₃	F	H	OH	H	H
XIV-2-2	Et	H	H	CH ₃	CH ₃	N ₃	F	H	OH	H	H
XIV-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	N ₃	F	H	OH	H	H
XIV-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	F	H	OH	H	H
XIV-2-5	Et	H	H	CH ₂ Ph	CH ₃	N ₃	F	H	OH	H	H
XIV-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	F	H	OH	H	H
XIV-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	F	H	OH	H	H
XIV-2-8	Et	*	H	*	CH ₃	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-3-1	ⁱ Pr	H	H	H	CH ₃	N ₃	F	H	OH	H	H
XIV-3-2	ⁱ Pr	H	H	CH ₃	CH ₃	N ₃	F	H	OH	H	H
XIV-3-3	ⁱ Pr	H	H	CH(CH ₃) ₂	CH ₃	N ₃	F	H	OH	H	H
XIV-3-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	F	H	OH	H	H
XIV-3-5	ⁱ Pr	H	H	CH ₂ Ph	CH ₃	N ₃	F	H	OH	H	H
XIV-3-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	F	H	OH	H	H
XIV-3-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	F	H	OH	H	H
XIV-3-8	ⁱ Pr	*	H	*	CH ₃	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-4.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-4-1	^t Bu	H	H	H	CH ₃	N ₃	F	H	OH	H	H
XIV-4-2	^t Bu	H	H	CH ₃	CH ₃	N ₃	F	H	OH	H	H
XIV-4-3	^t Bu	H	H	CH(CH ₃) ₂	CH ₃	N ₃	F	H	OH	H	H
XIV-4-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	F	H	OH	H	H
XIV-4-5	^t Bu	H	H	CH ₂ Ph	CH ₃	N ₃	F	H	OH	H	H
XIV-4-6	^t Bu	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	F	H	OH	H	H
XIV-4-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	F	H	OH	H	H
XIV-4-8	^t Bu	*	H	*	CH ₃	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-5.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-5-1	Ph	H	H	H	CH ₃	N ₃	F	H	OH	H	H
XIV-5-2	Ph	H	H	CH ₃	CH ₃	N ₃	F	H	OH	H	H
XIV-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	N ₃	F	H	OH	H	H
XIV-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	F	H	OH	H	H
XIV-5-5	Ph	H	H	CH ₂ Ph	CH ₃	N ₃	F	H	OH	H	H
XIV-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	F	H	OH	H	H
XIV-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	F	H	OH	H	H
XIV-5-8	Ph	*	H	*	CH ₃	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-6.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-6-1	p-Me-Ph	H	H	H	CH ₃	N ₃	F	H	OH	H	H
XIV-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	N ₃	F	H	OH	H	H
XIV-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	N ₃	F	H	OH	H	H
XIV-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	F	H	OH	H	H
XIV-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	N ₃	F	H	OH	H	H
XIV-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	F	H	OH	H	H
XIV-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	F	H	OH	H	H
XIV-6-8	p-Me-Ph	*	H	*	CH ₃	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-7.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-7-1	p-F-Ph	H	H	H	CH ₃	N ₃	F	H	OH	H	H
XIV-7-2	p-F-Ph	H	H	CH ₃	CH ₃	N ₃	F	H	OH	H	H
XIV-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	N ₃	F	H	OH	H	H
XIV-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	F	H	OH	H	H
XIV-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	N ₃	F	H	OH	H	H
XIV-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	F	H	OH	H	H
XIV-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	F	H	OH	H	H
XIV-7-20	p-F-Ph	*	H	*	CH ₃	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-8-1	p-Cl-Ph	H	H	H	CH ₃	N ₃	F	H	OH	H	H
XIV-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	N ₃	F	H	OH	H	H
XIV-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	N ₃	F	H	OH	H	H
XIV-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	F	H	OH	H	H
XIV-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	N ₃	F	H	OH	H	H
XIV-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	F	H	OH	H	H
XIV-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	F	H	OH	H	H
XIV-8-8	p-Cl-Ph	*	H	*	CH ₃	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-9-1	p-Br-Ph	H	H	H	CH ₃	N ₃	F	H	OH	H	H
XIV-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	N ₃	F	H	OH	H	H
XIV-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	N ₃	F	H	OH	H	H
XIV-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	F	H	OH	H	H
XIV-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	N ₃	F	H	OH	H	H
XIV-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	F	H	OH	H	H
XIV-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	F	H	OH	H	H
XIV-9-20	p-Br-Ph	*	H	*	CH ₃	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-10-1	p-I-Ph	H	H	H	CH ₃	N ₃	F	H	OH	H	H
XIV-10-2	p-I-Ph	H	H	CH ₃	CH ₃	N ₃	F	H	OH	H	H
XIV-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	N ₃	F	H	OH	H	H
XIV-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	N ₃	F	H	OH	H	H
XIV-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	N ₃	F	H	OH	H	H
XIV-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	N ₃	F	H	OH	H	H
XIV-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	N ₃	F	H	OH	H	H
XIV-10-8	p-I-Ph	*	H	*	CH ₃	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-11-1	CH ₃	H	H	H	Et	N ₃	F	H	OH	H	H
XIV-11-2	CH ₃	H	H	CH ₃	Et	N ₃	F	H	OH	H	H
XIV-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	N ₃	F	H	OH	H	H
XIV-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	F	H	OH	H	H
XIV-11-5	CH ₃	H	H	CH ₂ Ph	Et	N ₃	F	H	OH	H	H
XIV-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	N ₃	F	H	OH	H	H
XIV-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	F	H	OH	H	H
XIV-11-8	CH ₃	*	H	*	Et	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-12-1	Et	H	H	H	Et	N ₃	F	H	OH	H	H
XIV-12-2	Et	H	H	CH ₃	Et	N ₃	F	H	OH	H	H
XIV-12-3	Et	H	H	CH(CH ₃) ₂	Et	N ₃	F	H	OH	H	H
XIV-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	F	H	OH	H	H
XIV-12-5	Et	H	H	CH ₂ Ph	Et	N ₃	F	H	OH	H	H
XIV-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	N ₃	F	H	OH	H	H
XIV-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	F	H	OH	H	H
XIV-12-8	Et	*	H	*	Et	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-13-1	ⁱ Pr	H	H	H	Et	N ₃	F	H	OH	H	H
XIV-13-2	ⁱ Pr	H	H	CH ₃	Et	N ₃	F	H	OH	H	H
XIV-13-3	ⁱ Pr	H	H	CH(CH ₃) ₂	Et	N ₃	F	H	OH	H	H
XIV-13-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	F	H	OH	H	H
XIV-13-5	ⁱ Pr	H	H	CH ₂ Ph	Et	N ₃	F	H	OH	H	H
XIV-13-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	Et	N ₃	F	H	OH	H	H
XIV-13-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	F	H	OH	H	H
XIV-13-8	ⁱ Pr	*	H	*	Et	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-14.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-14-1	^t Bu	H	H	H	Et	N ₃	F	H	OH	H	H
XIV-14-2	^t Bu	H	H	CH ₃	Et	N ₃	F	H	OH	H	H
XIV-14-3	^t Bu	H	H	CH(CH ₃) ₂	Et	N ₃	F	H	OH	H	H
XIV-14-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	F	H	OH	H	H
XIV-14-5	^t Bu	H	H	CH ₂ Ph	Et	N ₃	F	H	OH	H	H
XIV-14-6	^t Bu	H	H	CH ₂ -indol-3-yl	Et	N ₃	F	H	OH	H	H
XIV-14-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	F	H	OH	H	H
XIV-14-8	^t Bu	*	H	*	Et	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-15-1	Ph	H	H	H	Et	N ₃	F	H	OH	H	H
XIV-15-2	Ph	H	H	CH ₃	Et	N ₃	F	H	OH	H	H
XIV-15-3	Ph	H	H	CH(CH ₃) ₂	Et	N ₃	F	H	OH	H	H
XIV-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	F	H	OH	H	H
XIV-15-5	Ph	H	H	CH ₂ Ph	Et	N ₃	F	H	OH	H	H
XIV-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	N ₃	F	H	OH	H	H
XIV-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	F	H	OH	H	H
XIV-15-8	Ph	*	H	*	Et	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-16-1	p-Me-Ph	H	H	H	Et	N ₃	F	H	OH	H	H
XIV-16-2	p-Me-Ph	H	H	CH ₃	Et	N ₃	F	H	OH	H	H
XIV-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	N ₃	F	H	OH	H	H
XIV-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	F	H	OH	H	H
XIV-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	N ₃	F	H	OH	H	H
XIV-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	N ₃	F	H	OH	H	H
XIV-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	F	H	OH	H	H
XIV-16-8	p-Me-Ph	*	H	*	Et	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-17-1	p-F-Ph	H	H	H	Et	N ₃	F	H	OH	H	H
XIV-17-2	p-F-Ph	H	H	CH ₃	Et	N ₃	F	H	OH	H	H
XIV-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	N ₃	F	H	OH	H	H
XIV-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	F	H	OH	H	H
XIV-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	N ₃	F	H	OH	H	H
XIV-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	N ₃	F	H	OH	H	H
XIV-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	F	H	OH	H	H
XIV-17-8	p-F-Ph	*	H	*	Et	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-18.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-18-1	p-Cl-Ph	H	H	H	Et	N ₃	F	H	OH	H	H
XIV-18-2	p-Cl-Ph	H	H	CH ₃	Et	N ₃	F	H	OH	H	H
XIV-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	N ₃	F	H	OH	H	H
XIV-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	F	H	OH	H	H
XIV-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	N ₃	F	H	OH	H	H
XIV-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	N ₃	F	H	OH	H	H
XIV-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	F	H	OH	H	H
XIV-18-8	p-Cl-Ph	*	H	*	Et	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-19.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-19-1	p-Br-Ph	H	H	H	Et	N ₃	F	H	OH	H	H
XIV-19-2	p-Br-Ph	H	H	CH ₃	Et	N ₃	F	H	OH	H	H
XIV-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	N ₃	F	H	OH	H	H
XIV-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	F	H	OH	H	H
XIV-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	N ₃	F	H	OH	H	H
XIV-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	N ₃	F	H	OH	H	H
XIV-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	F	H	OH	H	H
XIV-19-8	p-Br-Ph	*	H	*	Et	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-20-1	p-I-Ph	H	H	H	Et	N ₃	F	H	OH	H	H
XIV-20-2	p-I-Ph	H	H	CH ₃	Et	N ₃	F	H	OH	H	H
XIV-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	N ₃	F	H	OH	H	H
XIV-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	N ₃	F	H	OH	H	H
XIV-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	N ₃	F	H	OH	H	H
XIV-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	N ₃	F	H	OH	H	H
XIV-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	N ₃	F	H	OH	H	H
XIV-20-8	p-I-Ph	*	H	*	Et	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-21-1	CH ₃	H	H	H	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-21-2	CH ₃	H	H	CH ₃	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-21-3	CH ₃	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-21-5	CH ₃	H	H	CH ₂ Ph	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-21-8	CH ₃	*	H	*	ⁱ Pr	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-22-1	Et	H	H	H	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-22-2	Et	H	H	CH ₃	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-22-3	Et	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-22-5	Et	H	H	CH ₂ Ph	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-22-6	Et	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-22-8	Et	*	H	*	ⁱ Pr	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-23-1	ⁱ Pr	H	H	H	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-23-2	ⁱ Pr	H	H	CH ₃	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-23-3	ⁱ Pr	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-23-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-23-5	ⁱ Pr	H	H	CH ₂ Ph	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-23-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-23-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-23-8	ⁱ Pr	*	H	*	ⁱ Pr	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-24-1	^t Bu	H	H	H	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-24-2	^t Bu	H	H	CH ₃	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-24-3	^t Bu	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-24-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-24-5	^t Bu	H	H	CH ₂ Ph	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-24-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-24-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-24-8	^t Bu	*	H	*	ⁱ Pr	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-25.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-25-1	Ph	H	H	H	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-25-2	Ph	H	H	CH ₃	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-25-3	Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-25-5	Ph	H	H	CH ₂ Ph	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-25-6	Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-25-8	Ph	*	H	*	ⁱ Pr	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-26.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-26-1	p-Me-Ph	H	H	H	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-26-8	p-Me-Ph	*	H	*	ⁱ Pr	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-27.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-27-1	p-F-Ph	H	H	H	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-27-8	p-F-Ph	*	H	*	ⁱ Pr	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-28.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-29.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-29-1	p-Br-Ph	H	H	H	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-29-8	p-Br-Ph	*	H	*	ⁱ Pr	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-30.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-30-1	p-I-Ph	H	H	H	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	N ₃	F	H	OH	H	H
XIV-30-8	p-I-Ph	*	H	*	ⁱ Pr	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-31.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-31-1	CH ₃	H	H	H	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-31-8	CH ₃	*	H	*	ⁿ Bu	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-32.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-32-1	Et	H	H	H	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-32-2	Et	H	H	CH ₃	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-32-8	Et	*	H	*	ⁿ Bu	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-33.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-33-1	ⁱ Pr	H	H	H	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-33-2	ⁱ Pr	H	H	CH ₃	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-33-3	ⁱ Pr	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-33-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-33-5	ⁱ Pr	H	H	CH ₂ Ph	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-33-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-33-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-33-8	ⁱ Pr	*	H	*	ⁿ Bu	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-34-1	^t Bu	H	H	H	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-34-8	^t Bu	*	H	*	ⁿ Bu	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-35-1	Ph	H	H	H	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-35-2	Ph	H	H	CH ₃	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-35-8	Ph	*	H	*	ⁿ Bu	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-36-1	p-Me-Ph	H	H	H	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-36-8	p-Me-Ph	*	H	*	ⁿ Bu	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-37.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-37-1	p-F-Ph	H	H	H	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-37-8	p-F-Ph	*	H	*	ⁿ Bu	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-38.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-39-1	p-Br-Ph	H	H	H	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-39-8	p-Br-Ph	*	H	*	ⁿ Bu	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-40-1	p-I-Ph	H	H	H	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	N ₃	F	H	OH	H	H
XIV-40-8	p-I-Ph	*	H	*	ⁿ Bu	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-41-1	CH ₃	H	H	H	Bz	N ₃	F	H	OH	H	H
XIV-41-2	CH ₃	H	H	CH ₃	Bz	N ₃	F	H	OH	H	H
XIV-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	N ₃	F	H	OH	H	H
XIV-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	F	H	OH	H	H
XIV-41-5	CH ₃	H	H	CH ₂ Ph	Bz	N ₃	F	H	OH	H	H
XIV-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	N ₃	F	H	OH	H	H
XIV-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	F	H	OH	H	H
XIV-41-8	CH ₃	*	H	*	Bz	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-42.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-42-1	Et	H	H	H	Bz	N ₃	F	H	OH	H	H
XIV-42-2	Et	H	H	CH ₃	Bz	N ₃	F	H	OH	H	H
XIV-42-3	Et	H	H	CH(CH ₃) ₂	Bz	N ₃	F	H	OH	H	H
XIV-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	F	H	OH	H	H
XIV-42-5	Et	H	H	CH ₂ Ph	Bz	N ₃	F	H	OH	H	H
XIV-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	N ₃	F	H	OH	H	H
XIV-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	F	H	OH	H	H
XIV-42-8	Et	*	H	*	Bz	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-43.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-43-1	ⁱ Pr	H	H	H	Bz	N ₃	F	H	OH	H	H
XIV-43-2	ⁱ Pr	H	H	CH ₃	Bz	N ₃	F	H	OH	H	H
XIV-43-3	ⁱ Pr	H	H	CH(CH ₃) ₂	Bz	N ₃	F	H	OH	H	H
XIV-43-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	F	H	OH	H	H
XIV-43-5	ⁱ Pr	H	H	CH ₂ Ph	Bz	N ₃	F	H	OH	H	H
XIV-43-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	Bz	N ₃	F	H	OH	H	H
XIV-43-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	F	H	OH	H	H
XIV-43-8	ⁱ Pr	*	H	*	Bz	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-44.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-44-1	^t Bu	H	H	H	Bz	N ₃	F	H	OH	H	H
XIV-44-2	^t Bu	H	H	CH ₃	Bz	N ₃	F	H	OH	H	H
XIV-44-3	^t Bu	H	H	CH(CH ₃) ₂	Bz	N ₃	F	H	OH	H	H
XIV-44-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	F	H	OH	H	H
XIV-44-5	^t Bu	H	H	CH ₂ Ph	Bz	N ₃	F	H	OH	H	H
XIV-44-6	^t Bu	H	H	CH ₂ -indol-3-yl	Bz	N ₃	F	H	OH	H	H
XIV-44-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	F	H	OH	H	H
XIV-44-8	^t Bu	*	H	*	Bz	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-45-1	Ph	H	H	H	Bz	N ₃	F	H	OH	H	H
XIV-45-2	Ph	H	H	CH ₃	Bz	N ₃	F	H	OH	H	H
XIV-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	N ₃	F	H	OH	H	H
XIV-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	F	H	OH	H	H
XIV-45-5	Ph	H	H	CH ₂ Ph	Bz	N ₃	F	H	OH	H	H
XIV-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	N ₃	F	H	OH	H	H
XIV-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	F	H	OH	H	H
XIV-45-8	Ph	*	H	*	Bz	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-46-1	p-Me-Ph	H	H	H	Bz	N ₃	F	H	OH	H	H
XIV-46-2	p-Me-Ph	H	H	CH ₃	Bz	N ₃	F	H	OH	H	H
XIV-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	N ₃	F	H	OH	H	H
XIV-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	F	H	OH	H	H
XIV-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	N ₃	F	H	OH	H	H
XIV-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	N ₃	F	H	OH	H	H
XIV-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	F	H	OH	H	H
XIV-46-8	p-Me-Ph	*	H	*	Bz	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-47-1	p-F-Ph	H	H	H	Bz	N ₃	F	H	OH	H	H
XIV-47-2	p-F-Ph	H	H	CH ₃	Bz	N ₃	F	H	OH	H	H
XIV-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	N ₃	F	H	OH	H	H
XIV-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	F	H	OH	H	H
XIV-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	N ₃	F	H	OH	H	H
XIV-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	N ₃	F	H	OH	H	H
XIV-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	F	H	OH	H	H
XIV-47-8	p-F-Ph	*	H	*	Bz	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-48-1	p-Cl-Ph	H	H	H	Bz	N ₃	F	H	OH	H	H
XIV-48-2	p-Cl-Ph	H	H	CH ₃	Bz	N ₃	F	H	OH	H	H
XIV-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	N ₃	F	H	OH	H	H
XIV-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	F	H	OH	H	H
XIV-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	N ₃	F	H	OH	H	H
XIV-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	N ₃	F	H	OH	H	H
XIV-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	F	H	OH	H	H
XIV-48-8	p-Cl-Ph	*	H	*	Bz	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-49.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-49-1	p-Br-Ph	H	H	H	Bz	N ₃	F	H	OH	H	H
XIV-49-2	p-Br-Ph	H	H	CH ₃	Bz	N ₃	F	H	OH	H	H
XIV-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	N ₃	F	H	OH	H	H
XIV-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	F	H	OH	H	H
XIV-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	N ₃	F	H	OH	H	H
XIV-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	N ₃	F	H	OH	H	H
XIV-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	F	H	OH	H	H
XIV-49-8	p-Br-Ph	*	H	*	Bz	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIV-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIV-50-1	p-I-Ph	H	H	H	Bz	N ₃	F	H	OH	H	H
XIV-50-2	p-I-Ph	H	H	CH ₃	Bz	N ₃	F	H	OH	H	H
XIV-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	N ₃	F	H	OH	H	H
XIV-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	N ₃	F	H	OH	H	H
XIV-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	N ₃	F	H	OH	H	H
XIV-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	N ₃	F	H	OH	H	H
XIV-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	N ₃	F	H	OH	H	H
XIV-50-8	p-I-Ph	*	H	*	Bz	N ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.


**XV**

Table XV-1.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-1-1	CH ₃	H	H	H	CH ₃	F	F	H	OH	H	H
XV-1-2	CH ₃	H	H	CH ₃	CH ₃	F	F	H	OH	H	H
XV-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	F	F	H	OH	H	H
XV-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	F	H	OH	H	H
XV-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	F	F	H	OH	H	H
XV-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	F	F	H	OH	H	H
XV-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	F	H	OH	H	H
XV-1-8	CH ₃	*	H	*	CH ₃	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-2.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-2-1	Et	H	H	H	CH ₃	F	F	H	OH	H	H
XV-2-2	Et	H	H	CH ₃	CH ₃	F	F	H	OH	H	H
XV-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	F	F	H	OH	H	H
XV-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	F	H	OH	H	H
XV-2-5	Et	H	H	CH ₂ Ph	CH ₃	F	F	H	OH	H	H
XV-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	F	F	H	OH	H	H
XV-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	F	H	OH	H	H
XV-2-8	Et	*	H	*	CH ₃	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
5	XV-3-1	<i>i</i> Pr	H	H	CH ₃	F	F	H	OH	H	H
	XV-3-2	<i>i</i> Pr	H	H	CH ₃	F	F	H	OH	H	H
	XV-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	F	F	H	OH	H	H
10	XV-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	F	F	H	OH	H	H
	XV-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	F	F	H	OH	H	H
	XV-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	F	F	H	OH	H	H
15	XV-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	F	F	H	OH	H	H
	XV-3-8	<i>i</i> Pr	*	H	*	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
20	XV-4-1	<i>t</i> Bu	H	H	CH ₃	F	F	H	OH	H	H
25	XV-4-2	<i>t</i> Bu	H	H	CH ₃	F	F	H	OH	H	H
	XV-4-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	F	F	H	OH	H	H
	XV-4-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	F	F	H	OH	H	H
30	XV-4-5	<i>t</i> Bu	H	H	CH ₂ Ph	F	F	H	OH	H	H
	XV-4-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	F	F	H	OH	H	H
	XV-4-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	F	F	H	OH	H	H
35	XV-4-8	<i>t</i> Bu	*	H	*	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-5.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
40	XV-5-1	Ph	H	H	CH ₃	F	F	H	OH	H	H
	XV-5-2	Ph	H	H	CH ₃	F	F	H	OH	H	H
45	XV-5-3	Ph	H	H	CH(CH ₃) ₂	F	F	H	OH	H	H
	XV-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	F	F	H	OH	H	H
	XV-5-5	Ph	H	H	CH ₂ Ph	F	F	H	OH	H	H
50	XV-5-6	Ph	H	H	CH ₂ -indol-3-yl	F	F	H	OH	H	H
	XV-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	F	F	H	OH	H	H
55	XV-5-8	Ph	*	H	*	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-6.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-6-1	p-Me-Ph	H	H	H	CH ₃	F	F	H	OH	H	H
XV-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	F	F	H	OH	H	H
XV-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	F	F	H	OH	H	H
XV-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	F	H	OH	H	H
XV-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	F	F	H	OH	H	H
XV-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	F	F	H	OH	H	H
XV-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	F	H	OH	H	H
XV-6-8	p-Me-Ph	*	H	*	CH ₃	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-7.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-7-1	p-F-Ph	H	H	H	CH ₃	F	F	H	OH	H	H
XV-7-2	p-F-Ph	H	H	CH ₃	CH ₃	F	F	H	OH	H	H
XV-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	F	F	H	OH	H	H
XV-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	F	H	OH	H	H
XV-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	F	F	H	OH	H	H
XV-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	F	F	H	OH	H	H
XV-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	F	H	OH	H	H
XV-7-20	p-F-Ph	*	H	*	CH ₃	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-8.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-8-1	p-Cl-Ph	H	H	H	CH ₃	F	F	H	OH	H	H
XV-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	F	F	H	OH	H	H
XV-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	F	F	H	OH	H	H
XV-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	F	H	OH	H	H
XV-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	F	F	H	OH	H	H
XV-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	F	F	H	OH	H	H
XV-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	F	H	OH	H	H
XV-8-8	p-Cl-Ph	*	H	*	CH ₃	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-9-1	p-Br-Ph	H	H	H	CH ₃	F	F	H	OH	H	H
XV-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	F	F	H	OH	H	H
XV-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	F	F	H	OH	H	H
XV-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	F	H	OH	H	H
XV-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	F	F	H	OH	H	H
XV-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	F	F	H	OH	H	H
XV-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	F	H	OH	H	H
XV-9-20	p-Br-Ph	*	H	*	CH ₃	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-10-1	p-I-Ph	H	H	H	CH ₃	F	F	H	OH	H	H
XV-10-2	p-I-Ph	H	H	CH ₃	CH ₃	F	F	H	OH	H	H
XV-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	F	F	H	OH	H	H
XV-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	F	H	OH	H	H
XV-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	F	F	H	OH	H	H
XV-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	F	F	H	OH	H	H
XV-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	F	H	OH	H	H
XV-10-8	p-I-Ph	*	H	*	CH ₃	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-11.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-11-1	CH ₃	H	H	H	Et	F	F	H	OH	H	H
XV-11-2	CH ₃	H	H	CH ₃	Et	F	F	H	OH	H	H
XV-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	F	F	H	OH	H	H
XV-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	F	F	H	OH	H	H
XV-11-5	CH ₃	H	H	CH ₂ Ph	Et	F	F	H	OH	H	H
XV-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	F	F	H	OH	H	H
XV-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	F	F	H	OH	H	H
XV-11-8	CH ₃	*	H	*	Et	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-12.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-12-1	Et	H	H	H	Et	F	F	H	OH	H	H
XV-12-2	Et	H	H	CH ₃	Et	F	F	H	OH	H	H
XV-12-3	Et	H	H	CH(CH ₃) ₂	Et	F	F	H	OH	H	H
XV-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	F	F	H	OH	H	H
XV-12-5	Et	H	H	CH ₂ Ph	Et	F	F	H	OH	H	H
XV-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	F	F	H	OH	H	H
XV-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	F	F	H	OH	H	H
XV-12-8	Et	*	H	*	Et	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-13.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-13-1	<i>i</i> Pr	H	H	H	Et	F	F	H	OH	H	H
XV-13-2	<i>i</i> Pr	H	H	CH ₃	Et	F	F	H	OH	H	H
XV-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	F	F	H	OH	H	H
XV-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	F	F	H	OH	H	H
XV-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	F	F	H	OH	H	H
XV-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	F	F	H	OH	H	H
XV-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	F	F	H	OH	H	H
XV-13-8	<i>i</i> Pr	*	H	*	Et	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-14.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-14-1	<i>t</i> Bu	H	H	H	Et	F	F	H	OH	H	H
XV-14-2	<i>t</i> Bu	H	H	CH ₃	Et	F	F	H	OH	H	H
XV-14-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Et	F	F	H	OH	H	H
XV-14-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	F	F	H	OH	H	H
XV-14-5	<i>t</i> Bu	H	H	CH ₂ Ph	Et	F	F	H	OH	H	H
XV-14-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Et	F	F	H	OH	H	H
XV-14-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	F	F	H	OH	H	H
XV-14-8	<i>t</i> Bu	*	H	*	Et	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-15-1	Ph	H	H	H	Et	F	F	H	OH	H	H
XV-15-2	Ph	H	H	CH ₃	Et	F	F	H	OH	H	H
XV-15-3	Ph	H	H	CH(CH ₃) ₂	Et	F	F	H	OH	H	H
XV-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	F	F	H	OH	H	H
XV-15-5	Ph	H	H	CH ₂ Ph	Et	F	F	H	OH	H	H
XV-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	F	F	H	OH	H	H
XV-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	F	F	H	OH	H	H
XV-15-8	Ph	*	H	*	Et	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-16-1	p-Me-Ph	H	H	H	Et	F	F	H	OH	H	H
XV-16-2	p-Me-Ph	H	H	CH ₃	Et	F	F	H	OH	H	H
XV-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	F	F	H	OH	H	H
XV-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	F	F	H	OH	H	H
XV-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	F	F	H	OH	H	H
XV-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	F	F	H	OH	H	H
XV-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	F	F	H	OH	H	H
XV-16-8	p-Me-Ph	*	H	*	Et	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-17-1	p-F-Ph	H	H	H	Et	F	F	H	OH	H	H
XV-17-2	p-F-Ph	H	H	CH ₃	Et	F	F	H	OH	H	H
XV-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	F	F	H	OH	H	H
XV-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	F	F	H	OH	H	H
XV-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	F	F	H	OH	H	H
XV-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	F	F	H	OH	H	H
XV-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	F	F	H	OH	H	H
XV-17-8	p-F-Ph	*	H	*	Et	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-18.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-18-1	p-Cl-Ph	H	H	H	Et	F	F	H	OH	H	H
XV-18-2	p-Cl-Ph	H	H	CH ₃	Et	F	F	H	OH	H	H
XV-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	F	F	H	OH	H	H
XV-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	F	F	H	OH	H	H
XV-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	F	F	H	OH	H	H
XV-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	F	F	H	OH	H	H
XV-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	F	F	H	OH	H	H
XV-18-8	p-Cl-Ph	*	H	*	Et	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-19.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-19-1	p-Br-Ph	H	H	H	Et	F	F	H	OH	H	H
XV-19-2	p-Br-Ph	H	H	CH ₃	Et	F	F	H	OH	H	H
XV-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	F	F	H	OH	H	H
XV-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	F	F	H	OH	H	H
XV-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	F	F	H	OH	H	H
XV-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	F	F	H	OH	H	H
XV-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	F	F	H	OH	H	H
XV-19-8	p-Br-Ph	*	H	*	Et	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-20-1	p-I-Ph	H	H	H	Et	F	F	H	OH	H	H
XV-20-2	p-I-Ph	H	H	CH ₃	Et	F	F	H	OH	H	H
XV-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	F	F	H	OH	H	H
XV-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	F	F	H	OH	H	H
XV-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	F	F	H	OH	H	H
XV-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	F	F	H	OH	H	H
XV-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	F	F	H	OH	H	H
XV-20-8	p-I-Ph	*	H	*	Et	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-21-1	CH ₃	H	H	H	<i>i</i> Pr	F	F	H	OH	H	H
XV-21-2	CH ₃	H	H	CH ₃	<i>i</i> Pr	F	F	H	OH	H	H
XV-21-3	CH ₃	H	H	CH(CH ₃) ₂	<i>i</i> Pr	F	F	H	OH	H	H
XV-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	F	F	H	OH	H	H
XV-21-5	CH ₃	H	H	CH ₂ Ph	<i>i</i> Pr	F	F	H	OH	H	H
XV-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	F	F	H	OH	H	H
XV-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	F	F	H	OH	H	H
XV-21-8	CH ₃	*	H	*	<i>i</i> Pr	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-22-1	Et	H	H	H	<i>i</i> Pr	F	F	H	OH	H	H
XV-22-2	Et	H	H	CH ₃	<i>i</i> Pr	F	F	H	OH	H	H
XV-22-3	Et	H	H	CH(CH ₃) ₂	<i>i</i> Pr	F	F	H	OH	H	H
XV-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	F	F	H	OH	H	H
XV-22-5	Et	H	H	CH ₂ Ph	<i>i</i> Pr	F	F	H	OH	H	H
XV-22-6	Et	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	F	F	H	OH	H	H
XV-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	F	F	H	OH	H	H
XV-22-8	Et	*	H	*	<i>i</i> Pr	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	F	F	H	OH	H	H
XV-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	F	F	H	OH	H	H
XV-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	F	F	H	OH	H	H
XV-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	F	F	H	OH	H	H
XV-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	F	F	H	OH	H	H
XV-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	F	F	H	OH	H	H
XV-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	F	F	H	OH	H	H
XV-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-24-1	^t Bu	H	H	H	ⁱ Pr	F	F	H	OH	H	H
XV-24-2	^t Bu	H	H	CH ₃	ⁱ Pr	F	F	H	OH	H	H
XV-24-3	^t Bu	H	H	CH(CH ₃) ₂	ⁱ Pr	F	F	H	OH	H	H
XV-24-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	F	F	H	OH	H	H
XV-24-5	^t Bu	H	H	CH ₂ Ph	ⁱ Pr	F	F	H	OH	H	H
XV-24-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁱ Pr	F	F	H	OH	H	H
XV-24-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	F	F	H	OH	H	H
XV-24-8	^t Bu	*	H	*	ⁱ Pr	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-25-1	Ph	H	H	H	ⁱ Pr	F	F	H	OH	H	H
XV-25-2	Ph	H	H	CH ₃	ⁱ Pr	F	F	H	OH	H	H
XV-25-3	Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	F	F	H	OH	H	H
XV-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	F	F	H	OH	H	H
XV-25-5	Ph	H	H	CH ₂ Ph	ⁱ Pr	F	F	H	OH	H	H
XV-25-6	Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	F	F	H	OH	H	H
XV-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	F	F	H	OH	H	H
XV-25-8	Ph	*	H	*	ⁱ Pr	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-26-1	p-Me-Ph	H	H	H	ⁱ Pr	F	F	H	OH	H	H
XV-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	F	F	H	OH	H	H
XV-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	F	F	H	OH	H	H
XV-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	F	F	H	OH	H	H
XV-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	F	F	H	OH	H	H
XV-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	F	F	H	OH	H	H
XV-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	F	F	H	OH	H	H
XV-26-8	p-Me-Ph	*	H	*	ⁱ Pr	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-27.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-27-1	p-F-Ph	H	H	H	ⁱ Pr	F	F	H	OH	H	H
XV-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	F	F	H	OH	H	H
XV-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	F	F	H	OH	H	H
XV-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	F	F	H	OH	H	H
XV-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	F	F	H	OH	H	H
XV-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	F	F	H	OH	H	H
XV-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	F	F	H	OH	H	H
XV-27-8	p-F-Ph	*	H	*	ⁱ Pr	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-28.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	F	F	H	OH	H	H
XV-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	F	F	H	OH	H	H
XV-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	F	F	H	OH	H	H
XV-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	F	F	H	OH	H	H
XV-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	F	F	H	OH	H	H
XV-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	F	F	H	OH	H	H
XV-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	F	F	H	OH	H	H
XV-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-29.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-29-1	p-Br-Ph	H	H	H	ⁱ Pr	F	F	H	OH	H	H
XV-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	F	F	H	OH	H	H
XV-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	F	F	H	OH	H	H
XV-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	F	F	H	OH	H	H
XV-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	F	F	H	OH	H	H
XV-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	F	F	H	OH	H	H
XV-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	F	F	H	OH	H	H
XV-29-8	p-Br-Ph	*	H	*	ⁱ Pr	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-30-1	p-I-Ph	H	H	H	ⁱ Pr	F	F	H	OH	H	H
XV-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	F	F	H	OH	H	H
XV-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	F	F	H	OH	H	H
XV-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	F	F	H	OH	H	H
XV-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	F	F	H	OH	H	H
XV-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	F	F	H	OH	H	H
XV-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	F	F	H	OH	H	H
XV-30-8	p-I-Ph	*	H	*	ⁱ Pr	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-31-1	CH ₃	H	H	H	ⁿ Bu	F	F	H	OH	H	H
XV-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	F	F	H	OH	H	H
XV-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	F	F	H	OH	H	H
XV-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	F	H	OH	H	H
XV-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	F	F	H	OH	H	H
XV-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	F	H	OH	H	H
XV-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	F	H	OH	H	H
XV-31-8	CH ₃	*	H	*	ⁿ Bu	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-32-1	Et	H	H	H	ⁿ Bu	F	F	H	OH	H	H
XV-32-2	Et	H	H	CH ₃	ⁿ Bu	F	F	H	OH	H	H
XV-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	F	F	H	OH	H	H
XV-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	F	H	OH	H	H
XV-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	F	F	H	OH	H	H
XV-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	F	H	OH	H	H
XV-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	F	H	OH	H	H
XV-32-8	Et	*	H	*	ⁿ Bu	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-33.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-33-1	<i>i</i> Pr	H	H	H	<i>n</i> Bu	F	F	H	OH	H	H
XV-33-2	<i>i</i> Pr	H	H	CH ₃	<i>n</i> Bu	F	F	H	OH	H	H
XV-33-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>n</i> Bu	F	F	H	OH	H	H
XV-33-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	F	F	H	OH	H	H
XV-33-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>n</i> Bu	F	F	H	OH	H	H
XV-33-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	F	F	H	OH	H	H
XV-33-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	F	F	H	OH	H	H
XV-33-8	<i>i</i> Pr	*	H	*	<i>n</i> Bu	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-34.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-34-1	<i>t</i> Bu	H	H	H	<i>n</i> Bu	F	F	H	OH	H	H
XV-34-2	<i>t</i> Bu	H	H	CH ₃	<i>n</i> Bu	F	F	H	OH	H	H
XV-34-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>n</i> Bu	F	F	H	OH	H	H
XV-34-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	F	F	H	OH	H	H
XV-34-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>n</i> Bu	F	F	H	OH	H	H
XV-34-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	F	F	H	OH	H	H
XV-34-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	F	F	H	OH	H	H
XV-34-8	<i>t</i> Bu	*	H	*	<i>n</i> Bu	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-35.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-35-1	Ph	H	H	H	<i>n</i> Bu	F	F	H	OH	H	H
XV-35-2	Ph	H	H	CH ₃	<i>n</i> Bu	F	F	H	OH	H	H
XV-35-3	Ph	H	H	CH(CH ₃) ₂	<i>n</i> Bu	F	F	H	OH	H	H
XV-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	F	F	H	OH	H	H
XV-35-5	Ph	H	H	CH ₂ Ph	<i>n</i> Bu	F	F	H	OH	H	H
XV-35-6	Ph	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	F	F	H	OH	H	H
XV-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	F	F	H	OH	H	H
XV-35-8	Ph	*	H	*	<i>n</i> Bu	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-36-1	p-Me-Ph	H	H	H	ⁿ Bu	F	F	H	OH	H	H
XV-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	F	F	H	OH	H	H
XV-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	F	F	H	OH	H	H
XV-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	F	H	OH	H	H
XV-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	F	F	H	OH	H	H
XV-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	F	H	OH	H	H
XV-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	F	H	OH	H	H
XV-36-8	p-Me-Ph	*	H	*	ⁿ Bu	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-37.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-37-1	p-F-Ph	H	H	H	ⁿ Bu	F	F	H	OH	H	H
XV-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	F	F	H	OH	H	H
XV-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	F	F	H	OH	H	H
XV-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	F	H	OH	H	H
XV-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	F	F	H	OH	H	H
XV-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	F	H	OH	H	H
XV-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	F	H	OH	H	H
XV-37-8	p-F-Ph	*	H	*	ⁿ Bu	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-38.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	F	F	H	OH	H	H
XV-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	F	F	H	OH	H	H
XV-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	F	F	H	OH	H	H
XV-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	F	H	OH	H	H
XV-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	F	F	H	OH	H	H
XV-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	F	H	OH	H	H
XV-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	F	H	OH	H	H
XV-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-39-1	p-Br-Ph	H	H	H	ⁿ Bu	F	F	H	OH	H	H
XV-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	F	F	H	OH	H	H
XV-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	F	F	H	OH	H	H
XV-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	F	H	OH	H	H
XV-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	F	F	H	OH	H	H
XV-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	F	H	OH	H	H
XV-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	F	H	OH	H	H
XV-39-8	p-Br-Ph	*	H	*	ⁿ Bu	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-40-1	p-I-Ph	H	H	H	ⁿ Bu	F	F	H	OH	H	H
XV-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	F	F	H	OH	H	H
XV-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	F	F	H	OH	H	H
XV-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	F	H	OH	H	H
XV-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	F	F	H	OH	H	H
XV-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	F	H	OH	H	H
XV-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	F	H	OH	H	H
XV-40-8	p-I-Ph	*	H	*	ⁿ Bu	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-41-1	CH ₃	H	H	H	Bz	F	F	H	OH	H	H
XV-41-2	CH ₃	H	H	CH ₃	Bz	F	F	H	OH	H	H
XV-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	F	F	H	OH	H	H
XV-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	F	H	OH	H	H
XV-41-5	CH ₃	H	H	CH ₂ Ph	Bz	F	F	H	OH	H	H
XV-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	F	F	H	OH	H	H
XV-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	F	H	OH	H	H
XV-41-8	CH ₃	*	H	*	Bz	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-42-1	Et	H	H	H	Bz	F	F	H	OH	H	H
XV-42-2	Et	H	H	CH ₃	Bz	F	F	H	OH	H	H
XV-42-3	Et	H	H	CH(CH ₃) ₂	Bz	F	F	H	OH	H	H
XV-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	F	H	OH	H	H
XV-42-5	Et	H	H	CH ₂ Ph	Bz	F	F	H	OH	H	H
XV-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	F	F	H	OH	H	H
XV-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	F	H	OH	H	H
XV-42-8	Et	*	H	*	Bz	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-43-1	<i>i</i> Pr	H	H	H	Bz	F	F	H	OH	H	H
XV-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	F	F	H	OH	H	H
XV-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	F	F	H	OH	H	H
XV-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	F	H	OH	H	H
XV-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	F	F	H	OH	H	H
XV-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	F	F	H	OH	H	H
XV-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	F	H	OH	H	H
XV-43-8	<i>i</i> Pr	*	H	*	Bz	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-44-1	<i>t</i> Bu	H	H	H	Bz	F	F	H	OH	H	H
XV-44-2	<i>t</i> Bu	H	H	CH ₃	Bz	F	F	H	OH	H	H
XV-44-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Bz	F	F	H	OH	H	H
XV-44-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	F	H	OH	H	H
XV-44-5	<i>t</i> Bu	H	H	CH ₂ Ph	Bz	F	F	H	OH	H	H
XV-44-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Bz	F	F	H	OH	H	H
XV-44-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	F	H	OH	H	H
XV-44-8	<i>t</i> Bu	*	H	*	Bz	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-45-1	Ph	H	H	H	Bz	F	F	H	OH	H	H
XV-45-2	Ph	H	H	CH ₃	Bz	F	F	H	OH	H	H
XV-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	F	F	H	OH	H	H
XV-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	F	H	OH	H	H
XV-45-5	Ph	H	H	CH ₂ Ph	Bz	F	F	H	OH	H	H
XV-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	F	F	H	OH	H	H
XV-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	F	H	OH	H	H
XV-45-8	Ph	*	H	*	Bz	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-46-1	p-Me-Ph	H	H	H	Bz	F	F	H	OH	H	H
XV-46-2	p-Me-Ph	H	H	CH ₃	Bz	F	F	H	OH	H	H
XV-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	F	F	H	OH	H	H
XV-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	F	H	OH	H	H
XV-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	F	F	H	OH	H	H
XV-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	F	F	H	OH	H	H
XV-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	F	H	OH	H	H
XV-46-8	p-Me-Ph	*	H	*	Bz	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-47-1	p-F-Ph	H	H	H	Bz	F	F	H	OH	H	H
XV-47-2	p-F-Ph	H	H	CH ₃	Bz	F	F	H	OH	H	H
XV-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	F	F	H	OH	H	H
XV-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	F	H	OH	H	H
XV-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	F	F	H	OH	H	H
XV-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	F	F	H	OH	H	H
XV-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	F	H	OH	H	H
XV-47-8	p-F-Ph	*	H	*	Bz	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-48-1	p-Cl-Ph	H	H	H	Bz	F	F	H	OH	H	H
XV-48-2	p-Cl-Ph	H	H	CH ₃	Bz	F	F	H	OH	H	H
XV-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	F	F	H	OH	H	H
XV-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	F	H	OH	H	H
XV-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	F	F	H	OH	H	H
XV-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	F	F	H	OH	H	H
XV-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	F	H	OH	H	H
XV-48-8	p-Cl-Ph	*	H	*	Bz	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-49.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-49-1	p-Br-Ph	H	H	H	Bz	F	F	H	OH	H	H
XV-49-2	p-Br-Ph	H	H	CH ₃	Bz	F	F	H	OH	H	H
XV-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	F	F	H	OH	H	H
XV-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	F	H	OH	H	H
XV-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	F	F	H	OH	H	H
XV-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	F	F	H	OH	H	H
XV-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	F	H	OH	H	H
XV-49-8	p-Br-Ph	*	H	*	Bz	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XV-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XV-50-1	p-I-Ph	H	H	H	Bz	F	F	H	OH	H	H
XV-50-2	p-I-Ph	H	H	CH ₃	Bz	F	F	H	OH	H	H
XV-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	F	F	H	OH	H	H
XV-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	F	H	OH	H	H
XV-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	F	F	H	OH	H	H
XV-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	F	F	H	OH	H	H
XV-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	F	H	OH	H	H
XV-50-8	p-I-Ph	*	H	*	Bz	F	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.


**XVI**

Table XVI-1.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-1-1	CH ₃	H	H	H	CH ₃	F	F	F	OH	H	H
XVI-1-2	CH ₃	H	H	CH ₃	CH ₃	F	F	F	OH	H	H
XVI-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	F	F	F	OH	H	H
XVI-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	F	F	OH	H	H
XVI-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	F	F	F	OH	H	H
XVI-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	F	F	F	OH	H	H
XVI-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	F	F	OH	H	H
XVI-1-8	CH ₃	*	H	*	CH ₃	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-2.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-2-1	Et	H	H	H	CH ₃	F	F	F	OH	H	H
XVI-2-2	Et	H	H	CH ₃	CH ₃	F	F	F	OH	H	H
XVI-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	F	F	F	OH	H	H
XVI-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	F	F	OH	H	H
XVI-2-5	Et	H	H	CH ₂ Ph	CH ₃	F	F	F	OH	H	H
XVI-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	F	F	F	OH	H	H
XVI-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	F	F	OH	H	H
XVI-2-8	Et	*	H	*	CH ₃	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-3.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-3-1	<i>i</i> Pr	H	H	H	CH ₃	F	F	F	OH	H	H
XVI-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	F	F	F	OH	H	H
XVI-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	F	F	F	OH	H	H
XVI-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	F	F	OH	H	H
XVI-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	F	F	F	OH	H	H
XVI-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	F	F	F	OH	H	H
XVI-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	F	F	OH	H	H
XVI-3-8	<i>i</i> Pr	*	H	*	CH ₃	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-4.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-4-1	<i>t</i> Bu	H	H	H	CH ₃	F	F	F	OH	H	H
XVI-4-2	<i>t</i> Bu	H	H	CH ₃	CH ₃	F	F	F	OH	H	H
XVI-4-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	CH ₃	F	F	F	OH	H	H
XVI-4-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	F	F	OH	H	H
XVI-4-5	<i>t</i> Bu	H	H	CH ₂ Ph	CH ₃	F	F	F	OH	H	H
XVI-4-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	CH ₃	F	F	F	OH	H	H
XVI-4-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	F	F	OH	H	H
XVI-4-8	<i>t</i> Bu	*	H	*	CH ₃	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-5.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-5-1	Ph	H	H	H	CH ₃	F	F	F	OH	H	H
XVI-5-2	Ph	H	H	CH ₃	CH ₃	F	F	F	OH	H	H
XVI-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	F	F	F	OH	H	H
XVI-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	F	F	OH	H	H
XVI-5-5	Ph	H	H	CH ₂ Ph	CH ₃	F	F	F	OH	H	H
XVI-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	F	F	F	OH	H	H
XVI-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	F	F	OH	H	H
XVI-5-8	Ph	*	H	*	CH ₃	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-6.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-6-1	p-Me-Ph	H	H	H	CH ₃	F	F	F	OH	H	H
XVI-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	F	F	F	OH	H	H
XVI-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	F	F	F	OH	H	H
XVI-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	F	F	OH	H	H
XVI-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	F	F	F	OH	H	H
XVI-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	F	F	F	OH	H	H
XVI-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	F	F	OH	H	H
XVI-6-8	p-Me-Ph	*	H	*	CH ₃	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-7.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-7-1	p-F-Ph	H	H	H	CH ₃	F	F	F	OH	H	H
XVI-7-2	p-F-Ph	H	H	CH ₃	CH ₃	F	F	F	OH	H	H
XVI-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	F	F	F	OH	H	H
XVI-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	F	F	OH	H	H
XVI-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	F	F	F	OH	H	H
XVI-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	F	F	F	OH	H	H
XVI-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	F	F	OH	H	H
XVI-7-20	p-F-Ph	*	H	*	CH ₃	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-8-1	p-Cl-Ph	H	H	H	CH ₃	F	F	F	OH	H	H
XVI-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	F	F	F	OH	H	H
XVI-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	F	F	F	OH	H	H
XVI-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	F	F	OH	H	H
XVI-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	F	F	F	OH	H	H
XVI-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	F	F	F	OH	H	H
XVI-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	F	F	OH	H	H
XVI-8-8	p-Cl-Ph	*	H	*	CH ₃	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-9-1	p-Br-Ph	H	H	H	CH ₃	F	F	F	OH	H	H
XVI-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	F	F	F	OH	H	H
XVI-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	F	F	F	OH	H	H
XVI-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	F	F	OH	H	H
XVI-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	F	F	F	OH	H	H
XVI-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	F	F	F	OH	H	H
XVI-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	F	F	OH	H	H
XVI-9-20	p-Br-Ph	*	H	*	CH ₃	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-10-1	p-I-Ph	H	H	H	CH ₃	F	F	F	OH	H	H
XVI-10-2	p-I-Ph	H	H	CH ₃	CH ₃	F	F	F	OH	H	H
XVI-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	F	F	F	OH	H	H
XVI-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	F	F	OH	H	H
XVI-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	F	F	F	OH	H	H
XVI-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	F	F	F	OH	H	H
XVI-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	F	F	OH	H	H
XVI-10-8	p-I-Ph	*	H	*	CH ₃	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-11-1	CH ₃	H	H	H	Et	F	F	F	OH	H	H
XVI-11-2	CH ₃	H	H	CH ₃	Et	F	F	F	OH	H	H
XVI-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	F	F	F	OH	H	H
XVI-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	F	F	F	OH	H	H
XVI-11-5	CH ₃	H	H	CH ₂ Ph	Et	F	F	F	OH	H	H
XVI-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	F	F	F	OH	H	H
XVI-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	F	F	F	OH	H	H
XVI-11-8	CH ₃	*	H	*	Et	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-12.

N ₀	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-12-1	Et	H	H	H	Et	F	F	F	OH	H	H
XVI-12-2	Et	H	H	CH ₃	Et	F	F	F	OH	H	H
XVI-12-3	Et	H	H	CH(CH ₃) ₂	Et	F	F	F	OH	H	H
XVI-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	F	F	F	OH	H	H
XVI-12-5	Et	H	H	CH ₂ Ph	Et	F	F	F	OH	H	H
XVI-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	F	F	F	OH	H	H
XVI-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	F	F	F	OH	H	H
XVI-12-8	Et	*	H	*	Et	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-13.

N ₀	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-13-1	<i>i</i> Pr	H	H	H	Et	F	F	F	OH	H	H
XVI-13-2	<i>i</i> Pr	H	H	CH ₃	Et	F	F	F	OH	H	H
XVI-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	F	F	F	OH	H	H
XVI-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	F	F	F	OH	H	H
XVI-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	F	F	F	OH	H	H
XVI-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	F	F	F	OH	H	H
XVI-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	F	F	F	OH	H	H
XVI-13-8	<i>i</i> Pr	*	H	*	Et	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-14.

N ₀	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-14-1	<i>t</i> Bu	H	H	H	Et	F	F	F	OH	H	H
XVI-14-2	<i>t</i> Bu	H	H	CH ₃	Et	F	F	F	OH	H	H
XVI-14-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Et	F	F	F	OH	H	H
XVI-14-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	F	F	F	OH	H	H
XVI-14-5	<i>t</i> Bu	H	H	CH ₂ Ph	Et	F	F	F	OH	H	H
XVI-14-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Et	F	F	F	OH	H	H
XVI-14-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	F	F	F	OH	H	H
XVI-14-8	<i>t</i> Bu	*	H	*	Et	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-15-1	Ph	H	H	H	Et	F	F	F	OH	H	H
XVI-15-2	Ph	H	H	CH ₃	Et	F	F	F	OH	H	H
XVI-15-3	Ph	H	H	CH(CH ₃) ₂	Et	F	F	F	OH	H	H
XVI-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	F	F	F	OH	H	H
XVI-15-5	Ph	H	H	CH ₂ Ph	Et	F	F	F	OH	H	H
XVI-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	F	F	F	OH	H	H
XVI-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	F	F	F	OH	H	H
XVI-15-8	Ph	*	H	*	Et	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-16-1	p-Me-Ph	H	H	H	Et	F	F	F	OH	H	H
XVI-16-2	p-Me-Ph	H	H	CH ₃	Et	F	F	F	OH	H	H
XVI-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	F	F	F	OH	H	H
XVI-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	F	F	F	OH	H	H
XVI-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	F	F	F	OH	H	H
XVI-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	F	F	F	OH	H	H
XVI-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	F	F	F	OH	H	H
XVI-16-8	p-Me-Ph	*	H	*	Et	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-17-1	p-F-Ph	H	H	H	Et	F	F	F	OH	H	H
XVI-17-2	p-F-Ph	H	H	CH ₃	Et	F	F	F	OH	H	H
XVI-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	F	F	F	OH	H	H
XVI-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	F	F	F	OH	H	H
XVI-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	F	F	F	OH	H	H
XVI-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	F	F	F	OH	H	H
XVI-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	F	F	F	OH	H	H
XVI-17-8	p-F-Ph	*	H	*	Et	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-18.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-18-1	p-Cl-Ph	H	H	H	Et	F	F	F	OH	H	H
XVI-18-2	p-Cl-Ph	H	H	CH ₃	Et	F	F	F	OH	H	H
XVI-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	F	F	F	OH	H	H
XVI-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	F	F	F	OH	H	H
XVI-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	F	F	F	OH	H	H
XVI-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	F	F	F	OH	H	H
XVI-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	F	F	F	OH	H	H
XVI-18-8	p-Cl-Ph	*	H	*	Et	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-19.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-19-1	p-Br-Ph	H	H	H	Et	F	F	F	OH	H	H
XVI-19-2	p-Br-Ph	H	H	CH ₃	Et	F	F	F	OH	H	H
XVI-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	F	F	F	OH	H	H
XVI-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	F	F	F	OH	H	H
XVI-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	F	F	F	OH	H	H
XVI-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	F	F	F	OH	H	H
XVI-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	F	F	F	OH	H	H
XVI-19-8	p-Br-Ph	*	H	*	Et	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷
XVI-20-1	p-I-Ph	H	H	H	Et	F	F	F	OH	H
XVI-20-2	p-I-Ph	H	H	CH ₃	Et	F	F	F	OH	H
XVI-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	F	F	F	OH	H
XVI-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	F	F	F	OH	H
XVI-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	F	F	F	OH	H
XVI-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	F	F	F	OH	H
XVI-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	F	F	F	OH	H
XVI-20-8	p-I-Ph	*	H	*	Et	F	F	F	OH	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-21-1	CH ₃	H	H	H	<i>i</i> Pr	F	F	F	OH	H	H
XVI-21-2	CH ₃	H	H	CH ₃	<i>i</i> Pr	F	F	F	OH	H	H
XVI-21-3	CH ₃	H	H	CH(CH ₃) ₂	<i>i</i> Pr	F	F	F	OH	H	H
XVI-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	F	F	F	OH	H	H
XVI-21-5	CH ₃	H	H	CH ₂ Ph	<i>i</i> Pr	F	F	F	OH	H	H
XVI-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	F	F	F	OH	H	H
XVI-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	F	F	F	OH	H	H
XVI-21-8	CH ₃	*	H	*	<i>i</i> Pr	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-22-1	Et	H	H	H	<i>i</i> Pr	F	F	F	OH	H	H
XVI-22-2	Et	H	H	CH ₃	<i>i</i> Pr	F	F	F	OH	H	H
XVI-22-3	Et	H	H	CH(CH ₃) ₂	<i>i</i> Pr	F	F	F	OH	H	H
XVI-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	F	F	F	OH	H	H
XVI-22-5	Et	H	H	CH ₂ Ph	<i>i</i> Pr	F	F	F	OH	H	H
XVI-22-6	Et	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	F	F	F	OH	H	H
XVI-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	F	F	F	OH	H	H
XVI-22-8	Et	*	H	*	<i>i</i> Pr	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	F	F	F	OH	H	H
XVI-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	F	F	F	OH	H	H
XVI-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	F	F	F	OH	H	H
XVI-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	F	F	F	OH	H	H
XVI-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	F	F	F	OH	H	H
XVI-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	F	F	F	OH	H	H
XVI-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	F	F	F	OH	H	H
XVI-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-24-1	<i>t</i> Bu	H	H	H	<i>i</i> Pr	F	F	F	OH	H	H
XVI-24-2	<i>t</i> Bu	H	H	CH ₃	<i>i</i> Pr	F	F	F	OH	H	H
XVI-24-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>i</i> Pr	F	F	F	OH	H	H
XVI-24-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	F	F	F	OH	H	H
XVI-24-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>i</i> Pr	F	F	F	OH	H	H
XVI-24-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	F	F	F	OH	H	H
XVI-24-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	F	F	F	OH	H	H
XVI-24-8	<i>t</i> Bu	*	H	*	<i>i</i> Pr	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-25-1	Ph	H	H	H	<i>i</i> Pr	F	F	F	OH	H	H
XVI-25-2	Ph	H	H	CH ₃	<i>i</i> Pr	F	F	F	OH	H	H
XVI-25-3	Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	F	F	F	OH	H	H
XVI-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	F	F	F	OH	H	H
XVI-25-5	Ph	H	H	CH ₂ Ph	<i>i</i> Pr	F	F	F	OH	H	H
XVI-25-6	Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	F	F	F	OH	H	H
XVI-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	F	F	F	OH	H	H
XVI-25-8	Ph	*	H	*	<i>i</i> Pr	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-26-1	p-Me-Ph	H	H	H	<i>i</i> Pr	F	F	F	OH	H	H
XVI-26-2	p-Me-Ph	H	H	CH ₃	<i>i</i> Pr	F	F	F	OH	H	H
XVI-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	F	F	F	OH	H	H
XVI-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	F	F	F	OH	H	H
XVI-26-5	p-Me-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	F	F	F	OH	H	H
XVI-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	F	F	F	OH	H	H
XVI-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	F	F	F	OH	H	H
XVI-26-8	p-Me-Ph	*	H	*	<i>i</i> Pr	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-27-1	p-F-Ph	H	H	H	ⁱ Pr	F	F	F	OH	H	H
XVI-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	F	F	F	OH	H	H
XVI-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	F	F	F	OH	H	H
XVI-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	F	F	F	OH	H	H
XVI-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	F	F	F	OH	H	H
XVI-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	F	F	F	OH	H	H
XVI-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	F	F	F	OH	H	H
XVI-27-8	p-F-Ph	*	H	*	ⁱ Pr	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-28.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	F	F	F	OH	H	H
XVI-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	F	F	F	OH	H	H
XVI-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	F	F	F	OH	H	H
XVI-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	F	F	F	OH	H	H
XVI-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	F	F	F	OH	H	H
XVI-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	F	F	F	OH	H	H
XVI-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	F	F	F	OH	H	H
XVI-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-29-1	p-Br-Ph	H	H	H	ⁱ Pr	F	F	F	OH	H	H
XVI-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	F	F	F	OH	H	H
XVI-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	F	F	F	OH	H	H
XVI-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	F	F	F	OH	H	H
XVI-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	F	F	F	OH	H	H
XVI-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	F	F	F	OH	H	H
XVI-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	F	F	F	OH	H	H
XVI-29-8	p-Br-Ph	*	H	*	ⁱ Pr	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-30-1	p-I-Ph	H	H	H	ⁱ Pr	F	F	F	OH	H	H
XVI-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	F	F	F	OH	H	H
XVI-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	F	F	F	OH	H	H
XVI-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	F	F	F	OH	H	H
XVI-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	F	F	F	OH	H	H
XVI-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	F	F	F	OH	H	H
XVI-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	F	F	F	OH	H	H
XVI-30-8	p-I-Ph	*	H	*	ⁱ Pr	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-31-1	CH ₃	H	H	H	ⁿ Bu	F	F	F	OH	H	H
XVI-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	F	F	F	OH	H	H
XVI-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	F	F	F	OH	H	H
XVI-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	F	F	OH	H	H
XVI-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	F	F	F	OH	H	H
XVI-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	F	F	OH	H	H
XVI-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	F	F	OH	H	H
XVI-31-8	CH ₃	*	H	*	ⁿ Bu	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-32-1	Et	H	H	H	ⁿ Bu	F	F	F	OH	H	H
XVI-32-2	Et	H	H	CH ₃	ⁿ Bu	F	F	F	OH	H	H
XVI-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	F	F	F	OH	H	H
XVI-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	F	F	OH	H	H
XVI-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	F	F	F	OH	H	H
XVI-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	F	F	OH	H	H
XVI-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	F	F	OH	H	H
XVI-32-8	Et	*	H	*	ⁿ Bu	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-33-1	<i>i</i> Pr	H	H	H	ⁿ Bu	F	F	F	OH	H	H
XVI-33-2	<i>i</i> Pr	H	H	CH ₃	ⁿ Bu	F	F	F	OH	H	H
XVI-33-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	ⁿ Bu	F	F	F	OH	H	H
XVI-33-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	F	F	OH	H	H
XVI-33-5	<i>i</i> Pr	H	H	CH ₂ Ph	ⁿ Bu	F	F	F	OH	H	H
XVI-33-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	F	F	OH	H	H
XVI-33-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	F	F	OH	H	H
XVI-33-8	<i>i</i> Pr	*	H	*	ⁿ Bu	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-34-1	^t Bu	H	H	H	ⁿ Bu	F	F	F	OH	H	H
XVI-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	F	F	F	OH	H	H
XVI-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	F	F	F	OH	H	H
XVI-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	F	F	OH	H	H
XVI-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	F	F	F	OH	H	H
XVI-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	F	F	OH	H	H
XVI-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	F	F	OH	H	H
XVI-34-8	^t Bu	*	H	*	ⁿ Bu	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-35-1	Ph	H	H	H	ⁿ Bu	F	F	F	OH	H	H
XVI-35-2	Ph	H	H	CH ₃	ⁿ Bu	F	F	F	OH	H	H
XVI-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	F	F	F	OH	H	H
XVI-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	F	F	OH	H	H
XVI-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	F	F	F	OH	H	H
XVI-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	F	F	OH	H	H
XVI-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	F	F	OH	H	H
XVI-35-8	Ph	*	H	*	ⁿ Bu	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-36-1	p-Me-Ph	H	H	H	ⁿ Bu	F	F	F	OH	H	H
XVI-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	F	F	F	OH	H	H
XVI-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	F	F	F	OH	H	H
XVI-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	F	F	OH	H	H
XVI-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	F	F	F	OH	H	H
XVI-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	F	F	OH	H	H
XVI-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	F	F	OH	H	H
XVI-36-8	p-Me-Ph	*	H	*	ⁿ Bu	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-37.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-37-1	p-F-Ph	H	H	H	ⁿ Bu	F	F	F	OH	H	H
XVI-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	F	F	F	OH	H	H
XVI-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	F	F	F	OH	H	H
XVI-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	F	F	OH	H	H
XVI-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	F	F	F	OH	H	H
XVI-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	F	F	OH	H	H
XVI-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	F	F	OH	H	H
XVI-37-8	p-F-Ph	*	H	*	ⁿ Bu	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-38.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	F	F	F	OH	H	H
XVI-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	F	F	F	OH	H	H
XVI-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	F	F	F	OH	H	H
XVI-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	F	F	OH	H	H
XVI-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	F	F	F	OH	H	H
XVI-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	F	F	OH	H	H
XVI-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	F	F	OH	H	H
XVI-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-39-1	p-Br-Ph	H	H	H	ⁿ Bu	F	F	F	OH	H	H
XVI-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	F	F	F	OH	H	H
XVI-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	F	F	F	OH	H	H
XVI-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	F	F	OH	H	H
XVI-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	F	F	F	OH	H	H
XVI-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	F	F	OH	H	H
XVI-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	F	F	OH	H	H
XVI-39-8	p-Br-Ph	*	H	*	ⁿ Bu	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-40-1	p-I-Ph	H	H	H	ⁿ Bu	F	F	F	OH	H	H
XVI-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	F	F	F	OH	H	H
XVI-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	F	F	F	OH	H	H
XVI-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	F	F	OH	H	H
XVI-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	F	F	F	OH	H	H
XVI-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	F	F	OH	H	H
XVI-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	F	F	OH	H	H
XVI-40-8	p-I-Ph	*	H	*	ⁿ Bu	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-41-1	CH ₃	H	H	H	Bz	F	F	F	OH	H	H
XVI-41-2	CH ₃	H	H	CH ₃	Bz	F	F	F	OH	H	H
XVI-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	F	F	F	OH	H	H
XVI-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	F	F	OH	H	H
XVI-41-5	CH ₃	H	H	CH ₂ Ph	Bz	F	F	F	OH	H	H
XVI-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	F	F	F	OH	H	H
XVI-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	F	F	OH	H	H
XVI-41-8	CH ₃	*	H	*	Bz	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-42-1	Et	H	H	H	Bz	F	F	F	OH	H	H
XVI-42-2	Et	H	H	CH ₃	Bz	F	F	F	OH	H	H
XVI-42-3	Et	H	H	CH(CH ₃) ₂	Bz	F	F	F	OH	H	H
XVI-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	F	F	OH	H	H
XVI-42-5	Et	H	H	CH ₂ Ph	Bz	F	F	F	OH	H	H
XVI-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	F	F	F	OH	H	H
XVI-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	F	F	OH	H	H
XVI-42-8	Et	*	H	*	Bz	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-43-1	<i>i</i> Pr	H	H	H	Bz	F	F	F	OH	H	H
XVI-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	F	F	F	OH	H	H
XVI-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	F	F	F	OH	H	H
XVI-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	F	F	OH	H	H
XVI-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	F	F	F	OH	H	H
XVI-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	F	F	F	OH	H	H
XVI-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	F	F	OH	H	H
XVI-43-8	<i>i</i> Pr	*	H	*	Bz	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVI-44-1	<i>t</i> Bu	H	H	H	Bz	F	F	F	OH	H	H
XVI-44-2	<i>t</i> Bu	H	H	CH ₃	Bz	F	F	F	OH	H	H
XVI-44-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Bz	F	F	F	OH	H	H
XVI-44-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	F	F	OH	H	H
XVI-44-5	<i>t</i> Bu	H	H	CH ₂ Ph	Bz	F	F	F	OH	H	H
XVI-44-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Bz	F	F	F	OH	H	H
XVI-44-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	F	F	OH	H	H
XVI-44-8	<i>t</i> Bu	*	H	*	Bz	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-45-1	Ph	H	H	H	Bz	F	F	F	OH	H	H
XVII-45-2	Ph	H	H	CH ₃	Bz	F	F	F	OH	H	H
XVII-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	F	F	F	OH	H	H
XVII-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	F	F	OH	H	H
XVII-45-5	Ph	H	H	CH ₂ Ph	Bz	F	F	F	OH	H	H
XVII-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	F	F	F	OH	H	H
XVII-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	F	F	OH	H	H
XVII-45-8	Ph	*	H	*	Bz	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-46-1	p-Me-Ph	H	H	H	Bz	F	F	F	OH	H	H
XVII-46-2	p-Me-Ph	H	H	CH ₃	Bz	F	F	F	OH	H	H
XVII-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	F	F	F	OH	H	H
XVII-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	F	F	OH	H	H
XVII-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	F	F	F	OH	H	H
XVII-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	F	F	F	OH	H	H
XVII-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	F	F	OH	H	H
XVII-46-8	p-Me-Ph	*	H	*	Bz	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-47-1	p-F-Ph	H	H	H	Bz	F	F	F	OH	H	H
XVII-47-2	p-F-Ph	H	H	CH ₃	Bz	F	F	F	OH	H	H
XVII-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	F	F	F	OH	H	H
XVII-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	F	F	OH	H	H
XVII-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	F	F	F	OH	H	H
XVII-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	F	F	F	OH	H	H
XVII-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	F	F	OH	H	H
XVII-47-8	p-F-Ph	*	H	*	Bz	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-48-1	p-Cl-Ph	H	H	H	Bz	F	F	F	OH	H	H
XVII-48-2	p-Cl-Ph	H	H	CH ₃	Bz	F	F	F	OH	H	H
XVII-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	F	F	F	OH	H	H
XVII-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	F	F	OH	H	H
XVII-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	F	F	F	OH	H	H
XVII-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	F	F	F	OH	H	H
XVII-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	F	F	OH	H	H
XVII-48-8	p-Cl-Ph	*	H	*	Bz	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-49.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-49-1	p-Br-Ph	H	H	H	Bz	F	F	F	OH	H	H
XVII-49-2	p-Br-Ph	H	H	CH ₃	Bz	F	F	F	OH	H	H
XVII-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	F	F	F	OH	H	H
XVII-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	F	F	OH	H	H
XVII-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	F	F	F	OH	H	H
XVII-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	F	F	F	OH	H	H
XVII-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	F	F	OH	H	H
XVII-49-8	p-Br-Ph	*	H	*	Bz	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVI-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-50-1	p-I-Ph	H	H	H	Bz	F	F	F	OH	H	H
XVII-50-2	p-I-Ph	H	H	CH ₃	Bz	F	F	F	OH	H	H
XVII-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	F	F	F	OH	H	H
XVII-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	F	F	OH	H	H
XVII-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	F	F	F	OH	H	H
XVII-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	F	F	F	OH	H	H
XVII-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	F	F	OH	H	H
XVII-50-8	p-I-Ph	*	H	*	Bz	F	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.


**XVII**

Table XVII-1.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-1-1	CH ₃	H	H	H	CH ₃	F	H	F	OH	H	H
XVII-1-2	CH ₃	H	H	CH ₃	CH ₃	F	H	F	OH	H	H
XVII-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	F	H	F	OH	H	H
XVII-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	H	F	OH	H	H
XVII-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	F	H	F	OH	H	H
XVII-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	F	H	F	OH	H	H
XVII-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	H	F	OH	H	H
XVII-1-8	CH ₃	*	H	*	CH ₃	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-2.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-2-1	Et	H	H	H	CH ₃	F	H	F	OH	H	H
XVII-2-2	Et	H	H	CH ₃	CH ₃	F	H	F	OH	H	H
XVII-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	F	H	F	OH	H	H
XVII-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	H	F	OH	H	H
XVII-2-5	Et	H	H	CH ₂ Ph	CH ₃	F	H	F	OH	H	H
XVII-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	F	H	F	OH	H	H
XVII-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	H	F	OH	H	H
XVII-2-8	Et	*	H	*	CH ₃	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-3.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-3-1	<i>i</i> Pr	H	H	H	CH ₃	F	H	F	OH	H	H
XVII-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	F	H	F	OH	H	H
XVII-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	F	H	F	OH	H	H
XVII-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	H	F	OH	H	H
XVII-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	F	H	F	OH	H	H
XVII-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	F	H	F	OH	H	H
XVII-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	H	F	OH	H	H
XVII-3-8	<i>i</i> Pr	*	H	*	CH ₃	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-4.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-4-1	<i>t</i> Bu	H	H	H	CH ₃	F	H	F	OH	H	H
XVII-4-2	<i>t</i> Bu	H	H	CH ₃	CH ₃	F	H	F	OH	H	H
XVII-4-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	CH ₃	F	H	F	OH	H	H
XVII-4-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	H	F	OH	H	H
XVII-4-5	<i>t</i> Bu	H	H	CH ₂ Ph	CH ₃	F	H	F	OH	H	H
XVII-4-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	CH ₃	F	H	F	OH	H	H
XVII-4-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	H	F	OH	H	H
XVII-4-8	<i>t</i> Bu	*	H	*	CH ₃	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-5.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-5-1	Ph	H	H	H	CH ₃	F	H	F	OH	H	H
XVII-5-2	Ph	H	H	CH ₃	CH ₃	F	H	F	OH	H	H
XVII-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	F	H	F	OH	H	H
XVII-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	H	F	OH	H	H
XVII-5-5	Ph	H	H	CH ₂ Ph	CH ₃	F	H	F	OH	H	H
XVII-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	F	H	F	OH	H	H
XVII-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	H	F	OH	H	H
XVII-5-8	Ph	*	H	*	CH ₃	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-6.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-6-1	p-Me-Ph	H	H	H	CH ₃	F	H	F	OH	H	H
XVII-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	F	H	F	OH	H	H
XVII-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	F	H	F	OH	H	H
XVII-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	H	F	OH	H	H
XVII-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	F	H	F	OH	H	H
XVII-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	F	H	F	OH	H	H
XVII-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	H	F	OH	H	H
XVII-6-8	p-Me-Ph	*	H	*	CH ₃	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-7.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-7-1	p-F-Ph	H	H	H	CH ₃	F	H	F	OH	H	H
XVII-7-2	p-F-Ph	H	H	CH ₃	CH ₃	F	H	F	OH	H	H
XVII-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	F	H	F	OH	H	H
XVII-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	H	F	OH	H	H
XVII-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	F	H	F	OH	H	H
XVII-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	F	H	F	OH	H	H
XVII-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	H	F	OH	H	H
XVII-7-20	p-F-Ph	*	H	*	CH ₃	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-8-1	p-Cl-Ph	H	H	H	CH ₃	F	H	F	OH	H	H
XVII-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	F	H	F	OH	H	H
XVII-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	F	H	F	OH	H	H
XVII-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	H	F	OH	H	H
XVII-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	F	H	F	OH	H	H
XVII-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	F	H	F	OH	H	H
XVII-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	H	F	OH	H	H
XVII-8-8	p-Cl-Ph	*	H	*	CH ₃	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-9-1	p-Br-Ph	H	H	H	CH ₃	F	H	F	OH	H	H
XVII-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	F	H	F	OH	H	H
XVII-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	F	H	F	OH	H	H
XVII-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	H	F	OH	H	H
XVII-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	F	H	F	OH	H	H
XVII-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	F	H	F	OH	H	H
XVII-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	H	F	OH	H	H
XVII-9-20	p-Br-Ph	*	H	*	CH ₃	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-10-1	p-I-Ph	H	H	H	CH ₃	F	H	F	OH	H	H
XVII-10-2	p-I-Ph	H	H	CH ₃	CH ₃	F	H	F	OH	H	H
XVII-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	F	H	F	OH	H	H
XVII-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	F	H	F	OH	H	H
XVII-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	F	H	F	OH	H	H
XVII-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	F	H	F	OH	H	H
XVII-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	F	H	F	OH	H	H
XVII-10-8	p-I-Ph	*	H	*	CH ₃	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-11-1	CH ₃	H	H	H	Et	F	H	F	OH	H	H
XVII-11-2	CH ₃	H	H	CH ₃	Et	F	H	F	OH	H	H
XVII-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	F	H	F	OH	H	H
XVII-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	F	H	F	OH	H	H
XVII-11-5	CH ₃	H	H	CH ₂ Ph	Et	F	H	F	OH	H	H
XVII-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	F	H	F	OH	H	H
XVII-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	F	H	F	OH	H	H
XVII-11-8	CH ₃	*	H	*	Et	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-12-1	Et	H	H	H	Et	F	H	F	OH	H	H
XVII-12-2	Et	H	H	CH ₃	Et	F	H	F	OH	H	H
XVII-12-3	Et	H	H	CH(CH ₃) ₂	Et	F	H	F	OH	H	H
XVII-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	F	H	F	OH	H	H
XVII-12-5	Et	H	H	CH ₂ Ph	Et	F	H	F	OH	H	H
XVII-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	F	H	F	OH	H	H
XVII-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	F	H	F	OH	H	H
XVII-12-8	Et	*	H	*	Et	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-13-1	<i>i</i> Pr	H	H	H	Et	F	H	F	OH	H	H
XVII-13-2	<i>i</i> Pr	H	H	CH ₃	Et	F	H	F	OH	H	H
XVII-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	F	H	F	OH	H	H
XVII-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	F	H	F	OH	H	H
XVII-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	F	H	F	OH	H	H
XVII-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	F	H	F	OH	H	H
XVII-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	F	H	F	OH	H	H
XVII-13-8	<i>i</i> Pr	*	H	*	Et	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-14.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-14-1	<i>t</i> Bu	H	H	H	Et	F	H	F	OH	H	H
XVII-14-2	<i>t</i> Bu	H	H	CH ₃	Et	F	H	F	OH	H	H
XVII-14-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Et	F	H	F	OH	H	H
XVII-14-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	F	H	F	OH	H	H
XVII-14-5	<i>t</i> Bu	H	H	CH ₂ Ph	Et	F	H	F	OH	H	H
XVII-14-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Et	F	H	F	OH	H	H
XVII-14-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	F	H	F	OH	H	H
XVII-14-8	<i>t</i> Bu	*	H	*	Et	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-15-1	Ph	H	H	H	Et	F	H	F	OH	H	H
XVII-15-2	Ph	H	H	CH ₃	Et	F	H	F	OH	H	H
XVII-15-3	Ph	H	H	CH(CH ₃) ₂	Et	F	H	F	OH	H	H
XVII-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	F	H	F	OH	H	H
XVII-15-5	Ph	H	H	CH ₂ Ph	Et	F	H	F	OH	H	H
XVII-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	F	H	F	OH	H	H
XVII-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	F	H	F	OH	H	H
XVII-15-8	Ph	*	H	*	Et	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-16-1	p-Me-Ph	H	H	H	Et	F	H	F	OH	H	H
XVII-16-2	p-Me-Ph	H	H	CH ₃	Et	F	H	F	OH	H	H
XVII-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	F	H	F	OH	H	H
XVII-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	F	H	F	OH	H	H
XVII-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	F	H	F	OH	H	H
XVII-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	F	H	F	OH	H	H
XVII-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	F	H	F	OH	H	H
XVII-16-8	p-Me-Ph	*	H	*	Et	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-17-1	p-F-Ph	H	H	H	Et	F	H	F	OH	H	H
XVII-17-2	p-F-Ph	H	H	CH ₃	Et	F	H	F	OH	H	H
XVII-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	F	H	F	OH	H	H
XVII-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	F	H	F	OH	H	H
XVII-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	F	H	F	OH	H	H
XVII-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	F	H	F	OH	H	H
XVII-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	F	H	F	OH	H	H
XVII-17-8	p-F-Ph	*	H	*	Et	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-18.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-18-1	p-Cl-Ph	H	H	H	Et	F	H	F	OH	H	H
XVII-18-2	p-Cl-Ph	H	H	CH ₃	Et	F	H	F	OH	H	H
XVII-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	F	H	F	OH	H	H
XVII-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	F	H	F	OH	H	H
XVII-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	F	H	F	OH	H	H
XVII-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	F	H	F	OH	H	H
XVII-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	F	H	F	OH	H	H
XVII-18-8	p-Cl-Ph	*	H	*	Et	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-19.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-19-1	p-Br-Ph	H	H	H	Et	F	H	F	OH	H	H
XVII-19-2	p-Br-Ph	H	H	CH ₃	Et	F	H	F	OH	H	H
XVII-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	F	H	F	OH	H	H
XVII-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	F	H	F	OH	H	H
XVII-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	F	H	F	OH	H	H
XVII-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	F	H	F	OH	H	H
XVII-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	F	H	F	OH	H	H
XVII-19-8	p-Br-Ph	*	H	*	Et	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-20-1	p-I-Ph	H	H	H	Et	F	H	F	OH	H	H
XVII-20-2	p-I-Ph	H	H	CH ₃	Et	F	H	F	OH	H	H
XVII-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	F	H	F	OH	H	H
XVII-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	F	H	F	OH	H	H
XVII-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	F	H	F	OH	H	H
XVII-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	F	H	F	OH	H	H
XVII-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	F	H	F	OH	H	H
XVII-20-8	p-I-Ph	*	H	*	Et	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-21-1	CH ₃	H	H	H	<i>i</i> Pr	F	H	F	OH	H	H
XVII-21-2	CH ₃	H	H	CH ₃	<i>i</i> Pr	F	H	F	OH	H	H
XVII-21-3	CH ₃	H	H	CH(CH ₃) ₂	<i>i</i> Pr	F	H	F	OH	H	H
XVII-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	F	H	F	OH	H	H
XVII-21-5	CH ₃	H	H	CH ₂ Ph	<i>i</i> Pr	F	H	F	OH	H	H
XVII-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	F	H	F	OH	H	H
XVII-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	F	H	F	OH	H	H
XVII-21-8	CH ₃	*	H	*	<i>i</i> Pr	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-22-1	Et	H	H	H	<i>i</i> Pr	F	H	F	OH	H	H
XVII-22-2	Et	H	H	CH ₃	<i>i</i> Pr	F	H	F	OH	H	H
XVII-22-3	Et	H	H	CH(CH ₃) ₂	<i>i</i> Pr	F	H	F	OH	H	H
XVII-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	F	H	F	OH	H	H
XVII-22-5	Et	H	H	CH ₂ Ph	<i>i</i> Pr	F	H	F	OH	H	H
XVII-22-6	Et	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	F	H	F	OH	H	H
XVII-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	F	H	F	OH	H	H
XVII-22-8	Et	*	H	*	<i>i</i> Pr	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	F	H	F	OH	H	H
XVII-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	F	H	F	OH	H	H
XVII-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	F	H	F	OH	H	H
XVII-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	F	H	F	OH	H	H
XVII-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	F	H	F	OH	H	H
XVII-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	F	H	F	OH	H	H
XVII-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	F	H	F	OH	H	H
XVII-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-24-1	<i>t</i> Bu	H	H	H	<i>i</i> Pr	F	H	F	OH	H	H
XVII-24-2	<i>t</i> Bu	H	H	CH ₃	<i>i</i> Pr	F	H	F	OH	H	H
XVII-24-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>i</i> Pr	F	H	F	OH	H	H
XVII-24-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	F	H	F	OH	H	H
XVII-24-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>i</i> Pr	F	H	F	OH	H	H
XVII-24-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	F	H	F	OH	H	H
XVII-24-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	F	H	F	OH	H	H
XVII-24-8	<i>t</i> Bu	*	H	*	<i>i</i> Pr	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-25-1	Ph	H	H	H	<i>i</i> Pr	F	H	F	OH	H	H
XVII-25-2	Ph	H	H	CH ₃	<i>i</i> Pr	F	H	F	OH	H	H
XVII-25-3	Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	F	H	F	OH	H	H
XVII-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	F	H	F	OH	H	H
XVII-25-5	Ph	H	H	CH ₂ Ph	<i>i</i> Pr	F	H	F	OH	H	H
XVII-25-6	Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	F	H	F	OH	H	H
XVII-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	F	H	F	OH	H	H
XVII-25-8	Ph	*	H	*	<i>i</i> Pr	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-26-1	p-Me-Ph	H	H	H	<i>i</i> Pr	F	H	F	OH	H	H
XVII-26-2	p-Me-Ph	H	H	CH ₃	<i>i</i> Pr	F	H	F	OH	H	H
XVII-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	F	H	F	OH	H	H
XVII-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	F	H	F	OH	H	H
XVII-26-5	p-Me-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	F	H	F	OH	H	H
XVII-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	F	H	F	OH	H	H
XVII-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	F	H	F	OH	H	H
XVII-26-8	p-Me-Ph	*	H	*	<i>i</i> Pr	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-27-1	p-F-Ph	H	H	H	<i>i</i> Pr	F	H	F	OH	H	H
XVII-27-2	p-F-Ph	H	H	CH ₃	<i>i</i> Pr	F	H	F	OH	H	H
XVII-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	F	H	F	OH	H	H
XVII-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	F	H	F	OH	H	H
XVII-27-5	p-F-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	F	H	F	OH	H	H
XVII-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	F	H	F	OH	H	H
XVII-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	F	H	F	OH	H	H
XVII-27-8	p-F-Ph	*	H	*	<i>i</i> Pr	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-28.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-28-1	p-Cl-Ph	H	H	H	<i>i</i> Pr	F	H	F	OH	H	H
XVII-28-2	p-Cl-Ph	H	H	CH ₃	<i>i</i> Pr	F	H	F	OH	H	H
XVII-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	F	H	F	OH	H	H
XVII-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	F	H	F	OH	H	H
XVII-28-5	p-Cl-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	F	H	F	OH	H	H
XVII-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	F	H	F	OH	H	H
XVII-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	F	H	F	OH	H	H
XVII-28-8	p-Cl-Ph	*	H	*	<i>i</i> Pr	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-29-1	p-Br-Ph	H	H	H	<i>i</i> Pr	F	H	F	OH	H	H
XVII-29-2	p-Br-Ph	H	H	CH ₃	<i>i</i> Pr	F	H	F	OH	H	H
XVII-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	F	H	F	OH	H	H
XVII-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	F	H	F	OH	H	H
XVII-29-5	p-Br-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	F	H	F	OH	H	H
XVII-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	F	H	F	OH	H	H
XVII-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	F	H	F	OH	H	H
XVII-29-8	p-Br-Ph	*	H	*	<i>i</i> Pr	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-30-1	p-I-Ph	H	H	H	ⁱ Pr	F	H	F	OH	H	H
XVII-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	F	H	F	OH	H	H
XVII-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	F	H	F	OH	H	H
XVII-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	F	H	F	OH	H	H
XVII-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	F	H	F	OH	H	H
XVII-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	F	H	F	OH	H	H
XVII-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	F	H	F	OH	H	H
XVII-30-8	p-I-Ph	*	H	*	ⁱ Pr	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-31-1	CH ₃	H	H	H	ⁿ Bu	F	H	F	OH	H	H
XVII-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	F	H	F	OH	H	H
XVII-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	F	H	F	OH	H	H
XVII-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	H	F	OH	H	H
XVII-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	F	H	F	OH	H	H
XVII-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	H	F	OH	H	H
XVII-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	H	F	OH	H	H
XVII-31-8	CH ₃	*	H	*	ⁿ Bu	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-32-1	Et	H	H	H	ⁿ Bu	F	H	F	OH	H	H
XVII-32-2	Et	H	H	CH ₃	ⁿ Bu	F	H	F	OH	H	H
XVII-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	F	H	F	OH	H	H
XVII-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	H	F	OH	H	H
XVII-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	F	H	F	OH	H	H
XVII-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	H	F	OH	H	H
XVII-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	H	F	OH	H	H
XVII-32-8	Et	*	H	*	ⁿ Bu	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-33-1	<i>i</i> Pr	H	H	H	<i>n</i> Bu	F	H	F	OH	H	H
XVII-33-2	<i>i</i> Pr	H	H	CH ₃	<i>n</i> Bu	F	H	F	OH	H	H
XVII-33-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>n</i> Bu	F	H	F	OH	H	H
XVII-33-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	F	H	F	OH	H	H
XVII-33-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>n</i> Bu	F	H	F	OH	H	H
XVII-33-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	F	H	F	OH	H	H
XVII-33-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	F	H	F	OH	H	H
XVII-33-8	<i>i</i> Pr	*	H	*	<i>n</i> Bu	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-34-1	<i>t</i> Bu	H	H	H	<i>n</i> Bu	F	H	F	OH	H	H
XVII-34-2	<i>t</i> Bu	H	H	CH ₃	<i>n</i> Bu	F	H	F	OH	H	H
XVII-34-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>n</i> Bu	F	H	F	OH	H	H
XVII-34-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	F	H	F	OH	H	H
XVII-34-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>n</i> Bu	F	H	F	OH	H	H
XVII-34-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	F	H	F	OH	H	H
XVII-34-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	F	H	F	OH	H	H
XVII-34-8	<i>t</i> Bu	*	H	*	<i>n</i> Bu	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-35-1	Ph	H	H	H	<i>n</i> Bu	F	H	F	OH	H	H
XVII-35-2	Ph	H	H	CH ₃	<i>n</i> Bu	F	H	F	OH	H	H
XVII-35-3	Ph	H	H	CH(CH ₃) ₂	<i>n</i> Bu	F	H	F	OH	H	H
XVII-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	F	H	F	OH	H	H
XVII-35-5	Ph	H	H	CH ₂ Ph	<i>n</i> Bu	F	H	F	OH	H	H
XVII-35-6	Ph	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	F	H	F	OH	H	H
XVII-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	F	H	F	OH	H	H
XVII-35-8	Ph	*	H	*	<i>n</i> Bu	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-36-1	p-Me-Ph	H	H	H	ⁿ Bu	F	H	F	OH	H	H
XVII-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	F	H	F	OH	H	H
XVII-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	F	H	F	OH	H	H
XVII-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	H	F	OH	H	H
XVII-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	F	H	F	OH	H	H
XVII-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	H	F	OH	H	H
XVII-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	H	F	OH	H	H
XVII-36-8	p-Me-Ph	*	H	*	ⁿ Bu	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-37.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-37-1	p-F-Ph	H	H	H	ⁿ Bu	F	H	F	OH	H	H
XVII-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	F	H	F	OH	H	H
XVII-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	F	H	F	OH	H	H
XVII-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	H	F	OH	H	H
XVII-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	F	H	F	OH	H	H
XVII-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	H	F	OH	H	H
XVII-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	H	F	OH	H	H
XVII-37-8	p-F-Ph	*	H	*	ⁿ Bu	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-38.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	F	H	F	OH	H	H
XVII-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	F	H	F	OH	H	H
XVII-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	F	H	F	OH	H	H
XVII-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	H	F	OH	H	H
XVII-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	F	H	F	OH	H	H
XVII-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	H	F	OH	H	H
XVII-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	H	F	OH	H	H
XVII-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-39-1	p-Br-Ph	H	H	H	ⁿ Bu	F	H	F	OH	H	H
XVII-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	F	H	F	OH	H	H
XVII-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	F	H	F	OH	H	H
XVII-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	H	F	OH	H	H
XVII-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	F	H	F	OH	H	H
XVII-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	H	F	OH	H	H
XVII-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	H	F	OH	H	H
XVII-39-8	p-Br-Ph	*	H	*	ⁿ Bu	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-40-1	p-I-Ph	H	H	H	ⁿ Bu	F	H	F	OH	H	H
XVII-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	F	H	F	OH	H	H
XVII-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	F	H	F	OH	H	H
XVII-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	F	H	F	OH	H	H
XVII-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	F	H	F	OH	H	H
XVII-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	F	H	F	OH	H	H
XVII-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	F	H	F	OH	H	H
XVII-40-8	p-I-Ph	*	H	*	ⁿ Bu	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-41-1	CH ₃	H	H	H	Bz	F	H	F	OH	H	H
XVII-41-2	CH ₃	H	H	CH ₃	Bz	F	H	F	OH	H	H
XVII-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	F	H	F	OH	H	H
XVII-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	H	F	OH	H	H
XVII-41-5	CH ₃	H	H	CH ₂ Ph	Bz	F	H	F	OH	H	H
XVII-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	F	H	F	OH	H	H
XVII-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	H	F	OH	H	H
XVII-41-8	CH ₃	*	H	*	Bz	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-42-1	Et	H	H	H	Bz	F	H	F	OH	H	H
XVII-42-2	Et	H	H	CH ₃	Bz	F	H	F	OH	H	H
XVII-42-3	Et	H	H	CH(CH ₃) ₂	Bz	F	H	F	OH	H	H
XVII-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	H	F	OH	H	H
XVII-42-5	Et	H	H	CH ₂ Ph	Bz	F	H	F	OH	H	H
XVII-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	F	H	F	OH	H	H
XVII-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	H	F	OH	H	H
XVII-42-8	Et	*	H	*	Bz	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-43-1	<i>i</i> Pr	H	H	H	Bz	F	H	F	OH	H	H
XVII-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	F	H	F	OH	H	H
XVII-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	F	H	F	OH	H	H
XVII-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	H	F	OH	H	H
XVII-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	F	H	F	OH	H	H
XVII-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	F	H	F	OH	H	H
XVII-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	H	F	OH	H	H
XVII-43-8	<i>i</i> Pr	*	H	*	Bz	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-44-1	<i>t</i> Bu	H	H	H	Bz	F	H	F	OH	H	H
XVII-44-2	<i>t</i> Bu	H	H	CH ₃	Bz	F	H	F	OH	H	H
XVII-44-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Bz	F	H	F	OH	H	H
XVII-44-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	H	F	OH	H	H
XVII-44-5	<i>t</i> Bu	H	H	CH ₂ Ph	Bz	F	H	F	OH	H	H
XVII-44-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Bz	F	H	F	OH	H	H
XVII-44-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	H	F	OH	H	H
XVII-44-8	<i>t</i> Bu	*	H	*	Bz	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-45-1	Ph	H	H	H	Bz	F	H	F	OH	H	H
XVII-45-2	Ph	H	H	CH ₃	Bz	F	H	F	OH	H	H
XVII-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	F	H	F	OH	H	H
XVII-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	H	F	OH	H	H
XVII-45-5	Ph	H	H	CH ₂ Ph	Bz	F	H	F	OH	H	H
XVII-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	F	H	F	OH	H	H
XVII-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	H	F	OH	H	H
XVII-45-8	Ph	*	H	*	Bz	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-46-1	p-Me-Ph	H	H	H	Bz	F	H	F	OH	H	H
XVII-46-2	p-Me-Ph	H	H	CH ₃	Bz	F	H	F	OH	H	H
XVII-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	F	H	F	OH	H	H
XVII-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	H	F	OH	H	H
XVII-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	F	H	F	OH	H	H
XVII-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	F	H	F	OH	H	H
XVII-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	H	F	OH	H	H
XVII-46-8	p-Me-Ph	*	H	*	Bz	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-47-1	p-F-Ph	H	H	H	Bz	F	H	F	OH	H	H
XVII-47-2	p-F-Ph	H	H	CH ₃	Bz	F	H	F	OH	H	H
XVII-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	F	H	F	OH	H	H
XVII-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	H	F	OH	H	H
XVII-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	F	H	F	OH	H	H
XVII-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	F	H	F	OH	H	H
XVII-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	H	F	OH	H	H
XVII-47-8	p-F-Ph	*	H	*	Bz	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-48-1	p-Cl-Ph	H	H	H	Bz	F	H	F	OH	H	H
XVII-48-2	p-Cl-Ph	H	H	CH ₃	Bz	F	H	F	OH	H	H
XVII-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	F	H	F	OH	H	H
XVII-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	H	F	OH	H	H
XVII-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	F	H	F	OH	H	H
XVII-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	F	H	F	OH	H	H
XVII-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	H	F	OH	H	H
XVII-48-8	p-Cl-Ph	*	H	*	Bz	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-49.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-49-1	p-Br-Ph	H	H	H	Bz	F	H	F	OH	H	H
XVII-49-2	p-Br-Ph	H	H	CH ₃	Bz	F	H	F	OH	H	H
XVII-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	F	H	F	OH	H	H
XVII-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	H	F	OH	H	H
XVII-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	F	H	F	OH	H	H
XVII-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	F	H	F	OH	H	H
XVII-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	H	F	OH	H	H
XVII-49-8	p-Br-Ph	*	H	*	Bz	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVII-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVII-50-1	p-I-Ph	H	H	H	Bz	F	H	F	OH	H	H
XVII-50-2	p-I-Ph	H	H	CH ₃	Bz	F	H	F	OH	H	H
XVII-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	F	H	F	OH	H	H
XVII-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	F	H	F	OH	H	H
XVII-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	F	H	F	OH	H	H
XVII-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	F	H	F	OH	H	H
XVII-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	F	H	F	OH	H	H
XVII-50-8	p-I-Ph	*	H	*	Bz	F	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.


**XVIII**

Table XVIII-1.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-1-1	CH ₃	H	H	H	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-1-2	CH ₃	H	H	CH ₃	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-1-8	CH ₃	*	H	*	CH ₃	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-2.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-2-1	Et	H	H	H	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-2-2	Et	H	H	CH ₃	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-2-5	Et	H	H	CH ₂ Ph	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-2-8	Et	*	H	*	CH ₃	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
5	XVIII-3-1	<i>i</i> Pr	H	H	CH ₃	OCH ₃	F	H	OH	H	H
	XVIII-3-2	<i>i</i> Pr	H	H	CH ₃	OCH ₃	F	H	OH	H	H
	XVIII-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	F	H	OH	H
10	XVIII-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	F	H	OH	H
	XVIII-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	OCH ₃	F	H	OH	H
	XVIII-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	F	H	OH	H
15	XVIII-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	F	H	OH	H
	XVIII-3-8	<i>i</i> Pr	*	H	*	CH ₃	OCH ₃	F	H	OH	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
20	XVIII-4-1	<i>t</i> Bu	H	H	CH ₃	OCH ₃	F	H	OH	H	H
25	XVIII-4-2	<i>t</i> Bu	H	H	CH ₃	OCH ₃	F	H	OH	H	H
	XVIII-4-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	F	H	OH	H
	XVIII-4-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	F	H	OH	H
30	XVIII-4-5	<i>t</i> Bu	H	H	CH ₂ Ph	CH ₃	OCH ₃	F	H	OH	H
	XVIII-4-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	F	H	OH	H
	XVIII-4-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	F	H	OH	H
35	XVIII-4-8	<i>t</i> Bu	*	H	*	CH ₃	OCH ₃	F	H	OH	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-5.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
40	XVIII-5-1	Ph	H	H	CH ₃	OCH ₃	F	H	OH	H	H
	XVIII-5-2	Ph	H	H	CH ₃	OCH ₃	F	H	OH	H	H
45	XVIII-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	F	H	OH	H
	XVIII-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	F	H	OH	H
	XVIII-5-5	Ph	H	H	CH ₂ Ph	CH ₃	OCH ₃	F	H	OH	H
50	XVIII-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	F	H	OH	H
	XVIII-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	F	H	OH	H
55	XVIII-5-8	Ph	*	H	*	CH ₃	OCH ₃	F	H	OH	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-6.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-6-1	p-Me-Ph	H	H	H	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-6-8	p-Me-Ph	*	H	*	CH ₃	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-7.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-7-1	p-F-Ph	H	H	H	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-7-2	p-F-Ph	H	H	CH ₃	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-7-20	p-F-Ph	*	H	*	CH ₃	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-8-1	p-Cl-Ph	H	H	H	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-8-8	p-Cl-Ph	*	H	*	CH ₃	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-9-1	p-Br-Ph	H	H	H	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-9-	p-Br-	*	H	*	CH ₃	OCH ₃	F	H	OH	H	H

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
20	Ph										

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-10-1	p-I-Ph	H	H	H	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-10-2	p-I-Ph	H	H	CH ₃	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	F	H	OH	H	H
XVIII-10-8	p-I-Ph	*	H	*	CH ₃	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-11-1	CH ₃	H	H	H	Et	OCH ₃	F	H	OH	H	H
XVIII-11-2	CH ₃	H	H	CH ₃	Et	OCH ₃	F	H	OH	H	H
XVIII-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	OCH ₃	F	H	OH	H	H
XVIII-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	F	H	OH	H	H
XVIII-11-5	CH ₃	H	H	CH ₂ Ph	Et	OCH ₃	F	H	OH	H	H
XVIII-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	F	H	OH	H	H
XVIII-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	F	H	OH	H	H
XVIII-11-8	CH ₃	*	H	*	Et	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-12-1	Et	H	H	H	Et	OCH ₃	F	H	OH	H	H
XVIII-12-2	Et	H	H	CH ₃	Et	OCH ₃	F	H	OH	H	H
XVIII-12-3	Et	H	H	CH(CH ₃) ₂	Et	OCH ₃	F	H	OH	H	H
XVIII-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	F	H	OH	H	H
XVIII-12-5	Et	H	H	CH ₂ Ph	Et	OCH ₃	F	H	OH	H	H
XVIII-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	F	H	OH	H	H
XVIII-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	F	H	OH	H	H
XVIII-12-8	Et	*	H	*	Et	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-13-1	<i>i</i> Pr	H	H	H	Et	OCH ₃	F	H	OH	H	H
XVIII-13-2	<i>i</i> Pr	H	H	CH ₃	Et	OCH ₃	F	H	OH	H	H
XVIII-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	OCH ₃	F	H	OH	H	H
XVIII-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	F	H	OH	H	H
XVIII-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	OCH ₃	F	H	OH	H	H
XVIII-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	F	H	OH	H	H
XVIII-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	F	H	OH	H	H
XVIII-13-8	<i>i</i> Pr	*	H	*	Et	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-14.

N ^o	R ¹	R	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-14-1	<i>t</i> Bu	H	H	H	Et	OCH ₃	F	H	OH	H	H
XVIII-14-2	<i>t</i> Bu	H	H	CH ₃	Et	OCH ₃	F	H	OH	H	H
XVIII-14-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Et	OCH ₃	F	H	OH	H	H
XVIII-14-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	F	H	OH	H	H
XVIII-14-5	<i>t</i> Bu	H	H	CH ₂ Ph	Et	OCH ₃	F	H	OH	H	H
XVIII-14-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	F	H	OH	H	H
XVIII-14-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	F	H	OH	H	H
XVIII-14-8	<i>t</i> Bu	*	H	*	Et	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-15-1	Ph	H	H	H	Et	OCH ₃	F	H	OH	H	H
XVIII-15-2	Ph	H	H	CH ₃	Et	OCH ₃	F	H	OH	H	H
XVIII-15-3	Ph	H	H	CH(CH ₃) ₂	Et	OCH ₃	F	H	OH	H	H
XVIII-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	F	H	OH	H	H
XVIII-15-5	Ph	H	H	CH ₂ Ph	Et	OCH ₃	F	H	OH	H	H
XVIII-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	F	H	OH	H	H
XVIII-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	F	H	OH	H	H
XVIII-15-8	Ph	*	H	*	Et	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-16-1	p-Me-Ph	H	H	H	Et	OCH ₃	F	H	OH	H	H
XVIII-16-2	p-Me-Ph	H	H	CH ₃	Et	OCH ₃	F	H	OH	H	H
XVIII-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	OCH ₃	F	H	OH	H	H
XVIII-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	F	H	OH	H	H
XVIII-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	OCH ₃	F	H	OH	H	H
XVIII-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	F	H	OH	H	H
XVIII-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	F	H	OH	H	H
XVIII-16-8	p-Me-Ph	*	H	*	Et	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-17-1	p-F-Ph	H	H	H	Et	OCH ₃	F	H	OH	H	H
XVIII-17-2	p-F-Ph	H	H	CH ₃	Et	OCH ₃	F	H	OH	H	H
XVIII-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	OCH ₃	F	H	OH	H	H
XVIII-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	F	H	OH	H	H
XVIII-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	OCH ₃	F	H	OH	H	H
XVIII-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	F	H	OH	H	H
XVIII-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	F	H	OH	H	H
XVIII-17-8	p-F-Ph	*	H	*	Et	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-18.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-18-1	p-Cl-Ph	H	H	H	Et	OCH ₃	F	H	OH	H	H
XVIII-18-2	p-Cl-Ph	H	H	CH ₃	Et	OCH ₃	F	H	OH	H	H
XVIII-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	OCH ₃	F	H	OH	H	H
XVIII-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	F	H	OH	H	H
XVIII-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	OCH ₃	F	H	OH	H	H
XVIII-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	F	H	OH	H	H
XVIII-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	F	H	OH	H	H
XVIII-18-8	p-Cl-Ph	*	H	*	Et	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-19.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-19-1	p-Br-Ph	H	H	H	Et	OCH ₃	F	H	OH	H	H
XVIII-19-2	p-Br-Ph	H	H	CH ₃	Et	OCH ₃	F	H	OH	H	H
XVIII-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	OCH ₃	F	H	OH	H	H
XVIII-19-	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	F	H	OH	H	H

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
4											
XVIII-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	OCH ₃	F	H	OH	H	H
XVIII-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	F	H	OH	H	H
XVIII-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	F	H	OH	H	H
XVIII-19-8	p-Br-Ph	*	H	*	Et	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-20-1	p-I-Ph	H	H	H	Et	OCH ₃	F	H	OH	H	H
XVIII-20-2	p-I-Ph	H	H	CH ₃	Et	OCH ₃	F	H	OH	H	H
XVIII-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	OCH ₃	F	H	OH	H	H
XVIII-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	F	H	OH	H	H
XVIII-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	OCH ₃	F	H	OH	H	H
XVIII-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	F	H	OH	H	H
XVIII-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	F	H	OH	H	H
XVIII-20-8	p-I-Ph	*	H	*	Et	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-21-1	CH ₃	H	H	H	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-21-2	CH ₃	H	H	CH ₃	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-21-3	CH ₃	H	H	CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-21-5	CH ₃	H	H	CH ₂ Ph	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-21-8	CH ₃	*	H	*	<i>i</i> Pr	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-22-1	Et	H	H	H	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-22-2	Et	H	H	CH ₃	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-22-3	Et	H	H	CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-22-5	Et	H	H	CH ₂ Ph	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-22-6	Et	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-22-8	Et	*	H	*	<i>i</i> Pr	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-24.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-24-1	^t Bu	H	H	H	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-24-2	^t Bu	H	H	CH ₃	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-24-3	^t Bu	H	H	CH(CH ₃) ₂	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-24-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-24-5	^t Bu	H	H	CH ₂ Ph	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-24-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-24-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-24-8	^t Bu	*	H	*	ⁱ Pr	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-25.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-25-1	Ph	H	H	H	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-25-2	Ph	H	H	CH ₃	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-25-3	Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-25-5	Ph	H	H	CH ₂ Ph	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-25-6	Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-25-8	Ph	*	H	*	ⁱ Pr	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-26-1	p-Me-Ph	H	H	H	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-26-2	p-Me-Ph	H	H	CH ₃	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-26-5	p-Me-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-26-8	p-Me-Ph	*	H	*	<i>i</i> Pr	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-27-1	p-F-Ph	H	H	H	<i>i</i> Pr	OCH ₃	F	H	OH	H	H
XVIII-27-	p-F-Ph	H	H	CH ₃	<i>i</i> Pr	OCH ₃	F	H	OH	H	H

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
2											
XVIII-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-27-8	p-F-Ph	*	H	*	ⁱ Pr	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-28.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-29-1	p-Br-Ph	H	H	H	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-29-8	p-Br-Ph	*	H	*	ⁱ Pr	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-30-1	p-I-Ph	H	H	H	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	OCH ₃	F	H	OH	H	H
XVIII-30-8	p-I-Ph	*	H	*	ⁱ Pr	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-31-1	CH ₃	H	H	H	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-31-8	CH ₃	*	H	*	ⁿ Bu	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-32-1	Et	H	H	H	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-32-2	Et	H	H	CH ₃	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-32-8	Et	*	H	*	ⁿ Bu	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-33-1	<i>i</i> Pr	H	H	H	<i>n</i> Bu	OCH ₃	F	H	OH	H	H
XVIII-33-2	<i>i</i> Pr	H	H	CH ₃	<i>n</i> Bu	OCH ₃	F	H	OH	H	H
XVIII-33-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>n</i> Bu	OCH ₃	F	H	OH	H	H
XVIII-33-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	OCH ₃	F	H	OH	H	H
XVIII-33-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>n</i> Bu	OCH ₃	F	H	OH	H	H
XVIII-33-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	OCH ₃	F	H	OH	H	H
XVIII-33-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	OCH ₃	F	H	OH	H	H
XVIII-33-8	<i>i</i> Pr	*	H	*	<i>n</i> Bu	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-34-1	<i>t</i> Bu	H	H	H	<i>n</i> Bu	OCH ₃	F	H	OH	H	H
XVIII-34-2	<i>t</i> Bu	H	H	CH ₃	<i>n</i> Bu	OCH ₃	F	H	OH	H	H
XVIII-34-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>n</i> Bu	OCH ₃	F	H	OH	H	H
XVIII-34-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	OCH ₃	F	H	OH	H	H
XVIII-34-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>n</i> Bu	OCH ₃	F	H	OH	H	H
XVIII-34-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	OCH ₃	F	H	OH	H	H
XVIII-34-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	OCH ₃	F	H	OH	H	H
XVIII-34-8	<i>t</i> Bu	*	H	*	<i>n</i> Bu	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-35-1	Ph	H	H	H	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-35-2	Ph	H	H	CH ₃	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-35-8	Ph	*	H	*	ⁿ Bu	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-36-1	p-Me-Ph	H	H	H	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-36-8	p-Me-Ph	*	H	*	ⁿ Bu	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-37.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-37-1	p-F-Ph	H	H	H	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-37-8	p-F-Ph	*	H	*	ⁿ Bu	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-38.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-38-	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	F	H	OH	H	H

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
7											
5 XVIII-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
15 XVIII-39-1	p-Br-Ph	H	H	H	ⁿ Bu	OCH ₃	F	H	OH	H	H
20 XVIII-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	H	OH	H	H
25 XVIII-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	F	H	OH	H	H
30 XVIII-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	F	H	OH	H	H
35 XVIII-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-39-8	p-Br-Ph	*	H	*	ⁿ Bu	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-40-1	p-I-Ph	H	H	H	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-40-	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	F	H	OH	H	H

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
5											
XVIII-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	F	H	OH	H	H
XVIII-40-8	p-I-Ph	*	H	*	ⁿ Bu	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-41-1	CH ₃	H	H	H	Bz	OCH ₃	F	H	OH	H	H
XVIII-41-2	CH ₃	H	H	CH ₃	Bz	OCH ₃	F	H	OH	H	H
XVIII-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	OCH ₃	F	H	OH	H	H
XVIII-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	F	H	OH	H	H
XVIII-41-5	CH ₃	H	H	CH ₂ Ph	Bz	OCH ₃	F	H	OH	H	H
XVIII-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	F	H	OH	H	H
XVIII-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	F	H	OH	H	H
XVIII-41-8	CH ₃	*	H	*	Bz	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-42-1	Et	H	H	H	Bz	OCH ₃	F	H	OH	H	H
XVIII-42-2	Et	H	H	CH ₃	Bz	OCH ₃	F	H	OH	H	H
XVIII-42-3	Et	H	H	CH(CH ₃) ₂	Bz	OCH ₃	F	H	OH	H	H
XVIII-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	F	H	OH	H	H
XVIII-42-5	Et	H	H	CH ₂ Ph	Bz	OCH ₃	F	H	OH	H	H
XVIII-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	F	H	OH	H	H
XVIII-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	F	H	OH	H	H
XVIII-42-8	Et	*	H	*	Bz	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-43-1	<i>i</i> Pr	H	H	H	Bz	OCH ₃	F	H	OH	H	H
XVIII-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	OCH ₃	F	H	OH	H	H
XVIII-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	OCH ₃	F	H	OH	H	H
XVIII-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	F	H	OH	H	H
XVIII-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	OCH ₃	F	H	OH	H	H
XVIII-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	F	H	OH	H	H
XVIII-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	F	H	OH	H	H
XVIII-43-8	<i>i</i> Pr	*	H	*	Bz	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-44-1	^t Bu	H	H	H	Bz	OCH ₃	F	H	OH	H	H
XVIII-44-2	^t Bu	H	H	CH ₃	Bz	OCH ₃	F	H	OH	H	H
XVIII-44-3	^t Bu	H	H	CH(CH ₃) ₂	Bz	OCH ₃	F	H	OH	H	H
XVIII-44-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	F	H	OH	H	H
XVIII-44-5	^t Bu	H	H	CH ₂ Ph	Bz	OCH ₃	F	H	OH	H	H
XVIII-44-6	^t Bu	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	F	H	OH	H	H
XVIII-44-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	F	H	OH	H	H
XVIII-44-8	^t Bu	*	H	*	Bz	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-45-1	Ph	H	H	H	Bz	OCH ₃	F	H	OH	H	H
XVIII-45-2	Ph	H	H	CH ₃	Bz	OCH ₃	F	H	OH	H	H
XVIII-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	OCH ₃	F	H	OH	H	H
XVIII-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	F	H	OH	H	H
XVIII-45-5	Ph	H	H	CH ₂ Ph	Bz	OCH ₃	F	H	OH	H	H
XVIII-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	F	H	OH	H	H
XVIII-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	F	H	OH	H	H
XVIII-45-8	Ph	*	H	*	Bz	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-46-1	p-Me-Ph	H	H	H	Bz	OCH ₃	F	H	OH	H	H
XVIII-46-2	p-Me-Ph	H	H	CH ₃	Bz	OCH ₃	F	H	OH	H	H
XVIII-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	OCH ₃	F	H	OH	H	H
XVIII-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	F	H	OH	H	H
XVIII-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	OCH ₃	F	H	OH	H	H
XVIII-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	F	H	OH	H	H
XVIII-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	F	H	OH	H	H
XVIII-46-8	p-Me-Ph	*	H	*	Bz	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-47-1	p-F-Ph	H	H	H	Bz	OCH ₃	F	H	OH	H	H
XVIII-47-2	p-F-Ph	H	H	CH ₃	Bz	OCH ₃	F	H	OH	H	H
XVIII-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	OCH ₃	F	H	OH	H	H
XVIII-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	F	H	OH	H	H
XVIII-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	OCH ₃	F	H	OH	H	H
XVIII-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	F	H	OH	H	H
XVIII-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	F	H	OH	H	H
XVIII-47-8	p-F-Ph	*	H	*	Bz	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-48-1	p-Cl-Ph	H	H	H	Bz	OCH ₃	F	H	OH	H	H
XVIII-48-2	p-Cl-Ph	H	H	CH ₃	Bz	OCH ₃	F	H	OH	H	H
XVIII-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	OCH ₃	F	H	OH	H	H
XVIII-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	F	H	OH	H	H
XVIII-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	OCH ₃	F	H	OH	H	H
XVIII-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	F	H	OH	H	H
XVIII-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	F	H	OH	H	H
XVIII-48-8	p-Cl-Ph	*	H	*	Bz	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-49.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-49-1	p-Br-Ph	H	H	H	Bz	OCH ₃	F	H	OH	H	H
XVIII-49-2	p-Br-Ph	H	H	CH ₃	Bz	OCH ₃	F	H	OH	H	H
XVIII-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	OCH ₃	F	H	OH	H	H
XVIII-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	F	H	OH	H	H
XVIII-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	OCH ₃	F	H	OH	H	H
XVIII-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	F	H	OH	H	H
XVIII-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	F	H	OH	H	H
XVIII-49-8	p-Br-Ph	*	H	*	Bz	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XVIII-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XVIII-50-1	p-I-Ph	H	H	H	Bz	OCH ₃	F	H	OH	H	H
XVIII-50-2	p-I-Ph	H	H	CH ₃	Bz	OCH ₃	F	H	OH	H	H
XVIII-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	OCH ₃	F	H	OH	H	H
XVIII-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	F	H	OH	H	H
XVIII-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	OCH ₃	F	H	OH	H	H
XVIII-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	F	H	OH	H	H
XVIII-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	F	H	OH	H	H
XVIII-50-8	p-I-Ph	*	H	*	Bz	OCH ₃	F	H	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.


**XIX**

Table XIX-1.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-1-1	CH ₃	H	H	H	CH ₃	OCH ₃	F	F	OH	H	H
XIX-1-2	CH ₃	H	H	CH ₃	CH ₃	OCH ₃	F	F	OH	H	H
XIX-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	F	F	OH	H	H
XIX-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	F	F	OH	H	H
XIX-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	OCH ₃	F	F	OH	H	H
XIX-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	F	F	OH	H	H
XIX-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	F	F	OH	H	H
XIX-1-8	CH ₃	*	H	*	CH ₃	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-2.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-2-1	Et	H	H	H	CH ₃	OCH ₃	F	F	OH	H	H
XIX-2-2	Et	H	H	CH ₃	CH ₃	OCH ₃	F	F	OH	H	H
XIX-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	F	F	OH	H	H
XIX-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	F	F	OH	H	H
XIX-2-5	Et	H	H	CH ₂ Ph	CH ₃	OCH ₃	F	F	OH	H	H
XIX-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	F	F	OH	H	H
XIX-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	F	F	OH	H	H
XIX-2-8	Et	*	H	*	CH ₃	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-3.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-3-1	<i>i</i> Pr	H	H	H	CH ₃	OCH ₃	F	F	OH	H	H
XIX-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	OCH ₃	F	F	OH	H	H
XIX-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	F	F	OH	H	H
XIX-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	F	F	OH	H	H
XIX-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	OCH ₃	F	F	OH	H	H
XIX-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	F	F	OH	H	H
XIX-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	F	F	OH	H	H
XIX-3-8	<i>i</i> Pr	*	H	*	CH ₃	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-4.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-4-1	<i>t</i> Bu	H	H	H	CH ₃	OCH ₃	F	F	OH	H	H
XIX-4-2	<i>t</i> Bu	H	H	CH ₃	CH ₃	OCH ₃	F	F	OH	H	H
XIX-4-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	F	F	OH	H	H
XIX-4-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	F	F	OH	H	H
XIX-4-5	<i>t</i> Bu	H	H	CH ₂ Ph	CH ₃	OCH ₃	F	F	OH	H	H
XIX-4-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	F	F	OH	H	H
XIX-4-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	F	F	OH	H	H
XIX-4-8	<i>t</i> Bu	*	H	*	CH ₃	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-5.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-5-1	Ph	H	H	H	CH ₃	OCH ₃	F	F	OH	H	H
XIX-5-2	Ph	H	H	CH ₃	CH ₃	OCH ₃	F	F	OH	H	H
XIX-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	F	F	OH	H	H
XIX-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	F	F	OH	H	H
XIX-5-5	Ph	H	H	CH ₂ Ph	CH ₃	OCH ₃	F	F	OH	H	H
XIX-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	F	F	OH	H	H
XIX-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	F	F	OH	H	H
XIX-5-8	Ph	*	H	*	CH ₃	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-6.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-6-1	p-Me-Ph	H	H	H	CH ₃	OCH ₃	F	F	OH	H	H
XIX-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	OCH ₃	F	F	OH	H	H
XIX-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	F	F	OH	H	H
XIX-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	F	F	OH	H	H
XIX-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	OCH ₃	F	F	OH	H	H
XIX-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	F	F	OH	H	H
XIX-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	F	F	OH	H	H
XIX-6-8	p-Me-Ph	*	H	*	CH ₃	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-7.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-7-1	p-F-Ph	H	H	H	CH ₃	OCH ₃	F	F	OH	H	H
XIX-7-2	p-F-Ph	H	H	CH ₃	CH ₃	OCH ₃	F	F	OH	H	H
XIX-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	F	F	OH	H	H
XIX-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	F	F	OH	H	H
XIX-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	OCH ₃	F	F	OH	H	H
XIX-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	F	F	OH	H	H
XIX-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	F	F	OH	H	H
XIX-7-20	p-F-Ph	*	H	*	CH ₃	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-8-1	p-Cl-Ph	H	H	H	CH ₃	OCH ₃	F	F	OH	H	H
XIX-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	OCH ₃	F	F	OH	H	H
XIX-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	F	F	OH	H	H
XIX-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	F	F	OH	H	H
XIX-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	OCH ₃	F	F	OH	H	H
XIX-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	F	F	OH	H	H
XIX-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	F	F	OH	H	H
XIX-8-8	p-Cl-Ph	*	H	*	CH ₃	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-9-1	p-Br-Ph	H	H	H	CH ₃	OCH ₃	F	F	OH	H	H
XIX-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	OCH ₃	F	F	OH	H	H
XIX-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	F	F	OH	H	H
XIX-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	F	F	OH	H	H
XIX-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	OCH ₃	F	F	OH	H	H
XIX-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	F	F	OH	H	H
XIX-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	F	F	OH	H	H
XIX-9-20	p-Br-Ph	*	H	*	CH ₃	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-10-1	p-I-Ph	H	H	H	CH ₃	OCH ₃	F	F	OH	H	H
XIX-10-2	p-I-Ph	H	H	CH ₃	CH ₃	OCH ₃	F	F	OH	H	H
XIX-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	F	F	OH	H	H
XIX-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	F	F	OH	H	H
XIX-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	OCH ₃	F	F	OH	H	H
XIX-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	F	F	OH	H	H
XIX-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	F	F	OH	H	H
XIX-10-8	p-I-Ph	*	H	*	CH ₃	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-11-1	CH ₃	H	H	H	Et	OCH ₃	F	F	OH	H	H
XIX-11-2	CH ₃	H	H	CH ₃	Et	OCH ₃	F	F	OH	H	H
XIX-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	OCH ₃	F	F	OH	H	H
XIX-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	F	F	OH	H	H
XIX-11-5	CH ₃	H	H	CH ₂ Ph	Et	OCH ₃	F	F	OH	H	H
XIX-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	F	F	OH	H	H
XIX-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	F	F	OH	H	H
XIX-11-8	CH ₃	*	H	*	Et	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-12-1	Et	H	H	H	Et	OCH ₃	F	F	OH	H	H
XIX-12-2	Et	H	H	CH ₃	Et	OCH ₃	F	F	OH	H	H
XIX-12-3	Et	H	H	CH(CH ₃) ₂	Et	OCH ₃	F	F	OH	H	H
XIX-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	F	F	OH	H	H
XIX-12-5	Et	H	H	CH ₂ Ph	Et	OCH ₃	F	F	OH	H	H
XIX-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	F	F	OH	H	H
XIX-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	F	F	OH	H	H
XIX-12-8	Et	*	H	*	Et	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-13-1	<i>i</i> Pr	H	H	H	Et	OCH ₃	F	F	OH	H	H
XIX-13-2	<i>i</i> Pr	H	H	CH ₃	Et	OCH ₃	F	F	OH	H	H
XIX-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	OCH ₃	F	F	OH	H	H
XIX-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	F	F	OH	H	H
XIX-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	OCH ₃	F	F	OH	H	H
XIX-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	F	F	OH	H	H
XIX-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	F	F	OH	H	H
XIX-13-8	<i>i</i> Pr	*	H	*	Et	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-14.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-14-1	<i>t</i> Bu	H	H	H	Et	OCH ₃	F	F	OH	H	H
XIX-14-2	<i>t</i> Bu	H	H	CH ₃	Et	OCH ₃	F	F	OH	H	H
XIX-14-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Et	OCH ₃	F	F	OH	H	H
XIX-14-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	F	F	OH	H	H
XIX-14-5	<i>t</i> Bu	H	H	CH ₂ Ph	Et	OCH ₃	F	F	OH	H	H
XIX-14-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	F	F	OH	H	H
XIX-14-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	F	F	OH	H	H
XIX-14-8	<i>t</i> Bu	*	H	*	Et	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-15-1	Ph	H	H	H	Et	OCH ₃	F	F	OH	H	H
XIX-15-2	Ph	H	H	CH ₃	Et	OCH ₃	F	F	OH	H	H
XIX-15-3	Ph	H	H	CH(CH ₃) ₂	Et	OCH ₃	F	F	OH	H	H
XIX-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	F	F	OH	H	H
XIX-15-5	Ph	H	H	CH ₂ Ph	Et	OCH ₃	F	F	OH	H	H
XIX-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	F	F	OH	H	H
XIX-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	F	F	OH	H	H
XIX-15-8	Ph	*	H	*	Et	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-16-1	p-Me-Ph	H	H	H	Et	OCH ₃	F	F	OH	H	H
XIX-16-2	p-Me-Ph	H	H	CH ₃	Et	OCH ₃	F	F	OH	H	H
XIX-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	OCH ₃	F	F	OH	H	H
XIX-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	F	F	OH	H	H
XIX-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	OCH ₃	F	F	OH	H	H
XIX-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	F	F	OH	H	H
XIX-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	F	F	OH	H	H
XIX-16-8	p-Me-Ph	*	H	*	Et	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-17-1	p-F-Ph	H	H	H	Et	OCH ₃	F	F	OH	H	H
XIX-17-2	p-F-Ph	H	H	CH ₃	Et	OCH ₃	F	F	OH	H	H
XIX-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	OCH ₃	F	F	OH	H	H
XIX-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	F	F	OH	H	H
XIX-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	OCH ₃	F	F	OH	H	H
XIX-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	F	F	OH	H	H
XIX-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	F	F	OH	H	H
XIX-17-8	p-F-Ph	*	H	*	Et	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-18.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-18-1	p-Cl-Ph	H	H	H	Et	OCH ₃	F	F	OH	H	H
XIX-18-2	p-Cl-Ph	H	H	CH ₃	Et	OCH ₃	F	F	OH	H	H
XIX-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	OCH ₃	F	F	OH	H	H
XIX-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	F	F	OH	H	H
XIX-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	OCH ₃	F	F	OH	H	H
XIX-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	F	F	OH	H	H
XIX-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	F	F	OH	H	H
XIX-18-8	p-Cl-Ph	*	H	*	Et	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-19.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-19-1	p-Br-Ph	H	H	H	Et	OCH ₃	F	F	OH	H	H
XIX-19-2	p-Br-Ph	H	H	CH ₃	Et	OCH ₃	F	F	OH	H	H
XIX-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	OCH ₃	F	F	OH	H	H
XIX-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	F	F	OH	H	H
XIX-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	OCH ₃	F	F	OH	H	H
XIX-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	F	F	OH	H	H
XIX-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	F	F	OH	H	H
XIX-19-8	p-Br-Ph	*	H	*	Et	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷
XIX-20-1	p-I-Ph	H	H	H	Et	OCH ₃	F	F	OH	H
XIX-20-2	p-I-Ph	H	H	CH ₃	Et	OCH ₃	F	F	OH	H
XIX-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	OCH ₃	F	F	OH	H
XIX-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	F	F	OH	H
XIX-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	OCH ₃	F	F	OH	H
XIX-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	F	F	OH	H
XIX-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	F	F	OH	H
XIX-20-8	p-I-Ph	*	H	*	Et	OCH ₃	F	F	OH	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-21-1	CH ₃	H	H	H	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-21-2	CH ₃	H	H	CH ₃	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-21-3	CH ₃	H	H	CH(CH ₃) ₂	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-21-5	CH ₃	H	H	CH ₂ Ph	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-21-8	CH ₃	*	H	*	ⁱ Pr	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-22-1	Et	H	H	H	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-22-2	Et	H	H	CH ₃	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-22-3	Et	H	H	CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-22-5	Et	H	H	CH ₂ Ph	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-22-6	Et	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-22-8	Et	*	H	*	<i>i</i> Pr	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-24-1	<i>t</i> Bu	H	H	H	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-24-2	<i>t</i> Bu	H	H	CH ₃	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-24-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-24-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-24-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>i</i> Pr	OCH ₃	F	F	OH	H	H

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-24-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-24-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-24-8	<i>t</i> Bu	*	H	*	<i>i</i> Pr	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-25.

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-25-1	Ph	H	H	H	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-25-2	Ph	H	H	CH ₃	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-25-3	Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-25-5	Ph	H	H	CH ₂ Ph	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-25-6	Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-25-8	Ph	*	H	*	<i>i</i> Pr	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-26-1	p-Me-Ph	H	H	H	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-26-2	p-Me-Ph	H	H	CH ₃	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-26-5	p-Me-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-26-8	p-Me-Ph	*	H	*	<i>i</i> Pr	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-27-1	p-F-Ph	H	H	H	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-27-8	p-F-Ph	*	H	*	ⁱ Pr	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-28.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-29-1	p-Br-Ph	H	H	H	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	OCH ₃	F	F	OH	H	H
XIX-29-8	p-Br-Ph	*	H	*	ⁱ Pr	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-30-1	p-I-Ph	H	H	H	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-30-2	p-I-Ph	H	H	CH ₃	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-30-5	p-I-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	OCH ₃	F	F	OH	H	H
XIX-30-8	p-I-Ph	*	H	*	<i>i</i> Pr	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-31-1	CH ₃	H	H	H	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-31-8	CH ₃	*	H	*	ⁿ Bu	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-32-1	Et	H	H	H	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-32-2	Et	H	H	CH ₃	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-32-8	Et	*	H	*	ⁿ Bu	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-33-1	ⁱ Pr	H	H	H	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-33-2	ⁱ Pr	H	H	CH ₃	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-33-3	ⁱ Pr	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-33-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-33-5	ⁱ Pr	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-33-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-33-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-33-8	ⁱ Pr	*	H	*	ⁿ Bu	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-34-1	^t Bu	H	H	H	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-34-8	^t Bu	*	H	*	ⁿ Bu	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-35-1	Ph	H	H	H	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-35-2	Ph	H	H	CH ₃	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-35-8	Ph	*	H	*	ⁿ Bu	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-36-1	p-Me-Ph	H	H	H	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-36-8	p-Me-Ph	*	H	*	ⁿ Bu	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-37.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-37-1	p-F-Ph	H	H	H	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-37-8	p-F-Ph	*	H	*	ⁿ Bu	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-38.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-39-1	p-Br-Ph	H	H	H	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-39-8	p-Br-Ph	*	H	*	ⁿ Bu	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-40-1	p-I-Ph	H	H	H	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	F	F	OH	H	H
XIX-40-8	p-I-Ph	*	H	*	ⁿ Bu	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-41-1	CH ₃	H	H	H	Bz	OCH ₃	F	F	OH	H	H
XIX-41-2	CH ₃	H	H	CH ₃	Bz	OCH ₃	F	F	OH	H	H
XIX-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	OCH ₃	F	F	OH	H	H
XIX-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	F	F	OH	H	H
XIX-41-5	CH ₃	H	H	CH ₂ Ph	Bz	OCH ₃	F	F	OH	H	H
XIX-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	F	F	OH	H	H
XIX-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	F	F	OH	H	H
XIX-41-8	CH ₃	*	H	*	Bz	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-42-1	Et	H	H	H	Bz	OCH ₃	F	F	OH	H	H
XIX-42-2	Et	H	H	CH ₃	Bz	OCH ₃	F	F	OH	H	H
XIX-42-3	Et	H	H	CH(CH ₃) ₂	Bz	OCH ₃	F	F	OH	H	H
XIX-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	F	F	OH	H	H
XIX-42-5	Et	H	H	CH ₂ Ph	Bz	OCH ₃	F	F	OH	H	H
XIX-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	F	F	OH	H	H
XIX-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	F	F	OH	H	H
XIX-42-8	Et	*	H	*	Bz	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-43-1	<i>i</i> Pr	H	H	H	Bz	OCH ₃	F	F	OH	H	H
XIX-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	OCH ₃	F	F	OH	H	H
XIX-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	OCH ₃	F	F	OH	H	H
XIX-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	F	F	OH	H	H
XIX-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	OCH ₃	F	F	OH	H	H
XIX-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	F	F	OH	H	H
XIX-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	F	F	OH	H	H
XIX-43-8	<i>i</i> Pr	*	H	*	Bz	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-44-1	^t Bu	H	H	H	Bz	OCH ₃	F	F	OH	H	H
XIX-44-2	^t Bu	H	H	CH ₃	Bz	OCH ₃	F	F	OH	H	H
XIX-44-3	^t Bu	H	H	CH(CH ₃) ₂	Bz	OCH ₃	F	F	OH	H	H
XIX-44-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	F	F	OH	H	H
XIX-44-5	^t Bu	H	H	CH ₂ Ph	Bz	OCH ₃	F	F	OH	H	H
XIX-44-6	^t Bu	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	F	F	OH	H	H
XIX-44-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	F	F	OH	H	H
XIX-44-8	^t Bu	*	H	*	Bz	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-45-1	Ph	H	H	H	Bz	OCH ₃	F	F	OH	H	H
XIX-45-2	Ph	H	H	CH ₃	Bz	OCH ₃	F	F	OH	H	H
XIX-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	OCH ₃	F	F	OH	H	H
XIX-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	F	F	OH	H	H
XIX-45-5	Ph	H	H	CH ₂ Ph	Bz	OCH ₃	F	F	OH	H	H
XIX-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	F	F	OH	H	H
XIX-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	F	F	OH	H	H
XIX-45-8	Ph	*	H	*	Bz	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-46-1	p-Me-Ph	H	H	H	Bz	OCH ₃	F	F	OH	H	H
XIX-46-2	p-Me-Ph	H	H	CH ₃	Bz	OCH ₃	F	F	OH	H	H
XIX-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	OCH ₃	F	F	OH	H	H
XIX-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	F	F	OH	H	H
XIX-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	OCH ₃	F	F	OH	H	H
XIX-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	F	F	OH	H	H
XIX-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	F	F	OH	H	H
XIX-46-8	p-Me-Ph	*	H	*	Bz	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-47-1	p-F-Ph	H	H	H	Bz	OCH ₃	F	F	OH	H	H
XIX-47-2	p-F-Ph	H	H	CH ₃	Bz	OCH ₃	F	F	OH	H	H
XIX-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	OCH ₃	F	F	OH	H	H
XIX-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	F	F	OH	H	H
XIX-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	OCH ₃	F	F	OH	H	H
XIX-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	F	F	OH	H	H
XIX-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	F	F	OH	H	H
XIX-47-8	p-F-Ph	*	H	*	Bz	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-48.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-48-1	p-Cl-Ph	H	H	H	Bz	OCH ₃	F	F	OH	H	H
XIX-48-2	p-Cl-Ph	H	H	CH ₃	Bz	OCH ₃	F	F	OH	H	H
XIX-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	OCH ₃	F	F	OH	H	H
XIX-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	F	F	OH	H	H
XIX-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	OCH ₃	F	F	OH	H	H
XIX-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	F	F	OH	H	H
XIX-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	F	F	OH	H	H
XIX-48-8	p-Cl-Ph	*	H	*	Bz	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-49.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-49-1	p-Br-Ph	H	H	H	Bz	OCH ₃	F	F	OH	H	H
XIX-49-2	p-Br-Ph	H	H	CH ₃	Bz	OCH ₃	F	F	OH	H	H
XIX-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	OCH ₃	F	F	OH	H	H
XIX-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	F	F	OH	H	H
XIX-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	OCH ₃	F	F	OH	H	H
XIX-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	F	F	OH	H	H
XIX-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	F	F	OH	H	H
XIX-49-8	p-Br-Ph	*	H	*	Bz	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XIX-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XIX-50-1	p-I-Ph	H	H	H	Bz	OCH ₃	F	F	OH	H	H
XIX-50-2	p-I-Ph	H	H	CH ₃	Bz	OCH ₃	F	F	OH	H	H
XIX-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	OCH ₃	F	F	OH	H	H
XIX-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	F	F	OH	H	H
XIX-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	OCH ₃	F	F	OH	H	H
XIX-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	F	F	OH	H	H
XIX-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	F	F	OH	H	H
XIX-50-8	p-I-Ph	*	H	*	Bz	OCH ₃	F	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.


**XX**

Table XX-1.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-1-1	CH ₃	H	H	H	CH ₃	OCH ₃	H	F	OH	H	H
XX-1-2	CH ₃	H	H	CH ₃	CH ₃	OCH ₃	H	F	OH	H	H
XX-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	H	F	OH	H	H
XX-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	H	F	OH	H	H
XX-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	OCH ₃	H	F	OH	H	H
XX-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	H	F	OH	H	H
XX-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	H	F	OH	H	H
XX-1-8	CH ₃	*	H	*	CH ₃	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-2.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-2-1	Et	H	H	H	CH ₃	OCH ₃	H	F	OH	H	H
XX-2-2	Et	H	H	CH ₃	CH ₃	OCH ₃	H	F	OH	H	H
XX-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	H	F	OH	H	H
XX-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	H	F	OH	H	H
XX-2-5	Et	H	H	CH ₂ Ph	CH ₃	OCH ₃	H	F	OH	H	H
XX-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	H	F	OH	H	H
XX-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	H	F	OH	H	H
XX-2-8	Et	*	H	*	CH ₃	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-3-1	<i>i</i> Pr	H	H	H	CH ₃	OCH ₃	H	F	OH	H	H
XX-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	OCH ₃	H	F	OH	H	H
XX-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	H	F	OH	H	H
XX-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	H	F	OH	H	H
XX-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	OCH ₃	H	F	OH	H	H
XX-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	H	F	OH	H	H
XX-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	H	F	OH	H	H
XX-3-8	<i>i</i> Pr	*	H	*	CH ₃	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-4-1	^t Bu	H	H	H	CH ₃	OCH ₃	H	F	OH	H	H
XX-4-2	^t Bu	H	H	CH ₃	CH ₃	OCH ₃	H	F	OH	H	H
XX-4-3	^t Bu	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	H	F	OH	H	H
XX-4-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	H	F	OH	H	H
XX-4-5	^t Bu	H	H	CH ₂ Ph	CH ₃	OCH ₃	H	F	OH	H	H
XX-4-6	^t Bu	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	H	F	OH	H	H
XX-4-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	H	F	OH	H	H
XX-4-8	^t Bu	*	H	*	CH ₃	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-5.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-5-1	Ph	H	H	H	CH ₃	OCH ₃	H	F	OH	H	H
XX-5-2	Ph	H	H	CH ₃	CH ₃	OCH ₃	H	F	OH	H	H
XX-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	H	F	OH	H	H
XX-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	H	F	OH	H	H
XX-5-5	Ph	H	H	CH ₂ Ph	CH ₃	OCH ₃	H	F	OH	H	H
XX-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	H	F	OH	H	H
XX-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	H	F	OH	H	H
XX-5-8	Ph	*	H	*	CH ₃	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-6.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-6-1	p-Me-Ph	H	H	H	CH ₃	OCH ₃	H	F	OH	H	H
XX-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	OCH ₃	H	F	OH	H	H
XX-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	H	F	OH	H	H
XX-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	H	F	OH	H	H
XX-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	OCH ₃	H	F	OH	H	H
XX-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	H	F	OH	H	H
XX-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	H	F	OH	H	H
XX-6-8	p-Me-Ph	*	H	*	CH ₃	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-7.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-7-1	p-F-Ph	H	H	H	CH ₃	OCH ₃	H	F	OH	H	H
XX-7-2	p-F-Ph	H	H	CH ₃	CH ₃	OCH ₃	H	F	OH	H	H
XX-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	H	F	OH	H	H
XX-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	H	F	OH	H	H
XX-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	OCH ₃	H	F	OH	H	H
XX-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	H	F	OH	H	H
XX-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	H	F	OH	H	H
XX-7-20	p-F-Ph	*	H	*	CH ₃	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-8-1	p-Cl-Ph	H	H	H	CH ₃	OCH ₃	H	F	OH	H	H
XX-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	OCH ₃	H	F	OH	H	H
XX-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	H	F	OH	H	H
XX-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	H	F	OH	H	H
XX-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	OCH ₃	H	F	OH	H	H
XX-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	H	F	OH	H	H
XX-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	H	F	OH	H	H
XX-8-8	p-Cl-Ph	*	H	*	CH ₃	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-9-1	p-Br-Ph	H	H	H	CH ₃	OCH ₃	H	F	OH	H	H
XX-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	OCH ₃	H	F	OH	H	H
XX-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	H	F	OH	H	H
XX-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	H	F	OH	H	H
XX-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	OCH ₃	H	F	OH	H	H
XX-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	H	F	OH	H	H
XX-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	H	F	OH	H	H
XX-9-20	p-Br-Ph	*	H	*	CH ₃	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-10-1	p-I-Ph	H	H	H	CH ₃	OCH ₃	H	F	OH	H	H
XX-10-2	p-I-Ph	H	H	CH ₃	CH ₃	OCH ₃	H	F	OH	H	H
XX-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	OCH ₃	H	F	OH	H	H
XX-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	OCH ₃	H	F	OH	H	H
XX-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	OCH ₃	H	F	OH	H	H
XX-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	OCH ₃	H	F	OH	H	H
XX-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	OCH ₃	H	F	OH	H	H
XX-10-8	p-I-Ph	*	H	*	CH ₃	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-11-1	CH ₃	H	H	H	Et	OCH ₃	H	F	OH	H	H
XX-11-2	CH ₃	H	H	CH ₃	Et	OCH ₃	H	F	OH	H	H
XX-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	OCH ₃	H	F	OH	H	H
XX-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	H	F	OH	H	H
XX-11-5	CH ₃	H	H	CH ₂ Ph	Et	OCH ₃	H	F	OH	H	H
XX-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	H	F	OH	H	H
XX-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	H	F	OH	H	H

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-11-8	CH ₃	*	H	*	Et	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-12-1	Et	H	H	H	Et	OCH ₃	H	F	OH	H	H
XX-12-2	Et	H	H	CH ₃	Et	OCH ₃	H	F	OH	H	H
XX-12-3	Et	H	H	CH(CH ₃) ₂	Et	OCH ₃	H	F	OH	H	H
XX-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	H	F	OH	H	H
XX-12-5	Et	H	H	CH ₂ Ph	Et	OCH ₃	H	F	OH	H	H
XX-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	H	F	OH	H	H
XX-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	H	F	OH	H	H
XX-12-8	Et	*	H	*	Et	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-13-1	<i>i</i> Pr	H	H	H	Et	OCH ₃	H	F	OH	H	H
XX-13-2	<i>i</i> Pr	H	H	CH ₃	Et	OCH ₃	H	F	OH	H	H
XX-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	OCH ₃	H	F	OH	H	H
XX-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	H	F	OH	H	H
XX-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	OCH ₃	H	F	OH	H	H
XX-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	H	F	OH	H	H
XX-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	H	F	OH	H	H
XX-13-8	<i>i</i> Pr	*	H	*	Et	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-14.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-14-1	^t Bu	H	H	H	Et	OCH ₃	H	F	OH	H	H
XX-14-2	^t Bu	H	H	CH ₃	Et	OCH ₃	H	F	OH	H	H
XX-14-3	^t Bu	H	H	CH(CH ₃) ₂	Et	OCH ₃	H	F	OH	H	H
XX-14-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	H	F	OH	H	H
XX-14-5	^t Bu	H	H	CH ₂ Ph	Et	OCH ₃	H	F	OH	H	H
XX-14-6	^t Bu	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	H	F	OH	H	H
XX-14-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	H	F	OH	H	H
XX-14-8	^t Bu	*	H	*	Et	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-15-1	Ph	H	H	H	Et	OCH ₃	H	F	OH	H	H
XX-15-2	Ph	H	H	CH ₃	Et	OCH ₃	H	F	OH	H	H
XX-15-3	Ph	H	H	CH(CH ₃) ₂	Et	OCH ₃	H	F	OH	H	H
XX-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	H	F	OH	H	H
XX-15-5	Ph	H	H	CH ₂ Ph	Et	OCH ₃	H	F	OH	H	H
XX-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	H	F	OH	H	H
XX-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	H	F	OH	H	H
XX-15-8	Ph	*	H	*	Et	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-16-1	p-Me-Ph	H	H	H	Et	OCH ₃	H	F	OH	H	H
XX-16-2	p-Me-Ph	H	H	CH ₃	Et	OCH ₃	H	F	OH	H	H
XX-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	OCH ₃	H	F	OH	H	H
XX-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	H	F	OH	H	H
XX-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	OCH ₃	H	F	OH	H	H
XX-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	H	F	OH	H	H
XX-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	H	F	OH	H	H
XX-16-8	p-Me-Ph	*	H	*	Et	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-17-1	p-F-Ph	H	H	H	Et	OCH ₃	H	F	OH	H	H
XX-17-2	p-F-Ph	H	H	CH ₃	Et	OCH ₃	H	F	OH	H	H
XX-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	OCH ₃	H	F	OH	H	H
XX-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	H	F	OH	H	H
XX-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	OCH ₃	H	F	OH	H	H
XX-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	H	F	OH	H	H
XX-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	H	F	OH	H	H
XX-17-8	p-F-Ph	*	H	*	Et	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-18.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-18-1	p-Cl-Ph	H	H	H	Et	OCH ₃	H	F	OH	H	H
XX-18-2	p-Cl-Ph	H	H	CH ₃	Et	OCH ₃	H	F	OH	H	H
XX-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	OCH ₃	H	F	OH	H	H
XX-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	H	F	OH	H	H
XX-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	OCH ₃	H	F	OH	H	H
XX-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	H	F	OH	H	H
XX-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	H	F	OH	H	H
XX-18-8	p-Cl-Ph	*	H	*	Et	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-19.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-19-1	p-Br-Ph	H	H	H	Et	OCH ₃	H	F	OH	H	H
XX-19-2	p-Br-Ph	H	H	CH ₃	Et	OCH ₃	H	F	OH	H	H
XX-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	OCH ₃	H	F	OH	H	H
XX-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	H	F	OH	H	H
XX-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	OCH ₃	H	F	OH	H	H
XX-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	H	F	OH	H	H
XX-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	H	F	OH	H	H
XX-19-8	p-Br-Ph	*	H	*	Et	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-20-1	p-I-Ph	H	H	H	Et	OCH ₃	H	F	OH	H	H
XX-20-2	p-I-Ph	H	H	CH ₃	Et	OCH ₃	H	F	OH	H	H
XX-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	OCH ₃	H	F	OH	H	H
XX-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	OCH ₃	H	F	OH	H	H
XX-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	OCH ₃	H	F	OH	H	H
XX-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	OCH ₃	H	F	OH	H	H
XX-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	OCH ₃	H	F	OH	H	H
XX-20-8	p-I-Ph	*	H	*	Et	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-21-1	CH ₃	H	H	H	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-21-2	CH ₃	H	H	CH ₃	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-21-3	CH ₃	H	H	CH(CH ₃) ₂	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-21-5	CH ₃	H	H	CH ₂ Ph	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-21-8	CH ₃	*	H	*	ⁱ Pr	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-22-1	Et	H	H	H	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-22-2	Et	H	H	CH ₃	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-22-3	Et	H	H	CH(CH ₃) ₂	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-22-5	Et	H	H	CH ₂ Ph	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-22-6	Et	H	H	CH ₂ -indol-3-yl	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-22-8	Et	*	H	*	ⁱ Pr	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	OCH ₃	H	F	OH	H	H
XX-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	OCH ₃	H	F	OH	H	H
XX-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	H	F	OH	H	H
XX-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	H	F	OH	H	H
XX-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	OCH ₃	H	F	OH	H	H
XX-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	OCH ₃	H	F	OH	H	H
XX-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	OCH ₃	H	F	OH	H	H
XX-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-24-1	^t Bu	H	H	H	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-24-2	^t Bu	H	H	CH ₃	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-24-3	^t Bu	H	H	CH(CH ₃) ₂	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-24-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-24-5	^t Bu	H	H	CH ₂ Ph	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-24-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-24-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-24-8	^t Bu	*	H	*	ⁱ Pr	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-25-1	Ph	H	H	H	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-25-2	Ph	H	H	CH ₃	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-25-3	Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-25-5	Ph	H	H	CH ₂ Ph	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-25-6	Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-25-8	Ph	*	H	*	ⁱ Pr	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-26-1	p-Me-Ph	H	H	H	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-26-8	p-Me-Ph	*	H	*	ⁱ Pr	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-27-1	p-F-Ph	H	H	H	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-27-8	p-F-Ph	*	H	*	ⁱ Pr	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-28.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-29-1	p-Br-Ph	H	H	H	<i>i</i> Pr	OCH ₃	H	F	OH	H	H
XX-29-2	p-Br-Ph	H	H	CH ₃	<i>i</i> Pr	OCH ₃	H	F	OH	H	H
XX-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	H	F	OH	H	H
XX-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	OCH ₃	H	F	OH	H	H
XX-29-5	p-Br-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	OCH ₃	H	F	OH	H	H
XX-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	OCH ₃	H	F	OH	H	H
XX-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	OCH ₃	H	F	OH	H	H
XX-29-8	p-Br-Ph	*	H	*	<i>i</i> Pr	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-30-1	p-I-Ph	H	H	H	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	OCH ₃	H	F	OH	H	H
XX-30-8	p-I-Ph	*	H	*	ⁱ Pr	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-31-1	CH ₃	H	H	H	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-31-8	CH ₃	*	H	*	ⁿ Bu	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-32-1	Et	H	H	H	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-32-2	Et	H	H	CH ₃	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-32-8	Et	*	H	*	ⁿ Bu	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-33-1	<i>i</i> Pr	H	H	H	<i>n</i> Bu	OCH ₃	H	F	OH	H	H
XX-33-2	<i>i</i> Pr	H	H	CH ₃	<i>n</i> Bu	OCH ₃	H	F	OH	H	H
XX-33-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>n</i> Bu	OCH ₃	H	F	OH	H	H
XX-33-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	OCH ₃	H	F	OH	H	H
XX-33-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>n</i> Bu	OCH ₃	H	F	OH	H	H
XX-33-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	OCH ₃	H	F	OH	H	H
XX-33-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	OCH ₃	H	F	OH	H	H
XX-33-8	<i>i</i> Pr	*	H	*	<i>n</i> Bu	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-34-1	<i>t</i> Bu	H	H	H	<i>n</i> Bu	OCH ₃	H	F	OH	H	H
XX-34-2	<i>t</i> Bu	H	H	CH ₃	<i>n</i> Bu	OCH ₃	H	F	OH	H	H
XX-34-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>n</i> Bu	OCH ₃	H	F	OH	H	H
XX-34-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	OCH ₃	H	F	OH	H	H
XX-34-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>n</i> Bu	OCH ₃	H	F	OH	H	H
XX-34-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	OCH ₃	H	F	OH	H	H
XX-34-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	OCH ₃	H	F	OH	H	H
XX-34-8	<i>t</i> Bu	*	H	*	<i>n</i> Bu	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-35-1	Ph	H	H	H	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-35-2	Ph	H	H	CH ₃	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-35-8	Ph	*	H	*	ⁿ Bu	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-36-1	p-Me-Ph	H	H	H	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-36-8	p-Me-Ph	*	H	*	ⁿ Bu	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-37.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-37-1	p-F-Ph	H	H	H	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-37-8	p-F-Ph	*	H	*	ⁿ Bu	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-38.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-39-1	p-Br-Ph	H	H	H	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-39-8	p-Br-Ph	*	H	*	ⁿ Bu	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-40-1	p-I-Ph	H	H	H	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	OCH ₃	H	F	OH	H	H
N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	OCH ₃	H	F	OH	H	H
XX-40-8	p-I-Ph	*	H	*	ⁿ Bu	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-41-1	CH ₃	H	H	H	Bz	OCH ₃	H	F	OH	H	H
XX-41-2	CH ₃	H	H	CH ₃	Bz	OCH ₃	H	F	OH	H	H
XX-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	OCH ₃	H	F	OH	H	H
XX-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	H	F	OH	H	H
XX-41-5	CH ₃	H	H	CH ₂ Ph	Bz	OCH ₃	H	F	OH	H	H
XX-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	H	F	OH	H	H
XX-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	H	F	OH	H	H
XX-41-8	CH ₃	*	H	*	Bz	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-42-1	Et	H	H	H	Bz	OCH ₃	H	F	OH	H	H
XX-42-2	Et	H	H	CH ₃	Bz	OCH ₃	H	F	OH	H	H
XX-42-3	Et	H	H	CH(CH ₃) ₂	Bz	OCH ₃	H	F	OH	H	H
XX-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	H	F	OH	H	H
XX-42-5	Et	H	H	CH ₂ Ph	Bz	OCH ₃	H	F	OH	H	H
XX-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	H	F	OH	H	H
XX-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	H	F	OH	H	H
XX-42-8	Et	*	H	*	Bz	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-43-1	<i>i</i> Pr	H	H	H	Bz	OCH ₃	H	F	OH	H	H
XX-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	OCH ₃	H	F	OH	H	H
XX-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	OCH ₃	H	F	OH	H	H
XX-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	H	F	OH	H	H
XX-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	OCH ₃	H	F	OH	H	H
XX-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	H	F	OH	H	H
XX-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	H	F	OH	H	H
XX-43-8	<i>i</i> Pr	*	H	*	Bz	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-44-1	^t Bu	H	H	H	Bz	OCH ₃	H	F	OH	H	H
XX-44-2	^t Bu	H	H	CH ₃	Bz	OCH ₃	H	F	OH	H	H
XX-44-3	^t Bu	H	H	CH(CH ₃) ₂	Bz	OCH ₃	H	F	OH	H	H
XX-44-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	H	F	OH	H	H
XX-44-5	^t Bu	H	H	CH ₂ Ph	Bz	OCH ₃	H	F	OH	H	H
XX-44-6	^t Bu	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	H	F	OH	H	H
XX-44-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	H	F	OH	H	H
XX-44-8	^t Bu	*	H	*	Bz	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-45-1	Ph	H	H	H	Bz	OCH ₃	H	F	OH	H	H
XX-45-2	Ph	H	H	CH ₃	Bz	OCH ₃	H	F	OH	H	H
XX-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	OCH ₃	H	F	OH	H	H
XX-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	H	F	OH	H	H
XX-45-5	Ph	H	H	CH ₂ Ph	Bz	OCH ₃	H	F	OH	H	H
XX-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	H	F	OH	H	H
XX-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	H	F	OH	H	H
XX-45-8	Ph	*	H	*	Bz	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-46-1	p-Me-Ph	H	H	H	Bz	OCH ₃	H	F	OH	H	H
XX-46-2	p-Me-Ph	H	H	CH ₃	Bz	OCH ₃	H	F	OH	H	H
XX-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	OCH ₃	H	F	OH	H	H
XX-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	H	F	OH	H	H
XX-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	OCH ₃	H	F	OH	H	H
XX-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	H	F	OH	H	H
XX-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	H	F	OH	H	H
XX-46-8	p-Me-Ph	*	H	*	Bz	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-47-1	p-F-Ph	H	H	H	Bz	OCH ₃	H	F	OH	H	H
XX-47-2	p-F-Ph	H	H	CH ₃	Bz	OCH ₃	H	F	OH	H	H
XX-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	OCH ₃	H	F	OH	H	H
XX-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	H	F	OH	H	H
XX-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	OCH ₃	H	F	OH	H	H
XX-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	H	F	OH	H	H
XX-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	H	F	OH	H	H
XX-47-8	p-F-Ph	*	H	*	Bz	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-48-1	p-Cl-Ph	H	H	H	Bz	OCH ₃	H	F	OH	H	H
XX-48-2	p-Cl-Ph	H	H	CH ₃	Bz	OCH ₃	H	F	OH	H	H
XX-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	OCH ₃	H	F	OH	H	H
XX-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	H	F	OH	H	H
XX-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	OCH ₃	H	F	OH	H	H
XX-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	H	F	OH	H	H
XX-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	H	F	OH	H	H
XX-48-8	p-Cl-Ph	*	H	*	Bz	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-49.


N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-49-1	p-Br-Ph	H	H	H	Bz	OCH ₃	H	F	OH	H	H
XX-49-2	p-Br-Ph	H	H	CH ₃	Bz	OCH ₃	H	F	OH	H	H
XX-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	OCH ₃	H	F	OH	H	H
XX-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	H	F	OH	H	H
XX-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	OCH ₃	H	F	OH	H	H
XX-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	H	F	OH	H	H
XX-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	H	F	OH	H	H
XX-49-8	p-Br-Ph	*	H	*	Bz	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XX-50.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y	R ⁷	R ⁸
XX-50-1	p-I-Ph	H	H	H	Bz	OCH ₃	H	F	OH	H	H
XX-50-2	p-I-Ph	H	H	CH ₃	Bz	OCH ₃	H	F	OH	H	H
XX-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	OCH ₃	H	F	OH	H	H
XX-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	OCH ₃	H	F	OH	H	H
XX-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	OCH ₃	H	F	OH	H	H
XX-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	OCH ₃	H	F	OH	H	H
XX-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	OCH ₃	H	F	OH	H	H
XX-50-8	p-I-Ph	*	H	*	Bz	OCH ₃	H	F	OH	H	H

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.



XXI

Table XXI-1.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-1-1	CH ₃	H	H	H	CH ₃	H	CH ₃	F	OH
XXI-1-2	CH ₃	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXI-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXI-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXI-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXI-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXI-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXI-1-8	CH ₃	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-2.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-2-1	Et	H	H	H	CH ₃	H	CH ₃	F	OH
XXI-2-2	Et	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXI-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXI-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXI-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXI-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXI-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXI-2-8	Et	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-3.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-3-1	ⁱ Pr	H	H	H	CH ₃	H	CH ₃	F	OH
XXI-3-2	ⁱ Pr	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXI-3-3	ⁱ Pr	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXI-3-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXI-3-5	ⁱ Pr	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXI-3-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXI-3-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXI-3-8	ⁱ Pr	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-4.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-4-1	^t Bu	H	H	H	CH ₃	H	CH ₃	F	OH
XXI-4-2	^t Bu	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXI-4-3	^t Bu	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXI-4-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXI-4-5	^t Bu	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXI-4-6	^t Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXI-4-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXI-4-8	^t Bu	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-5.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-5-1	Ph	H	H	H	CH ₃	H	CH ₃	F	OH
XXI-5-2	Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXI-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXI-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXI-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXI-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXI-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXI-5-8	Ph	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-6.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-6-1	p-Me-Ph	H	H	H	CH ₃	H	CH ₃	F	OH
XXI-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXI-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXI-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXI-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXI-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXI-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXI-6-8	p-Me-Ph	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-7.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-7-1	p-F-Ph	H	H	H	CH ₃	H	CH ₃	F	OH
XXI-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXI-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXI-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXI-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXI-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXI-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXI-7-20	p-F-Ph	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-8.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-8-1	p-Cl-Ph	H	H	H	CH ₃	H	CH ₃	F	OH
XXI-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXI-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXI-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXI-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXI-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXI-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXI-8-8	p-Cl-Ph	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-9.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-9-1	p-Br-Ph	H	H	H	CH ₃	H	CH ₃	F	OH
XXI-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXI-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXI-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXI-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXI-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXI-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXI-9-20	p-Br-Ph	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-10.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-10-1	p-I-Ph	H	H	H	CH ₃	H	CH ₃	F	OH
XXI-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXI-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXI-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXI-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXI-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXI-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXI-10-8	p-I-Ph	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-11.

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
5	XXI-11-1	CH ₃	H	H	Et	H	CH ₃	F	OH
	XXI-11-2	CH ₃	H	CH ₃	Et	H	CH ₃	F	OH
	XXI-11-3	CH ₃	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
10	XXI-11-4	CH ₃	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
	XXI-11-5	CH ₃	H	CH ₂ Ph	Et	H	CH ₃	F	OH
	XXI-11-6	CH ₃	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
15	XXI-11-7	CH ₃	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
	XXI-11-8	CH ₃	*	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-12.

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
20	XXI-12-1	Et	H	H	Et	H	CH ₃	F	OH
25	XXI-12-2	Et	H	CH ₃	Et	H	CH ₃	F	OH
	XXI-12-3	Et	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
	XXI-12-4	Et	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
30	XXI-12-5	Et	H	CH ₂ Ph	Et	H	CH ₃	F	OH
	XXI-12-6	Et	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
	XXI-12-7	Et	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
35	XXI-12-8	Et	*	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-13.

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
40	XXI-13-1	<i>i</i> Pr	H	H	Et	H	CH ₃	F	OH
45	XXI-13-2	<i>i</i> Pr	H	CH ₃	Et	H	CH ₃	F	OH
	XXI-13-3	<i>i</i> Pr	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
	XXI-13-4	<i>i</i> Pr	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
50	XXI-13-5	<i>i</i> Pr	H	CH ₂ Ph	Et	H	CH ₃	F	OH
	XXI-13-6	<i>i</i> Pr	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
	XXI-13-7	<i>i</i> Pr	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
55	XXI-13-8	<i>i</i> Pr	*	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-14.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-14-1	^t Bu	H	H	H	Et	H	CH ₃	F	OH
XXI-14-2	^t Bu	H	H	CH ₃	Et	H	CH ₃	F	OH
XXI-14-3	^t Bu	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXI-14-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXI-14-5	^t Bu	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXI-14-6	^t Bu	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXI-14-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXI-14-8	^t Bu	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-15-1	Ph	H	H	H	Et	H	CH ₃	F	OH
XXI-15-2	Ph	H	H	CH ₃	Et	H	CH ₃	F	OH
XXI-15-3	Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXI-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXI-15-5	Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXI-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXI-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXI-15-8	Ph	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-16-1	p-Me-Ph	H	H	H	Et	H	CH ₃	F	OH
XXI-16-2	p-Me-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH
XXI-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXI-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXI-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXI-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXI-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXI-16-8	p-Me-Ph	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-17.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-17-1	p-F-Ph	H	H	H	Et	H	CH ₃	F	OH
XXI-17-2	p-F-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH
XXI-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXI-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXI-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXI-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXI-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXI-17-8	p-F-Ph	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-18.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-18-1	p-Cl-Ph	H	H	H	Et	H	CH ₃	F	OH
XXI-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH
XXI-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXI-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXI-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXI-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXI-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXI-18-8	p-Cl-Ph	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-19.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-19-1	p-Br-Ph	H	H	H	Et	H	CH ₃	F	OH
XXI-19-2	p-Br-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH
XXI-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXI-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXI-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXI-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXI-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXI-19-8	p-Br-Ph	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-20-1	p-I-Ph	H	H	H	Et	H	CH ₃	F	OH
XXI-20-2	p-I-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH
XXI-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXI-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXI-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXI-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXI-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXI-20-8	p-I-Ph	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-21-1	CH ₃	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXI-21-2	CH ₃	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXI-21-3	CH ₃	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXI-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXI-21-5	CH ₃	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXI-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXI-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXI-21-8	CH ₃	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-22-1	Et	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXI-22-2	Et	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXI-22-3	Et	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXI-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXI-22-5	Et	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXI-22-6	Et	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXI-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXI-22-8	Et	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	H	CH ₃	F	OH
XXI-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	F	OH
XXI-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH
XXI-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH
XXI-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	F	OH
XXI-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	F	OH
XXI-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	F	OH
XXI-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-24-1	<i>t</i> Bu	H	H	H	<i>i</i> Pr	H	CH ₃	F	OH
XXI-24-2	<i>t</i> Bu	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	F	OH
XXI-24-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH
XXI-24-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH
XXI-24-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	F	OH
XXI-24-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	F	OH
XXI-24-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	F	OH
XXI-24-8	<i>t</i> Bu	*	H	*	<i>i</i> Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-25-1	Ph	H	H	H	<i>i</i> Pr	H	CH ₃	F	OH
XXI-25-2	Ph	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	F	OH
XXI-25-3	Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH
XXI-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH
XXI-25-5	Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	F	OH
XXI-25-6	Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	F	OH
XXI-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	F	OH
XXI-25-8	Ph	*	H	*	<i>i</i> Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-26-1	p-Me-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXI-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXI-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXI-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXI-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXI-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXI-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXI-26-8	p-Me-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-27-1	p-F-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXI-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXI-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXI-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXI-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXI-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXI-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXI-27-8	p-F-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-28.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXI-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXI-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXI-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXI-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXI-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXI-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXI-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-29-1	p-Br-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXI-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXI-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXI-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXI-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXI-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXI-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXI-29-8	p-Br-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-30-1	p-I-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXI-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXI-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXI-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXI-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXI-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXI-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXI-30-8	p-I-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-31-1	CH ₃	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXI-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXI-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXI-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXI-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXI-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXI-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXI-31-8	CH ₃	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-32-1	Et	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXI-32-2	Et	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXI-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXI-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXI-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXI-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXI-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXI-32-8	Et	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-33-1	ⁱ Pr	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXI-33-2	ⁱ Pr	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXI-33-3	ⁱ Pr	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXI-33-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXI-33-5	ⁱ Pr	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXI-33-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXI-33-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXI-33-8	ⁱ Pr	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-34-1	^t Bu	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXI-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXI-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXI-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXI-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXI-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXI-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXI-34-8	^t Bu	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-35.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-35-1	Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXI-35-2	Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXI-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXI-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXI-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXI-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXI-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXI-35-8	Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-36.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXI-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXI-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXI-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXI-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXI-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXI-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXI-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-37.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXI-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXI-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXI-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXI-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXI-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXI-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXI-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-38.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXI-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXI-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXI-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXI-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXI-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXI-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXI-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXI-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXI-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXI-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXI-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXI-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXI-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXI-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXI-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXI-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXI-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXI-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXI-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXI-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXI-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-41-1	CH ₃	H	H	H	Bz	H	CH ₃	F	OH
XXI-41-2	CH ₃	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXI-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXI-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXI-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXI-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXI-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXI-41-8	CH ₃	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-42-1	Et	H	H	H	Bz	H	CH ₃	F	OH
XXI-42-2	Et	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXI-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXI-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXI-42-5	Et	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXI-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXI-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXI-42-8	Et	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-43-1	<i>i</i> Pr	H	H	H	Bz	H	CH ₃	F	OH
XXI-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXI-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXI-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXI-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXI-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXI-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXI-43-8	<i>i</i> Pr	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-44-1	^t Bu	H	H	H	Bz	H	CH ₃	F	OH
XXI-44-2	^t Bu	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXI-44-3	^t Bu	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXI-44-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXI-44-5	^t Bu	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXI-44-6	^t Bu	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXI-44-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXI-44-8	^t Bu	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-45-1	Ph	H	H	H	Bz	H	CH ₃	F	OH
XXI-45-2	Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXI-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXI-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXI-45-5	Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXI-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXI-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXI-45-8	Ph	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-46-1	p-Me-Ph	H	H	H	Bz	H	CH ₃	F	OH
XXI-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXI-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXI-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXI-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXI-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXI-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXI-46-8	p-Me-Ph	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-47-1	p-F-Ph	H	H	H	Bz	H	CH ₃	F	OH
XXI-47-2	p-F-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXI-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXI-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXI-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXI-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXI-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXI-47-8	p-F-Ph	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-48-1	p-Cl-Ph	H	H	H	Bz	H	CH ₃	F	OH
XXI-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXI-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXI-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXI-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXI-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXI-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXI-48-8	p-Cl-Ph	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-49.


N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-49-1	p-Br-Ph	H	H	H	Bz	H	CH ₃	F	OH
XXI-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXI-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXI-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXI-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXI-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXI-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXI-49-8	p-Br-Ph	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXI-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXI-50-1	p-I-Ph	H	H	H	Bz	H	CH ₃	F	OH
XXI-50-2	p-I-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXI-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXI-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXI-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXI-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXI-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXI-50-8	p-I-Ph	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.



XXII

Table XXII-1.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-1-1	CH ₃	H	H	H	CH ₃	H	F	H	OH
XXII-1-2	CH ₃	H	H	CH ₃	CH ₃	H	F	H	OH
XXII-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXII-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXII-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXII-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXII-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXII-1-8	CH ₃	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-2.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-2-1	Et	H	H	H	CH ₃	H	F	H	OH
XXII-2-2	Et	H	H	CH ₃	CH ₃	H	F	H	OH
XXII-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXII-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXII-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXII-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXII-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXII-2-8	Et	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-3.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-3-1	<i>i</i> Pr	H	H	H	CH ₃	H	F	H	OH
XXII-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	H	F	H	OH
XXII-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXII-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXII-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXII-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXII-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXII-3-8	<i>i</i> Pr	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-4.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-4-1	<i>t</i> Bu	H	H	H	CH ₃	H	F	H	OH
XXII-4-2	<i>t</i> Bu	H	H	CH ₃	CH ₃	H	F	H	OH
XXII-4-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXII-4-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXII-4-5	<i>t</i> Bu	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXII-4-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXII-4-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXII-4-8	<i>t</i> Bu	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-5.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-5-1	Ph	H	H	H	CH ₃	H	F	H	OH
XXII-5-2	Ph	H	H	CH ₃	CH ₃	H	F	H	OH
XXII-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXII-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXII-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXII-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXII-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXII-5-8	Ph	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-6.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-6-1	p-Me-Ph	H	H	H	CH ₃	H	F	H	OH
XXII-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	F	H	OH
XXII-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXII-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXII-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXII-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXII-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXII-6-8	p-Me-Ph	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-7.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-7-1	p-F-Ph	H	H	H	CH ₃	H	F	H	OH
XXII-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	F	H	OH
XXII-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXII-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXII-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXII-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXII-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXII-7-20	p-F-Ph	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-8-1	p-Cl-Ph	H	H	H	CH ₃	H	F	H	OH
XXII-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	F	H	OH
XXII-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXII-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXII-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXII-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXII-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXII-8-8	p-Cl-Ph	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-9-1	p-Br-Ph	H	H	H	CH ₃	H	F	H	OH
XXII-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	F	H	OH
XXII-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXII-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXII-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXII-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXII-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXII-9-20	p-Br-Ph	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-10-1	p-I-Ph	H	H	H	CH ₃	H	F	H	OH
XXII-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	F	H	OH
XXII-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXII-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXII-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXII-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXII-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXII-10-8	p-I-Ph	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
5	XXII-11-1	CH ₃	H	H	H	Et	H	F	H OH
	XXII-11-2	CH ₃	H	H	CH ₃	Et	H	F	H OH
	XXII-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	F	H OH
10	XXII-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H OH
	XXII-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	F	H OH
	XXII-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	F	H OH
15	XXII-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H OH
	XXII-11-8	CH ₃	*	H	*	Et	H	F	H OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
20	XXII-12-1	Et	H	H	H	Et	H	F	H OH
25	XXII-12-2	Et	H	H	CH ₃	Et	H	F	H OH
	XXII-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	F	H OH
	XXII-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H OH
30	XXII-12-5	Et	H	H	CH ₂ Ph	Et	H	F	H OH
	XXII-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	F	H OH
	XXII-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H OH
35	XXII-12-8	Et	*	H	*	Et	H	F	H OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
40	XXII-13-1	<i>i</i> Pr	H	H	H	Et	H	F	H OH
45	XXII-13-2	<i>i</i> Pr	H	H	CH ₃	Et	H	F	H OH
	XXII-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	H	F	H OH
	XXII-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H OH
50	XXII-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	H	F	H OH
	XXII-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	H	F	H OH
	XXII-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H OH
55	XXII-13-8	<i>i</i> Pr	*	H	*	Et	H	F	H OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-14.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
5	XXII-14-1	^t Bu	H	H	Et	H	F	H	OH
	XXII-14-2	^t Bu	H	CH ₃	Et	H	F	H	OH
	XXII-14-3	^t Bu	H	CH(CH ₃) ₂	Et	H	F	H	OH
10	XXII-14-4	^t Bu	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
	XXII-14-5	^t Bu	H	CH ₂ Ph	Et	H	F	H	OH
	XXII-14-6	^t Bu	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
15	XXII-14-7	^t Bu	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
	XXII-14-8	^t Bu	*	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
	XXII-15-1	Ph	H	H	Et	H	F	H	OH
25	XXII-15-2	Ph	H	CH ₃	Et	H	F	H	OH
	XXII-15-3	Ph	H	CH(CH ₃) ₂	Et	H	F	H	OH
	XXII-15-4	Ph	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
30	XXII-15-5	Ph	H	CH ₂ Ph	Et	H	F	H	OH
	XXII-15-6	Ph	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
	XXII-15-7	Ph	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
35	XXII-15-8	Ph	*	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
	XXII-16-1	p-Me-Ph	H	H	Et	H	F	H	OH
45	XXII-16-2	p-Me-Ph	H	CH ₃	Et	H	F	H	OH
	XXII-16-3	p-Me-Ph	H	CH(CH ₃) ₂	Et	H	F	H	OH
	XXII-16-4	p-Me-Ph	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
50	XXII-16-5	p-Me-Ph	H	CH ₂ Ph	Et	H	F	H	OH
	XXII-16-6	p-Me-Ph	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
	XXII-16-7	p-Me-Ph	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
55	XXII-16-8	p-Me-Ph	*	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-17.

N ₀	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-17-1	p-F-Ph	H	H	H	Et	H	F	H	OH
XXII-17-2	p-F-Ph	H	H	CH ₃	Et	H	F	H	OH
XXII-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXII-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXII-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	F	H	OH
XXII-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXII-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXII-17-8	p-F-Ph	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-18.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-18-1	p-Cl-Ph	H	H	H	Et	H	F	H	OH
XXII-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	F	H	OH
XXII-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXII-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXII-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	F	H	OH
XXII-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXII-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXII-18-8	p-Cl-Ph	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-19.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-19-1	p-Br-Ph	H	H	H	Et	H	F	H	OH
XXII-19-2	p-Br-Ph	H	H	CH ₃	Et	H	F	H	OH
XXII-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXII-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXII-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	F	H	OH
XXII-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXII-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXII-19-8	p-Br-Ph	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
5	XXII-20-1	p-I-Ph	H	H	H	Et	H	F	H OH
	XXII-20-2	p-I-Ph	H	H	CH ₃	Et	H	F	H OH
	XXII-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H OH
10	XXII-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H OH
	XXII-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	F	H OH
	XXII-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H OH
15	XXII-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H OH
	XXII-20-8	p-I-Ph	*	H	*	Et	H	F	H OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
20	XXII-21-1	CH ₃	H	H	H	ⁱ Pr	H	F	H OH
25	XXII-21-2	CH ₃	H	H	CH ₃	ⁱ Pr	H	F	H OH
	XXII-21-3	CH ₃	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H OH
	XXII-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H OH
30	XXII-21-5	CH ₃	H	H	CH ₂ Ph	ⁱ Pr	H	F	H OH
	XXII-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H OH
	XXII-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H OH
35	XXII-21-8	CH ₃	*	H	*	ⁱ Pr	H	F	H OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
40	XXII-22-1	Et	H	H	H	ⁱ Pr	H	F	H OH
	XXII-22-2	Et	H	H	CH ₃	ⁱ Pr	H	F	H OH
45	XXII-22-3	Et	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H OH
	XXII-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H OH
	XXII-22-5	Et	H	H	CH ₂ Ph	ⁱ Pr	H	F	H OH
50	XXII-22-6	Et	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H OH
	XXII-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H OH
55	XXII-22-8	Et	*	H	*	ⁱ Pr	H	F	H OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	H	F	H	OH
XXII-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	H	F	H	OH
XXII-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH
XXII-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH
XXII-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	H	OH
XXII-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	H	OH
XXII-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	H	OH
XXII-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-24-1	<i>t</i> Bu	H	H	H	<i>i</i> Pr	H	F	H	OH
XXII-24-2	<i>t</i> Bu	H	H	CH ₃	<i>i</i> Pr	H	F	H	OH
XXII-24-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH
XXII-24-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH
XXII-24-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	H	OH
XXII-24-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	H	OH
XXII-24-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	H	OH
XXII-24-8	<i>t</i> Bu	*	H	*	<i>i</i> Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-25-1	Ph	H	H	H	<i>i</i> Pr	H	F	H	OH
XXII-25-2	Ph	H	H	CH ₃	<i>i</i> Pr	H	F	H	OH
XXII-25-3	Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH
XXII-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH
XXII-25-5	Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	H	OH
XXII-25-6	Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	H	OH
XXII-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	H	OH
XXII-25-8	Ph	*	H	*	<i>i</i> Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-26-1	p-Me-Ph	H	H	H	ⁱ Pr	H	F	H	OH
XXII-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXII-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXII-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXII-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXII-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXII-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXII-26-8	p-Me-Ph	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-27-1	p-F-Ph	H	H	H	ⁱ Pr	H	F	H	OH
XXII-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXII-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXII-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXII-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXII-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXII-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXII-27-8	p-F-Ph	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-28.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	H	F	H	OH
XXII-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXII-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXII-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXII-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXII-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXII-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXII-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-29.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-29-1	p-Br-Ph	H	H	H	ⁱ Pr	H	F	H	OH
XXII-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXII-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXII-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXII-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXII-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXII-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXII-29-8	p-Br-Ph	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-30.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-30-1	p-I-Ph	H	H	H	ⁱ Pr	H	F	H	OH
XXII-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXII-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXII-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXII-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXII-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXII-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXII-30-8	p-I-Ph	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-31.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-31-1	CH ₃	H	H	H	ⁿ Bu	H	F	H	OH
XXII-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXII-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXII-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXII-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXII-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXII-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXII-31-8	CH ₃	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-32-1	Et	H	H	H	ⁿ Bu	H	F	H	OH
XXII-32-2	Et	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXII-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXII-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXII-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXII-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXII-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXII-32-8	Et	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-33-1	ⁱ Pr	H	H	H	ⁿ Bu	H	F	H	OH
XXII-33-2	ⁱ Pr	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXII-33-3	ⁱ Pr	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXII-33-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXII-33-5	ⁱ Pr	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXII-33-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXII-33-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXII-33-8	ⁱ Pr	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-34-1	^t Bu	H	H	H	ⁿ Bu	H	F	H	OH
XXII-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXII-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXII-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXII-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXII-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXII-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXII-34-8	^t Bu	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-35-1	Ph	H	H	H	ⁿ Bu	H	F	H	OH
XXII-35-2	Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXII-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXII-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXII-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXII-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXII-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXII-35-8	Ph	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	F	H	OH
XXII-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXII-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXII-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXII-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXII-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXII-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXII-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-37.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	F	H	OH
XXII-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXII-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXII-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXII-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXII-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXII-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXII-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-38.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	F	H	OH
XXII-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXII-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXII-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXII-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXII-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXII-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXII-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	F	H	OH
XXII-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXII-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXII-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXII-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXII-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXII-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXII-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	F	H	OH
XXII-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXII-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXII-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXII-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXII-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXII-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXII-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-41-1	CH ₃	H	H	H	Bz	H	F	H	OH
XXII-41-2	CH ₃	H	H	CH ₃	Bz	H	F	H	OH
XXII-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXII-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXII-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXII-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXII-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXII-41-8	CH ₃	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-42-1	Et	H	H	H	Bz	H	F	H	OH
XXII-42-2	Et	H	H	CH ₃	Bz	H	F	H	OH
XXII-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXII-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXII-42-5	Et	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXII-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXII-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXII-42-8	Et	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-43-1	<i>i</i> Pr	H	H	H	Bz	H	F	H	OH
XXII-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	H	F	H	OH
XXII-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXII-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXII-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXII-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXII-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXII-43-8	<i>i</i> Pr	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-44.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-44-1	^t Bu	H	H	H	Bz	H	F	H	OH
XXII-44-2	^t Bu	H	H	CH ₃	Bz	H	F	H	OH
XXII-44-3	^t Bu	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXII-44-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXII-44-5	^t Bu	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXII-44-6	^t Bu	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXII-44-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXII-44-8	^t Bu	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-45.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-45-1	Ph	H	H	H	Bz	H	F	H	OH
XXII-45-2	Ph	H	H	CH ₃	Bz	H	F	H	OH
XXII-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXII-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXII-45-5	Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXII-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXII-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXII-45-8	Ph	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-46.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-46-1	p-Me-Ph	H	H	H	Bz	H	F	H	OH
XXII-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	F	H	OH
XXII-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXII-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXII-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXII-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXII-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXII-46-8	p-Me-Ph	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-47-1	p-F-Ph	H	H	H	Bz	H	F	H	OH
XXII-47-2	p-F-Ph	H	H	CH ₃	Bz	H	F	H	OH
XXII-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXII-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXII-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXII-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXII-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXII-47-8	p-F-Ph	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-48-1	p-Cl-Ph	H	H	H	Bz	H	F	H	OH
XXII-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	F	H	OH
XXII-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXII-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXII-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXII-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXII-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXII-48-8	p-Cl-Ph	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-49.


N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-49-1	p-Br-Ph	H	H	H	Bz	H	F	H	OH
XXII-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	F	H	OH
XXII-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXII-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXII-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXII-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXII-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXII-49-8	p-Br-Ph	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXII-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXII-50-1	p-I-Ph	H	H	H	Bz	H	F	H	OH
XXII-50-2	p-I-Ph	H	H	CH ₃	Bz	H	F	H	OH
XXII-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXII-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXII-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXII-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXII-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXII-50-8	p-I-Ph	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.



XXIII

Table XXIII-1.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-1-1	CH ₃	H	H	H	CH ₃	H	F	F	OH
XXIII-1-2	CH ₃	H	H	CH ₃	CH ₃	H	F	F	OH
XXIII-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXIII-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXIII-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXIII-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXIII-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXIII-1-8	CH ₃	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-2.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-2-1	Et	H	H	H	CH ₃	H	F	F	OH
XXIII-2-2	Et	H	H	CH ₃	CH ₃	H	F	F	OH
XXIII-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXIII-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXIII-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXIII-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXIII-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXIII-2-8	Et	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-3-1	ⁱ Pr	H	H	H	CH ₃	H	F	F	OH
XXIII-3-2	ⁱ Pr	H	H	CH ₃	CH ₃	H	F	F	OH
XXIII-3-3	ⁱ Pr	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXIII-3-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXIII-3-5	ⁱ Pr	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXIII-3-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXIII-3-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXIII-3-8	ⁱ Pr	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-4-1	^t Bu	H	H	H	CH ₃	H	F	F	OH
XXIII-4-2	^t Bu	H	H	CH ₃	CH ₃	H	F	F	OH

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-4-3	^t Bu	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXIII-4-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXIII-4-5	^t Bu	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXIII-4-6	^t Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXIII-4-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXIII-4-8	^t Bu	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-5.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-5-1	Ph	H	H	H	CH ₃	H	F	F	OH
XXIII-5-2	Ph	H	H	CH ₃	CH ₃	H	F	F	OH
XXIII-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXIII-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXIII-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXIII-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXIII-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXIII-5-8	Ph	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-6.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-6-1	p-Me-Ph	H	H	H	CH ₃	H	F	F	OH
XXIII-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	F	F	OH
XXIII-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXIII-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXIII-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXIII-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXIII-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXIII-6-8	p-Me-Ph	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-7.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-7-1	p-F-Ph	H	H	H	CH ₃	H	F	F	OH
XXIII-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	F	F	OH
XXIII-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXIII-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXIII-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXIII-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXIII-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXIII-7-20	p-F-Ph	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-8.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-8-1	p-Cl-Ph	H	H	H	CH ₃	H	F	F	OH
XXIII-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	F	F	OH
XXIII-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXIII-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXIII-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXIII-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXIII-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXIII-8-8	p-Cl-Ph	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-9-1	p-Br-Ph	H	H	H	CH ₃	H	F	F	OH
XXIII-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	F	F	OH
XXIII-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXIII-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXIII-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXIII-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXIII-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXIII-9-20	p-Br-Ph	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-10-1	p-I-Ph	H	H	H	CH ₃	H	F	F	OH
XXIII-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	F	F	OH
XXIII-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXIII-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXIII-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXIII-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXIII-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXIII-10-8	p-I-Ph	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-11-1	CH ₃	H	H	H	Et	H	F	F	OH
XXIII-11-2	CH ₃	H	H	CH ₃	Et	H	F	F	OH
XXIII-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXIII-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXIII-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	F	F	OH
XXIII-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXIII-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXIII-11-8	CH ₃	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-12-1	Et	H	H	H	Et	H	F	F	OH
XXIII-12-2	Et	H	H	CH ₃	Et	H	F	F	OH
XXIII-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXIII-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXIII-12-5	Et	H	H	CH ₂ Ph	Et	H	F	F	OH
XXIII-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXIII-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXIII-12-8	Et	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-13-1	ⁱ Pr	H	H	H	Et	H	F	F	OH
XXIII-13-2	ⁱ Pr	H	H	CH ₃	Et	H	F	F	OH
XXIII-13-3	ⁱ Pr	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXIII-13-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXIII-13-5	ⁱ Pr	H	H	CH ₂ Ph	Et	H	F	F	OH

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXIII-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXIII-13-8	<i>i</i> Pr	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-14.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-14-1	<i>t</i> Bu	H	H	H	Et	H	F	F	OH
XXIII-14-2	<i>t</i> Bu	H	H	CH ₃	Et	H	F	F	OH
XXIII-14-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXIII-14-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXIII-14-5	<i>t</i> Bu	H	H	CH ₂ Ph	Et	H	F	F	OH
XXIII-14-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXIII-14-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXIII-14-8	<i>t</i> Bu	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-15-1	Ph	H	H	H	Et	H	F	F	OH
XXIII-15-2	Ph	H	H	CH ₃	Et	H	F	F	OH
XXIII-15-3	Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXIII-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXIII-15-5	Ph	H	H	CH ₂ Ph	Et	H	F	F	OH
XXIII-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXIII-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXIII-15-8	Ph	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-16.

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-16-1	p-Me-Ph	H	H	H	Et	H	F	F	OH
XXIII-16-2	p-Me-Ph	H	H	CH ₃	Et	H	F	F	OH
XXIII-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXIII-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXIII-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH
XXIII-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXIII-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXIII-16-8	p-Me-Ph	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-17.

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-17-1	p-F-Ph	H	H	H	Et	H	F	F	OH
XXIII-17-2	p-F-Ph	H	H	CH ₃	Et	H	F	F	OH
XXIII-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXIII-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXIII-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH
XXIII-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXIII-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXIII-17-8	p-F-Ph	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-18.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-18-1	p-Cl-Ph	H	H	H	Et	H	F	F	OH
XXIII-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	F	F	OH
XXIII-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXIII-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXIII-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH
XXIII-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXIII-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXIII-18-8	p-Cl-Ph	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-19.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-19-1	p-Br-Ph	H	H	H	Et	H	F	F	OH
XXIII-19-2	p-Br-Ph	H	H	CH ₃	Et	H	F	F	OH
XXIII-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXIII-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXIII-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH
XXIII-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXIII-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXIII-19-8	p-Br-Ph	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-20.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-20-1	p-I-Ph	H	H	H	Et	H	F	F	OH
XXIII-20-2	p-I-Ph	H	H	CH ₃	Et	H	F	F	OH
XXIII-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXIII-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXIII-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH
XXIII-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXIII-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXIII-20-8	p-I-Ph	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-21-1	CH ₃	H	H	H	<i>i</i> Pr	H	F	F	OH
XXIII-21-2	CH ₃	H	H	CH ₃	<i>i</i> Pr	H	F	F	OH
XXIII-21-3	CH ₃	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH
XXIII-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH
XXIII-21-5	CH ₃	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	F	OH
XXIII-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	F	OH
XXIII-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	F	OH
XXIII-21-8	CH ₃	*	H	*	<i>i</i> Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-22-1	Et	H	H	H	<i>i</i> Pr	H	F	F	OH
XXIII-22-2	Et	H	H	CH ₃	<i>i</i> Pr	H	F	F	OH
XXIII-22-3	Et	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH
XXIII-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH
XXIII-22-5	Et	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	F	OH
XXIII-22-6	Et	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	F	OH
XXIII-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	F	OH
XXIII-22-8	Et	*	H	*	<i>i</i> Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	H	F	F	OH
XXIII-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	H	F	F	OH
XXIII-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH
XXIII-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH
XXIII-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	F	OH
XXIII-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	F	OH
XXIII-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	F	OH
XXIII-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-24-1	^t Bu	H	H	H	ⁱ Pr	H	F	F	OH
XXIII-24-2	^t Bu	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXIII-24-3	^t Bu	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXIII-24-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXIII-24-5	^t Bu	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXIII-24-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXIII-24-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXIII-24-8	^t Bu	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-25-1	Ph	H	H	H	ⁱ Pr	H	F	F	OH
XXIII-25-2	Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXIII-25-3	Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXIII-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXIII-25-5	Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXIII-25-6	Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXIII-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXIII-25-8	Ph	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-26-1	p-Me-Ph	H	H	H	ⁱ Pr	H	F	F	OH
XXIII-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXIII-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXIII-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXIII-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXIII-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXIII-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXIII-26-8	p-Me-Ph	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-27-1	p-F-Ph	H	H	H	ⁱ Pr	H	F	F	OH
XXIII-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXIII-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXIII-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXIII-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXIII-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXIII-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXIII-27-8	p-F-Ph	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-28.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	H	F	F	OH
XXIII-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXIII-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXIII-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXIII-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXIII-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXIII-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXIII-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-29-1	p-Br-Ph	H	H	H	ⁱ Pr	H	F	F	OH
XXIII-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXIII-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXIII-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXIII-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXIII-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXIII-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXIII-29-8	p-Br-Ph	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-30-1	p-I-Ph	H	H	H	ⁱ Pr	H	F	F	OH
XXIII-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXIII-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXIII-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXIII-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXIII-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXIII-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXIII-30-8	p-I-Ph	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-31-1	CH ₃	H	H	H	ⁿ Bu	H	F	F	OH
XXIII-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXIII-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXIII-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXIII-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXIII-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXIII-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXIII-31-8	CH ₃	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-32-1	Et	H	H	H	ⁿ Bu	H	F	F	OH
XXIII-32-2	Et	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXIII-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXIII-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXIII-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXIII-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXIII-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXIII-32-8	Et	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-33-1	ⁱ Pr	H	H	H	ⁿ Bu	H	F	F	OH
XXIII-33-2	ⁱ Pr	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXIII-33-3	ⁱ Pr	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXIII-33-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXIII-33-5	ⁱ Pr	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXIII-33-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXIII-33-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXIII-33-8	ⁱ Pr	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-34-1	^t Bu	H	H	H	ⁿ Bu	H	F	F	OH
XXIII-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXIII-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXIII-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXIII-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXIII-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXIII-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXIII-34-8	^t Bu	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-35-1	Ph	H	H	H	ⁿ Bu	H	F	F	OH
XXIII-35-2	Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXIII-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXIII-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXIII-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXIII-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXIII-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXIII-35-8	Ph	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-36.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	F	F	OH
XXIII-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXIII-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXIII-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXIII-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXIII-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXIII-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXIII-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-37.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	F	F	OH
XXIII-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXIII-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXIII-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXIII-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXIII-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXIII-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXIII-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-38.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	F	F	OH
XXIII-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXIII-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXIII-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXIII-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXIII-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXIII-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXIII-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	F	F	OH
XXIII-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXIII-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXIII-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXIII-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXIII-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXIII-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXIII-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	F	F	OH
XXIII-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXIII-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXIII-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXIII-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXIII-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXIII-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXIII-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-41-1	CH ₃	H	H	H	Bz	H	F	F	OH
XXIII-41-2	CH ₃	H	H	CH ₃	Bz	H	F	F	OH
XXIII-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXIII-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXIII-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXIII-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXIII-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXIII-41-8	CH ₃	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-42-1	Et	H	H	H	Bz	H	F	F	OH
XXIII-42-2	Et	H	H	CH ₃	Bz	H	F	F	OH
XXIII-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXIII-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXIII-42-5	Et	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXIII-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXIII-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXIII-42-8	Et	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-43-1	ⁱ Pr	H	H	H	Bz	H	F	F	OH
XXIII-43-2	ⁱ Pr	H	H	CH ₃	Bz	H	F	F	OH
XXIII-43-3	ⁱ Pr	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXIII-43-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXIII-43-5	ⁱ Pr	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXIII-43-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXIII-43-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXIII-43-8	ⁱ Pr	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-44-1	^t Bu	H	H	H	Bz	H	F	F	OH
XXIII-44-2	^t Bu	H	H	CH ₃	Bz	H	F	F	OH
XXIII-44-3	^t Bu	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXIII-44-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXIII-44-5	^t Bu	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXIII-44-6	^t Bu	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXIII-44-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXIII-44-8	^t Bu	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-45-1	Ph	H	H	H	Bz	H	F	F	OH
XXIII-45-2	Ph	H	H	CH ₃	Bz	H	F	F	OH
XXIII-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXIII-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXIII-45-5	Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXIII-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXIII-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXIII-45-8	Ph	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-46-1	p-Me-Ph	H	H	H	Bz	H	F	F	OH
XXIII-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	F	F	OH
XXIII-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXIII-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXIII-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXIII-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXIII-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXIII-46-8	p-Me-Ph	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-47-1	p-F-Ph	H	H	H	Bz	H	F	F	OH
XXIII-47-2	p-F-Ph	H	H	CH ₃	Bz	H	F	F	OH
XXIII-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXIII-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXIII-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXIII-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXIII-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXIII-47-8	p-F-Ph	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-48-1	p-Cl-Ph	H	H	H	Bz	H	F	F	OH
XXIII-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	F	F	OH
XXIII-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXIII-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXIII-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXIII-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXIII-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXIII-48-8	p-Cl-Ph	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-49.


N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-49-1	p-Br-Ph	H	H	H	Bz	H	F	F	OH
XXIII-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	F	F	OH
XXIII-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXIII-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXIII-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXIII-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXIII-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXIII-49-8	p-Br-Ph	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIII-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIII-50-1	p-I-Ph	H	H	H	Bz	H	F	F	OH
XXIII-50-2	p-I-Ph	H	H	CH ₃	Bz	H	F	F	OH
XXIII-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXIII-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXIII-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXIII-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXIII-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXIII-50-8	p-I-Ph	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.



XXIV

Table XXIV-1.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-1-1	CH ₃	H	H	H	CH ₃	H	H	F	OH

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-1-2	CH ₃	H	H	CH ₃	CH ₃	H	H	F	OH
XXIV-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXIV-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXIV-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXIV-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXIV-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXIV-1-8	CH ₃	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-2.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-2-1	Et	H	H	H	CH ₃	H	H	F	OH
XXIV-2-2	Et	H	H	CH ₃	CH ₃	H	H	F	OH
XXIV-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXIV-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXIV-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXIV-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXIV-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXIV-2-8	Et	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-3-1	<i>i</i> Pr	H	H	H	CH ₃	H	H	F	OH
XXIV-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	H	H	F	OH
XXIV-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXIV-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXIV-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXIV-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXIV-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXIV-3-8	<i>i</i> Pr	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-4-1	<i>t</i> Bu	H	H	H	CH ₃	H	H	F	OH
XXIV-4-2	<i>t</i> Bu	H	H	CH ₃	CH ₃	H	H	F	OH
XXIV-4-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXIV-4-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXIV-4-5	<i>t</i> Bu	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXIV-4-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXIV-4-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXIV-4-8	<i>t</i> Bu	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-5.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-5-1	Ph	H	H	H	CH ₃	H	H	F	OH
XXIV-5-2	Ph	H	H	CH ₃	CH ₃	H	H	F	OH
XXIV-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXIV-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXIV-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXIV-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXIV-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXIV-5-8	Ph	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-6.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-6-1	p-Me-Ph	H	H	H	CH ₃	H	H	F	OH
XXIV-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	H	F	OH
XXIV-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXIV-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXIV-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXIV-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXIV-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXIV-6-8	p-Me-Ph	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-7.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-7-1	p-F-Ph	H	H	H	CH ₃	H	H	F	OH
XXIV-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	H	F	OH
XXIV-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXIV-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXIV-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXIV-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXIV-7-20	p-F-Ph	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-8.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-8-1	p-Cl-Ph	H	H	H	CH ₃	H	H	F	OH
XXIV-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	H	F	OH
XXIV-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXIV-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXIV-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXIV-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXIV-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXIV-8-8	p-Cl-Ph	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-9.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-9-1	p-Br-Ph	H	H	H	CH ₃	H	H	F	OH
XXIV-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	H	F	OH
XXIV-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXIV-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXIV-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXIV-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXIV-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXIV-9-20	p-Br-Ph	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-10-1	p-I-Ph	H	H	H	CH ₃	H	H	F	OH
XXIV-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	H	F	OH
XXIV-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXIV-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXIV-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXIV-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXIV-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXIV-10-8	p-I-Ph	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-11-1	CH ₃	H	H	H	Et	H	H	F	OH
XXIV-11-2	CH ₃	H	H	CH ₃	Et	H	H	F	OH
XXIV-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXIV-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXIV-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	H	F	OH
XXIV-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXIV-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXIV-11-8	CH ₃	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-12-1	Et	H	H	H	Et	H	H	F	OH
XXIV-12-2	Et	H	H	CH ₃	Et	H	H	F	OH
XXIV-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXIV-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXIV-12-5	Et	H	H	CH ₂ Ph	Et	H	H	F	OH
XXIV-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXIV-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXIV-12-8	Et	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-13-1	<i>i</i> Pr	H	H	H	Et	H	H	F	OH
XXIV-13-2	<i>i</i> Pr	H	H	CH ₃	Et	H	H	F	OH
XXIV-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXIV-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXIV-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	H	H	F	OH

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXIV-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXIV-13-8	<i>i</i> Pr	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-14.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-14-1	^t Bu	H	H	H	Et	H	H	F	OH
XXIV-14-2	^t Bu	H	H	CH ₃	Et	H	H	F	OH
XXIV-14-3	^t Bu	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXIV-14-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXIV-14-5	^t Bu	H	H	CH ₂ Ph	Et	H	H	F	OH
XXIV-14-6	^t Bu	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXIV-14-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXIV-14-8	^t Bu	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-15.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-15-1	Ph	H	H	H	Et	H	H	F	OH
XXIV-15-2	Ph	H	H	CH ₃	Et	H	H	F	OH
XXIV-15-3	Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXIV-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXIV-15-5	Ph	H	H	CH ₂ Ph	Et	H	H	F	OH
XXIV-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXIV-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXIV-15-8	Ph	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-16.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-16-1	p-Me-Ph	H	H	H	Et	H	H	F	OH
XXIV-16-2	p-Me-Ph	H	H	CH ₃	Et	H	H	F	OH
XXIV-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXIV-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXIV-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH
XXIV-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXIV-16-8	p-Me-Ph	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-17.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-17-1	p-F-Ph	H	H	H	Et	H	H	F	OH
XXIV-17-2	p-F-Ph	H	H	CH ₃	Et	H	H	F	OH
XXIV-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXIV-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXIV-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH
XXIV-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXIV-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXIV-17-8	p-F-Ph	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-18.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-18-1	p-Cl-Ph	H	H	H	Et	H	H	F	OH
XXIV-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	H	F	OH
XXIV-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXIV-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXIV-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH
XXIV-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXIV-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXIV-18-8	p-Cl-Ph	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-19.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-19-1	p-Br-Ph	H	H	H	Et	H	H	F	OH
XXIV-19-2	p-Br-Ph	H	H	CH ₃	Et	H	H	F	OH
XXIV-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXIV-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXIV-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH
XXIV-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXIV-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-19-8	p-Br-Ph	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-20-1	p-I-Ph	H	H	H	Et	H	H	F	OH
XXIV-20-2	p-I-Ph	H	H	CH ₃	Et	H	H	F	OH
XXIV-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXIV-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXIV-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH
XXIV-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXIV-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXIV-20-8	p-I-Ph	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-21-1	CH ₃	H	H	H	<i>i</i> Pr	H	H	F	OH
XXIV-21-2	CH ₃	H	H	CH ₃	<i>i</i> Pr	H	H	F	OH
XXIV-21-3	CH ₃	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH
XXIV-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH
XXIV-21-5	CH ₃	H	H	CH ₂ Ph	<i>i</i> Pr	H	H	F	OH
XXIV-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	H	F	OH
XXIV-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	H	F	OH
XXIV-21-8	CH ₃	*	H	*	<i>i</i> Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-22-1	Et	H	H	H	<i>i</i> Pr	H	H	F	OH
XXIV-22-2	Et	H	H	CH ₃	<i>i</i> Pr	H	H	F	OH
XXIV-22-3	Et	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH
XXIV-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH
XXIV-22-5	Et	H	H	CH ₂ Ph	<i>i</i> Pr	H	H	F	OH
XXIV-22-6	Et	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	H	F	OH
XXIV-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	H	F	OH
XXIV-22-8	Et	*	H	*	<i>i</i> Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	H	H	F	OH
XXIV-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	H	H	F	OH
XXIV-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH
XXIV-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH
XXIV-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	H	H	F	OH
XXIV-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	H	F	OH
XXIV-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	H	F	OH
XXIV-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-24-1	^t Bu	H	H	H	ⁱ Pr	H	H	F	OH
XXIV-24-2	^t Bu	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXIV-24-3	^t Bu	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXIV-24-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXIV-24-5	^t Bu	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXIV-24-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXIV-24-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXIV-24-8	^t Bu	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-25-1	Ph	H	H	H	ⁱ Pr	H	H	F	OH
XXIV-25-2	Ph	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXIV-25-3	Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXIV-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXIV-25-5	Ph	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXIV-25-6	Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXIV-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXIV-25-8	Ph	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-26-1	p-Me-Ph	H	H	H	ⁱ Pr	H	H	F	OH
XXIV-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXIV-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXIV-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXIV-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXIV-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXIV-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXIV-26-8	p-Me-Ph	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-27.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-27-1	p-F-Ph	H	H	H	ⁱ Pr	H	H	F	OH
XXIV-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXIV-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXIV-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXIV-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXIV-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXIV-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXIV-27-8	p-F-Ph	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-28.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	H	H	F	OH
XXIV-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXIV-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXIV-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXIV-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXIV-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXIV-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXIV-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-29.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-29-1	p-Br-Ph	H	H	H	ⁱ Pr	H	H	F	OH
XXIV-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXIV-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXIV-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXIV-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXIV-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXIV-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXIV-29-8	p-Br-Ph	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-30-1	p-I-Ph	H	H	H	ⁱ Pr	H	H	F	OH
XXIV-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXIV-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXIV-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXIV-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXIV-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXIV-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXIV-30-8	p-I-Ph	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-31-1	CH ₃	H	H	H	ⁿ Bu	H	H	F	OH
XXIV-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXIV-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXIV-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXIV-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXIV-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXIV-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXIV-31-8	CH ₃	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-32-1	Et	H	H	H	ⁿ Bu	H	H	F	OH
XXIV-32-2	Et	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXIV-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXIV-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXIV-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXIV-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXIV-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXIV-32-8	Et	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-33-1	<i>i</i> Pr	H	H	H	<i>n</i> Bu	H	H	F	OH
XXIV-33-2	<i>i</i> Pr	H	H	CH ₃	<i>n</i> Bu	H	H	F	OH
XXIV-33-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>n</i> Bu	H	H	F	OH
XXIV-33-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	H	H	F	OH
XXIV-33-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>n</i> Bu	H	H	F	OH
XXIV-33-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	H	H	F	OH
XXIV-33-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	H	H	F	OH
XXIV-33-8	<i>i</i> Pr	*	H	*	<i>n</i> Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-34-1	<i>t</i> Bu	H	H	H	<i>n</i> Bu	H	H	F	OH
XXIV-34-2	<i>t</i> Bu	H	H	CH ₃	<i>n</i> Bu	H	H	F	OH
XXIV-34-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>n</i> Bu	H	H	F	OH
XXIV-34-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	H	H	F	OH
XXIV-34-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>n</i> Bu	H	H	F	OH
XXIV-34-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	H	H	F	OH
XXIV-34-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	H	H	F	OH
XXIV-34-8	<i>t</i> Bu	*	H	*	<i>n</i> Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-35-1	Ph	H	H	H	<i>n</i> Bu	H	H	F	OH
XXIV-35-2	Ph	H	H	CH ₃	<i>n</i> Bu	H	H	F	OH
XXIV-35-3	Ph	H	H	CH(CH ₃) ₂	<i>n</i> Bu	H	H	F	OH
XXIV-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	H	H	F	OH
XXIV-35-5	Ph	H	H	CH ₂ Ph	<i>n</i> Bu	H	H	F	OH
XXIV-35-6	Ph	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	H	H	F	OH
XXIV-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	H	H	F	OH
XXIV-35-8	Ph	*	H	*	<i>n</i> Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-36.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	H	F	OH
XXIV-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXIV-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXIV-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXIV-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXIV-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXIV-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXIV-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-37.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	H	F	OH
XXIV-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXIV-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXIV-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXIV-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXIV-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXIV-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXIV-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-38.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	H	F	OH
XXIV-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXIV-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXIV-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXIV-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXIV-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXIV-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXIV-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	H	F	OH
XXIV-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXIV-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXIV-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXIV-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXIV-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXIV-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXIV-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	H	F	OH
XXIV-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXIV-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXIV-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXIV-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXIV-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXIV-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXIV-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-41-1	CH ₃	H	H	H	Bz	H	H	F	OH
XXIV-41-2	CH ₃	H	H	CH ₃	Bz	H	H	F	OH
XXIV-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXIV-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXIV-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXIV-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXIV-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXIV-41-8	CH ₃	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-42-1	Et	H	H	H	Bz	H	H	F	OH
XXIV-42-2	Et	H	H	CH ₃	Bz	H	H	F	OH
XXIV-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXIV-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXIV-42-5	Et	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXIV-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXIV-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXIV-42-8	Et	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-43-1	<i>i</i> Pr	H	H	H	Bz	H	H	F	OH
XXIV-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	H	H	F	OH
XXIV-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXIV-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXIV-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXIV-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXIV-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXIV-43-8	<i>i</i> Pr	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-44-1	<i>t</i> Bu	H	H	H	Bz	H	H	F	OH
XXIV-44-2	<i>t</i> Bu	H	H	CH ₃	Bz	H	H	F	OH
XXIV-44-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXIV-44-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXIV-44-5	<i>t</i> Bu	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXIV-44-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXIV-44-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXIV-44-8	<i>t</i> Bu	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-45-1	Ph	H	H	H	Bz	H	H	F	OH
XXIV-45-2	Ph	H	H	CH ₃	Bz	H	H	F	OH
XXIV-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXIV-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXIV-45-5	Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXIV-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXIV-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXIV-45-8	Ph	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-46-1	p-Me-Ph	H	H	H	Bz	H	H	F	OH
XXIV-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	H	F	OH
XXIV-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXIV-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXIV-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXIV-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXIV-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXIV-46-8	p-Me-Ph	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-47-1	p-F-Ph	H	H	H	Bz	H	H	F	OH
XXIV-47-2	p-F-Ph	H	H	CH ₃	Bz	H	H	F	OH
XXIV-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXIV-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXIV-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXIV-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXIV-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXIV-47-8	p-F-Ph	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-48.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-48-1	p-Cl-Ph	H	H	H	Bz	H	H	F	OH
XXIV-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	H	F	OH
XXIV-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXIV-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXIV-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXIV-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXIV-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXIV-48-8	p-Cl-Ph	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-49.


№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-49-1	p-Br-Ph	H	H	H	Bz	H	H	F	OH
XXIV-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	H	F	OH
XXIV-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXIV-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXIV-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXIV-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXIV-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXIV-49-8	p-Br-Ph	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIV-50.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIV-50-1	p-I-Ph	H	H	H	Bz	H	H	F	OH
XXIV-50-2	p-I-Ph	H	H	CH ₃	Bz	H	H	F	OH
XXIV-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXIV-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXIV-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXIV-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXIV-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXIV-50-8	p-I-Ph	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.



XXV

Table XXV-1.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-1-1	CH ₃	H	H	H	CH ₃	H	CH ₃	F	OH
XXV-1-2	CH ₃	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXV-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXV-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXV-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXV-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXV-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXV-1-8	CH ₃	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-2.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-2-1	Et	H	H	H	CH ₃	H	CH ₃	F	OH
XXV-2-2	Et	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXV-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXV-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXV-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXV-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXV-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXV-2-8	Et	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-3-1	<i>i</i> Pr	H	H	H	CH ₃	H	CH ₃	F	OH
XXV-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXV-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXV-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXV-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXV-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXV-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXV-3-8	<i>i</i> Pr	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-4-1	<i>t</i> Bu	H	H	H	CH ₃	H	CH ₃	F	OH
XXV-4-2	<i>t</i> Bu	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXV-4-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXV-4-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXV-4-5	<i>t</i> Bu	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXV-4-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXV-4-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXV-4-8	<i>t</i> Bu	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-5.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-5-1	Ph	H	H	H	CH ₃	H	CH ₃	F	OH
XXV-5-2	Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXV-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXV-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXV-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXV-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXV-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXV-5-8	Ph	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-6.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-6-1	p-Me-Ph	H	H	H	CH ₃	H	CH ₃	F	OH
XXV-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXV-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXV-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXV-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXV-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXV-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXV-6-8	p-Me-Ph	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-7.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-7-1	p-F-Ph	H	H	H	CH ₃	H	CH ₃	F	OH
XXV-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXV-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXV-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXV-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXV-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXV-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXV-7-20	p-F-Ph	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-8-1	p-Cl-Ph	H	H	H	CH ₃	H	CH ₃	F	OH
XXV-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXV-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXV-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXV-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXV-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXV-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXV-8-8	p-Cl-Ph	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-9.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-9-1	p-Br-Ph	H	H	H	CH ₃	H	CH ₃	F	OH
XXV-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXV-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXV-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXV-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXV-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXV-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXV-9-20	p-Br-Ph	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-10.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-10-1	p-I-Ph	H	H	H	CH ₃	H	CH ₃	F	OH
XXV-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXV-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXV-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXV-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXV-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXV-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXV-10-8	p-I-Ph	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-11.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-11-1	CH ₃	H	H	H	Et	H	CH ₃	F	OH
XXV-11-2	CH ₃	H	H	CH ₃	Et	H	CH ₃	F	OH
XXV-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXV-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXV-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXV-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXV-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXV-11-8	CH ₃	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-12-1	Et	H	H	H	Et	H	CH ₃	F	OH
XXV-12-2	Et	H	H	CH ₃	Et	H	CH ₃	F	OH
XXV-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXV-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXV-12-5	Et	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXV-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXV-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXV-12-8	Et	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-13-1	ⁱ Pr	H	H	H	Et	H	CH ₃	F	OH
XXV-13-2	ⁱ Pr	H	H	CH ₃	Et	H	CH ₃	F	OH
XXV-13-3	ⁱ Pr	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXV-13-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXV-13-5	ⁱ Pr	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXV-13-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXV-13-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXV-13-8	ⁱ Pr	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-14.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-14-1	^t Bu	H	H	H	Et	H	CH ₃	F	OH
XXV-14-2	^t Bu	H	H	CH ₃	Et	H	CH ₃	F	OH
XXV-14-3	^t Bu	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXV-14-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXV-14-5	^t Bu	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXV-14-6	^t Bu	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXV-14-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXV-14-8	^t Bu	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-15-1	Ph	H	H	H	Et	H	CH ₃	F	OH
XXV-15-2	Ph	H	H	CH ₃	Et	H	CH ₃	F	OH
XXV-15-3	Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXV-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXV-15-5	Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXV-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXV-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXV-15-8	Ph	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-16-1	p-Me-Ph	H	H	H	Et	H	CH ₃	F	OH
XXV-16-2	p-Me-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH
XXV-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXV-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXV-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXV-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXV-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXV-16-8	p-Me-Ph	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-17-1	p-F-Ph	H	H	H	Et	H	CH ₃	F	OH
XXV-17-2	p-F-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH
XXV-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXV-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXV-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXV-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXV-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXV-17-8	p-F-Ph	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-18.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-18-1	p-Cl-Ph	H	H	H	Et	H	CH ₃	F	OH
XXV-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH
XXV-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXV-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXV-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXV-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXV-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXV-18-8	p-Cl-Ph	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-19.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-19-1	p-Br-Ph	H	H	H	Et	H	CH ₃	F	OH
XXV-19-2	p-Br-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH
XXV-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXV-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXV-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXV-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXV-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXV-19-8	p-Br-Ph	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-20-1	p-I-Ph	H	H	H	Et	H	CH ₃	F	OH
XXV-20-2	p-I-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH
XXV-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXV-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXV-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXV-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXV-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXV-20-8	p-I-Ph	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
5	XXV-21-1	CH ₃	H	H	<i>i</i> Pr	H	CH ₃	F	OH
	XXV-21-2	CH ₃	H	CH ₃	<i>i</i> Pr	H	CH ₃	F	OH
	XXV-21-3	CH ₃	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH
10	XXV-21-4	CH ₃	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH
	XXV-21-5	CH ₃	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	F	OH
	XXV-21-6	CH ₃	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	F	OH
15	XXV-21-7	CH ₃	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	F	OH
	XXV-21-8	CH ₃	*	*	<i>i</i> Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
20	XXV-22-1	Et	H	H	<i>i</i> Pr	H	CH ₃	F	OH
25	XXV-22-2	Et	H	CH ₃	<i>i</i> Pr	H	CH ₃	F	OH
	XXV-22-3	Et	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH
	XXV-22-4	Et	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH
30	XXV-22-5	Et	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	F	OH
	XXV-22-6	Et	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	F	OH
	XXV-22-7	Et	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	F	OH
35	XXV-22-8	Et	*	*	<i>i</i> Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
40	XXV-23-1	<i>i</i> Pr	H	H	<i>i</i> Pr	H	CH ₃	F	OH
	XXV-23-2	<i>i</i> Pr	H	CH ₃	<i>i</i> Pr	H	CH ₃	F	OH
45	XXV-23-3	<i>i</i> Pr	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH
	XXV-23-4	<i>i</i> Pr	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH
	XXV-23-5	<i>i</i> Pr	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	F	OH
50	XXV-23-6	<i>i</i> Pr	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	F	OH
	XXV-23-7	<i>i</i> Pr	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	F	OH
55	XXV-23-8	<i>i</i> Pr	*	*	<i>i</i> Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-24-1	^t Bu	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXV-24-2	^t Bu	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXV-24-3	^t Bu	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXV-24-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXV-24-5	^t Bu	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXV-24-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXV-24-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXV-24-8	^t Bu	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-25-1	Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXV-25-2	Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXV-25-3	Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXV-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXV-25-5	Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXV-25-6	Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXV-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXV-25-8	Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-26-1	p-Me-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXV-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXV-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXV-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXV-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXV-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXV-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXV-26-8	p-Me-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-27-1	p-F-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXV-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXV-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXV-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXV-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXV-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXV-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXV-27-8	p-F-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-28.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXV-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXV-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXV-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXV-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXV-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXV-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXV-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-29-1	p-Br-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXV-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXV-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXV-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXV-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXV-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXV-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXV-29-8	p-Br-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-30-1	p-I-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXV-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXV-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXV-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXV-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXV-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXV-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXV-30-8	p-I-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-31-1	CH ₃	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXV-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXV-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXV-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXV-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXV-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXV-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXV-31-8	CH ₃	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-32-1	Et	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXV-32-2	Et	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXV-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXV-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXV-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXV-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXV-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXV-32-8	Et	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-33-1	<i>i</i> Pr	H	H	H	<i>n</i> Bu	H	CH ₃	F	OH
XXV-33-2	<i>i</i> Pr	H	H	CH ₃	<i>n</i> Bu	H	CH ₃	F	OH
XXV-33-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>n</i> Bu	H	CH ₃	F	OH
XXV-33-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	H	CH ₃	F	OH
XXV-33-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>n</i> Bu	H	CH ₃	F	OH
XXV-33-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	H	CH ₃	F	OH
XXV-33-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	H	CH ₃	F	OH
XXV-33-8	<i>i</i> Pr	*	H	*	<i>n</i> Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-34-1	<i>t</i> Bu	H	H	H	<i>n</i> Bu	H	CH ₃	F	OH
XXV-34-2	<i>t</i> Bu	H	H	CH ₃	<i>n</i> Bu	H	CH ₃	F	OH
XXV-34-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>n</i> Bu	H	CH ₃	F	OH
XXV-34-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	H	CH ₃	F	OH
XXV-34-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>n</i> Bu	H	CH ₃	F	OH
XXV-34-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	H	CH ₃	F	OH
XXV-34-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	H	CH ₃	F	OH
XXV-34-8	<i>t</i> Bu	*	H	*	<i>n</i> Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-35-1	Ph	H	H	H	<i>n</i> Bu	H	CH ₃	F	OH
XXV-35-2	Ph	H	H	CH ₃	<i>n</i> Bu	H	CH ₃	F	OH
XXV-35-3	Ph	H	H	CH(CH ₃) ₂	<i>n</i> Bu	H	CH ₃	F	OH
XXV-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	H	CH ₃	F	OH
XXV-35-5	Ph	H	H	CH ₂ Ph	<i>n</i> Bu	H	CH ₃	F	OH
XXV-35-6	Ph	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	H	CH ₃	F	OH
XXV-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	H	CH ₃	F	OH
XXV-35-8	Ph	*	H	*	<i>n</i> Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-36.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXV-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXV-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXV-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXV-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXV-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXV-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXV-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-37.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXV-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXV-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXV-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXV-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXV-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXV-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXV-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-38.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXV-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXV-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXV-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXV-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXV-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXV-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXV-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-39.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXV-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXV-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXV-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXV-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXV-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXV-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXV-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-40.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXV-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXV-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXV-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXV-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXV-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXV-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXV-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-41.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-41-1	CH ₃	H	H	H	Bz	H	CH ₃	F	OH
XXV-41-2	CH ₃	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXV-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXV-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXV-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXV-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXV-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXV-41-8	CH ₃	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-42-1	Et	H	H	H	Bz	H	CH ₃	F	OH
XXV-42-2	Et	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXV-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXV-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXV-42-5	Et	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXV-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXV-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXV-42-8	Et	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-43-1	<i>i</i> Pr	H	H	H	Bz	H	CH ₃	F	OH
XXV-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXV-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXV-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXV-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXV-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXV-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXV-43-8	<i>i</i> Pr	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-44-1	<i>t</i> Bu	H	H	H	Bz	H	CH ₃	F	OH
XXV-44-2	<i>t</i> Bu	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXV-44-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXV-44-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXV-44-5	<i>t</i> Bu	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXV-44-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXV-44-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXV-44-8	<i>t</i> Bu	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-45.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-45-1	Ph	H	H	H	Bz	H	CH ₃	F	OH
XXV-45-2	Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXV-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXV-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXV-45-5	Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXV-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXV-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXV-45-8	Ph	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-46.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-46-1	p-Me-Ph	H	H	H	Bz	H	CH ₃	F	OH
XXV-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXV-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXV-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXV-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXV-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXV-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXV-46-8	p-Me-Ph	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-47.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-47-1	p-F-Ph	H	H	H	Bz	H	CH ₃	F	OH
XXV-47-2	p-F-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXV-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXV-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXV-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXV-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXV-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXV-47-8	p-F-Ph	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-48.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-48-1	p-Cl-Ph	H	H	H	Bz	H	CH ₃	F	OH
XXV-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXV-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXV-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXV-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXV-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXV-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXV-48-8	p-Cl-Ph	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-49.


No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-49-1	p-Br-Ph	H	H	H	Bz	H	CH ₃	F	OH
XXV-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXV-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXV-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXV-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXV-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXV-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXV-49-8	p-Br-Ph	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXV-50.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXV-50-1	p-I-Ph	H	H	H	Bz	H	CH ₃	F	OH
XXV-50-2	p-I-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXV-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXV-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXV-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXV-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXV-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXV-50-8	p-I-Ph	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.



XXVI

Table XXVI-1.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-1-1	CH ₃	H	H	H	CH ₃	H	F	H	OH
XXVI-1-2	CH ₃	H	H	CH ₃	CH ₃	H	F	H	OH
XXVI-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXVI-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXVI-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXVI-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXVI-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXVI-1-8	CH ₃	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-2.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-2-1	Et	H	H	H	CH ₃	H	F	H	OH
XXVI-2-2	Et	H	H	CH ₃	CH ₃	H	F	H	OH
XXVI-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXVI-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXVI-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXVI-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXVI-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXVI-2-8	Et	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-3-1	<i>i</i> Pr	H	H	H	CH ₃	H	F	H	OH
XXVI-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	H	F	H	OH
XXVI-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXVI-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXVI-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXVI-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXVI-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXVI-3-8	<i>i</i> Pr	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-4-1	<i>t</i> Bu	H	H	H	CH ₃	H	F	H	OH
XXVI-4-2	<i>t</i> Bu	H	H	CH ₃	CH ₃	H	F	H	OH
XXVI-4-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXVI-4-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXVI-4-5	<i>t</i> Bu	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXVI-4-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXVI-4-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXVI-4-8	<i>t</i> Bu	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-5.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-5-1	Ph	H	H	H	CH ₃	H	F	H	OH
XXVI-5-2	Ph	H	H	CH ₃	CH ₃	H	F	H	OH
XXVI-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXVI-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXVI-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXVI-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXVI-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXVI-5-8	Ph	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-6.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-6-1	p-Me-Ph	H	H	H	CH ₃	H	F	H	OH
XXVI-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	F	H	OH
XXVI-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXVI-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXVI-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXVI-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXVI-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXVI-6-8	p-Me-Ph	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-7.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-7-1	p-F-Ph	H	H	H	CH ₃	H	F	H	OH
XXVI-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	F	H	OH
XXVI-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXVI-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXVI-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXVI-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXVI-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXVI-7-20	p-F-Ph	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-8-1	p-Cl-Ph	H	H	H	CH ₃	H	F	H	OH
XXVI-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	F	H	OH
XXVI-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXVI-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXVI-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXVI-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXVI-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXVI-8-8	p-Cl-Ph	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-9-1	p-Br-Ph	H	H	H	CH ₃	H	F	H	OH
XXVI-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	F	H	OH
XXVI-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXVI-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXVI-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXVI-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXVI-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXVI-9-20	p-Br-Ph	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-10-1	p-I-Ph	H	H	H	CH ₃	H	F	H	OH
XXVI-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	F	H	OH
XXVI-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXVI-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXVI-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXVI-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXVI-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXVI-10-8	p-I-Ph	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-11-1	CH ₃	H	H	H	Et	H	F	H	OH
XXVI-11-2	CH ₃	H	H	CH ₃	Et	H	F	H	OH
XXVI-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXVI-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXVI-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	F	H	OH
XXVI-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXVI-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXVI-11-8	CH ₃	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-12.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-12-1	Et	H	H	H	Et	H	F	H	OH
XXVI-12-2	Et	H	H	CH ₃	Et	H	F	H	OH
XXVI-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXVI-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXVI-12-5	Et	H	H	CH ₂ Ph	Et	H	F	H	OH
XXVI-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXVI-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXVI-12-8	Et	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-13.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-13-1	<i>i</i> Pr	H	H	H	Et	H	F	H	OH
XXVI-13-2	<i>i</i> Pr	H	H	CH ₃	Et	H	F	H	OH
XXVI-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXVI-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXVI-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	H	F	H	OH
XXVI-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXVI-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXVI-13-8	<i>i</i> Pr	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-14.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-14-1	<i>t</i> Bu	H	H	H	Et	H	F	H	OH
XXVI-14-2	<i>t</i> Bu	H	H	CH ₃	Et	H	F	H	OH
XXVI-14-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXVI-14-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXVI-14-5	<i>t</i> Bu	H	H	CH ₂ Ph	Et	H	F	H	OH
XXVI-14-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXVI-14-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXVI-14-8	<i>t</i> Bu	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-15-1	Ph	H	H	H	Et	H	F	H	OH
XXVI-15-2	Ph	H	H	CH ₃	Et	H	F	H	OH
XXVI-15-3	Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXVI-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXVI-15-5	Ph	H	H	CH ₂ Ph	Et	H	F	H	OH
XXVI-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXVI-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXVI-15-8	Ph	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-16-1	p-Me-Ph	H	H	H	Et	H	F	H	OH
XXVI-16-2	p-Me-Ph	H	H	CH ₃	Et	H	F	H	OH
XXVI-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXVI-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXVI-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	H	F	H	OH
XXVI-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXVI-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXVI-16-8	p-Me-Ph	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-17-1	p-F-Ph	H	H	H	Et	H	F	H	OH
XXVI-17-2	p-F-Ph	H	H	CH ₃	Et	H	F	H	OH
XXVI-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXVI-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXVI-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	F	H	OH
XXVI-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXVI-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXVI-17-8	p-F-Ph	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-18.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-18-1	p-Cl-Ph	H	H	H	Et	H	F	H	OH
XXVI-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	F	H	OH
XXVI-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXVI-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXVI-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	F	H	OH
XXVI-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXVI-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXVI-18-8	p-Cl-Ph	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-19.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-19-1	p-Br-Ph	H	H	H	Et	H	F	H	OH
XXVI-19-2	p-Br-Ph	H	H	CH ₃	Et	H	F	H	OH
XXVI-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXVI-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXVI-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	F	H	OH
XXVI-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXVI-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXVI-19-8	p-Br-Ph	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-20.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-20-1	p-I-Ph	H	H	H	Et	H	F	H	OH
XXVI-20-2	p-I-Ph	H	H	CH ₃	Et	H	F	H	OH
XXVI-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXVI-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXVI-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	F	H	OH
XXVI-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXVI-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXVI-20-8	p-I-Ph	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-21-1	CH ₃	H	H	H	ⁱ Pr	H	F	H	OH
XXVI-21-2	CH ₃	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXVI-21-3	CH ₃	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXVI-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXVI-21-5	CH ₃	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXVI-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXVI-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXVI-21-8	CH ₃	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-22-1	Et	H	H	H	ⁱ Pr	H	F	H	OH
XXVI-22-2	Et	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXVI-22-3	Et	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXVI-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXVI-22-5	Et	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXVI-22-6	Et	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXVI-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXVI-22-8	Et	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-23-1	ⁱ Pr	H	H	H	ⁱ Pr	H	F	H	OH
XXVI-23-2	ⁱ Pr	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXVI-23-3	ⁱ Pr	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXVI-23-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXVI-23-5	ⁱ Pr	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXVI-23-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXVI-23-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXVI-23-8	ⁱ Pr	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-24-1	^t Bu	H	H	H	ⁱ Pr	H	F	H	OH
XXVI-24-2	^t Bu	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXVI-24-3	^t Bu	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXVI-24-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXVI-24-5	^t Bu	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXVI-24-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXVI-24-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXVI-24-8	^t Bu	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-25-1	Ph	H	H	H	ⁱ Pr	H	F	H	OH
XXVI-25-2	Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXVI-25-3	Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXVI-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXVI-25-5	Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXVI-25-6	Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXVI-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXVI-25-8	Ph	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-26-1	p-Me-Ph	H	H	H	ⁱ Pr	H	F	H	OH
XXVI-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXVI-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXVI-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXVI-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXVI-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXVI-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXVI-26-8	p-Me-Ph	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-27.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-27-1	p-F-Ph	H	H	H	ⁱ Pr	H	F	H	OH
XXVI-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXVI-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXVI-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXVI-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXVI-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXVI-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXVI-27-8	p-F-Ph	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-28.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	H	F	H	OH
XXVI-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXVI-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXVI-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXVI-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXVI-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXVI-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXVI-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-29.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-29-1	p-Br-Ph	H	H	H	ⁱ Pr	H	F	H	OH
XXVI-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXVI-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXVI-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXVI-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXVI-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXVI-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXVI-29-8	p-Br-Ph	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-30-1	p-I-Ph	H	H	H	ⁱ Pr	H	F	H	OH
XXVI-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXVI-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXVI-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXVI-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXVI-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXVI-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXVI-30-8	p-I-Ph	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-31-1	CH ₃	H	H	H	ⁿ Bu	H	F	H	OH
XXVI-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXVI-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXVI-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXVI-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXVI-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXVI-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXVI-31-8	CH ₃	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-32-1	Et	H	H	H	ⁿ Bu	H	F	H	OH
XXVI-32-2	Et	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXVI-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXVI-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXVI-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXVI-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXVI-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXVI-32-8	Et	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-33-1	<i>i</i> Pr	H	H	H	<i>n</i> Bu	H	F	H	OH
XXVI-33-2	<i>i</i> Pr	H	H	CH ₃	<i>n</i> Bu	H	F	H	OH
XXVI-33-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>n</i> Bu	H	F	H	OH
XXVI-33-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	H	F	H	OH
XXVI-33-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>n</i> Bu	H	F	H	OH
XXVI-33-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	H	F	H	OH
XXVI-33-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	H	F	H	OH
XXVI-33-8	<i>i</i> Pr	*	H	*	<i>n</i> Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-34-1	<i>t</i> Bu	H	H	H	<i>n</i> Bu	H	F	H	OH
XXVI-34-2	<i>t</i> Bu	H	H	CH ₃	<i>n</i> Bu	H	F	H	OH
XXVI-34-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>n</i> Bu	H	F	H	OH
XXVI-34-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	H	F	H	OH
XXVI-34-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>n</i> Bu	H	F	H	OH
XXVI-34-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	H	F	H	OH
XXVI-34-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	H	F	H	OH
XXVI-34-8	<i>t</i> Bu	*	H	*	<i>n</i> Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-35-1	Ph	H	H	H	<i>n</i> Bu	H	F	H	OH
XXVI-35-2	Ph	H	H	CH ₃	<i>n</i> Bu	H	F	H	OH
XXVI-35-3	Ph	H	H	CH(CH ₃) ₂	<i>n</i> Bu	H	F	H	OH
XXVI-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	H	F	H	OH
XXVI-35-5	Ph	H	H	CH ₂ Ph	<i>n</i> Bu	H	F	H	OH
XXVI-35-6	Ph	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	H	F	H	OH
XXVI-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	H	F	H	OH
XXVI-35-8	Ph	*	H	*	<i>n</i> Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-36.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	F	H	OH
XXVI-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXVI-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXVI-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXVI-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXVI-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXVI-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXVI-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-37.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	F	H	OH
XXVI-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXVI-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXVI-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXVI-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXVI-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXVI-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXVI-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-38.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	F	H	OH
XXVI-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXVI-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXVI-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXVI-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXVI-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXVI-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXVI-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	F	H	OH
XXVI-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXVI-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXVI-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXVI-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXVI-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXVI-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXVI-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	F	H	OH
XXVI-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXVI-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXVI-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXVI-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXVI-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXVI-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXVI-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-41-1	CH ₃	H	H	H	Bz	H	F	H	OH
XXVI-41-2	CH ₃	H	H	CH ₃	Bz	H	F	H	OH
XXVI-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXVI-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXVI-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXVI-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXVI-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXVI-41-8	CH ₃	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-42-1	Et	H	H	H	Bz	H	F	H	OH
XXVI-42-2	Et	H	H	CH ₃	Bz	H	F	H	OH
XXVI-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXVI-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXVI-42-5	Et	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXVI-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXVI-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXVI-42-8	Et	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-43-1	<i>i</i> Pr	H	H	H	Bz	H	F	H	OH
XXVI-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	H	F	H	OH
XXVI-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXVI-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXVI-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXVI-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXVI-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXVI-43-8	<i>i</i> Pr	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-44-1	<i>t</i> Bu	H	H	H	Bz	H	F	H	OH
XXVI-44-2	<i>t</i> Bu	H	H	CH ₃	Bz	H	F	H	OH
XXVI-44-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXVI-44-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXVI-44-5	<i>t</i> Bu	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXVI-44-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXVI-44-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXVI-44-8	<i>t</i> Bu	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-45-1	Ph	H	H	H	Bz	H	F	H	OH
XXVI-45-2	Ph	H	H	CH ₃	Bz	H	F	H	OH
XXVI-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXVI-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXVI-45-5	Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXVI-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXVI-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXVI-45-8	Ph	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-46-1	p-Me-Ph	H	H	H	Bz	H	F	H	OH
XXVI-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	F	H	OH
XXVI-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXVI-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXVI-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXVI-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXVI-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXVI-46-8	p-Me-Ph	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-47-1	p-F-Ph	H	H	H	Bz	H	F	H	OH
XXVI-47-2	p-F-Ph	H	H	CH ₃	Bz	H	F	H	OH
XXVI-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXVI-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXVI-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXVI-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXVI-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXVI-47-8	p-F-Ph	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-48-1	p-Cl-Ph	H	H	H	Bz	H	F	H	OH
XXVI-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	F	H	OH
XXVI-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXVI-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXVI-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXVI-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXVI-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXVI-48-8	p-Cl-Ph	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-49.


N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-49-1	p-Br-Ph	H	H	H	Bz	H	F	H	OH
XXVI-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	F	H	OH
XXVI-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXVI-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXVI-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXVI-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXVI-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXVI-49-8	p-Br-Ph	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVI-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVI-50-1	p-I-Ph	H	H	H	Bz	H	F	H	OH
XXVI-50-2	p-I-Ph	H	H	CH ₃	Bz	H	F	H	OH
XXVI-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXVI-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXVI-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXVI-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXVI-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXVI-50-8	p-I-Ph	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.



XXVII

Table XXVII-1.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-1-1	CH ₃	H	H	H	CH ₃	H	F	F	OH
XXVII-1-2	CH ₃	H	H	CH ₃	CH ₃	H	F	F	OH
XXVII-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXVII-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXVII-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXVII-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXVII-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXVII-1-8	CH ₃	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-2.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-2-1	Et	H	H	H	CH ₃	H	F	F	OH
XXVII-2-2	Et	H	H	CH ₃	CH ₃	H	F	F	OH
XXVII-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXVII-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXVII-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXVII-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXVII-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXVII-2-8	Et	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-3-1	ⁱ Pr	H	H	H	CH ₃	H	F	F	OH
XXVII-3-2	ⁱ Pr	H	H	CH ₃	CH ₃	H	F	F	OH
XXVII-3-3	ⁱ Pr	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXVII-3-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXVII-3-5	ⁱ Pr	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXVII-3-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXVII-3-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXVII-3-8	ⁱ Pr	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-4-1	^t Bu	H	H	H	CH ₃	H	F	F	OH
XXVII-4-2	^t Bu	H	H	CH ₃	CH ₃	H	F	F	OH
XXVII-4-3	^t Bu	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXVII-4-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXVII-4-5	^t Bu	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXVII-4-6	^t Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXVII-4-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXVII-4-8	^t Bu	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-5.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-5-1	Ph	H	H	H	CH ₃	H	F	F	OH
XXVII-5-2	Ph	H	H	CH ₃	CH ₃	H	F	F	OH
XXVII-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXVII-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXVII-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXVII-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXVII-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXVII-5-8	Ph	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-6.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-6-1	p-Me-Ph	H	H	H	CH ₃	H	F	F	OH
XXVII-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	F	F	OH
XXVII-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXVII-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXVII-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXVII-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXVII-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXVII-6-8	p-Me-Ph	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-7.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-7-1	p-F-Ph	H	H	H	CH ₃	H	F	F	OH
XXVII-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	F	F	OH
XXVII-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXVII-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXVII-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXVII-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXVII-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXVII-7-20	p-F-Ph	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-8-1	p-Cl-Ph	H	H	H	CH ₃	H	F	F	OH
XXVII-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	F	F	OH
XXVII-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXVII-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXVII-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXVII-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXVII-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXVII-8-8	p-Cl-Ph	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-9-1	p-Br-Ph	H	H	H	CH ₃	H	F	F	OH
XXVII-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	F	F	OH
XXVII-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXVII-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXVII-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXVII-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXVII-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXVII-9-20	p-Br-Ph	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-10-1	p-I-Ph	H	H	H	CH ₃	H	F	F	OH
XXVII-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	F	F	OH
XXVII-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXVII-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXVII-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXVII-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXVII-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXVII-10-8	p-I-Ph	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-11-1	CH ₃	H	H	H	Et	H	F	F	OH
XXVII-11-2	CH ₃	H	H	CH ₃	Et	H	F	F	OH
XXVII-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXVII-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXVII-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	F	F	OH
XXVII-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXVII-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXVII-11-8	CH ₃	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-12-1	Et	H	H	H	Et	H	F	F	OH
XXVII-12-2	Et	H	H	CH ₃	Et	H	F	F	OH
XXVII-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXVII-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXVII-12-5	Et	H	H	CH ₂ Ph	Et	H	F	F	OH
XXVII-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXVII-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXVII-12-8	Et	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-13-1	ⁱ Pr	H	H	H	Et	H	F	F	OH
XXVII-13-2	ⁱ Pr	H	H	CH ₃	Et	H	F	F	OH
XXVII-13-3	ⁱ Pr	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXVII-13-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXVII-13-5	ⁱ Pr	H	H	CH ₂ Ph	Et	H	F	F	OH
XXVII-13-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXVII-13-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXVII-13-8	ⁱ Pr	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-14.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-14-1	^t Bu	H	H	H	Et	H	F	F	OH
XXVII-14-2	^t Bu	H	H	CH ₃	Et	H	F	F	OH
XXVII-14-3	^t Bu	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXVII-14-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXVII-14-5	^t Bu	H	H	CH ₂ Ph	Et	H	F	F	OH
XXVII-14-6	^t Bu	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXVII-14-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXVII-14-8	^t Bu	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-15-1	Ph	H	H	H	Et	H	F	F	OH
XXVII-15-2	Ph	H	H	CH ₃	Et	H	F	F	OH
XXVII-15-3	Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXVII-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXVII-15-5	Ph	H	H	CH ₂ Ph	Et	H	F	F	OH
XXVII-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXVII-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXVII-15-8	Ph	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-16-1	p-Me-Ph	H	H	H	Et	H	F	F	OH
XXVII-16-2	p-Me-Ph	H	H	CH ₃	Et	H	F	F	OH
XXVII-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXVII-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXVII-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH
XXVII-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXVII-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXVII-16-8	p-Me-Ph	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-17-1	p-F-Ph	H	H	H	Et	H	F	F	OH
XXVII-17-2	p-F-Ph	H	H	CH ₃	Et	H	F	F	OH
XXVII-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXVII-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXVII-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH
XXVII-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXVII-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXVII-17-8	p-F-Ph	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-18.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-18-1	p-Cl-Ph	H	H	H	Et	H	F	F	OH
XXVII-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	F	F	OH
XXVII-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXVII-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXVII-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH
XXVII-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXVII-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXVII-18-8	p-Cl-Ph	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-19.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-19-1	p-Br-Ph	H	H	H	Et	H	F	F	OH
XXVII-19-2	p-Br-Ph	H	H	CH ₃	Et	H	F	F	OH
XXVII-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXVII-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXVII-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH
XXVII-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXVII-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXVII-19-8	p-Br-Ph	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-20-1	p-I-Ph	H	H	H	Et	H	F	F	OH
XXVII-20-2	p-I-Ph	H	H	CH ₃	Et	H	F	F	OH
XXVII-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXVII-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXVII-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH
XXVII-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXVII-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXVII-20-8	p-I-Ph	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-21-1	CH ₃	H	H	H	<i>i</i> Pr	H	F	F	OH
XXVII-21-2	CH ₃	H	H	CH ₃	<i>i</i> Pr	H	F	F	OH
XXVII-21-3	CH ₃	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH
XXVII-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH
XXVII-21-5	CH ₃	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	F	OH
XXVII-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	F	OH
XXVII-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	F	OH
XXVII-21-8	CH ₃	*	H	*	<i>i</i> Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-22-1	Et	H	H	H	<i>i</i> Pr	H	F	F	OH
XXVII-22-2	Et	H	H	CH ₃	<i>i</i> Pr	H	F	F	OH
XXVII-22-3	Et	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH
XXVII-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH
XXVII-22-5	Et	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	F	OH
XXVII-22-6	Et	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	F	OH
XXVII-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	F	OH
XXVII-22-8	Et	*	H	*	<i>i</i> Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	H	F	F	OH
XXVII-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	H	F	F	OH
XXVII-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH
XXVII-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH
XXVII-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	F	OH
XXVII-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	F	OH
XXVII-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	F	OH
XXVII-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-24-1	^t Bu	H	H	H	ⁱ Pr	H	F	F	OH
XXVII-24-2	^t Bu	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXVII-24-3	^t Bu	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXVII-24-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXVII-24-5	^t Bu	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXVII-24-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXVII-24-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXVII-24-8	^t Bu	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-25-1	Ph	H	H	H	ⁱ Pr	H	F	F	OH
XXVII-25-2	Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXVII-25-3	Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXVII-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXVII-25-5	Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXVII-25-6	Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXVII-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXVII-25-8	Ph	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-26-1	p-Me-Ph	H	H	H	ⁱ Pr	H	F	F	OH
XXVII-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXVII-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXVII-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXVII-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXVII-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXVII-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXVII-26-8	p-Me-Ph	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-27-1	p-F-Ph	H	H	H	ⁱ Pr	H	F	F	OH
XXVII-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXVII-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXVII-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXVII-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXVII-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXVII-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXVII-27-8	p-F-Ph	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-28.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	H	F	F	OH
XXVII-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXVII-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXVII-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXVII-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXVII-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXVII-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXVII-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-29-1	p-Br-Ph	H	H	H	ⁱ Pr	H	F	F	OH
XXVII-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXVII-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXVII-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXVII-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXVII-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXVII-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXVII-29-8	p-Br-Ph	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-30-1	p-I-Ph	H	H	H	ⁱ Pr	H	F	F	OH
XXVII-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXVII-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXVII-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXVII-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXVII-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXVII-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXVII-30-8	p-I-Ph	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-31-1	CH ₃	H	H	H	ⁿ Bu	H	F	F	OH
XXVII-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXVII-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXVII-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXVII-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXVII-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXVII-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXVII-31-8	CH ₃	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-32-1	Et	H	H	H	ⁿ Bu	H	F	F	OH
XXVII-32-2	Et	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXVII-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXVII-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXVII-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXVII-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXVII-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXVII-32-8	Et	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-33-1	<i>i</i> Pr	H	H	H	<i>n</i> Bu	H	F	F	OH
XXVII-33-2	<i>i</i> Pr	H	H	CH ₃	<i>n</i> Bu	H	F	F	OH
XXVII-33-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>n</i> Bu	H	F	F	OH
XXVII-33-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	H	F	F	OH
XXVII-33-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>n</i> Bu	H	F	F	OH
XXVII-33-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	H	F	F	OH
XXVII-33-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	H	F	F	OH
XXVII-33-8	<i>i</i> Pr	*	H	*	<i>n</i> Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-34-1	<i>t</i> Bu	H	H	H	<i>n</i> Bu	H	F	F	OH
XXVII-34-2	<i>t</i> Bu	H	H	CH ₃	<i>n</i> Bu	H	F	F	OH
XXVII-34-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>n</i> Bu	H	F	F	OH
XXVII-34-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	H	F	F	OH
XXVII-34-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>n</i> Bu	H	F	F	OH
XXVII-34-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	H	F	F	OH
XXVII-34-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	H	F	F	OH
XXVII-34-8	<i>t</i> Bu	*	H	*	<i>n</i> Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-35-1	Ph	H	H	H	<i>n</i> Bu	H	F	F	OH
XXVII-35-2	Ph	H	H	CH ₃	<i>n</i> Bu	H	F	F	OH
XXVII-35-3	Ph	H	H	CH(CH ₃) ₂	<i>n</i> Bu	H	F	F	OH
XXVII-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	H	F	F	OH
XXVII-35-5	Ph	H	H	CH ₂ Ph	<i>n</i> Bu	H	F	F	OH
XXVII-35-6	Ph	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	H	F	F	OH
XXVII-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	H	F	F	OH
XXVII-35-8	Ph	*	H	*	<i>n</i> Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-36.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	F	F	OH
XXVII-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXVII-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXVII-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXVII-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXVII-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXVII-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXVII-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-37.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	F	F	OH
XXVII-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXVII-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXVII-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXVII-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXVII-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXVII-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXVII-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-38.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	F	F	OH
XXVII-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXVII-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXVII-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXVII-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXVII-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXVII-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXVII-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-39.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	F	F	OH
XXVII-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXVII-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXVII-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXVII-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXVII-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXVII-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXVII-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	F	F	OH
XXVII-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXVII-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXVII-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXVII-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXVII-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXVII-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXVII-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-41-1	CH ₃	H	H	H	Bz	H	F	F	OH
XXVII-41-2	CH ₃	H	H	CH ₃	Bz	H	F	F	OH
XXVII-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXVII-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXVII-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXVII-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXVII-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXVII-41-8	CH ₃	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-42-1	Et	H	H	H	Bz	H	F	F	OH
XXVII-42-2	Et	H	H	CH ₃	Bz	H	F	F	OH
XXVII-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXVII-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXVII-42-5	Et	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXVII-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXVII-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXVII-42-8	Et	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-43-1	<i>i</i> Pr	H	H	H	Bz	H	F	F	OH
XXVII-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	H	F	F	OH
XXVII-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXVII-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXVII-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXVII-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXVII-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXVII-43-8	<i>i</i> Pr	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-44-1	^t Bu	H	H	H	Bz	H	F	F	OH
XXVII-44-2	^t Bu	H	H	CH ₃	Bz	H	F	F	OH
XXVII-44-3	^t Bu	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXVII-44-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXVII-44-5	^t Bu	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXVII-44-6	^t Bu	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXVII-44-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXVII-44-8	^t Bu	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-45-1	Ph	H	H	H	Bz	H	F	F	OH
XXVII-45-2	Ph	H	H	CH ₃	Bz	H	F	F	OH
XXVII-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXVII-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXVII-45-5	Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXVII-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXVII-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXVII-45-8	Ph	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-46-1	p-Me-Ph	H	H	H	Bz	H	F	F	OH
XXVII-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	F	F	OH
XXVII-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXVII-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXVII-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXVII-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXVII-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXVII-46-8	p-Me-Ph	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-47-1	p-F-Ph	H	H	H	Bz	H	F	F	OH
XXVII-47-2	p-F-Ph	H	H	CH ₃	Bz	H	F	F	OH
XXVII-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXVII-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXVII-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXVII-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXVII-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXVII-47-8	p-F-Ph	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-48-1	p-Cl-Ph	H	H	H	Bz	H	F	F	OH
XXVII-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	F	F	OH
XXVII-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXVII-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXVII-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXVII-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXVII-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXVII-48-8	p-Cl-Ph	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-49.


N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-49-1	p-Br-Ph	H	H	H	Bz	H	F	F	OH
XXVII-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	F	F	OH
XXVII-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXVII-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXVII-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXVII-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXVII-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXVII-49-8	p-Br-Ph	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVII-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVII-50-1	p-I-Ph	H	H	H	Bz	H	F	F	OH
XXVII-50-2	p-I-Ph	H	H	CH ₃	Bz	H	F	F	OH
XXVII-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXVII-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXVII-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXVII-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXVII-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXVII-50-8	p-I-Ph	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.



XXVIII

Table XXVIII-1.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-1-1	CH ₃	H	H	H	CH ₃	H	H	F	OH
XXVIII-1-2	CH ₃	H	H	CH ₃	CH ₃	H	H	F	OH
XXVIII-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXVIII-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXVIII-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXVIII-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXVIII-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXVIII-1-8	CH ₃	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-2.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-2-1	Et	H	H	H	CH ₃	H	H	F	OH
XXVIII-2-2	Et	H	H	CH ₃	CH ₃	H	H	F	OH
XXVIII-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXVIII-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXVIII-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXVIII-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXVIII-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXVIII-2-8	Et	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-3-1	<i>i</i> Pr	H	H	H	CH ₃	H	H	F	OH
XXVIII-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	H	H	F	OH
XXVIII-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXVIII-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXVIII-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXVIII-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXVIII-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXVIII-3-8	<i>i</i> Pr	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-4-1	<i>t</i> Bu	H	H	H	CH ₃	H	H	F	OH
XXVIII-4-2	<i>t</i> Bu	H	H	CH ₃	CH ₃	H	H	F	OH
XXVIII-4-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXVIII-4-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXVIII-4-5	<i>t</i> Bu	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXVIII-4-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXVIII-4-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXVIII-4-8	<i>t</i> Bu	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-5.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-5-1	Ph	H	H	H	CH ₃	H	H	F	OH
XXVIII-5-2	Ph	H	H	CH ₃	CH ₃	H	H	F	OH
XXVIII-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXVIII-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXVIII-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXVIII-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXVIII-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXVIII-5-8	Ph	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-6.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-6-1	p-Me-Ph	H	H	H	CH ₃	H	H	F	OH
XXVIII-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	H	F	OH
XXVIII-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXVIII-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXVIII-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXVIII-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXVIII-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXVIII-6-8	p-Me-Ph	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-7.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-7-1	p-F-Ph	H	H	H	CH ₃	H	H	F	OH
XXVIII-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	H	F	OH
XXVIII-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXVIII-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXVIII-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXVIII-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXVIII-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXVIII-7-20	p-F-Ph	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-8-1	p-Cl-Ph	H	H	H	CH ₃	H	H	F	OH
XXVIII-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	H	F	OH
XXVIII-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXVIII-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXVIII-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXVIII-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXVIII-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXVIII-8-8	p-Cl-Ph	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-9-1	p-Br-Ph	H	H	H	CH ₃	H	H	F	OH
XXVIII-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	H	F	OH
XXVIII-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXVIII-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXVIII-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXVIII-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXVIII-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXVIII-9-20	p-Br-Ph	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-10-1	p-I-Ph	H	H	H	CH ₃	H	H	F	OH
XXVIII-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	H	F	OH
XXVIII-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXVIII-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXVIII-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXVIII-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXVIII-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXVIII-10-8	p-I-Ph	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-11.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-11-1	CH ₃	H	H	H	Et	H	H	F	OH
XXVIII-11-2	CH ₃	H	H	CH ₃	Et	H	H	F	OH
XXVIII-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXVIII-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXVIII-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	H	F	OH
XXVIII-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXVIII-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXVIII-11-8	CH ₃	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-12.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-12-1	Et	H	H	H	Et	H	H	F	OH
XXVIII-12-2	Et	H	H	CH ₃	Et	H	H	F	OH
XXVIII-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXVIII-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXVIII-12-5	Et	H	H	CH ₂ Ph	Et	H	H	F	OH
XXVIII-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXVIII-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXVIII-12-8	Et	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-13.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-13-1	<i>i</i> Pr	H	H	H	Et	H	H	F	OH
XXVIII-13-2	<i>i</i> Pr	H	H	CH ₃	Et	H	H	F	OH
XXVIII-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXVIII-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXVIII-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	H	H	F	OH
XXVIII-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXVIII-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXVIII-13-8	<i>i</i> Pr	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-14.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
5	XXVIII-14-1	^t Bu	H	H	Et	H	H	F	OH
	XXVIII-14-2	^t Bu	H	CH ₃	Et	H	H	F	OH
	XXVIII-14-3	^t Bu	H	CH(CH ₃) ₂	Et	H	H	F	OH
10	XXVIII-14-4	^t Bu	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
	XXVIII-14-5	^t Bu	H	CH ₂ Ph	Et	H	H	F	OH
	XXVIII-14-6	^t Bu	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
15	XXVIII-14-7	^t Bu	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
	XXVIII-14-8	^t Bu	*	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-15.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
20	XXVIII-15-1	Ph	H	H	Et	H	H	F	OH
25	XXVIII-15-2	Ph	H	CH ₃	Et	H	H	F	OH
	XXVIII-15-3	Ph	H	CH(CH ₃) ₂	Et	H	H	F	OH
	XXVIII-15-4	Ph	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
30	XXVIII-15-5	Ph	H	CH ₂ Ph	Et	H	H	F	OH
	XXVIII-15-6	Ph	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
	XXVIII-15-7	Ph	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
35	XXVIII-15-8	Ph	*	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-16.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
40	XXVIII-16-1	p-Me-Ph	H	H	Et	H	H	F	OH
45	XXVIII-16-2	p-Me-Ph	H	CH ₃	Et	H	H	F	OH
	XXVIII-16-3	p-Me-Ph	H	CH(CH ₃) ₂	Et	H	H	F	OH
	XXVIII-16-4	p-Me-Ph	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
50	XXVIII-16-5	p-Me-Ph	H	CH ₂ Ph	Et	H	H	F	OH
	XXVIII-16-6	p-Me-Ph	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
	XXVIII-16-7	p-Me-Ph	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
55	XXVIII-16-8	p-Me-Ph	*	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-17-1	p-F-Ph	H	H	H	Et	H	H	F	OH
XXVIII-17-2	p-F-Ph	H	H	CH ₃	Et	H	H	F	OH
XXVIII-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXVIII-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXVIII-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH
XXVIII-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXVIII-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXVIII-17-8	p-F-Ph	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-18.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-18-1	p-Cl-Ph	H	H	H	Et	H	H	F	OH
XXVIII-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	H	F	OH
XXVIII-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXVIII-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXVIII-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH
XXVIII-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXVIII-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXVIII-18-8	p-Cl-Ph	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-19.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-19-1	p-Br-Ph	H	H	H	Et	H	H	F	OH
XXVIII-19-2	p-Br-Ph	H	H	CH ₃	Et	H	H	F	OH
XXVIII-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXVIII-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXVIII-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH
XXVIII-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXVIII-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXVIII-19-8	p-Br-Ph	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-20-1	p-I-Ph	H	H	H	Et	H	H	F	OH
XXVIII-20-2	p-I-Ph	H	H	CH ₃	Et	H	H	F	OH
XXVIII-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXVIII-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXVIII-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH
XXVIII-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXVIII-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXVIII-20-8	p-I-Ph	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-21-1	CH ₃	H	H	H	ⁱ Pr	H	H	F	OH
XXVIII-21-2	CH ₃	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXVIII-21-3	CH ₃	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXVIII-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXVIII-21-5	CH ₃	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXVIII-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXVIII-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXVIII-21-8	CH ₃	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-22-1	Et	H	H	H	ⁱ Pr	H	H	F	OH
XXVIII-22-2	Et	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXVIII-22-3	Et	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXVIII-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXVIII-22-5	Et	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXVIII-22-6	Et	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXVIII-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXVIII-22-8	Et	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	H	H	F	OH
XXVIII-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	H	H	F	OH
XXVIII-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH
XXVIII-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH
XXVIII-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	H	H	F	OH
XXVIII-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	H	F	OH
XXVIII-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	H	F	OH
XXVIII-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-24-1	<i>t</i> Bu	H	H	H	<i>i</i> Pr	H	H	F	OH
XXVIII-24-2	<i>t</i> Bu	H	H	CH ₃	<i>i</i> Pr	H	H	F	OH
XXVIII-24-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH
XXVIII-24-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH
XXVIII-24-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>i</i> Pr	H	H	F	OH
XXVIII-24-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	H	F	OH
XXVIII-24-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	H	F	OH
XXVIII-24-8	<i>t</i> Bu	*	H	*	<i>i</i> Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-25-1	Ph	H	H	H	<i>i</i> Pr	H	H	F	OH
XXVIII-25-2	Ph	H	H	CH ₃	<i>i</i> Pr	H	H	F	OH
XXVIII-25-3	Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH
XXVIII-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	H	F	OH
XXVIII-25-5	Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	H	F	OH
XXVIII-25-6	Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	H	F	OH
XXVIII-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	H	F	OH
XXVIII-25-8	Ph	*	H	*	<i>i</i> Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-26.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-26-1	p-Me-Ph	H	H	H	ⁱ Pr	H	H	F	OH
XXVIII-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXVIII-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXVIII-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXVIII-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXVIII-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXVIII-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXVIII-26-8	p-Me-Ph	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-27.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-27-1	p-F-Ph	H	H	H	ⁱ Pr	H	H	F	OH
XXVIII-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXVIII-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXVIII-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXVIII-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXVIII-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXVIII-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXVIII-27-8	p-F-Ph	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-28.

N _o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	H	H	F	OH
XXVIII-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXVIII-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXVIII-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXVIII-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXVIII-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXVIII-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXVIII-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-29-1	p-Br-Ph	H	H	H	ⁱ Pr	H	H	F	OH
XXVIII-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXVIII-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXVIII-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXVIII-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXVIII-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXVIII-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXVIII-29-8	p-Br-Ph	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-30-1	p-I-Ph	H	H	H	ⁱ Pr	H	H	F	OH
XXVIII-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXVIII-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXVIII-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXVIII-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXVIII-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXVIII-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXVIII-30-8	p-I-Ph	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-31-1	CH ₃	H	H	H	ⁿ Bu	H	H	F	OH
XXVIII-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXVIII-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXVIII-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXVIII-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXVIII-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXVIII-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXVIII-31-8	CH ₃	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-32-1	Et	H	H	H	ⁿ Bu	H	H	F	OH
XXVIII-32-2	Et	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXVIII-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXVIII-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXVIII-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXVIII-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXVIII-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXVIII-32-8	Et	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-33-1	ⁱ Pr	H	H	H	ⁿ Bu	H	H	F	OH
XXVIII-33-2	ⁱ Pr	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXVIII-33-3	ⁱ Pr	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXVIII-33-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXVIII-33-5	ⁱ Pr	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXVIII-33-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXVIII-33-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXVIII-33-8	ⁱ Pr	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-34-1	^t Bu	H	H	H	ⁿ Bu	H	H	F	OH
XXVIII-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXVIII-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXVIII-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXVIII-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXVIII-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXVIII-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXVIII-34-8	^t Bu	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-35.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-35-1	Ph	H	H	H	ⁿ Bu	H	H	F	OH
XXVIII-35-2	Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXVIII-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXVIII-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXVIII-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXVIII-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXVIII-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXVIII-35-8	Ph	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-36.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	H	F	OH
XXVIII-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXVIII-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXVIII-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXVIII-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXVIII-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXVIII-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXVIII-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-37.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	H	F	OH
XXVIII-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXVIII-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXVIII-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXVIII-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXVIII-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXVIII-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXVIII-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-38.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	H	F	OH
XXVIII-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXVIII-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXVIII-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXVIII-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXVIII-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXVIII-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXVIII-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-39.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	H	F	OH
XXVIII-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXVIII-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXVIII-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXVIII-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXVIII-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXVIII-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXVIII-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-40.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	H	F	OH
XXVIII-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXVIII-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXVIII-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXVIII-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXVIII-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXVIII-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXVIII-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-41-1	CH ₃	H	H	H	Bz	H	H	F	OH
XXVIII-41-2	CH ₃	H	H	CH ₃	Bz	H	H	F	OH
XXVIII-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXVIII-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXVIII-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXVIII-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXVIII-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXVIII-41-8	CH ₃	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-42-1	Et	H	H	H	Bz	H	H	F	OH
XXVIII-42-2	Et	H	H	CH ₃	Bz	H	H	F	OH
XXVIII-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXVIII-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXVIII-42-5	Et	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXVIII-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXVIII-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXVIII-42-8	Et	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-43-1	<i>i</i> Pr	H	H	H	Bz	H	H	F	OH
XXVIII-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	H	H	F	OH
XXVIII-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXVIII-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXVIII-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXVIII-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXVIII-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXVIII-43-8	<i>i</i> Pr	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-44.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-44-1	^t Bu	H	H	H	Bz	H	H	F	OH
XXVIII-44-2	^t Bu	H	H	CH ₃	Bz	H	H	F	OH
XXVIII-44-3	^t Bu	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXVIII-44-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXVIII-44-5	^t Bu	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXVIII-44-6	^t Bu	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXVIII-44-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXVIII-44-8	^t Bu	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-45.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-45-1	Ph	H	H	H	Bz	H	H	F	OH
XXVIII-45-2	Ph	H	H	CH ₃	Bz	H	H	F	OH
XXVIII-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXVIII-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXVIII-45-5	Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXVIII-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXVIII-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXVIII-45-8	Ph	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-46.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-46-1	p-Me-Ph	H	H	H	Bz	H	H	F	OH
XXVIII-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	H	F	OH
XXVIII-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXVIII-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXVIII-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXVIII-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXVIII-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXVIII-46-8	p-Me-Ph	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-47-1	p-F-Ph	H	H	H	Bz	H	H	F	OH
XXVIII-47-2	p-F-Ph	H	H	CH ₃	Bz	H	H	F	OH
XXVIII-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXVIII-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXVIII-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXVIII-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXVIII-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXVIII-47-8	p-F-Ph	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-48-1	p-Cl-Ph	H	H	H	Bz	H	H	F	OH
XXVIII-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	H	F	OH
XXVIII-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXVIII-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXVIII-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXVIII-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXVIII-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXVIII-48-8	p-Cl-Ph	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-49.


N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-49-1	p-Br-Ph	H	H	H	Bz	H	H	F	OH
XXVIII-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	H	F	OH
XXVIII-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXVIII-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXVIII-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXVIII-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXVIII-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXVIII-49-8	p-Br-Ph	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXVIII-50.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXVIII-50-1	p-I-Ph	H	H	H	Bz	H	H	F	OH
XXVIII-50-2	p-I-Ph	H	H	CH ₃	Bz	H	H	F	OH
XXVIII-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXVIII-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXVIII-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXVIII-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXVIII-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXVIII-50-8	p-I-Ph	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.



XXIX

Table XXIX-1.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-1-1	CH ₃	H	H	H	CH ₃	H	CH ₃	F	OH
XXIX-1-2	CH ₃	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXIX-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXIX-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXIX-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXIX-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXIX-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXIX-1-8	CH ₃	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-2.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-2-1	Et	H	H	H	CH ₃	H	CH ₃	F	OH
XXIX-2-2	Et	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXIX-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXIX-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXIX-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXIX-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXIX-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXIX-2-8	Et	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-3-1	<i>i</i> Pr	H	H	H	CH ₃	H	CH ₃	F	OH
XXIX-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXIX-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXIX-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXIX-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXIX-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXIX-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXIX-3-8	<i>i</i> Pr	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-4-1	<i>t</i> Bu	H	H	H	CH ₃	H	CH ₃	F	OH
XXIX-4-2	<i>t</i> Bu	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXIX-4-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXIX-4-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXIX-4-5	<i>t</i> Bu	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXIX-4-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXIX-4-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXIX-4-8	<i>t</i> Bu	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-5.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-5-1	Ph	H	H	H	CH ₃	H	CH ₃	F	OH
XXIX-5-2	Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXIX-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXIX-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXIX-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXIX-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXIX-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXIX-5-8	Ph	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-6.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-6-1	p-Me-Ph	H	H	H	CH ₃	H	CH ₃	F	OH
XXIX-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXIX-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXIX-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXIX-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXIX-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXIX-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXIX-6-8	p-Me-Ph	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-7.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-7-1	p-F-Ph	H	H	H	CH ₃	H	CH ₃	F	OH
XXIX-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXIX-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXIX-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXIX-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXIX-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXIX-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXIX-7-20	p-F-Ph	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-8.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-8-1	p-Cl-Ph	H	H	H	CH ₃	H	CH ₃	F	OH
XXIX-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXIX-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXIX-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXIX-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXIX-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXIX-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXIX-8-8	p-Cl-Ph	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-9.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-9-1	p-Br-Ph	H	H	H	CH ₃	H	CH ₃	F	OH
XXIX-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXIX-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXIX-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXIX-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXIX-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXIX-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXIX-9-20	p-Br-Ph	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-10.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-10-1	p-I-Ph	H	H	H	CH ₃	H	CH ₃	F	OH
XXIX-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	CH ₃	F	OH
XXIX-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXIX-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	CH ₃	F	OH
XXIX-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	CH ₃	F	OH
XXIX-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	CH ₃	F	OH
XXIX-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	CH ₃	F	OH
XXIX-10-8	p-I-Ph	*	H	*	CH ₃	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-11-1	CH ₃	H	H	H	Et	H	CH ₃	F	OH
XXIX-11-2	CH ₃	H	H	CH ₃	Et	H	CH ₃	F	OH
XXIX-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXIX-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXIX-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXIX-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXIX-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXIX-11-8	CH ₃	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-12-1	Et	H	H	H	Et	H	CH ₃	F	OH
XXIX-12-2	Et	H	H	CH ₃	Et	H	CH ₃	F	OH
XXIX-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXIX-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXIX-12-5	Et	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXIX-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXIX-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXIX-12-8	Et	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-13-1	<i>i</i> Pr	H	H	H	Et	H	CH ₃	F	OH
XXIX-13-2	<i>i</i> Pr	H	H	CH ₃	Et	H	CH ₃	F	OH
XXIX-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXIX-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXIX-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXIX-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXIX-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXIX-13-8	<i>i</i> Pr	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-14.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-14-1	^t Bu	H	H	H	Et	H	CH ₃	F	OH
XXIX-14-2	^t Bu	H	H	CH ₃	Et	H	CH ₃	F	OH
XXIX-14-3	^t Bu	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXIX-14-4	^t Bu	H	H	CH ₂ CH(CH ₃)	Et	H	CH ₃	F	OH
				²					
XXIX-14-5	^t Bu	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXIX-14-6	^t Bu	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXIX-14-7	^t Bu	H	H	CH ₂ CH ₂ SCH	Et	H	CH ₃	F	OH
				³					
XXIX-14-8	^t Bu	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-15-1	Ph	H	H	H	Et	H	CH ₃	F	OH
XXIX-15-2	Ph	H	H	CH ₃	Et	H	CH ₃	F	OH
XXIX-15-3	Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXIX-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXIX-15-5	Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXIX-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXIX-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXIX-15-8	Ph	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-16.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-16-1	p-Me-Ph	H	H	H	Et	H	CH ₃	F	OH
XXIX-16-2	p-Me-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH
XXIX-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXIX-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXIX-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXIX-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXIX-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXIX-16-8	p-Me-Ph	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-17.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-17-1	p-F-Ph	H	H	H	Et	H	CH ₃	F	OH
XXIX-17-2	p-F-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH
XXIX-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXIX-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXIX-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXIX-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXIX-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXIX-17-8	p-F-Ph	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-18.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-18-1	p-Cl-Ph	H	H	H	Et	H	CH ₃	F	OH
XXIX-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH
XXIX-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXIX-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXIX-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXIX-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXIX-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXIX-18-8	p-Cl-Ph	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-19.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-19-1	p-Br-Ph	H	H	H	Et	H	CH ₃	F	OH
XXIX-19-2	p-Br-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH
XXIX-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXIX-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXIX-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXIX-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXIX-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXIX-19-8	p-Br-Ph	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-20.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-20-1	p-I-Ph	H	H	H	Et	H	CH ₃	F	OH
XXIX-20-2	p-I-Ph	H	H	CH ₃	Et	H	CH ₃	F	OH
XXIX-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXIX-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	CH ₃	F	OH
XXIX-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	CH ₃	F	OH
XXIX-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	CH ₃	F	OH
XXIX-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	CH ₃	F	OH
XXIX-20-8	p-I-Ph	*	H	*	Et	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-21.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-21-1	CH ₃	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXIX-21-2	CH ₃	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXIX-21-3	CH ₃	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXIX-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXIX-21-5	CH ₃	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXIX-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXIX-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXIX-21-8	CH ₃	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-22-1	Et	H	H	H	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-22-2	Et	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-22-3	Et	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-22-5	Et	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-22-6	Et	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-22-8	Et	*	H	*	<i>i</i> Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-24-1	<i>t</i> Bu	H	H	H	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-24-2	<i>t</i> Bu	H	H	CH ₃	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-24-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-24-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-24-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-24-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-24-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	CH ₃	F	OH
XXIX-24-8	<i>t</i> Bu	*	H	*	<i>i</i> Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-25-1	Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXIX-25-2	Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXIX-25-3	Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXIX-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXIX-25-5	Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXIX-25-6	Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXIX-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXIX-25-8	Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-26-1	p-Me-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXIX-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXIX-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXIX-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXIX-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXIX-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXIX-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXIX-26-8	p-Me-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-27-1	p-F-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXIX-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXIX-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXIX-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXIX-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXIX-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXIX-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXIX-27-8	p-F-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-28.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXIX-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXIX-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXIX-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXIX-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXIX-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXIX-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXIX-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-29.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-29-1	p-Br-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXIX-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXIX-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXIX-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXIX-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXIX-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXIX-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXIX-29-8	p-Br-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-30.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-30-1	p-I-Ph	H	H	H	ⁱ Pr	H	CH ₃	F	OH
XXIX-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	H	CH ₃	F	OH
XXIX-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXIX-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	CH ₃	F	OH
XXIX-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	CH ₃	F	OH
XXIX-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	CH ₃	F	OH
XXIX-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	CH ₃	F	OH
XXIX-30-8	p-I-Ph	*	H	*	ⁱ Pr	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-31-1	CH ₃	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXIX-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXIX-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXIX-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXIX-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXIX-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXIX-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXIX-31-8	CH ₃	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-32-1	Et	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXIX-32-2	Et	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXIX-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXIX-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXIX-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXIX-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXIX-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXIX-32-8	Et	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-33-1	ⁱ Pr	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXIX-33-2	ⁱ Pr	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXIX-33-3	ⁱ Pr	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXIX-33-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXIX-33-5	ⁱ Pr	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXIX-33-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXIX-33-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXIX-33-8	ⁱ Pr	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-34-1	^t Bu	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXIX-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXIX-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXIX-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXIX-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXIX-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXIX-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXIX-34-8	^t Bu	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-35-1	Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXIX-35-2	Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXIX-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXIX-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXIX-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXIX-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXIX-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXIX-35-8	Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXIX-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXIX-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXIX-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXIX-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXIX-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXIX-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXIX-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-37.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXIX-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXIX-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXIX-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXIX-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXIX-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXIX-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXIX-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-38.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXIX-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXIX-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXIX-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXIX-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXIX-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXIX-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXIX-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-39.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXIX-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXIX-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXIX-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXIX-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXIX-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXIX-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXIX-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	CH ₃	F	OH
XXIX-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	CH ₃	F	OH
XXIX-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXIX-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	CH ₃	F	OH
XXIX-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	CH ₃	F	OH
XXIX-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	CH ₃	F	OH
XXIX-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	CH ₃	F	OH
XXIX-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-41-1	CH ₃	H	H	H	Bz	H	CH ₃	F	OH
XXIX-41-2	CH ₃	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXIX-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXIX-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXIX-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXIX-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXIX-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXIX-41-8	CH ₃	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-42-1	Et	H	H	H	Bz	H	CH ₃	F	OH
XXIX-42-2	Et	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXIX-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXIX-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXIX-42-5	Et	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXIX-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXIX-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXIX-42-8	Et	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-43-1	<i>i</i> Pr	H	H	H	Bz	H	CH ₃	F	OH
XXIX-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXIX-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXIX-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXIX-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXIX-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXIX-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXIX-43-8	<i>i</i> Pr	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-44-1	<i>t</i> Bu	H	H	H	Bz	H	CH ₃	F	OH
XXIX-44-2	<i>t</i> Bu	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXIX-44-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXIX-44-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXIX-44-5	<i>t</i> Bu	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXIX-44-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXIX-44-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXIX-44-8	<i>t</i> Bu	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-45-1	Ph	H	H	H	Bz	H	CH ₃	F	OH
XXIX-45-2	Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXIX-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXIX-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXIX-45-5	Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXIX-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXIX-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXIX-45-8	Ph	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-46.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-46-1	p-Me-Ph	H	H	H	Bz	H	CH ₃	F	OH
XXIX-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXIX-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXIX-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXIX-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXIX-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXIX-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXIX-46-8	p-Me-Ph	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-47.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-47-1	p-F-Ph	H	H	H	Bz	H	CH ₃	F	OH
XXIX-47-2	p-F-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXIX-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXIX-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXIX-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXIX-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXIX-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXIX-47-8	p-F-Ph	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-48.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-48-1	p-Cl-Ph	H	H	H	Bz	H	CH ₃	F	OH
XXIX-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXIX-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXIX-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXIX-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXIX-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXIX-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXIX-48-8	p-Cl-Ph	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-49.


№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-49-1	p-Br-Ph	H	H	H	Bz	H	CH ₃	F	OH
XXIX-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXIX-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXIX-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXIX-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXIX-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXIX-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXIX-49-8	p-Br-Ph	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXIX-50.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXIX-50-1	p-I-Ph	H	H	H	Bz	H	CH ₃	F	OH
XXIX-50-2	p-I-Ph	H	H	CH ₃	Bz	H	CH ₃	F	OH
XXIX-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXIX-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	CH ₃	F	OH
XXIX-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	CH ₃	F	OH
XXIX-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	CH ₃	F	OH
XXIX-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	CH ₃	F	OH
XXIX-50-8	p-I-Ph	*	H	*	Bz	H	CH ₃	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.



XXX

Table XXX-1.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
5	XXX-1-1	CH ₃	H	H	H	CH ₃	H	F	H OH
	XXX-1-2	CH ₃	H	H	CH ₃	CH ₃	H	F	H OH
	XXX-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	F	H OH
10	XXX-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H OH
	XXX-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	F	H OH
	XXX-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H OH
15	XXX-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H OH
	XXX-1-8	CH ₃	*	H	*	CH ₃	H	F	H OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-2.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
25	XXX-2-1	Et	H	H	H	CH ₃	H	F	H OH
	XXX-2-2	Et	H	H	CH ₃	CH ₃	H	F	H OH
	XXX-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	F	H OH
	XXX-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H OH
30	XXX-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	F	H OH
	XXX-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H OH
	XXX-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H OH
35	XXX-2-8	Et	*	H	*	CH ₃	H	F	H OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
45	XXX-3-1	<i>i</i> Pr	H	H	H	CH ₃	H	F	H OH
	XXX-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	H	F	H OH
	XXX-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	H	F	H OH
	XXX-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H OH
50	XXX-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	H	F	H OH
	XXX-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H OH
	XXX-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H OH
55	XXX-3-8	<i>i</i> Pr	*	H	*	CH ₃	H	F	H OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-4.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-4-1	^t Bu	H	H	H	CH ₃	H	F	H	OH
XXX-4-2	^t Bu	H	H	CH ₃	CH ₃	H	F	H	OH
XXX-4-3	^t Bu	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXX-4-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXX-4-5	^t Bu	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXX-4-6	^t Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXX-4-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXX-4-8	^t Bu	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-5.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-5-1	Ph	H	H	H	CH ₃	H	F	H	OH
XXX-5-2	Ph	H	H	CH ₃	CH ₃	H	F	H	OH
XXX-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXX-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXX-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXX-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXX-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXX-5-8	Ph	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-6.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-6-1	p-Me-Ph	H	H	H	CH ₃	H	F	H	OH
XXX-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	F	H	OH
XXX-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXX-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXX-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXX-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXX-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXX-6-8	p-Me-Ph	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-7.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-7-1	p-F-Ph	H	H	H	CH ₃	H	F	H	OH
XXX-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	F	H	OH
XXX-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXX-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXX-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXX-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXX-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXX-7-20	p-F-Ph	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-8.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-8-1	p-Cl-Ph	H	H	H	CH ₃	H	F	H	OH
XXX-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	F	H	OH
XXX-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXX-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXX-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXX-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXX-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXX-8-8	p-Cl-Ph	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-9.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-9-1	p-Br-Ph	H	H	H	CH ₃	H	F	H	OH
XXX-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	F	H	OH
XXX-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXX-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXX-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXX-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXX-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXX-9-20	p-Br-Ph	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-10.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-10-1	p-I-Ph	H	H	H	CH ₃	H	F	H	OH
XXX-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	F	H	OH
XXX-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXX-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	H	OH
XXX-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	F	H	OH
XXX-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	H	OH
XXX-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	H	OH
XXX-10-8	p-I-Ph	*	H	*	CH ₃	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-11.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-11-1	CH ₃	H	H	H	Et	H	F	H	OH
XXX-11-2	CH ₃	H	H	CH ₃	Et	H	F	H	OH
XXX-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXX-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXX-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	F	H	OH
XXX-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXX-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXX-11-8	CH ₃	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-12.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-12-1	Et	H	H	H	Et	H	F	H	OH
XXX-12-2	Et	H	H	CH ₃	Et	H	F	H	OH
XXX-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXX-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXX-12-5	Et	H	H	CH ₂ Ph	Et	H	F	H	OH
XXX-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXX-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXX-12-8	Et	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-13-1	<i>i</i> Pr	H	H	H	Et	H	F	H	OH
XXX-13-2	<i>i</i> Pr	H	H	CH ₃	Et	H	F	H	OH
XXX-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXX-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXX-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	H	F	H	OH
XXX-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXX-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXX-13-8	<i>i</i> Pr	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-14.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-14-1	<i>t</i> Bu	H	H	H	Et	H	F	H	OH
XXX-14-2	<i>t</i> Bu	H	H	CH ₃	Et	H	F	H	OH
XXX-14-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXX-14-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXX-14-5	<i>t</i> Bu	H	H	CH ₂ Ph	Et	H	F	H	OH
XXX-14-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXX-14-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXX-14-8	<i>t</i> Bu	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-15-1	Ph	H	H	H	Et	H	F	H	OH
XXX-15-2	Ph	H	H	CH ₃	Et	H	F	H	OH
XXX-15-3	Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXX-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXX-15-5	Ph	H	H	CH ₂ Ph	Et	H	F	H	OH
XXX-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXX-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXX-15-8	Ph	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-16.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-16-1	p-Me-Ph	H	H	H	Et	H	F	H	OH
XXX-16-2	p-Me-Ph	H	H	CH ₃	Et	H	F	H	OH
XXX-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXX-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXX-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	H	F	H	OH
XXX-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXX-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXX-16-8	p-Me-Ph	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-17.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-17-1	p-F-Ph	H	H	H	Et	H	F	H	OH
XXX-17-2	p-F-Ph	H	H	CH ₃	Et	H	F	H	OH
XXX-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXX-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXX-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	F	H	OH
XXX-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXX-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXX-17-8	p-F-Ph	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-18.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-18-1	p-Cl-Ph	H	H	H	Et	H	F	H	OH
XXX-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	F	H	OH
XXX-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXX-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXX-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	F	H	OH
XXX-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXX-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXX-18-8	p-Cl-Ph	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-19.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-19-1	p-Br-Ph	H	H	H	Et	H	F	H	OH
XXX-19-2	p-Br-Ph	H	H	CH ₃	Et	H	F	H	OH
XXX-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXX-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXX-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	F	H	OH
XXX-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXX-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXX-19-8	p-Br-Ph	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-20-1	p-I-Ph	H	H	H	Et	H	F	H	OH
XXX-20-2	p-I-Ph	H	H	CH ₃	Et	H	F	H	OH
XXX-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	F	H	OH
XXX-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	H	OH
XXX-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	F	H	OH
XXX-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	H	OH
XXX-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	H	OH
XXX-20-8	p-I-Ph	*	H	*	Et	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-21-1	CH ₃	H	H	H	ⁱ Pr	H	F	H	OH
XXX-21-2	CH ₃	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXX-21-3	CH ₃	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXX-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXX-21-5	CH ₃	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXX-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXX-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXX-21-8	CH ₃	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-22.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-22-1	Et	H	H	H	ⁱ Pr	H	F	H	OH
XXX-22-2	Et	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXX-22-3	Et	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXX-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXX-22-5	Et	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXX-22-6	Et	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXX-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXX-22-8	Et	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-23.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-23-1	ⁱ Pr	H	H	H	ⁱ Pr	H	F	H	OH
XXX-23-2	ⁱ Pr	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXX-23-3	ⁱ Pr	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXX-23-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXX-23-5	ⁱ Pr	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXX-23-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXX-23-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXX-23-8	ⁱ Pr	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-24.

N ₂	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-24-1	^t Bu	H	H	H	ⁱ Pr	H	F	H	OH
XXX-24-2	^t Bu	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXX-24-3	^t Bu	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXX-24-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXX-24-5	^t Bu	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXX-24-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXX-24-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXX-24-8	^t Bu	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-25.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-25-1	Ph	H	H	H	<i>i</i> Pr	H	F	H	OH
XXX-25-2	Ph	H	H	CH ₃	<i>i</i> Pr	H	F	H	OH
XXX-25-3	Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH
XXX-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH
XXX-25-5	Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	H	OH
XXX-25-6	Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	H	OH
XXX-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	H	OH
XXX-25-8	Ph	*	H	*	<i>i</i> Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-26.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-26-1	p-Me-Ph	H	H	H	<i>i</i> Pr	H	F	H	OH
XXX-26-2	p-Me-Ph	H	H	CH ₃	<i>i</i> Pr	H	F	H	OH
XXX-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH
XXX-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH
XXX-26-5	p-Me-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	H	OH
XXX-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	H	OH
XXX-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	H	OH
XXX-26-8	p-Me-Ph	*	H	*	<i>i</i> Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-27.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-27-1	p-F-Ph	H	H	H	<i>i</i> Pr	H	F	H	OH
XXX-27-2	p-F-Ph	H	H	CH ₃	<i>i</i> Pr	H	F	H	OH
XXX-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH
XXX-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	H	OH
XXX-27-5	p-F-Ph	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	H	OH
XXX-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	H	OH
XXX-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	H	OH
XXX-27-8	p-F-Ph	*	H	*	<i>i</i> Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-28.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	H	F	H	OH
XXX-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXX-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXX-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXX-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXX-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXX-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXX-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-29-1	p-Br-Ph	H	H	H	ⁱ Pr	H	F	H	OH
XXX-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXX-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXX-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXX-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXX-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXX-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXX-29-8	p-Br-Ph	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-30-1	p-I-Ph	H	H	H	ⁱ Pr	H	F	H	OH
XXX-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	H	F	H	OH
XXX-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXX-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	H	OH
XXX-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	H	OH
XXX-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	H	OH
XXX-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	H	OH
XXX-30-8	p-I-Ph	*	H	*	ⁱ Pr	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-31-1	CH ₃	H	H	H	ⁿ Bu	H	F	H	OH
XXX-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXX-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXX-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXX-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXX-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXX-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXX-31-8	CH ₃	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-32-1	Et	H	H	H	ⁿ Bu	H	F	H	OH
XXX-32-2	Et	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXX-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXX-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXX-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXX-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXX-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXX-32-8	Et	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-33-1	ⁱ Pr	H	H	H	ⁿ Bu	H	F	H	OH
XXX-33-2	ⁱ Pr	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXX-33-3	ⁱ Pr	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXX-33-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXX-33-5	ⁱ Pr	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXX-33-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXX-33-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXX-33-8	ⁱ Pr	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-34.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-34-1	^t Bu	H	H	H	ⁿ Bu	H	F	H	OH
XXX-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXX-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXX-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXX-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXX-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXX-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXX-34-8	^t Bu	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-35-1	Ph	H	H	H	ⁿ Bu	H	F	H	OH
XXX-35-2	Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXX-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXX-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXX-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXX-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXX-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXX-35-8	Ph	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	F	H	OH
XXX-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXX-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXX-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXX-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXX-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXX-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXX-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-37.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	F	H	OH
XXX-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXX-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXX-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXX-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXX-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXX-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXX-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-38.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	F	H	OH
XXX-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXX-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXX-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXX-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXX-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXX-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXX-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-39.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	F	H	OH
XXX-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	F	H	OH
XXX-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXX-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H	OH
XXX-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H	OH
XXX-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H	OH
XXX-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H	OH
XXX-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
5	XXX-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	F	H OH
	XXX-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	F	H OH
	XXX-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	H OH
10	XXX-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	H OH
	XXX-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	H OH
	XXX-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	H OH
15	XXX-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	H OH
	XXX-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	F	H OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
20	XXX-41-1	CH ₃	H	H	H	Bz	H	F	H OH
25	XXX-41-2	CH ₃	H	H	CH ₃	Bz	H	F	H OH
	XXX-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	F	H OH
	XXX-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H OH
30	XXX-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	F	H OH
	XXX-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	F	H OH
	XXX-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H OH
35	XXX-41-8	CH ₃	*	H	*	Bz	H	F	H OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
40	XXX-42-1	Et	H	H	H	Bz	H	F	H OH
	XXX-42-2	Et	H	H	CH ₃	Bz	H	F	H OH
45	XXX-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	F	H OH
	XXX-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H OH
	XXX-42-5	Et	H	H	CH ₂ Ph	Bz	H	F	H OH
50	XXX-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	F	H OH
	XXX-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H OH
55	XXX-42-8	Et	*	H	*	Bz	H	F	H OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-43-1	<i>i</i> Pr	H	H	H	Bz	H	F	H	OH
XXX-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	H	F	H	OH
XXX-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXX-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXX-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXX-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXX-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXX-43-8	<i>i</i> Pr	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-44-1	<i>t</i> Bu	H	H	H	Bz	H	F	H	OH
XXX-44-2	<i>t</i> Bu	H	H	CH ₃	Bz	H	F	H	OH
XXX-44-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXX-44-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXX-44-5	<i>t</i> Bu	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXX-44-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXX-44-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXX-44-8	<i>t</i> Bu	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-45-1	Ph	H	H	H	Bz	H	F	H	OH
XXX-45-2	Ph	H	H	CH ₃	Bz	H	F	H	OH
XXX-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXX-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXX-45-5	Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXX-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXX-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXX-45-8	Ph	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-46-1	p-Me-Ph	H	H	H	Bz	H	F	H	OH
XXX-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	F	H	OH
XXX-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXX-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXX-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXX-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXX-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXX-46-8	p-Me-Ph	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-47-1	p-F-Ph	H	H	H	Bz	H	F	H	OH
XXX-47-2	p-F-Ph	H	H	CH ₃	Bz	H	F	H	OH
XXX-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXX-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXX-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXX-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXX-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXX-47-8	p-F-Ph	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-48-1	p-Cl-Ph	H	H	H	Bz	H	F	H	OH
XXX-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	F	H	OH
XXX-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXX-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXX-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXX-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXX-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXX-48-8	p-Cl-Ph	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-49.


No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-49-1	p-Br-Ph	H	H	H	Bz	H	F	H	OH
XXX-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	F	H	OH
XXX-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXX-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXX-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXX-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXX-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXX-49-8	p-Br-Ph	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXX-50.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXX-50-1	p-I-Ph	H	H	H	Bz	H	F	H	OH
XXX-50-2	p-I-Ph	H	H	CH ₃	Bz	H	F	H	OH
XXX-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	H	OH
XXX-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	H	OH
XXX-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	F	H	OH
XXX-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	H	OH
XXX-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	H	OH
XXX-50-8	p-I-Ph	*	H	*	Bz	H	F	H	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.



XXXI

Table XXXI-1.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-1-1	CH ₃	H	H	H	CH ₃	H	F	F	OH
XXXI-1-2	CH ₃	H	H	CH ₃	CH ₃	H	F	F	OH
XXXI-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXXI-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXXI-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXXI-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXXI-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXXI-1-8	CH ₃	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-2.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-2-1	Et	H	H	H	CH ₃	H	F	F	OH
XXXI-2-2	Et	H	H	CH ₃	CH ₃	H	F	F	OH
XXXI-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXXI-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXXI-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXXI-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXXI-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXXI-2-8	Et	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-3-1	<i>i</i> Pr	H	H	H	CH ₃	H	F	F	OH
XXXI-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	H	F	F	OH
XXXI-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXXI-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXXI-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXXI-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXXI-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXXI-3-8	<i>i</i> Pr	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-4-1	^t Bu	H	H	H	CH ₃	H	F	F	OH
XXXI-4-2	^t Bu	H	H	CH ₃	CH ₃	H	F	F	OH
XXXI-4-3	^t Bu	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXXI-4-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXXI-4-5	^t Bu	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXXI-4-6	^t Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXXI-4-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXXI-4-8	^t Bu	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-5.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-5-1	Ph	H	H	H	CH ₃	H	F	F	OH
XXXI-5-2	Ph	H	H	CH ₃	CH ₃	H	F	F	OH
XXXI-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXXI-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXXI-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXXI-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXXI-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXXI-5-8	Ph	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-6.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-6-1	p-Me-Ph	H	H	H	CH ₃	H	F	F	OH
XXXI-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	F	F	OH
XXXI-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXXI-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXXI-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXXI-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXXI-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXXI-6-8	p-Me-Ph	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-7.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-7-1	p-F-Ph	H	H	H	CH ₃	H	F	F	OH
XXXI-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	F	F	OH
XXXI-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXXI-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXXI-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXXI-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXXI-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXXI-7-20	p-F-Ph	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-8.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-8-1	p-Cl-Ph	H	H	H	CH ₃	H	F	F	OH
XXXI-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	F	F	OH
XXXI-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXXI-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXXI-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXXI-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXXI-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXXI-8-8	p-Cl-Ph	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-9.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-9-1	p-Br-Ph	H	H	H	CH ₃	H	F	F	OH
XXXI-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	F	F	OH
XXXI-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXXI-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXXI-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXXI-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXXI-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXXI-9-20	p-Br-Ph	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-10-1	p-I-Ph	H	H	H	CH ₃	H	F	F	OH
XXXI-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	F	F	OH
XXXI-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXXI-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	F	F	OH
XXXI-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	F	F	OH
XXXI-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	F	F	OH
XXXI-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	F	F	OH
XXXI-10-8	p-I-Ph	*	H	*	CH ₃	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-11-1	CH ₃	H	H	H	Et	H	F	F	OH
XXXI-11-2	CH ₃	H	H	CH ₃	Et	H	F	F	OH
XXXI-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXXI-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXXI-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	F	F	OH
XXXI-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXXI-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXXI-11-8	CH ₃	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-12-1	Et	H	H	H	Et	H	F	F	OH
XXXI-12-2	Et	H	H	CH ₃	Et	H	F	F	OH
XXXI-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXXI-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXXI-12-5	Et	H	H	CH ₂ Ph	Et	H	F	F	OH
XXXI-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXXI-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXXI-12-8	Et	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-13-1	<i>i</i> Pr	H	H	H	Et	H	F	F	OH
XXXI-13-2	<i>i</i> Pr	H	H	CH ₃	Et	H	F	F	OH
XXXI-13-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXXI-13-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXXI-13-5	<i>i</i> Pr	H	H	CH ₂ Ph	Et	H	F	F	OH
XXXI-13-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXXI-13-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXXI-13-8	<i>i</i> Pr	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-14.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-14-1	<i>t</i> Bu	H	H	H	Et	H	F	F	OH
XXXI-14-2	<i>t</i> Bu	H	H	CH ₃	Et	H	F	F	OH
XXXI-14-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXXI-14-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXXI-14-5	<i>t</i> Bu	H	H	CH ₂ Ph	Et	H	F	F	OH
XXXI-14-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXXI-14-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXXI-14-8	<i>t</i> Bu	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-15-1	Ph	H	H	H	Et	H	F	F	OH
XXXI-15-2	Ph	H	H	CH ₃	Et	H	F	F	OH
XXXI-15-3	Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXXI-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXXI-15-5	Ph	H	H	CH ₂ Ph	Et	H	F	F	OH
XXXI-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXXI-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXXI-15-8	Ph	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-16.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-16-1	p-Me-Ph	H	H	H	Et	H	F	F	OH
XXXI-16-2	p-Me-Ph	H	H	CH ₃	Et	H	F	F	OH
XXXI-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXXI-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXXI-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH
XXXI-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXXI-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXXI-16-8	p-Me-Ph	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-17.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-17-1	p-F-Ph	H	H	H	Et	H	F	F	OH
XXXI-17-2	p-F-Ph	H	H	CH ₃	Et	H	F	F	OH
XXXI-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXXI-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXXI-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH
XXXI-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXXI-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXXI-17-8	p-F-Ph	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-18.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-18-1	p-Cl-Ph	H	H	H	Et	H	F	F	OH
XXXI-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	F	F	OH
XXXI-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXXI-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXXI-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH
XXXI-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXXI-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXXI-18-8	p-Cl-Ph	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-19.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-19-1	p-Br-Ph	H	H	H	Et	H	F	F	OH
XXXI-19-2	p-Br-Ph	H	H	CH ₃	Et	H	F	F	OH
XXXI-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXXI-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXXI-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH
XXXI-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXXI-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXXI-19-8	p-Br-Ph	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-20.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-20-1	p-I-Ph	H	H	H	Et	H	F	F	OH
XXXI-20-2	p-I-Ph	H	H	CH ₃	Et	H	F	F	OH
XXXI-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	F	F	OH
XXXI-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	F	F	OH
XXXI-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	F	F	OH
XXXI-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	F	F	OH
XXXI-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	F	F	OH
XXXI-20-8	p-I-Ph	*	H	*	Et	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-21.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-21-1	CH ₃	H	H	H	ⁱ Pr	H	F	F	OH
XXXI-21-2	CH ₃	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXXI-21-3	CH ₃	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXXI-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXXI-21-5	CH ₃	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXXI-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXXI-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXXI-21-8	CH ₃	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-22-1	Et	H	H	H	<i>i</i> Pr	H	F	F	OH
XXXI-22-2	Et	H	H	CH ₃	<i>i</i> Pr	H	F	F	OH
XXXI-22-3	Et	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH
XXXI-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH
XXXI-22-5	Et	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	F	OH
XXXI-22-6	Et	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	F	OH
XXXI-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	F	OH
XXXI-22-8	Et	*	H	*	<i>i</i> Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-23-1	<i>i</i> Pr	H	H	H	<i>i</i> Pr	H	F	F	OH
XXXI-23-2	<i>i</i> Pr	H	H	CH ₃	<i>i</i> Pr	H	F	F	OH
XXXI-23-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH
XXXI-23-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH
XXXI-23-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	F	OH
XXXI-23-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	F	OH
XXXI-23-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	F	OH
XXXI-23-8	<i>i</i> Pr	*	H	*	<i>i</i> Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-24-1	<i>t</i> Bu	H	H	H	<i>i</i> Pr	H	F	F	OH
XXXI-24-2	<i>t</i> Bu	H	H	CH ₃	<i>i</i> Pr	H	F	F	OH
XXXI-24-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH
XXXI-24-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>i</i> Pr	H	F	F	OH
XXXI-24-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>i</i> Pr	H	F	F	OH
XXXI-24-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>i</i> Pr	H	F	F	OH
XXXI-24-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>i</i> Pr	H	F	F	OH
XXXI-24-8	<i>t</i> Bu	*	H	*	<i>i</i> Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-25-1	Ph	H	H	H	ⁱ Pr	H	F	F	OH
XXXI-25-2	Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXXI-25-3	Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXXI-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXXI-25-5	Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXXI-25-6	Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXXI-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXXI-25-8	Ph	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-26-1	p-Me-Ph	H	H	H	ⁱ Pr	H	F	F	OH
XXXI-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXXI-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXXI-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXXI-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXXI-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXXI-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXXI-26-8	p-Me-Ph	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-27-1	p-F-Ph	H	H	H	ⁱ Pr	H	F	F	OH
XXXI-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXXI-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXXI-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXXI-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXXI-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXXI-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXXI-27-8	p-F-Ph	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-28.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	H	F	F	OH
XXXI-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXXI-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXXI-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXXI-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXXI-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXXI-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXXI-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-29.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-29-1	p-Br-Ph	H	H	H	ⁱ Pr	H	F	F	OH
XXXI-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXXI-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXXI-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXXI-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXXI-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXXI-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXXI-29-8	p-Br-Ph	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-30.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-30-1	p-I-Ph	H	H	H	ⁱ Pr	H	F	F	OH
XXXI-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	H	F	F	OH
XXXI-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXXI-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	F	F	OH
XXXI-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	F	F	OH
XXXI-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	F	F	OH
XXXI-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	F	F	OH
XXXI-30-8	p-I-Ph	*	H	*	ⁱ Pr	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-31-1	CH ₃	H	H	H	ⁿ Bu	H	F	F	OH
XXXI-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXXI-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXXI-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXXI-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXXI-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXXI-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXXI-31-8	CH ₃	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-32-1	Et	H	H	H	ⁿ Bu	H	F	F	OH
XXXI-32-2	Et	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXXI-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXXI-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXXI-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXXI-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXXI-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXXI-32-8	Et	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-33.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-33-1	ⁱ Pr	H	H	H	ⁿ Bu	H	F	F	OH
XXXI-33-2	ⁱ Pr	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXXI-33-3	ⁱ Pr	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXXI-33-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXXI-33-5	ⁱ Pr	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXXI-33-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXXI-33-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXXI-33-8	ⁱ Pr	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-34.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-34-1	^t Bu	H	H	H	ⁿ Bu	H	F	F	OH
XXXI-34-2	^t Bu	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXXI-34-3	^t Bu	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXXI-34-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXXI-34-5	^t Bu	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXXI-34-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXXI-34-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXXI-34-8	^t Bu	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-35.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-35-1	Ph	H	H	H	ⁿ Bu	H	F	F	OH
XXXI-35-2	Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXXI-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXXI-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXXI-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXXI-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXXI-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXXI-35-8	Ph	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-36.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	F	F	OH
XXXI-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXXI-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXXI-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXXI-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXXI-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXXI-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXXI-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-37.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	F	F	OH
XXXI-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXXI-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXXI-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXXI-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXXI-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXXI-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXXI-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-38.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	F	F	OH
XXXI-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXXI-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXXI-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXXI-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXXI-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXXI-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXXI-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-39.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	F	F	OH
XXXI-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXXI-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXXI-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXXI-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXXI-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXXI-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXXI-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-40.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	F	F	OH
XXXI-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	F	F	OH
XXXI-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXXI-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	F	F	OH
XXXI-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	F	F	OH
XXXI-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	F	F	OH
XXXI-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	F	F	OH
XXXI-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-41-1	CH ₃	H	H	H	Bz	H	F	F	OH
XXXI-41-2	CH ₃	H	H	CH ₃	Bz	H	F	F	OH
XXXI-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXXI-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXXI-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXXI-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXXI-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXXI-41-8	CH ₃	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-42-1	Et	H	H	H	Bz	H	F	F	OH
XXXI-42-2	Et	H	H	CH ₃	Bz	H	F	F	OH
XXXI-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXXI-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXXI-42-5	Et	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXXI-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXXI-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXXI-42-8	Et	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-43.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-43-1	<i>i</i> Pr	H	H	H	Bz	H	F	F	OH
XXXI-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	H	F	F	OH
XXXI-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXXI-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXXI-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXXI-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXXI-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXXI-43-8	<i>i</i> Pr	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-44.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-44-1	<i>t</i> Bu	H	H	H	Bz	H	F	F	OH
XXXI-44-2	<i>t</i> Bu	H	H	CH ₃	Bz	H	F	F	OH
XXXI-44-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXXI-44-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXXI-44-5	<i>t</i> Bu	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXXI-44-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXXI-44-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXXI-44-8	<i>t</i> Bu	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-45.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-45-1	Ph	H	H	H	Bz	H	F	F	OH
XXXI-45-2	Ph	H	H	CH ₃	Bz	H	F	F	OH
XXXI-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXXI-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXXI-45-5	Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXXI-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXXI-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXXI-45-8	Ph	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-46-1	p-Me-Ph	H	H	H	Bz	H	F	F	OH
XXXI-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	F	F	OH
XXXI-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXXI-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXXI-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXXI-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXXI-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXXI-46-8	p-Me-Ph	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-47-1	p-F-Ph	H	H	H	Bz	H	F	F	OH
XXXI-47-2	p-F-Ph	H	H	CH ₃	Bz	H	F	F	OH
XXXI-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXXI-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXXI-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXXI-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXXI-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXXI-47-8	p-F-Ph	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-48-1	p-Cl-Ph	H	H	H	Bz	H	F	F	OH
XXXI-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	F	F	OH
XXXI-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXXI-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXXI-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXXI-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXXI-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXXI-48-8	p-Cl-Ph	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-49.


No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-49-1	p-Br-Ph	H	H	H	Bz	H	F	F	OH
XXXI-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	F	F	OH
XXXI-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXXI-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXXI-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXXI-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXXI-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXXI-49-8	p-Br-Ph	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXI-50.

No	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXI-50-1	p-I-Ph	H	H	H	Bz	H	F	F	OH
XXXI-50-2	p-I-Ph	H	H	CH ₃	Bz	H	F	F	OH
XXXI-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	F	F	OH
XXXI-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	F	F	OH
XXXI-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	F	F	OH
XXXI-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	F	F	OH
XXXI-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	F	F	OH
XXXI-50-8	p-I-Ph	*	H	*	Bz	H	F	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.



XXXII

Table XXXII-1.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-1-1	CH ₃	H	H	H	CH ₃	H	H	F	OH
XXXII-1-2	CH ₃	H	H	CH ₃	CH ₃	H	H	F	OH
XXXII-1-3	CH ₃	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXXII-1-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXXII-1-5	CH ₃	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXXII-1-6	CH ₃	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXXII-1-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXXII-1-8	CH ₃	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-2.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-2-1	Et	H	H	H	CH ₃	H	H	F	OH
XXXII-2-2	Et	H	H	CH ₃	CH ₃	H	H	F	OH
XXXII-2-3	Et	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXXII-2-4	Et	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXXII-2-5	Et	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXXII-2-6	Et	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXXII-2-7	Et	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXXII-2-8	Et	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-3.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-3-1	<i>i</i> Pr	H	H	H	CH ₃	H	H	F	OH
XXXII-3-2	<i>i</i> Pr	H	H	CH ₃	CH ₃	H	H	F	OH
XXXII-3-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXXII-3-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXXII-3-5	<i>i</i> Pr	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXXII-3-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXXII-3-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXXII-3-8	<i>i</i> Pr	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-4.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-4-1	<i>t</i> Bu	H	H	H	CH ₃	H	H	F	OH
XXXII-4-2	<i>t</i> Bu	H	H	CH ₃	CH ₃	H	H	F	OH
XXXII-4-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXXII-4-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXXII-4-5	<i>t</i> Bu	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXXII-4-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXXII-4-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXXII-4-8	<i>t</i> Bu	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-5.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-5-1	Ph	H	H	H	CH ₃	H	H	F	OH
XXXII-5-2	Ph	H	H	CH ₃	CH ₃	H	H	F	OH

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-5-3	Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXXII-5-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXXII-5-5	Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXXII-5-6	Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXXII-5-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXXII-5-8	Ph	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-6.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-6-1	p-Me-Ph	H	H	H	CH ₃	H	H	F	OH
XXXII-6-2	p-Me-Ph	H	H	CH ₃	CH ₃	H	H	F	OH
XXXII-6-3	p-Me-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXXII-6-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXXII-6-5	p-Me-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXXII-6-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXXII-6-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXXII-6-8	p-Me-Ph	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-7.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-7-1	p-F-Ph	H	H	H	CH ₃	H	H	F	OH
XXXII-7-2	p-F-Ph	H	H	CH ₃	CH ₃	H	H	F	OH
XXXII-7-3	p-F-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXXII-7-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXXII-7-6	p-F-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXXII-7-7	p-F-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXXII-7-8	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXXII-7-20	p-F-Ph	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-8.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-8-1	p-Cl-Ph	H	H	H	CH ₃	H	H	F	OH
XXXII-8-2	p-Cl-Ph	H	H	CH ₃	CH ₃	H	H	F	OH
XXXII-8-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXXII-8-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXXII-8-5	p-Cl-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXXII-8-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXXII-8-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXXII-8-8	p-Cl-Ph	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-9.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-9-1	p-Br-Ph	H	H	H	CH ₃	H	H	F	OH
XXXII-9-2	p-Br-Ph	H	H	CH ₃	CH ₃	H	H	F	OH
XXXII-9-3	p-Br-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXXII-9-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXXII-9-6	p-Br-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXXII-9-7	p-Br-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXXII-9-8	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXXII-9-20	p-Br-Ph	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-10.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-10-1	p-I-Ph	H	H	H	CH ₃	H	H	F	OH
XXXII-10-2	p-I-Ph	H	H	CH ₃	CH ₃	H	H	F	OH
XXXII-10-3	p-I-Ph	H	H	CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXXII-10-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	CH ₃	H	H	F	OH
XXXII-10-5	p-I-Ph	H	H	CH ₂ Ph	CH ₃	H	H	F	OH
XXXII-10-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	CH ₃	H	H	F	OH
XXXII-10-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	CH ₃	H	H	F	OH
XXXII-10-8	p-I-Ph	*	H	*	CH ₃	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-11.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-11-1	CH ₃	H	H	H	Et	H	H	F	OH
XXXII-11-2	CH ₃	H	H	CH ₃	Et	H	H	F	OH
XXXII-11-3	CH ₃	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXXII-11-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXXII-11-5	CH ₃	H	H	CH ₂ Ph	Et	H	H	F	OH
XXXII-11-6	CH ₃	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXXII-11-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXXII-11-8	CH ₃	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-12.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-12-1	Et	H	H	H	Et	H	H	F	OH
XXXII-12-2	Et	H	H	CH ₃	Et	H	H	F	OH
XXXII-12-3	Et	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXXII-12-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXXII-12-5	Et	H	H	CH ₂ Ph	Et	H	H	F	OH
XXXII-12-6	Et	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXXII-12-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXXII-12-8	Et	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-13.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-13-1	<i>^t</i> Pr	H	H	H	Et	H	H	F	OH
XXXII-13-2	<i>ⁱ</i> Pr	H	H	CH ₃	Et	H	H	F	OH
XXXII-13-3	<i>ⁱ</i> Pr	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXXII-13-4	<i>ⁱ</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXXII-13-5	<i>ⁱ</i> Pr	H	H	CH ₂ Ph	Et	H	H	F	OH
XXXII-13-6	<i>ⁱ</i> Pr	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXXII-13-7	<i>ⁱ</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXXII-13-8	<i>ⁱ</i> Pr	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-14.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-14-1	<i>^t</i> Bu	H	H	H	Et	H	H	F	OH
XXXII-14-2	<i>^t</i> Bu	H	H	CH ₃	Et	H	H	F	OH
XXXII-14-3	<i>^t</i> Bu	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXXII-14-4	<i>^t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXXII-14-5	<i>^t</i> Bu	H	H	CH ₂ Ph	Et	H	H	F	OH

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-14-6	^t Bu	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXXII-14-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXXII-14-8	^t Bu	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-15.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-15-1	Ph	H	H	H	Et	H	H	F	OH
XXXII-15-2	Ph	H	H	CH ₃	Et	H	H	F	OH
XXXII-15-3	Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXXII-15-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXXII-15-5	Ph	H	H	CH ₂ Ph	Et	H	H	F	OH
XXXII-15-6	Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXXII-15-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXXII-15-8	Ph	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-16.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-16-1	p-Me-Ph	H	H	H	Et	H	H	F	OH
XXXII-16-2	p-Me-Ph	H	H	CH ₃	Et	H	H	F	OH
XXXII-16-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXXII-16-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXXII-16-5	p-Me-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH
XXXII-16-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXXII-16-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXXII-16-8	p-Me-Ph	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-17.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-17-1	p-F-Ph	H	H	H	Et	H	H	F	OH
XXXII-17-2	p-F-Ph	H	H	CH ₃	Et	H	H	F	OH
XXXII-17-3	p-F-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXXII-17-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXXII-17-5	p-F-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH
XXXII-17-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-17-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXXII-17-8	p-F-Ph	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-18.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-18-1	p-Cl-Ph	H	H	H	Et	H	H	F	OH
XXXII-18-2	p-Cl-Ph	H	H	CH ₃	Et	H	H	F	OH
XXXII-18-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXXII-18-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXXII-18-5	p-Cl-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH
XXXII-18-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXXII-18-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXXII-18-8	p-Cl-Ph	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-19.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-19-1	p-Br-Ph	H	H	H	Et	H	H	F	OH
XXXII-19-2	p-Br-Ph	H	H	CH ₃	Et	H	H	F	OH
XXXII-19-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXXII-19-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXXII-19-5	p-Br-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH
XXXII-19-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXXII-19-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH
XXXII-19-8	p-Br-Ph	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-20.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-20-1	p-I-Ph	H	H	H	Et	H	H	F	OH
XXXII-20-2	p-I-Ph	H	H	CH ₃	Et	H	H	F	OH
XXXII-20-3	p-I-Ph	H	H	CH(CH ₃) ₂	Et	H	H	F	OH
XXXII-20-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Et	H	H	F	OH
XXXII-20-5	p-I-Ph	H	H	CH ₂ Ph	Et	H	H	F	OH
XXXII-20-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Et	H	H	F	OH
XXXII-20-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Et	H	H	F	OH

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-20-8	p-I-Ph	*	H	*	Et	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-21.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-21-1	CH ₃	H	H	H	ⁱ Pr	H	H	F	OH
XXXII-21-2	CH ₃	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXXII-21-3	CH ₃	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXXII-21-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXXII-21-5	CH ₃	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXXII-21-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXXII-21-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXXII-21-8	CH ₃	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-22.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-22-1	Et	H	H	H	ⁱ Pr	H	H	F	OH
XXXII-22-2	Et	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXXII-22-3	Et	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXXII-22-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXXII-22-5	Et	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXXII-22-6	Et	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXXII-22-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXXII-22-8	Et	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-23.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-23-1	ⁱ Pr	H	H	H	ⁱ Pr	H	H	F	OH
XXXII-23-2	ⁱ Pr	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXXII-23-3	ⁱ Pr	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXXII-23-4	ⁱ Pr	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXXII-23-5	ⁱ Pr	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXXII-23-6	ⁱ Pr	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXXII-23-7	ⁱ Pr	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXXII-23-8	ⁱ Pr	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-24.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-24-1	^t Bu	H	H	H	ⁱ Pr	H	H	F	OH
XXXII-24-2	^t Bu	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXXII-24-3	^t Bu	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXXII-24-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXXII-24-5	^t Bu	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXXII-24-6	^t Bu	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXXII-24-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXXII-24-8	^t Bu	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-25.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-25-1	Ph	H	H	H	ⁱ Pr	H	H	F	OH
XXXII-25-2	Ph	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXXII-25-3	Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXXII-25-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXXII-25-5	Ph	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXXII-25-6	Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXXII-25-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXXII-25-8	Ph	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-26.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-26-1	p-Me-Ph	H	H	H	ⁱ Pr	H	H	F	OH
XXXII-26-2	p-Me-Ph	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXXII-26-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXXII-26-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXXII-26-5	p-Me-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXXII-26-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXXII-26-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXXII-26-8	p-Me-Ph	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-27.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-27-1	p-F-Ph	H	H	H	ⁱ Pr	H	H	F	OH
XXXII-27-2	p-F-Ph	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXXII-27-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXXII-27-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXXII-27-5	p-F-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXXII-27-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXXII-27-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXXII-27-8	p-F-Ph	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-28.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-28-1	p-Cl-Ph	H	H	H	ⁱ Pr	H	H	F	OH
XXXII-28-2	p-Cl-Ph	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXXII-28-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXXII-28-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXXII-28-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXXII-28-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXXII-28-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXXII-28-8	p-Cl-Ph	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-29.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-29-1	p-Br-Ph	H	H	H	ⁱ Pr	H	H	F	OH
XXXII-29-2	p-Br-Ph	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXXII-29-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXXII-29-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXXII-29-5	p-Br-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXXII-29-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXXII-29-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXXII-29-8	p-Br-Ph	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-30.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-30-1	p-I-Ph	H	H	H	ⁱ Pr	H	H	F	OH
XXXII-30-2	p-I-Ph	H	H	CH ₃	ⁱ Pr	H	H	F	OH
XXXII-30-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXXII-30-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁱ Pr	H	H	F	OH
XXXII-30-5	p-I-Ph	H	H	CH ₂ Ph	ⁱ Pr	H	H	F	OH
XXXII-30-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁱ Pr	H	H	F	OH
XXXII-30-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁱ Pr	H	H	F	OH
XXXII-30-8	p-I-Ph	*	H	*	ⁱ Pr	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-31.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-31-1	CH ₃	H	H	H	ⁿ Bu	H	H	F	OH
XXXII-31-2	CH ₃	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXXII-31-3	CH ₃	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXXII-31-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXXII-31-5	CH ₃	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXXII-31-6	CH ₃	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXXII-31-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXXII-31-8	CH ₃	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-32.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-32-1	Et	H	H	H	ⁿ Bu	H	H	F	OH
XXXII-32-2	Et	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXXII-32-3	Et	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXXII-32-4	Et	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXXII-32-5	Et	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXXII-32-6	Et	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXXII-32-7	Et	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXXII-32-8	Et	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-33.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-33-1	<i>i</i> Pr	H	H	H	<i>n</i> Bu	H	H	F	OH
XXXII-33-2	<i>i</i> Pr	H	H	CH ₃	<i>n</i> Bu	H	H	F	OH
XXXII-33-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	<i>n</i> Bu	H	H	F	OH
XXXII-33-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	H	H	F	OH
XXXII-33-5	<i>i</i> Pr	H	H	CH ₂ Ph	<i>n</i> Bu	H	H	F	OH
XXXII-33-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	H	H	F	OH
XXXII-33-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	H	H	F	OH
XXXII-33-8	<i>i</i> Pr	*	H	*	<i>n</i> Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-34.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-34-1	<i>t</i> Bu	H	H	H	<i>n</i> Bu	H	H	F	OH
XXXII-34-2	<i>t</i> Bu	H	H	CH ₃	<i>n</i> Bu	H	H	F	OH
XXXII-34-3	<i>t</i> Bu	H	H	CH(CH ₃) ₂	<i>n</i> Bu	H	H	F	OH
XXXII-34-4	<i>t</i> Bu	H	H	CH ₂ CH(CH ₃) ₂	<i>n</i> Bu	H	H	F	OH
XXXII-34-5	<i>t</i> Bu	H	H	CH ₂ Ph	<i>n</i> Bu	H	H	F	OH
XXXII-34-6	<i>t</i> Bu	H	H	CH ₂ -indol-3-yl	<i>n</i> Bu	H	H	F	OH
XXXII-34-7	<i>t</i> Bu	H	H	CH ₂ CH ₂ SCH ₃	<i>n</i> Bu	H	H	F	OH
XXXII-34-8	<i>t</i> Bu	*	H	*	<i>n</i> Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-35.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-35-1	Ph	H	H	H	ⁿ Bu	H	H	F	OH
XXXII-35-2	Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXXII-35-3	Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXXII-35-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXXII-35-5	Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXXII-35-6	Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXXII-35-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXXII-35-8	Ph	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-36.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-36-1	p-Me-Ph	H	H	H	ⁿ Bu	H	H	F	OH
XXXII-36-2	p-Me-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXXII-36-3	p-Me-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXXII-36-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXXII-36-5	p-Me-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXXII-36-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXXII-36-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXXII-36-8	p-Me-Ph	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-37.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-37-1	p-F-Ph	H	H	H	ⁿ Bu	H	H	F	OH
XXXII-37-2	p-F-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXXII-37-3	p-F-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXXII-37-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXXII-37-5	p-F-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXXII-37-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXXII-37-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXXII-37-8	p-F-Ph	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-38.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-38-1	p-Cl-Ph	H	H	H	ⁿ Bu	H	H	F	OH
XXXII-38-2	p-Cl-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXXII-38-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXXII-38-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXXII-38-5	p-Cl-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXXII-38-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXXII-38-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXXII-38-8	p-Cl-Ph	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-39.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-39-1	p-Br-Ph	H	H	H	ⁿ Bu	H	H	F	OH
XXXII-39-2	p-Br-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXXII-39-3	p-Br-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXXII-39-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXXII-39-5	p-Br-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXXII-39-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXXII-39-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXXII-39-8	p-Br-Ph	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-40.

№	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-40-1	p-I-Ph	H	H	H	ⁿ Bu	H	H	F	OH
XXXII-40-2	p-I-Ph	H	H	CH ₃	ⁿ Bu	H	H	F	OH
XXXII-40-3	p-I-Ph	H	H	CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXXII-40-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	ⁿ Bu	H	H	F	OH
XXXII-40-5	p-I-Ph	H	H	CH ₂ Ph	ⁿ Bu	H	H	F	OH
XXXII-40-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	ⁿ Bu	H	H	F	OH
XXXII-40-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	ⁿ Bu	H	H	F	OH
XXXII-40-8	p-I-Ph	*	H	*	ⁿ Bu	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-41.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-41-1	CH ₃	H	H	H	Bz	H	H	F	OH
XXXII-41-2	CH ₃	H	H	CH ₃	Bz	H	H	F	OH
XXXII-41-3	CH ₃	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXXII-41-4	CH ₃	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXXII-41-5	CH ₃	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXXII-41-6	CH ₃	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXXII-41-7	CH ₃	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXXII-41-8	CH ₃	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-42.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-42-1	Et	H	H	H	Bz	H	H	F	OH
XXXII-42-2	Et	H	H	CH ₃	Bz	H	H	F	OH
XXXII-42-3	Et	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXXII-42-4	Et	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXXII-42-5	Et	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXXII-42-6	Et	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXXII-42-7	Et	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXXII-42-8	Et	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-43.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-43-1	<i>i</i> Pr	H	H	H	Bz	H	H	F	OH
XXXII-43-2	<i>i</i> Pr	H	H	CH ₃	Bz	H	H	F	OH
XXXII-43-3	<i>i</i> Pr	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXXII-43-4	<i>i</i> Pr	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXXII-43-5	<i>i</i> Pr	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXXII-43-6	<i>i</i> Pr	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXXII-43-7	<i>i</i> Pr	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXXII-43-8	<i>i</i> Pr	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-44.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-44-1	^t Bu	H	H	H	Bz	H	H	F	OH
XXXII-44-2	^t Bu	H	H	CH ₃	Bz	H	H	F	OH
XXXII-44-3	^t Bu	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXXII-44-4	^t Bu	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXXII-44-5	^t Bu	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXXII-44-6	^t Bu	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXXII-44-7	^t Bu	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXXII-44-8	^t Bu	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-45.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-45-1	Ph	H	H	H	Bz	H	H	F	OH
XXXII-45-2	Ph	H	H	CH ₃	Bz	H	H	F	OH
XXXII-45-3	Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXXII-45-4	Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXXII-45-5	Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXXII-45-6	Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXXII-45-7	Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXXII-45-8	Ph	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-46.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-46-1	p-Me-Ph	H	H	H	Bz	H	H	F	OH
XXXII-46-2	p-Me-Ph	H	H	CH ₃	Bz	H	H	F	OH
XXXII-46-3	p-Me-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXXII-46-4	p-Me-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXXII-46-5	p-Me-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXXII-46-6	p-Me-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXXII-46-7	p-Me-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXXII-46-8	p-Me-Ph	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-47.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-47-1	p-F-Ph	H	H	H	Bz	H	H	F	OH
XXXII-47-2	p-F-Ph	H	H	CH ₃	Bz	H	H	F	OH
XXXII-47-3	p-F-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXXII-47-4	p-F-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXXII-47-5	p-F-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXXII-47-6	p-F-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXXII-47-7	p-F-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXXII-47-8	p-F-Ph	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-48.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-48-1	p-Cl-Ph	H	H	H	Bz	H	H	F	OH
XXXII-48-2	p-Cl-Ph	H	H	CH ₃	Bz	H	H	F	OH
XXXII-48-3	p-Cl-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXXII-48-4	p-Cl-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXXII-48-5	p-Cl-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXXII-48-6	p-Cl-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXXII-48-7	p-Cl-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXXII-48-8	p-Cl-Ph	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-49.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-49-1	p-Br-Ph	H	H	H	Bz	H	H	F	OH
XXXII-49-2	p-Br-Ph	H	H	CH ₃	Bz	H	H	F	OH
XXXII-49-3	p-Br-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXXII-49-4	p-Br-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXXII-49-5	p-Br-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXXII-49-6	p-Br-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXXII-49-7	p-Br-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXXII-49-8	p-Br-Ph	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

Table XXXII-50.

N ^o	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	R ⁵	R ⁶	X	Y
XXXII-50-1	p-I-Ph	H	H	H	Bz	H	H	F	OH
XXXII-50-2	p-I-Ph	H	H	CH ₃	Bz	H	H	F	OH
XXXII-50-3	p-I-Ph	H	H	CH(CH ₃) ₂	Bz	H	H	F	OH
XXXII-50-4	p-I-Ph	H	H	CH ₂ CH(CH ₃) ₂	Bz	H	H	F	OH
XXXII-50-5	p-I-Ph	H	H	CH ₂ Ph	Bz	H	H	F	OH
XXXII-50-6	p-I-Ph	H	H	CH ₂ -indol-3-yl	Bz	H	H	F	OH
XXXII-50-7	p-I-Ph	H	H	CH ₂ CH ₂ SCH ₃	Bz	H	H	F	OH
XXXII-50-8	p-I-Ph	*	H	*	Bz	H	H	F	OH

*R² and R^{3b} joined together by (CH₂)₃ to form five-membered ring.

DOSAGE, ADMINISTRATION, AND USE

[0114] A sixth embodiment of the present invention is directed to a composition for the treatment of any of the viral agents disclosed herein said composition comprising a pharmaceutically acceptable medium selected from among an excipient, carrier, diluent, and equivalent medium and a compound, that is intended to include its salts (acid or basic addition salts), hydrates, solvates, and crystalline forms can be obtained, represented by formula I.

[0115] It is contemplated that the formulation of the sixth embodiment can contain any of the compounds contemplated in any of the aspects of the first, second, third, fourth, and fifth embodiments or those specifically recited in the tables above or exemplified herein, either alone or in combination with another compound of the present invention.

[0116] The compounds of the present invention may be formulated in a wide variety of oral administration dosage forms and carriers. Oral administration can be in the form of tablets, coated tablets, hard and soft gelatin capsules, solutions, emulsions, syrups, or suspensions. Compounds of the present invention are efficacious when administered by suppository administration, among other routes of administration. The most convenient manner of administration is generally oral using a convenient daily dosing regimen which can be adjusted according to the severity of the disease and the patient's response to the antiviral medication.

[0117] A compound or compounds of the present invention, as well as their pharmaceutically acceptable salts, together with one or more conventional excipients, carriers, or diluents, may be placed into the form of pharmaceutical compositions and unit dosages. The pharmaceutical compositions and unit dosage forms may be comprised of conventional ingredients in conventional proportions, with or without additional active compounds and the unit dosage forms may contain any suitable effective amount of the active ingredient commensurate with the intended daily dosage range to be employed.

The pharmaceutical compositions may be employed as solids, such as tablets or filled capsules, semisolids, powders, sustained release formulations, or liquids such as suspensions, emulsions, or filled capsules for oral use; or in the form of suppositories for rectal or vaginal administration. A typical preparation will contain from about 5% to about 95% active compound or compounds (w/w). The term "preparation" or "dosage form" is intended to include both solid and liquid formulations of the active compound and one skilled in the art will appreciate that an active ingredient can exist in different preparations depending on the desired dose and pharmacokinetic parameters.

[0118] The term "excipient" as used herein refers to a compound that is used to prepare a pharmaceutical composition, and is generally safe, non-toxic and neither biologically nor otherwise undesirable, and includes excipients that are acceptable for veterinary use as well as human pharmaceutical use. The compounds of this invention can be administered alone but will generally be administered in admixture with one or more suitable pharmaceutical excipients, diluents or carriers selected with regard to the intended route of administration and standard pharmaceutical practice.

[0119] A "pharmaceutically acceptable salt" form of an active ingredient may also initially confer a desirable pharmacokinetic property on the active ingredient which were absent in the non-salt form, and may even positively affect the pharmacodynamics of the active ingredient with respect to its therapeutic activity in the body. The phrase "pharmaceutically acceptable salt" of a compound as used herein means a salt that is pharmaceutically acceptable and that possesses the desired pharmacological activity of the parent compound. Such salts include: (1) acid addition salts, formed with inorganic acids such as hydrochloric acid, hydrobromic acid, sulfuric acid, nitric acid, phosphoric acid, and the like; or formed with organic acids such as glycolic acid, pyruvic acid, lactic acid, malonic acid, malic acid, maleic acid, fumaric acid, tartaric acid, citric acid, 3-(4-hydroxybenzoyl)benzoic acid, cinnamic acid, mandelic acid, methanesulfonic acid, ethanesulfonic acid, 1,2-ethane-disulfonic acid, 2-hydroxyethanesulfonic acid, benzenesulfonic acid, 4-chlorobenzenesulfonic acid, 2-naphthalenesulfonic acid, 4-toluenesulfonic acid, camphorsulfonic acid, lauryl sulfuric acid, gluconic acid, glutamic acid, salicylic acid, muconic acid, and the like or (2) basic addition salts formed with the conjugate bases of any of the inorganic acids listed above, wherein the conjugate bases comprise a cationic component selected from among Na^+ , K^+ , Mg^{2+} , Ca^{2+} , and NH_4R^{g+} , in which R^g is a C_{1-3} alkyl and g is a number selected from among 0, 1, 2, 3, or 4. It should be understood that all references to pharmaceutically acceptable salts include solvent addition forms (solvates) or crystal forms (polymorphs) as defined herein, of the same acid addition salt.

[0120] Solid form preparations include powders, tablets, pills, capsules, suppositories, and dispersible granules. A solid carrier may be one or more substances which may also act as diluents, flavoring agents, solubilizers, lubricants, suspending agents, binders, preservatives, tablet disintegrating agents, or an encapsulating material. In powders, the carrier generally is a finely divided solid which is a mixture with the finely divided active component. In tablets, the active component generally is mixed with the carrier having the necessary binding capacity in suitable proportions and compacted in the shape and size desired. Suitable carriers include but are not limited to magnesium carbonate, magnesium stearate, talc, sugar, lactose, pectin, dextrin, starch, gelatin, tragacanth, methylcellulose, sodium carboxymethylcellulose, a low melting wax, cocoa butter, and the like. Solid form preparations may contain, in addition to the active component, colorants, flavors, stabilizers, buffers, artificial and natural sweeteners, dispersants, thickeners, solubilizing agents, and the like.

[0121] Liquid formulations also are suitable for oral administration include liquid formulation including emulsions, syrups, elixirs and aqueous suspensions. These include solid form preparations which are intended to be converted to liquid form preparations shortly before use. Emulsions may be prepared in solutions, for example, in aqueous propylene glycol solutions or may contain emulsifying agents such as lecithin, sorbitan monooleate, or acacia. Aqueous suspensions can be prepared by dispersing the finely divided active component in water with viscous material, such as natural or synthetic gums, resins, methylcellulose, sodium carboxymethylcellulose, and other well known suspending agents.

[0122] The compounds of the present invention may be formulated for administration as suppositories. A low melting wax, such as a mixture of fatty acid glycerides or cocoa butter is first melted and the active component is dispersed homogeneously, for example, by stirring. The molten homogeneous mixture is then poured into convenient sized molds, allowed to cool, and to solidify.

[0123] The compounds of the present invention may be formulated for vaginal administration. Pessaries, tampons, creams, gels, pastes, foams or sprays containing in addition to the active ingredient such carriers as are known in the art to be appropriate.

[0124] Suitable formulations along with pharmaceutical carriers, diluents and excipients are described in Remington: The Science and Practice of Pharmacy 1995, edited by E. W. Martin, Mack Publishing Company, 19th edition, Easton, Pennsylvania, which is hereby incorporated by reference. The compounds of the present invention can also be encapsulated in liposomes, such as those disclosed in U.S. Patent Nos. 6,180,134, 5,192,549, 5,376,380, 6,060,080, 6,132,763, each of which is incorporated by reference. A skilled formulation scientist may modify the formulations within the teachings of the specification to provide numerous formulations for a particular route of administration without rendering the compositions of the present invention unstable or compromising their therapeutic activity.

[0125] The modification of the present compounds to render them more soluble in water or other vehicle, for example, may be easily accomplished by minor modifications (e.g., salt formulation), which are well within the ordinary skill in the

art. It is also well within the ordinary skill of the art to modify the route of administration and dosage regimen of a particular compound in order to manage the pharmacokinetics of the present compounds for maximum beneficial effect in patients.

[0126] A seventh embodiment of the present invention is directed to a use of the compound represented by formula I in the manufacture of a medicament for the treatment of any condition the result of an infection by any one of the following viral agents: hepatitis C virus, West Nile virus, yellow fever virus, dengue virus, rhinovirus, polio virus, hepatitis A virus, bovine viral diarrhea virus and Japanese encephalitis virus.

[0127] The term "medicament" means a substance used in a method of treatment and/or prophylaxis of a subject in need thereof, wherein the substance includes, but is not limited to, a composition, a formulation, a dosage form, and the like, comprising the compound of formula I. It is contemplated that the compound of the use of the compound represented by formula I in the manufacture of a medicament for the treatment of any of the antiviral conditions disclosed herein of the seventh embodiment can be any of the compounds contemplated in any of the aspects of the first, second, third, fourth, fifth embodiments or those specifically recited in the tables above or exemplified herein, either alone or in combination with another compound of the present invention. A medicament includes, but is not limited to, any one of the compositions contemplated by the sixth embodiment of the present invention.

[0128] A eighth embodiment of the present invention is directed to a method of treatment and/or prophylaxis in a subject in need thereof said method comprises administering a therapeutically effective amount of the compound represented by formula I to the subject.

[0129] A first aspect of the eighth embodiment is directed to a method of treatment and/or prophylaxis in a subject in need thereof said method comprises administering a therapeutically effective of at least two or more different compounds falling within the scope of the compound represented by formula I to the subject.

[0130] A second aspect of the eighth embodiment is directed to a method of treatment and/or prophylaxis in a subject in need thereof said method comprises alternatively or concurrently administering a therapeutically effective of at least two compounds falling within the scope of the compound represented by formula I to the subject.

[0131] It is intended that a subject in need thereof is one that has any condition the result of an infection by any of the viral agents disclosed herein, which includes, but is not limited to, hepatitis C virus, West Nile virus, yellow fever virus, dengue virus, rhinovirus, polio virus, hepatitis A virus, bovine viral diarrhea virus or Japanese encephalitis virus, flaviviridae viruses or pestiviruses or hepaciviruses or a viral agent causing symptoms equivalent or comparable to any of the above-listed viruses.

[0132] The term "subject" means a mammal, which includes, but is not limited to, cattle, pigs, sheep, chicken, turkey, buffalo, llama, ostrich, dogs, cats, and humans, preferably the subject is a human. It is contemplated that in the method of treating a subject thereof of the sixth embodiment can be any of the compounds contemplated in any of the aspects of the first, second, and third embodiments or those specifically recited in the tables above, either alone or in combination with another compound of the present invention.

[0133] The term "therapeutically effective amount" as used herein means an amount required to reduce symptoms of the disease in an individual. The dose will be adjusted to the individual requirements in each particular case. That dosage can vary within wide limits depending upon numerous factors such as the severity of the disease to be treated, the age and general health condition of the patient, other medicaments with which the patient is being treated, the route and form of administration and the preferences and experience of the medical practitioner involved. For oral administration, a daily dosage of between about 0.1 and about 10 g, including all values in between, such as 0.25, 0.5, 0.75, 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, and 9.5, per day should be appropriate in monotherapy and/or in combination therapy. A preferred daily dosage is between about 0.5 and about 7.5 g per day, more preferred 1.5 and about 6.0 g per day. Generally, treatment is initiated with a large initial "loading dose" to rapidly reduce or eliminate the virus following by a decreasing the dose to a level sufficient to prevent resurgence of the infection. One of ordinary skill in treating diseases described herein will be able, without undue experimentation and in reliance on personal knowledge, experience and the disclosures of this application, to ascertain a therapeutically effective amount of the compounds of the present invention for a given disease and patient.

[0134] Therapeutic efficacy can be ascertained from tests of liver function including, but not limited to protein levels such as serum proteins (e.g., albumin, clotting factors, alkaline phosphatase, aminotransferases (e.g., alanine transaminase, aspartate transaminase), 5'-nucleosidase, γ -glutamyltranspeptidase, etc.), synthesis of bilirubin, synthesis of cholesterol, and synthesis of bile acids; a liver metabolic function, including, but not limited to, carbohydrate metabolism, amino acid and ammonia metabolism. Alternatively the therapeutic effectiveness may be monitored by measuring HCV-RNA. The results of these tests will allow the dose to be optimized.

[0135] A third aspect of the eighth embodiment, is directed to a method of treatment and/or prophylaxis in a subject in need thereof said method comprises administering to the subject a therapeutically effective of a compound represented by formula I and a therapeutically effective amount of another antiviral agent; wherein the administration is concurrent or alternative. It is understood that the time between alternative administration can range between 1-24 hours, which includes any sub-range in between including, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, and 23 hours. Examples of "another antiviral agents" include, but are not limited to: HCV NS3 protease inhibitors (see WO

2008010921, WO 2008010921, EP 1881001, WO 2007015824, WO 2007014925, WO 2007014926, WO 2007014921, WO 2007014920, WO 2007014922, US 2005267018, WO 2005095403, WO 2005037214, WO 2004094452, US 2003187018, WO 200364456, WO 2005028502, and WO 2003006490); HCV NS5B Inhibitors (see US 2007275947, US20072759300, WO2007095269, WO 2007092000, WO 2007076034, WO 200702602, US 2005-98125, WO 2006093801, US 2006166964, WO 2006065590, WO 2006065335, US 2006040927, US 2006040890, WO 2006020082, WO 2006012078, WO 2005123087, US 2005154056, US 2004229840, WO 2004065367, WO 2004003138, WO 2004002977, WO 2004002944, WO 2004002940, WO 2004000858, WO 2003105770, WO 2003010141, WO 2002057425, WO 2002057287, WO 2005021568, WO 2004041201, US 20060293306, US 20060194749, US 20060241064, US 6784166, WO 2007088148, WO 2007039142, WO 2005103045, WO 2007039145, WO 2004096210, and WO 2003037895); HCV NS4 Inhibitors (see WO 2007070556 and WO 2005067900); HCV NS5a Inhibitors (see US 2006276511, WO 2006120252, WO 2006120251, WO 2006100310, WO 2006035061); Toll-like receptor agonists (see WO 2007093901); and other inhibitors (see WO 2004035571, WO 2004014852, WO 2004014313, WO 2004009020, WO 2003101993, WO 2000006529).

[0136] A fourth aspect of the eighth embodiment, is directed to a method of treatment in a subject in need thereof said method comprises alternatively or concurrently administering a therapeutically effective of a compound represented by formula I and another antiviral agent to the subject. It is understood that the time between alternative administration can range between 1-24 hours, which includes any sub-range in between including, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, and 23 hours.

[0137] A fifth aspect of the eighth embodiment, is directed to a method of treatment and/or prophylaxis in a subject in need thereof said method comprises administering to the subject a therapeutically effective of at least one compound represented by formula I and a therapeutically effective amount of another antiviral agent; wherein the administration is concurrent or alternative. It is understood that the time between alternative administration can range between 1-24 hours, which includes any sub-range in between including, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, and 23 hours.


[0138] A sixth aspect of the eighth embodiment, is directed to a method of treatment in a subject in need thereof said method comprises alternatively or concurrently administering a therapeutically effective of at least one compound represented by formula I and another antiviral agent to the subject. It is understood that the time between alternative administration can range between 1-24 hours, which includes any sub-range in between including, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, and 23 hours.

[0139] It is contemplated that the another antiviral agent includes, but is not limited to interferon - α , interferon- β , pegylated interferon- α , ribavirin, levovirin, viramidine, another nucleoside HCV polymerase inhibitor, a HCV non-nucleoside polymerase inhibitor, a HCV protease inhibitor, a HCV helicase inhibitor or a HCV fusion inhibitor. When the active compound or its derivative or salt are administered in combination with another antiviral agent the activity may be increased over the parent compound. When the treatment is combination therapy, such administration may be concurrent or sequential with respect to that of the nucleoside derivatives. "Concurrent administration" as used herein thus includes administration of the agents at the same time or at different times. Administration of two or more agents at the same time can be achieved by a single formulation containing two or more active ingredients or by substantially simultaneous administration of two or more dosage forms with a single active agent.

[0140] It will be understood that references herein to treatment extend to prophylaxis as well as to the treatment of existing conditions. Furthermore, the term "treatment" of a HCV infection, as used herein, also includes treatment or prophylaxis of a disease or a condition associated with or mediated by HCV infection, or the clinical symptoms thereof.

PROCESS FOR PREPARATION

[0141] An ninth embodiment of the present invention is directed to a process for preparing the compound of formula I, which comprises reacting a suitably substituted phosphochloridate compound 4 with a nucleoside analog 5




wherein the substituents R¹, R², R^{3a}, R^{3b}, R⁴, R⁵, X, Y, R⁶, and base have their meanings as disclosed in the Detailed Description of the Invention and X' is a leaving group, such as Cl, Br, I, tosylate, mesylate, trifluoroacetate, trifluoromethylsulfonate, pentafluorophenoxide, p-NO₂-phenoxide, or other commonly used leaving groups as disclosed in Advanced Organic Chemistry by March, Fourth Edition. Leaving groups and methods that can be used to effect the formation of

a phosphoramidate nucleoside conjugate are found in US 20060142238 and WO 2007095269. Preferably, the leaving group is Cl.

[0142] This reaction is performed in an anhydrous aprotic solvent such tetrahydrofuran, dioxane, or both tetrahydrofuran and dioxane, or any functional equivalent thereof, with tetrahydrofuran being the preferred solvent. The reaction is typically initiated at a temperature range from -78°C to 40°C with the preferred reaction temperature being between 0°C and room temperature. The nucleoside is first stirred with a base (5 to 12 equivalents) such as N-methylimidazole, collidine, pyridine, 2,6-lutidine, 2, 6-*t*Bu-pyridine, etc. a tertiary amine base, such as triethylamine, diisopropylethylamine, etc., or an alkyl Grignard reagent, such as *t*BuMgCl, *t*BuMgBr, MeMgCl, MeMgBr, etc. The phosphorochloridate (3-10 equivalents) is dissolved in the reaction solvent and added to the mixture of the nucleoside and base. The reaction is then allowed to stir over a period of time at a temperature between room temperature and 40°C for a period of 30 min to 24 hr. with the preferred reaction temperature being room temperature and time being 24 hr. The solvent is removed from the reaction mixture and the product is purified by chromatography on silica gel.

[0143] A tenth embodiment of the present invention is directed to a product obtained by a process which comprises reacting a suitably substituted phosphochloridate compound 4 with a nucleoside analog 5



wherein the substituents R¹, R², R^{3a}, R^{3b}, R⁴, R⁵, X, Y, R⁶, X', and base have their meanings as disclosed in the Detailed Description of the Invention.

[0144] This reaction can be performed in an anhydrous aprotic solvent or other suitable solvent, such as tetrahydrofuran, dioxane, or a mixture of tetrahydrofuran and dioxane, with tetrahydrofuran being the preferred solvent. The reaction is typically initiated at a temperature range from -78°C to 40°C with the preferred reaction temperature being between 0°C and room temperature. The nucleoside is first stirred with a base (5 to 12 equivalents) such as N-methylimidazole, a tertiary amine base or *t*Butyl Magnesium Chloride. A phosphorochloridate (3-10 equivalents (or suitable "phosphoro-(leaving group)-date")) is dissolved in the reaction solvent and added to the mixture of the nucleoside and base. The reaction is then allowed to stir over a period of time at a temperature between room temperature and 40°C for a period of 30 min to 24 hr. with the preferred reaction temperature being room temperature and time being 24 hr. The solvent is removed from the reaction mixture and the product is purified by chromatography on silica gel.


Compounds and Preparation

[0145] Phosphoramidate compounds of the present invention can be prepared by condensation of a nucleoside analog 5 with a suitably substituted phosphochloridate compound 4 (Scheme 1). The nucleoside analog is made by conventional procedures disclosed in any one of U.S. Published Application Nos. 2005/0009737, 2006/0199783, 2006/0122146, and 2007/0197463, each of which is incorporated by reference in its entirety.

[0146] Disclosed ¹H-NMR values were recorded on a Varian AS-400 instrument. Mass spectral data were obtain using either a Micromass-Quattromicro API or a Waters Acquity.

[0147] Thus, by way of example only, a suitably substituted phenol can be reacted with phosphorus oxychloride (1) to afford an aryloxy phosphorodichloridate 2 (see Example 1) which is subsequently treated with a acid addition salt of an α -amino acid ester in the presence of TEA to afford an aryloxy phosphorochloridate 4. This arylalkoxy-amino acid phosphoramidate is reacted with the nucleoside analog to provide the product I (for procedure see, e.g., C. McGuigan et al. Antiviral Res. 1992 17:311-321; D. Curley et al. Antiviral Res. 1990 14:345-356; McGuigan et al. Antiviral Chem. Chemother 1990 1(2):107-113).

Scheme 1



[0148] The preparation of nucleoside phosphoramidates requires reacting an appropriately substituted phosphochloridate with a nucleoside containing a free 5'-hydroxyl moiety. In cases where only one hydroxyl group is present, preparation of the phosphoramidate usually proceeds smoothly when the phosphochloridate is reacted with the desired nucleoside. In cases where the nucleoside contains more than one free hydroxyl group, preparation of the appropriately protected nucleoside might be required. Silyl, acetonide or other alcohol protecting groups known in the art might be warranted for protection of the sugar moiety. For protection of the nucleoside base, protecting a free amino group may require amidine protection strategy.


[0149] Condensation of the phosphochloridate can be carried out on the unprotected nucleoside. Since the 5'-OH group of a nucleoside is much less hindered than the 3'-OH group, selective phosphoramidation is possible under carefully controlled conditions. After condensation to form a protected phosphoramidate nucleoside, deprotection to obtain the free phosphoramidate nucleoside can be carried out using standard protocols for nucleic acid chemistry. In many cases, the desired product is readily separated from the starting material using column chromatography on silica gel. The synthetic scheme is summarized in Scheme 1.

[0150] A further understanding of the disclosed embodiments will be appreciated by consideration of the following examples, which are only meant to be illustrative, and not limit the disclosed invention.


EXAMPLE 1

General Procedure for Preparation of phosphorodichloridates

[0151]



[0152] A solution of the appropriate phenol **R¹-OH** (1eq) and triethylamine (1 eq.) in anhydrous ether was added dropwise to a stirred solution of phosphoryl trichloride 1 (1eq) at 0 °C over a period of 3 hours under nitrogen. Then the temperature was warmed to room temperature, and the reaction was stirred overnight. The triethylamine salt was quickly removed with suction filtration and the filtrate concentrated *in vacuo* to dryness to afford 2 as an oil which was used without further purification.



[0158] 2'-Deoxy-2'-fluoro-2'-C-methylcytidine (1.0g, 1 eq) (Clark, J., et al., J. Med. Chem., 2005, 48, 5504-5508) was dissolved in 10 ml of anhydrous pyridine and concentrated to dryness in vacuo. The resulting syrup was dissolved in 20 ml of anhydrous pyridine under nitrogen and cooled to 0°C with stirring. The brown solution was treated with benzoyl chloride (1.63g, 3eq) dropwise over 10 min. The ice bath was removed and stirring continued for 1.5h whereby thin-layer chromatography (TLC) showed no remaining starting material. The mixture was quenched by addition of water (0.5 ml) and concentrated to dryness. The residue was dissolved in 50 mL of dichloromethane (DCM) and washed with saturated NaHCO₃ aqueous solution and H₂O. The organic phase was dried over NaSO₄ and filtered, concentrated to dryness to give N⁴,3',5'-tribenzoyl-2'-Deoxy-2'-fluoro-2'-C-methylcytidine (2.0 g, Yield: 91 %).


[0159] N⁴,3',5'-tribenzoyl-2'-Deoxy-2'-fluoro-2'-C-methylcytidine (2.0g, 1 eq) was refluxed in 80% aqueous AcOH overnight. After cooling and standing at room temperature (15 °C), most of the product precipitated and then was filtered through a sintered funnel. White precipitate was washed with water and co-evaporated with toluene to give a white solid. The filtrate was concentrated and co-evaporated with toluene to give additional product which was washed with water to give a white solid. Combining the two batches of white solid gave 1.50g of 3',5'-dibenzoyl-2'-Deoxy-2'-fluoro-2'-C-methyluridine (Yield: 91%).

[0160] To a solution of 3',5'-dibenzoyl-2'-Deoxy-2'-fluoro-2'-C-methyluridine (1.5 g, 1eq) in MeOH (10 mL) was added a solution of saturated ammonia in MeOH (20mL). The reaction mixture was stirred at 0 °C for 30 min, and then warmed to room temperature slowly. After the reaction mixture was stirred for another 18 hours, the reaction mixture was evaporated under reduced pressure to give the residue, which was purified by column chromatography to afford pure compound 2'-deoxy-2'-fluoro-2'-C-methyluridine (500 mg, Yield: 60 %).

EXAMPLE 5

Preparation of 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(phenyl methoxy-alanyl phosphate)

[0161]




[0162] Phenyl methoxyalaninyl phosphorochloridate (1 g, 6.5 eq) dissolved in 3 mL of THF was added to a mixture of 2'-Deoxy-2'-fluoro-2'-C-methyluridine (0.15 g, 1 eq) and N-methylimidazole (0.3 g, 8 eq) in 3 mL THF with vigorous stirring at room temperature, then the reaction was stirred overnight. Solvent was removed by reduced pressure. The resulting crude product was dissolved in methanol purified by prep-HPLC on a YMC 25x30x2 mm column using a water / acetonitrile gradient elution mobile phase. The acetonitrile and water were removed under reduced pressure to give the desired product (50.1 mg, 15.6%). ¹H NMR (DMSO-*d*₆) δ 1.20-1.27 (m, 6H), 3.58 (*d*, *J* = 16.0 Hz, 3H), 3.75-3.92 (m, 2H), 4.015-4.379 (m, 2H), 5.54 (*t*, *J* = 10.2 Hz, 1H), 5.83-5.91 (m, 1H), 6.00-6.16 (m, 1H), 7.18 (*d*, *J* = 8.0 Hz, 2H), 7.22 (s,

1H), 7.35 (t, $J = 4.4$ Hz, 2H), 7.55 (s, 1H), 11.52 (s, 1H); MS, m/e 502 ($M+1$)⁺.

EXAMPLE 6

Preparation of 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(phenyl methoxy-valyl phosphate)

[0163]




[0164] Phenyl methoxy-valyl phosphorochloridate (0.6 g, 3.6 eq) dissolved in 3 mL of THF was added to a mixture of 2'-Deoxy-2'-fluoro-2'-C-methyluridine (0.15 g, 1 eq) and N-methylimidazole (0.44 g, 9 eq) in 3 mL THF with vigorous stirring at room temperature, then the reaction was stirred overnight. Solvent was removed by reduced pressure. The resulting crude product was dissolved in methanol purified by prep-HPLC on a YMC 25x30X2 mm column using a water / acetonitrile gradient elution mobile phase. The acetonitrile and water were removed under reduced pressure to give the desired product (60 mg, 20%). ¹H NMR (DMSO-*d*₆) δ 0.74-0.847 (m, 6H), 1.20-1.28 (m, 3H), 1.89-1.92 (m, 1H), 3.50-3.54 (m, 1H), 3.58 (*d*, $J = 10.4$ Hz, 3H), 3.72-3.95 (m, 1H), 4.03-4.05 (m, 1H), 4.23-4.43 (m, 2H), 5.56 (*t*, $J = 16.0$ Hz, 1H), 5.85-5.92 (m, 1H), 6.01-6.07 (m, 1H), 7.16-7.21 (m, 3H), 7.37 (*t*, $J = 8$ Hz, 2H), 7.55-7.60 (m, 1H), 11.52 (s, 1H); MS, m/e 530 ($M+1$)⁺.

EXAMPLE 7

Preparation of 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(4-bromophenyl methoxy-valyl phosphate)

[0165]




[0166] 4-Bromophenyl methoxy-valyl phosphorochloridate (1 g, 3.4 eq) dissolved in 3 mL of THF was added to a mixture of 2'-deoxy-2'-fluoro-2'-C-methyluridine (0.2 g, 1 eq) and N-methylimidazole (0.35 g, 6 eq) in 3 mL THF with vigorous stirring at room temperature, then the reaction was stirred overnight. Solvent was removed by reduced pressure. The resulting crude product was dissolved in methanol purified by prep-HPLC on a YMC 25x30X2 mm column using a water / acetonitrile gradient elution mobile phase. The acetonitrile and water were removed reduced pressure to give the desired product (120 mg, 26%). ¹H NMR (DMSO-*d*₆) δ 0.72-0.82 (m, 6H), 1.19-1.26 (m, 3H), 1.86-1.92 (m, 1H), 3.48-3.50 (m, 1H), 3.56 (*d*, $J = 12.0$ Hz, 3H), 3.72-3.89 (m, 1H), 3.96-4.03 (m, 1H), 4.22-4.37 (m, 2H), 5.54-5.60 (m, 1H), 5.85-5.91 (m, 1H), 5.98-6.13 (m, 1H), 7.15 (*d*, $J = 8.0$ Hz, 2H), 7.49-7.56 (m, 3H), 11.53 (s, 1H); MS, m/e 608 ($M+1$)⁺.

EXAMPLE 8

Preparation of 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(4-bromophenyl methoxy-alanyl phosphate)

[0167]




[0168] 4-Bromophenyl methoxy-alanyl phosphorochloridate (0.6 g, 5 eq) dissolved in 3 mL of THF was added to a mixture of 2'-deoxy-2'-fluoro-2'-C-methyluridine (0.15 g, 1 eq) and N-methylimidazole (0.3 g, 7.8 eq) in 3 mL THF with vigorous stirring at room temperature, then the reaction was stirred overnight. Solvent was removed by reduced pressure. The resulting crude product was dissolved in methanol purified by prep-HPLC on a YMC 25x30X2 mm column using a water / acetonitrile gradient elution mobile phase. The acetonitrile and water were removed under reduced pressure to give the desired product (40 mg, 12 %); ¹H NMR (DMSO-*d*₆) δ 1.20-1.26 (m, 6H), 3.57 (d, *J* = 2.8 Hz, 3H), 3.84 (s, 1H), 3.97-4.03 (m, 1H), 4.21-4.25 (m, 1H), 4.33-4.37 (m, 2H), 5.54-5.60 (m, 1H), 5.83-5.89 (m, 1H), 5.98-6.19 (m, 1H), 7.16 (t, *J* = 10.2 Hz, 2H), 7.52-7.57 (m, 3H), 11.52 (s, 1 H); MS, *m/e* 580(M+1)⁺.

EXAMPLE 9

Preparation of N⁴-(*N,N*-dimethylformamidinyl)-2'-deoxy-2'-fluoro-2'-C-methylcytidine

[0169]




[0170] 2'-Deoxy-2'-fluoro-2'-C-methylcytidine (500 mg, 1.9 mmol) was stirred with dimethylformamide dimethyl acetal in DMF (10 mL). The resulting mixture was stirred at room temperature overnight. After solvent removal the crude product was used for next step without further purification.

EXAMPLE 10

Preparation of 2'-Deoxy-2'-fluoro-2'-C-methylcytidine 5'-(phenyl methoxy-alanyl phosphate)

[0171]




[0172] Phenyl methoxyalaninyl phosphorochloridate (0.6 g, 6 eq) dissolved in 3 mL of THF was added to a mixture of N⁴-(*N,N*-dimethylformamidinyl)-2'-deoxy-2'-fluoro-2'-C-methylcytidine (0.15 g, 1 eq) and N-methylimidazole (0.3 g, 7.8 eq) in 3 mL THF with vigorous stirring at room temperature, then the reaction was stirred overnight. Solvent was removed by reduced pressure. The resulting crude product was dissolved in methanol purified by prep-HPLC on a YMC 25x30X2 mm column using a water / acetonitrile gradient elution mobile phase. The acetonitrile and water were removed under reduced pressure to give the desired product (62 mg, 20.6%). ¹H NMR (DMSO-*d*₆) δ 1.16 (d, *J* = 23.2 Hz, 3H), 1.22 (d, *J* = 7.2 Hz, 3H), 3.56 (s, 3H), 3.69-3.75 (d, *J* = 25.6 Hz, 1H), 3.82-3.86 (m, 1H), 3.96-3.98 (m, 1H), 4.21-4.34 (m, 2H), 5.68 (d, *J* = 7.2 Hz, 1H), 5.75-5.77 (m, 1H), 6.07-6.16 (m, 1H), 7.15-7.19 (m, 3H), 7.2 (d, *J* = 9.2 Hz, 2H), 7.39 (t, *J* = 7.8 Hz, 2H), 7.48 (d, *J* = 9.2 Hz, 1H); MS, *m/e* 501(M+1)⁺.

EXAMPLE 11

Preparation of 2'-Deoxy-2'-fluoro-2'-C-methylcytidine 5'-(4-bromophenyl methoxy-valyl phosphate)

[0173]




[0174] 4-Bromophenyl methoxy-valyl phosphorochloridate (1.0 g, 3.4 eq.) dissolved in 3 mL of THF was added to a mixture of N^4 -(*N,N*-dimethylformamidinyl)-2'-deoxy-2'-fluoro-2'-C-methylcytidine (0.2 g, 1 eq.) and *N*-methylimidazole (0.35 g, 6 eq.) in 3 mL THF with vigorous stirring at room temperature, then the reaction was stirred overnight. Solvent was removed by reduced pressure. The resulting crude product was dissolved in methanol purified by prep-HPLC on a YMC 25x30X2 mm column using a water / acetonitrile gradient elution mobile phase. The acetonitrile and water were removed under reduced pressure to give the desired product as a white solid (59 mg, 13%); ^1H NMR ($\text{DMSO}-d_6$) δ 0.74-0.83 (m, 6H), 1.12-1.20 (m, 3H), 1.89-1.92 (m, 1H), 3.49-3.51 (m, 1H), 3.55 (s, 3H), 3.59-3.68 (m, 1H), 3.72-3.83 (m, 1H), 4.21-4.39 (m, 2H), 5.70-5.72 (m, 1H), 5.76-5.83 (m, 1H), 6.04-6.16 (m, 1H), 7.15 (d, $J = 13.0$ Hz, 2H), 7.26 (s, 1H), 7.33 (s, 1H), 7.46-7.55 (m, 1H), 7.56 (d, $J = 4.4$ Hz, 2H); MS, m/e 607 ($M+1$) $^+$.

EXAMPLE 12

Preparation of 2'-deoxy-2'-fluoro-2'-C-methylcytidine 5'-(phenyl methoxy-valyl phosphate)


[0175]



[0176] Phenyl methoxy-valyl phosphorochloridate (0.6 g, 6 eq.) dissolved in 3 mL of THF was added to a mixture of N^4 -(*N,N*-dimethylformamidinyl)-2'-deoxy-2'-fluoro-2'-C-methylcytidine (0.15 g, 1 eq.) and *N*-methylimidazole (0.3 g, 7.8 eq.) in 3 mL THF with vigorous stirring at room temperature, then the reaction was stirred overnight. Solvent was removed by reduced pressure. The resulting crude product was dissolved in methanol purified by prep-HPLC on a YMC 25x30X2 mm column using a water / acetonitrile gradient elution mobile phase. The acetonitrile and water were removed under reduced pressure to give the desired product as a white solid (86 mg, 42.9 %). ^1H NMR ($\text{DMSO}-d_6$) δ 0.72-0.80 (m, 6H), 1.09-1.18 (m, 3H), 1.87-1.92 (m, 1H), 3.47-3.51 (m, 1H), 3.58 (s, 3H), 3.71-3.75 (m, 1H), 3.97 (t, $J = 11.2$ Hz, 1H), 4.22-4.37 (m, 2H), 5.70 (d, $J = 8.0$ Hz, 1H), 5.76-5.84 (m, 1H), 6.01-6.15 (m, 1H), 7.13-7.18 (m, 3H), 7.27 (s, 2H), 7.34 (d, $J = 4.0$ Hz, 2H), 7.46-7.50 (m, 1H); MS, m/e 529 ($M+1$) $^+$.

EXAMPLES

[0177]



Ex.	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	NMR/MS
13	Ph	H	H	Me	Et	1H NMR (DMSO- <i>d</i> ₆) δ 1.12-1.16 (m, 3H), 1.20-1.28(m,6H), 3.70-3.90 (m, 2H), 4.00-4.08 (m, 3H), 4.18-4.45 (m, 2H), 5.52-5.58 (m, 1H), 5.85-5.98 (m, 1H), 6.00-6.20 (m, 2H), 7.16-7.23 (m, 3H), 7.37-7.40 (m, 2H) , 7.54-7.60 (m, 1H), 11.54 (s.1H) ; MS, m/e 516.1 (M+1)+
14	1-Napth	H	H	Me	Bn	1H NMR (DMSO- <i>d</i> ₆) δ 1.18-1.30 (m, 6H), 3.78-4.10 (m, 3H), 4.38-4.49 (m, 2H), 4.99-5.11 (m, 2H), 5.28-5.40 (m, 1H), 5.85-6.10 (m, 2H), 6.30-6.41 (m, 1H), 7.28-7.32 (m, 5H), 7.41-7.60 (m, 5H), 7.73-7.76(m, 1H) , 7.94-8.11(m, 1H) , 8.13-8.15(m, 1H) , 11.50 (s.1H) ; MS, m/e 628.4 (M+1)+
15	Ph	H	H	H	Me	1H NMR (DMSO- <i>d</i> ₆) δ 1.22 (d, J=22.4 Hz, 3H), 3.59(s, 3H), 3.63-3.69 (m, 2H), 3.74-3.8(m, 1H), 4.02(d, J=11.2 Hz, 1H), 4.23-4.28(m, 1H), 4.40-4.43 (m, 1H), 5.57-5.60 (m, 1H), 5.89(d, J=6.8 Hz, 1H), 6.00-6.06(m, 2H), 7.15-7.23 (m, 3H), 7.35-7.39 (m, 2H),7.52(d, J=8 Hz, 1H), 11.52(s, 1H) ; MS, m/e 487.97 (M+1)+
16	2,4-Cl-Ph	H	H	Me	Me	1H NMR (DMSO- <i>d</i> ₆) δ 1.22-1.28 (m, 6H), 3.57-3.60 (m, 3H), 3.84-3.92 (m, 2H), 4.00-4.04 (m, 1H), 4.31-4.44 (m, 2H), 5.54-5.61 (m, 1H), 5.85-6.10 (m, 2H), 6.32-6.43 (m, 1H), 7.44-7.54 (m, 3H), 7.72-7.75 (m, 1H), 11.54 (s.1H) ; MS, m/e 570.2 (M+1)+
17	1-Napth	H	H	Me	Me	1H NMR (DMSO- <i>d</i> ₆) δ 1.15-1.27 (m, 6H), 3.51-3.55 (d, 3H), 3.85-3.96 (m, 2H), 4.00-4.10(m, 1H), 4.30-4.46 (m, 2H), 5.31-5.39 (m, 1H), 5.89-6.05 (m, 2H), 6.22-6.34 (m, 1H), 7.44-7.60 (m, 5H), 7.73-7.77 (m, 1H), 7.93-7.96 (m, 1H), 8.12-8.14 (m, 1H),11.50(s.1H) ; MS, m/e 552.1 (M+1)+
18	Ph	*	H	*	Me	1H NMR (DMSO- <i>d</i> ₆) δ 1.19 (d, J=22.8 Hz, 3H), 1.69-1.84 (m, 3H), 1.99-2.04 (m, 1H), 3.16-3.21 (m, 2H), 3.58 (s, 3H), 3.68-3.8 (m, 1H), 4.00 (m, 1H), 4.01-4.13 (m, 1H), 4.22-4.25 (m, 1 H), 4.5 (d, J = 11.2 Hz, 1H), 5.54 (d, J = 8.0 Hz, 1H), 5.86 (s, 1H), 5.6 (d, J = 19.6 Hz, 1H), 7.15-7.2 (m, 3H), 7.34 (t, J = 8.0 Hz, 2H), 7.51 (d, J = 8.0 Hz, 1H), 11.38 (s, 1H) ; MS, m/e 527.93(M+1)+
19	Ph	H	H	Me	n-Bu	1H NMR (DMSO- <i>d</i> ₆) δ 0.80-0.90 (m, 3H), 1.20-1.35 (m, 8H), 1.48-1.55 (m, 2H), 3.78-3.88 (m, 2H), 3.95-4.08 (m, 3H), 4.22-4.45 (m, 2H), 5.55-5.57(t, 1H), 5.85-6.18 (m, 3H), 7.14-7.23 (m, 3H), 7.35-7.40 (m, 2H), 7.51-7.60 (d, 1H), 11.50 (s.1H) ; MS, m/e 544.2 (M+1)+
20	Ph	H	H	Me	Bn	1H NMR (DMSO- <i>d</i> ₆) δ 1.20-1.30 (m, 6H), 3.72-4.05 (m, 3H), 4.23-4.27 (m, 1H), 4.32-4.45 (m, 1H), 5.07-5.10(t, 2H), 5.52-5.56(t , 1H),

EP 2 824 109 A1

	Ex.	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	NMR/MS
5	21	4-F-Ph	H	H	Me	Me	5.86-6.10 (m, 2H), 6.13-6.21(m,1H), 7.15-7.21 (m, 3H), 7.29-7.40 (m, 7H), 7.51-7.56 (d, 1H), 11.50 (s.1H) ; MS, m/e 578.2 (M+1) ⁺ 1H NMR (DMSO- <i>d</i> ₆) δ 1.28-1.34 (m, 6H), 3.65(d, J= 4 Hz, 3H), 3.85-3.96 (m, 2H), 4.06-4.12 (m, 1H), 4.30-4.34 (m,1H), 4.40-4.47 (m, 1H), 5.62-5.67 (m, 1H), 5.94-6.01(m, 1H), 6.09 (d, J=18.8 Hz, 1H), 6.17-6.26 (m, 1H), 7.27-7.33(m, 4H), 7.62 (d, J = 7.6 Hz, 1H), 11.61 (s, 1H) ; MS, m/e 519.94(M+1) ⁺
10	22	4-Cl-Ph	H	H	Me	Me	1H NMR (DMSO- <i>d</i> ₆) δ 1.22-1.28 (m, 6H), 3.58 (d, 2H), 3.70-3.95(m,2H), 3.95-4.08 (m,1H), 4.23-4.45 (m, 2H), 5.55-5.61(t , 1H), 5.85-6.10 (m, 2H), 6.15-6.23(m,1H), 7.20-7.26 (m, 2H), 7.43-7.46 (m, 2H), 7.54-7.57 (d, 1H), 11.50 (s.1H) ; MS, m/e 536.1 (M+1) ⁺
15	23	3,4-Cl-Ph	H	H	Me	Me	1H NMR (DMSO- <i>d</i> ₆) δ 1.13 (m, 6H), 3.49 (s, 3H), 3.61-3.85 (m, 2H), 3.90-3.93 (m, 1H), 4.16-4.22 (m, 1H), 4.27-4.31 (m, 1H), 5.47-5.52 (m, 1H), 5.82 (d, J = 11.6 Hz, 1H), 5.93(d, J = 19.2 Hz, 1H), 6.15-6.25 (m, 1H), 7.13 (t, J = 9.6 Hz, 1H), 7.43 (d, J = 12Hz, 2H), 7.57 (d, J = 6.0 Hz, 1H), 11.43(s, 1H) ; MS, m/e 569.85 (M+1) ⁺
20	24	Ph	H	H	Me	2-Bu	1H NMR (DMSO- <i>d</i> ₆) δ 0.83 (d, J = 6.8 Hz, 6H), 1.20-1.26 (m, 6H), 1.79-1.86 (m, 1H), 3.73-3.90 (m, 4H), 4.01 (t, J = 11.2 Hz, 1H), 4.21-4.28 (m, 1H), 4.33-4.42 (m, 1H), 5.54 (t, J – 7.6 Hz, 1H), 5.85-5.92 (m, 1H), 5.99-6.13 (m, 2H), 7.19 (t, J – 8 Hz, 3H), 7.36 (t, J – 7.6 Hz, 2H), 7.53 (d, J = 7.6 Hz, 1H), 11.52 (s, 1H) ; MS, m/e 544.00 (M+1)–
25	25	Ph	H	H	Me	i-Pr	1H NMR (DMSO- <i>d</i> ₆) δ 1.13-1.28 (m, 12H), 3.74-3.81 (m, 2H), 3.95-4.08 (m,1H), 4.20-4.45 (m, 2H), 4.83-4.87 (m, 1H), 5.52-5.58 (m, 1H), 5.84-6.15 (m, 3H), 7.17-7.23 (m, 3H), 7.35-7.39 (m, 2H), 7.54-7.57 (m, 1H), 11.50 (s.1H) ; MS, m/e 530.2 (M+1) ⁺
30	26	4-MeO-Ph	H	H	Me	n-Bu	1HNMR (400MHz, DMSO- <i>d</i> ₆): δ -0.78-0.82 (m, 3H), 1.29-1.47 (m, 8H), 1.49-1.54 (m, 2H), 3.66-3.87 (m, 5H), 3.96-4.02 (m, 3H), 4.21-4.39 (m, 2H), 5.57 (t, J= 12.0Hz, 1H), 5.84-6.05 (m, 3H), 6.90 (dd, J1 =8.0Hz, J2=4.0Hz, 2H), 7.09-7.14 (dd, J1=16.0Hz, J2=4.0Hz, 2H), 7.55 (d, J =8.0Hz, 1H), 11.48-11.62 (s, 1H)
35	27	4-F-Ph	H	H	Me	Et	1H NMR (DMSO- <i>d</i> ₆) δ 1.12-1.28 (m, 9H), 3.72-3.94(m,2H), 3.98-4.10 (m,3H), 4.21-4.42(m,2H), 5.55-5.61 (t, 1H), 5.85-6.20 (m, 3H), 7.18-7.25 (m,4H), 7.55-7.58 (d, 1H), 11.50 (s.1H) ; MS, m/e 533.90 (M+1) ⁺
40	28	4-F-Ph	H	H	Me	i-Pr	1H NMR (DMSO- <i>d</i> ₆) δ 1.13-1.30 (m, 12H), 3.74-3.85(m,2H), 3.98-4.06 (m,1H), 4.23-4.41(m,2H), 4.83-4.87 (m, 1H), 5.55-5.61 (t, 1H), 5.85-6.12 (m, 3H), 7.18-7.24 (m,4H), 7.55-7.58 (d, 1H), 11.50 (s.1H) ; MS, m/e 547.91 (M+1) ⁺
45	29	4-F-Ph	H	H	Me	Bn	1H NMR (DMSO- <i>d</i> ₆) δ 1.10-1.23 (m, 6H), 3.65-3.89(m,3H), 4.10-4.30 (m,2H), 4.96-5.00(m,2H), 5.46-5.50 (t, 1H), 5.75-5.96 (m, 2H), 6.04-6.12(m,1H), 7.05-7.11 (m,4H), 7.20-7.24 (d, 5H), 7.42-7.45(d,1H), 11.50 (s.1H) ; MS, m/e 595.94 (M+1) ⁺
50	30	4-MeO-Ph	H	H	Me	i-Pr	1HNMR (400MHz, DMSO- <i>d</i> ₆): δ=1.15-1.27 (m, 12H), 3.71-3.89 (m, 5H), 3.98-4.02 (m, 1H), 4.22-4.25 (m, 1H), 4.33-4.39 (m, 1H), 4.84-4.87 (m, 1H), 5.57 (t, J= 12.0Hz, 1H), 5.91-6.03 (m, 3H), 6.90 (d, J= 8.0Hz, 2H), 7.09-7.14 (m, 2H), 7.55 (d, J= 8.0Hz, 1H), 11.51 (s, 1H)
55	31	2-Cl-Ph	H	H	Me	Bn	1H NMR (DMSO- <i>d</i> ₆) δ 1.23 (m, 6 H), 3.93-4.00 (m, 3 H), 4.27-4.40 (m, 2H), 5.0(t, J– 7.2 Hz, 2 H), 5.53 (m , 1 H), 5.80-6.0(m , 2 H), 6.30(m, 1H), 7.15 (d, J– 2.4 Hz, 1 H), 7.27 (m, 6 H), 7.51 (m, 3 H), 11.5 (s, 1 H) ; MS, m/e 579.87(M+1) ⁺ / 596.78 (M+18) ⁺

	Ex.	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	NMR/MS
5	32	2,4-Cl-Ph	H	H	Me	n-Bu	¹ H NMR (DMSO- <i>d</i> ₆) δ=0.82 (m, 3 H), 1.23 (m, 8 H) , 1.47 (m, 2 H), 3.86 (m, 2 H), 3.84 (m, 3 H), 4.27-4.43 (m, 2H), 5.5 (m , 1 H), 6.02 (m ,2 H), 6.35(m, 1H), 7.44 (m, 3 H), 7.77 (m, 1 H), 11.5 (s, 1 H) ; MS, m/e 611.87(M+1)+
10	33	4-Me-Ph	H	H	Me	i-Pr	¹ H NMR (DMSO- <i>d</i> ₆) δ 1.14-1.27 (m, 12H), 2.17-2.26 (m, 3H), 3.73-3.82 (m, 1H), 3.99-4.02 (m, 1H), 4.23-4.26 (m, 1H), 4.37-4.40 (m, 1H), 4.82-4.88 (m, 1H), 5.52-5.58 (m, 1H), 5.85-6.07 (m, 3H), 7.01-7.20 (m, 4H), 7.55 (d, J = 16Hz, 1H), 11.51 (s, 1H) ; MS, m/e 543.98 (M+1)+; 1108.86 (2M+23)+
15	34	4-F-Ph	H	H	Me	n-Bu	¹ H NMR (DMSO- <i>d</i> ₆) δ 0.82-0.89 (m,3H), 1.20-1.31 (m, 8H), 1.48-1.53 (m,2H), 3.77-3.90 (m,2H) ,3.95-4.10 (m,3H), 4.21-4.45(m,2H), 5.56-5.61 (t, 1H), 5.83-6.20 (m, 3H), 7.18-7.25 (m,4H), 7.55-7.58 (d, 1H), 11.50 (s.1H) ; MS, m/e 584.1 (M+23)+
20	35	3,4-diCl-Ph	H	H	Me	Et	¹ H NMR (DMSO- <i>d</i> ₆) δ1.12-1.31 (m, 9H), 3.77-3.92 (m,2H), 3.95-4.08 (m,3H), 4.21-4.45(m,2H), 5.56-5.62 (t, 1H), 5.80-6.11 (m, 2H), 6.18-6.33(m,1H), 7.18-7.25 (m,1H), 7.49-7.56 (d, 2H), 7.62-7.67(m,1H), 11.50 (s.1H) ; MS, m/e 606.1 (M+23)+
25	36	2-Cl-Ph	H	H	Me	i-Pr	¹ H NMR (400MHz, DMSO- <i>d</i> ₆) : δ =1.12-1.16 (m, 6H), 1.21-1.27 (m, 6H), 3.79-3.85 (m, 2H), 4.00-4.07 (m, 1H), 4.28-4.32 (m, 1H), 4.38-4.43 (m, 1H), 4.83-4.87 (m, 1H), 5.56 (dd, J1=16.0Hz, J2=8.0Hz, 1H), 5.85-6.12 (m, 2H), 6.20-6.33 (m, 1H), 7.19-7.22 (m, 1H), 7.33 (t, J=16.0Hz, 1H), 7.48-7.55 (m, 3H), 11.55 (s, 1H)
30	37	4-MeO-Ph	H	H	Me	Bn	¹ H NMR (400MHz, DMSO- <i>d</i> ₆) : δ=1.19-1.26 (m, 6H), 3.69-3.70 (s, 3H), 3.87 (m, 2H), 3.99 (m, 1H), 4.20-4.21 (m, 1H), 4.35 (m, 1H), 5.07-5.09 (m, 2H), 5.54 (t, J = 16.0Hz, 1H), 5.85-5.92 (m, 1H), 6.04-6.10 (m, 2H), 6.86 (d, J= 8.0Hz, 2H), 7.09 (dd, J1=16.0Hz, J2=4.0Hz, 2H), 7.30-7.34 (m, 5H), 7.53 (s, 1H), 11.52 (s, 1H)
35	38	Ph	H	H	Me	n-Pen	¹ H NMR (DMSO- <i>d</i> ₆) δ 0.79-0.81 (m, 3H), 1.17-1.23 (m, 10H), 3.74-3.81 (m, 2H), 3.94-3.96 (m, 3H), 4.19-4.36 (m, 2H), 5.49-5.54 (m, 1H), 5.87-6.08 (m,3H), 7.14-7.33 (m, 3H), 7.31-7.35 (m, 2H), 7.51 (d, J = 8Hz, 1H), 11.51 (s, 1H) ; MS, m/e 557.9 (M+1)-; 1136.88 (2M+23)+
40	39	4-Cl-Ph	H	H	Me	i-Pr	¹ H NMR (DMSO- <i>d</i> ₆) δ 1.04-1.19 (m, 12H), 3.76-3.80 (m , 2H), 3.98-4.08 (m, 1H), 4.42-4.42 (m, 2H), 4.82-4.85 (m, 1H), 5.55-5.60 (m, 1H), 5.80-6.20 (m,3H),7.20-7.25(m, 2H), 7.43 (d, J – 8.8Hz, 1H), 7.54 (d, J = 8Hz, 1H), 11.51 (s, 1H) ; MS, m/e 563.88 (M-1)+; 1148.73 (2M+23)+
45	40	4-Cl-Ph	H	H	Me	n-Bu	¹ H NMR (DMSO- <i>d</i> ₆) δ 0.85 (t, J = 7.2 Hz, 3H), 1.22-1.33 (m, 8H),1.45-1.53 (m, 2H), 3.80-3.87 (m, 2H), 3.96-4.04 (m, 3H), 4.24-4.27 (m, 1H), 4.35-4.39 (m, 1H), 5.56-5.61 (m, 1H), 5.82-6.11 (m, 2H), 6.15-6.18 (m, 1H), 7.20-7.56 (m, 4H), 7.51-7.57 (m.1H) , 11.54 (s, 1H); MS, m/e577.95(M+1)+
50	41	4-Cl-Ph	H	H	Me	Et	¹ H NMR (DMSO- <i>d</i> ₆) δ 1.14 (t, J = 7.0Hz, 3H), 1.20-1.28 (m, 6H),3.77-3.88 (m, 2H), 3.99-4.07 (m, 3H), 4.24-4.28 (m, 1H), 4.34-4.43 (m, 1H), 5.56-5.61 (m, 1H), 5.86-6.13 (m, 2H), 6.15-6.24 (m, 1H), 7.20-7.26 (m, 2H), 7.44 (d, J = 7.6Hz, 2H) , 7.55 (d, J = 7.6Hz, 1H), 11.55 (s, 1H); MS, m/e549.11(M+1)+
55	42	4-Me-Ph	H	H	Me	n-Bu	¹ H NMR (DMSO- <i>d</i> ₆) δ 0.79-0.83 (m, 3H), 1.17-1.28 (m, 8H), 1.45-1.47 (m, 2H), 2.22 (d, J = 2.8Hz, 1H), 3.70-3.90 (m, 2H), 3.95-3.98

	Ex.	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	NMR/MS
5							(m, 3H), 4.10-4.40 (m, 2H), 5.51 (t, 1H), 5.80-5.90 (m, 1H), 5.95-6.05 (m, 2H), 7.02-7.06 (m, 2H), 7.51 (t, J = 4.2Hz , 4H), 7.51 (d, 1H), 11.51 (s, 1H) ; MS, m/e 557.99(M+1)+; 1136.84(2M-23)+
	43	4-Mc-Phe	H	H	Mc	Bn	1H NMR (DMSO- <i>d</i> ₆) δ 1.16-1.24 (m, 6H), 2.22 (s , 3H), 3.65-4.03 (m,3H), 4.11-4.38 (m, 2H), 5.04-5.05 (m, 2H), 5.48-5.50 (m, 1H), 5.77-5.87 (m,1H),5.90-6.11 (m, 2H), 6.98-7.10 (m, 4H), 7.28-7.32 (m, 5H), 7.50 (t, 1H), 11.48 (s, 1H) ; MS, m/e 592.00 (M+1)+.
10							1H NMR (DMSO- <i>d</i> ₆) δ 0.70-0.80 (m, 3H), 1.11-1.26 (m, 3H), 1.42-1.61 (m, 2H), 3.50-3.54 (m, 3H), 3.58-3.80 (m, 2H), 3.91-4.02 (m, 1H), 4.12-4.38 (m, 2H), 5.47-5.52 (m,1H),5.90-6.03 (m, 2H), 7.08-7.16 (m, 3H), 7.26-7.35 (m, 2H),7.48 (t,1H),11.45 (s, 1H) ; MS, m/e 515.95 (M+1)+; 1052.82 (2M+23)+
	44	Ph	H	H	Et	Me	1H NMR (DMSO- <i>d</i> ₆) δ 1.20-1.26 (m, 6H), 3.80-3.93 (m, 2H), 3.98 (s, 1H), 4.25-4.26 (m, 1H), 4.36-4.37 (m, 1H), 5.07 (s, 2H), 5.52-5.55 (m, 1H), 5.86-5.87(m, 1H), 5.98-6.04 (m, 1H), 6.14-6.17 (m, 1H), 7.15-7.20 (m, 5H), 7.36 (dd, <i>J</i> = 20.0, 8.0 Hz, 4H), 7.54 (s, 1H), 11.55 (s, 1H)
15							1H NMR (DMSO- <i>d</i> ₆) δ 1.21-1.28 (m, 6H), 3.71-3.88 (m, 1H), 3.91-3.98 (m, 1H), 4.00-4.01 (m, 1H), 4.23-4.27 (m, 1H), 4.35-4.38 (m, 1H), 5.08 (d, <i>J</i> = 4.0Hz, 2H), 5.57 (dd, <i>J</i> = 12.0, 8.0 Hz, 1H), 5.91 (d, <i>J</i> = 8.0 Hz, 1H), 6.01 (d, <i>J</i> = 8.0 Hz, 1H), 6.22-6.24 (m, 1H), 7.17-7.23 (m, 2H), 7.31-7.40 (m, 7H), 7.53 (s, 1H), 11.50 (s, 1H)
	45	Ph	H	H	Me	4-F-Bn	1H NMR (DMSO- <i>d</i> ₆) δ 0.80-0.82 (m, 6H), 1.18-1.40 (m, 8H), 1.50-1.58 (m, 1H), 3.71-3.82 (m, 3H), 3.97-3.4.01 (m, 3H), 4.21-4.40 (m, 2H), 5.30(t, <i>J</i> = 8.6 Hz, 1H), 5.81-6.10 (m, 3H), 7.15-7.20 (m, 3H), 7.32-7.36 (m, 2H), 7.48 (d, <i>J</i> = 8.4 Hz, 1H), 11.38 (s, 1H) ; MS, m/e 557.98 (M+1) ⁺ ; 1136.88 (2M+23) ⁺
20							1H NMR (DMSO- <i>d</i> ₆) δ 1.05-1.37 (m, 6H), 3.71-3.82 (m, 1H), 3.87-4.02 (m, 2H), 4.28-4.29 (m, 1H),4.36-4.38 (m, 1H),5.04 (d, <i>J</i> = 5.2Hz, 2H), 5.55-5.64 (m, 1H), 5.85-5.94 (m, 1H), 6.00-6.05 (m, 1H), 6.29-6.40 (m, 1H),7.17-7.24 (m, 1H), 7.30-7.41 (m, 5H), 7.45-7.58 (m, 2H), 7.61 (d, <i>J</i> = 4.0Hz, 1H), 11.53 (s, 1H); MS, m/e545.80(M+1) ⁺ ;
	46	4-Cl-Ph	H	H	Me	n-Bu	1H NMR (DMSO- <i>d</i> ₆) δ 1.18-1.41 (m, 12H), 1.59-1.67 (m, 4H), 3.74-13.80 (m, 1H), 3.96-4.02 (m, 1H), 4.19-4.26 (m, 1H), 4.31-4.39 (m, 1H), 4.60 (s, 1H), 5.52 (t, <i>J</i> = 7.8 Hz, 1H), 5.80-6.09 (m, 3H), 7.15-7.20 (m, 3H), 7.32-7.36 (m, 2H), 7.52 (d, <i>J</i> = 8 Hz, 1H), 11.50 (s, 1H) ; MS, m/e 569.98 (M+1) ⁺ ; 592.14 (M+23) ⁺
25							1H NMR (DMSO- <i>d</i> ₆) δ 0.76 (t, J = 7.2Hz, 3H), 1.10-1.22 (m, 8H), 1.38-1.43 (m, 2H), 3.72-3.75 (m, 2H), 3.87-3.93 (m, 3H), 4.14-4.21 (m, 1H), 4.23-4.33 (m, 1H), 5.46-5.54 (m, 1H), 5.84-6.11 (m, 3H), 7.09-7.14 (m, 2H), 7.27-7.32 (m, 2H), 7.34-7.51 (m, 1H), 11.47 (s, 1H); MS, m/e543.98(M-1) ⁺
	47	Ph	H	H	Me	3-Me-1-Bu	1H NMR (DMSO- <i>d</i> ₆) δ 1.39 (d, J = 7.2Hz, 6H), 1.19-1.29 (m, 6H), 3.65-3.75 (m, 2H), 3.95-4.05 (m, 1H), 4.20-4.22 (m, 1H), 4.31-4.33 (m, 1H), 4.79-4.82 (m, 1H), 5.48-5.57 (m, 1H), 5.84-5.91 (m, 1H), 5.96-6.07 (m, 2H), 7.12-7.35 (m, 5H), 7.44-7.54 (m,1H), 11.49(s, 1H); MS, m/e529.96 (M+1) ⁺
30							1H NMR (DMSO- <i>d</i> ₆) δ 1.18-1.28 (m, 6H), 3.70-3.83 (m, 1H), 3.87-3.94 (m, 1H), 3.99-4.01 (m, 1H), 4.23-4.26 (m, 1H), 4.33-4.37 (m,
35							
	48	3,4-diCl-Ph	H	H	Me	Bn	
40							
	49	Ph	H	H	Me	c-Hex	
45							
	50	Ph	H	Me	H	n-Bu	
50							
	51	Ph	H	Me	H	i-Pr	
55							
	52	Ph	H	Me	H	Bn	

	Ex.	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	NMR/MS
5							1H), 5.03-5.12 (m, 2H), 5.51-5.59 (m, 1H), 5.87-5.90 (m, 1H), 5.95-6.07 (m, 1H), 6.10-6.27 (m, 1H), 7.15-7.23 (m, 3H), 7.31-7.38 (m, 7H), 7.47-7.56 (m, 1H), 11.50 (s, 1H); MS, <i>m/e</i> 577.99 (M+1) ⁺
	53	2-Cl-Ph	H	H	Me	n-Bu	¹ HNMR (400MHz, DMSO- <i>d</i> ₆): δ 0.81-0.86 (m, 3H), 1.21-1.31 (m, 8H), 1.46-1.52 (m, 2H), 3.84-3.90 (m, 2H), 3.97-4.04 (m, 3H), 4.27-4.41 (m, 2H), 5.53-5.58 (m, 1H), 5.82-5.95 (m, 1H), 5.96-6.10 (m, 1H), 6.27-6.31 (m, 1H), 7.19-7.22 (m, 1H), 7.34 (dd, <i>J</i> = 8.0, 4.0 Hz, 1H), 7.47-7.55 (m, 3H), 11.55 (s, 1H)
10							¹ HNMR (400MHz, DMSO- <i>d</i> ₆): δ 1.10-1.14 (m, 6H), 1.20-1.27 (m, 6H), 3.74-3.81 (m, 2H), 3.99-4.01 (m, 1H), 4.21-4.25 (m, 1H), 4.37-4.38 (m, 1H), 4.81-4.85 (m, 1H), 5.58 (dd, <i>J</i> = 8.0, 4.0 Hz, 1H), 5.82-5.95 (m, 1H), 5.96-6.09 (m, 1H), 6.10-6.13 (m, 1H), 7.18 (dd, <i>J</i> = 12.0, 8.0 Hz, 2H), 7.53-7.57 (m, 3H), 11.52 (s, 1H)
	54	4-Br-Ph	H	H	Me	i-Pr	¹ HNMR (400MHz, DMSO- <i>d</i> ₆): δ 1.10-1.14 (m, 6H), 1.20-1.27 (m, 6H), 3.74-3.81 (m, 2H), 3.99-4.01 (m, 1H), 4.21-4.25 (m, 1H), 4.37-4.38 (m, 1H), 4.81-4.85 (m, 1H), 5.58 (dd, <i>J</i> = 8.0, 4.0 Hz, 1H), 5.82-5.95 (m, 1H), 5.96-6.09 (m, 1H), 6.10-6.13 (m, 1H), 7.18 (dd, <i>J</i> = 12.0, 8.0 Hz, 2H), 7.53-7.57 (m, 3H), 11.52 (s, 1H)
15							¹ H NMR (DMSO- <i>d</i> ₆) δ 1.20-1.44 (m, 12H), 1.60-1.71 (m, 4H), 3.75-4.02 (m, 2H), 3.94-4.02 (m, 1H), 4.19-4.26 (m, 2H), 4.59-4.61 (m, 1H), 5.57 (t, <i>J</i> = 8.4 Hz, 1H), 5.85-6.06 (m, 3H), 7.17-7.23 (m, 4H), 7.54 (d, <i>J</i> = 8.4 Hz, 1H), 11.50 (s, 1H) ; MS, <i>m/e</i> 587.92 (M+1) ⁺
	55	4-F-Ph	H	H	Me	c-Hex	¹ H NMR (DMSO- <i>d</i> ₆) δ 1.20-1.44 (m, 12H), 1.60-1.71 (m, 4H), 3.75-4.02 (m, 2H), 3.94-4.02 (m, 1H), 4.19-4.26 (m, 2H), 4.59-4.61 (m, 1H), 5.57 (t, <i>J</i> = 8.4 Hz, 1H), 5.85-6.06 (m, 3H), 7.17-7.23 (m, 4H), 7.54 (d, <i>J</i> = 8.4 Hz, 1H), 11.50 (s, 1H) ; MS, <i>m/e</i> 587.92 (M+1) ⁺
20							¹ HNMR (400MHz, DMSO- <i>d</i> ₆): δ = 1.18-1.46 (m, 12H), 1.61-1.69 (m, 4H), 3.75-3.82 (m, 2H), 3.95-4.08 (m, 1H), 4.25-4.28 (m, 1H), 4.38 (s, 1H), 4.60-4.62 (m, 1H), 5.56-5.60 (m, 1H), 5.82-5.95 (m, 1H), 6.02-6.20 (m, 2H), 7.09-7.20 (m, 2H), 7.53-7.57 (m, 3H), 11.52 (s, 1H)
	56	4-Br-Ph	H	H	Me	c-Hcx	¹ HNMR (400MHz, DMSO- <i>d</i> ₆): δ = 1.18-1.46 (m, 12H), 1.61-1.69 (m, 4H), 3.75-3.82 (m, 2H), 3.95-4.08 (m, 1H), 4.25-4.28 (m, 1H), 4.38 (s, 1H), 4.60-4.62 (m, 1H), 5.56-5.60 (m, 1H), 5.82-5.95 (m, 1H), 6.02-6.20 (m, 2H), 7.09-7.20 (m, 2H), 7.53-7.57 (m, 3H), 11.52 (s, 1H)
25							MS, <i>m/e</i> 650.0 (M+3) ⁺
	57	Ph	H	H	Et	i-Pr	¹ HNMR (400MHz, DMSO- <i>d</i> ₆): δ -0.75-0.82 (m, 3H), 1.12-1.26 (m, 9H), 1.52-1.59 (m, 2H), 3.55-3.68 (m, 1H), 3.72-3.85 (m, 1H), 3.95-4.08 (m, 1H), 4.18-4.28 (m, 1H), 4.32-4.41 (m, 1H), 4.83-4.86 (m, 1H), 5.55 (m, <i>J</i> = 7.6Hz, 1H), 5.99-6.04 (m, 2H), 6.05-6.10 (m, 1H), 7.14-7.21 (m, 3H), 7.33-7.37 (m, 2H), 7.52-7.54 (m, 1H), 11.53 (s, 1H) ; MS, <i>m/e</i> 566.07(M+23) ⁺
30							¹ HNMR (400MHz, DMSO- <i>d</i> ₆): δ 0.75-0.88 (m, 3H), 1.26-1.46 (m, 9H), 1.52-1.69 (m, 6H), 3.60-3.63 (m, 1H), 3.72-3.90 (m, 1H), 4.02-4.03 (m, 1H), 4.24-4.27 (m, 1H), 4.37-4.38 (m, 1H), 4.63-4.65 (m, 1H), 5.55 (dd, <i>J</i> = 8.0Hz, 4.4Hz, 1H), 5.80-5.95 (m, 1H), 6.00-6.07 (m, 2H), 7.15-7.22 (m, 3H), 7.34-7.38 (m, 2H), 7.54 (d, <i>J</i> = 8.0Hz, 1H), 11.55 (s, 1H); MS, <i>m/e</i> 584.01 (M+1) ⁺ , 606.17 (M+23) ⁺
35							¹ HNMR (400MHz, DMSO- <i>d</i> ₆): δ 0.75-0.84 (m, 3H), 1.24 (d, <i>J</i> = 22.8Hz, 3H), 1.29-1.47 (m, 6H), 1.51-1.70 (m, 6H), 3.59-3.66 (m, 1H), 3.77-3.84 (m, 1H), 3.98-4.04 (m, 1H), 4.21-4.27 (m, 1H), 4.34-4.41 (m, 1H), 4.60-4.65 (m, 1H), 5.56-5.60 (m, 1H), 5.84-5.90 (m, 1H), 6.00-6.08 (m, 2H), 7.20-7.24 (m, 4H), 7.56(d, <i>J</i> = 8.0Hz, 1H), 11.49 (s, 1H); MS, <i>m/e</i> 602.00(M+1) ⁺
40							¹ H NMR (DMSO- <i>d</i> ₆) δ 1.18-1.25(m, 6H), 3.71-3.89 (m, 2H), 3.92-3.99 (m, 1H), 4.19-4.27 (m, 4H), 4.48-4.61 (m, 2H) , 3.94-3.98 (m, 2H), 4.11-4.23 (m, 4H), 5.47-5.52 (m, 1H), 6.01-6.11 (m, 1H), 5.90-6.14 (m, 2H), 7.15-7.21 (m, 3H), 7.32-7.36 (m, 2H), 7.46-7.57 (m, 1H), 11.49 (s,1H) ; MS, <i>m/e</i> 533.86 (M+1) ⁺
45							
50	60	Ph	H	H	Me	F-CH ₂ -CH ₂ -	¹ H NMR (DMSO- <i>d</i> ₆) δ 1.18-1.25(m, 6H), 3.71-3.89 (m, 2H), 3.92-3.99 (m, 1H), 4.19-4.27 (m, 4H), 4.48-4.61 (m, 2H) , 3.94-3.98 (m, 2H), 4.11-4.23 (m, 4H), 5.47-5.52 (m, 1H), 6.01-6.11 (m, 1H), 5.90-6.14 (m, 2H), 7.15-7.21 (m, 3H), 7.32-7.36 (m, 2H), 7.46-7.57 (m, 1H), 11.49 (s,1H) ; MS, <i>m/e</i> 533.86 (M+1) ⁺
55							

Ex.	R ¹	R ²	R ^{3a}	R ^{3b}	R ⁴	NMR/MS
5 61	Ph	H	H	Me	F ₂ CH-CH ₂ -	¹ H NMR (DMSO- <i>d</i> ₆) δ 1.17-1.24 (m, 6H), 3.67-3.81 (m, 1H), 3.89-3.98 (m, 2H), 4.21-4.36 (m, 4H), 5.48-5.53 (m, 1H), 5.82-6.05 (m, 2H), 6.18-6.22 (m, 2H), 7.15-7.20 (m, 3H), 7.32-7.36 (m, 2H), 7.51 (s, 1H), 11.50 (s, 1H); MS, <i>m/e</i> 551.92 (M+1) ⁺ ;
10 62	Ph	H	H	Me	(CF ₃) ₂ -CH-	¹ H NMR (DMSO- <i>d</i> ₆) δ 1.13-1.29 (m, 6H), 3.67-3.81 (m, 1H), 3.94-4.32 (m, 4H), 5.47 (t, <i>J</i> = 8 Hz 1H), 5.82-6.01 (m, 2H), 6.33-6.36 (m, 1H), 6.70-6.78 (m, 1H), 7.09-7.15 (m, 3H), 7.28-7.32 (m, 2H), 7.43-7.46 (m, 1H), 11.44 (s, 1H); MS, <i>m/e</i> 637.90 (M+1) ⁺
15 63	Ph	H	H	Me	(CH ₂ F) ₂ -CH-	¹ H NMR (DMSO- <i>d</i> ₆) δ 1.20-1.29 (m, 6H), 3.70-3.90 (m, 1H), 3.91-4.12 (m, 2H), 4.20-4.33 (m, 1H), 4.35-4.48 (m, 1H), 4.52-4.55 (m, 2H), 4.63-4.67 (m, 2H), 5.20-5.35 (m, 1H), 5.56 (t, <i>J</i> = 8.4 Hz, 1H), 5.80-5.95 (m, 1H), 5.95-6.10 (m, 1H), 6.18-6.21 (m, 1H), 7.18-7.23 (m, 3H), 7.35-7.39 (m, 2H), 7.54 (s, 1H), 11.55 (s, 1H); MS, <i>m/e</i> 565.98 (M+1) ⁺
20 64	Ph	H	H	Me	c-Pr-CH ₂ -	¹ H NMR (DMSO- <i>d</i> ₆) δ 0.20-0.24 (m, 2H), 0.47-0.48 (m, 2H), 0.76-0.84 (m, 3H), 1.03-1.05 (m, 1H), 1.23 (dd, <i>J</i> = 22.4 6.8 Hz 3H), 1.55-1.60 (m, 2H), 3.61-3.68 (m, 1H), 3.81-3.89 (m, 3H), 3.98-4.03 (m, 1H), 4.23-4.29 (m, 1H), 4.35-4.41 (m, 1H), 5.56-6.00 (m, 1H), 5.88-5.91 (m, 1H), 6.04-6.10 (m, 2H), 7.20-7.24 (m, 4H), 7.55 (d, <i>J</i> = 7.6 Hz 1H), 11.53 (s, 1H); MS, <i>m/e</i> 573.17 (M+1) ⁺
25 30 35 65	Ph	H	H	Et	c-Pen	¹ H NMR (DMSO- <i>d</i> ₆) δ 0.75-0.83 (m, 3H), 1.20-1.28 (m, 3H), 1.49-1.63 (m, 8H), 1.76-1.80 (m, 2H), 3.58-3.60 (m, 1H), 3.70-3.82 (m, 1H), 3.98-4.05 (m, 1H), 4.24-4.26 (m, 1H), 4.37-4.42 (m, 1H), 5.03 (s, 1H), 5.54-5.57 (m, 1H), 5.90-6.00 (m, 1H), 6.02-6.07 (m, 2H), 7.15-7.22 (m, 3H), 7.35-7.39 (m, 2H), 7.55 (d, <i>J</i> = 8.0 Hz, 1H), 11.55 (s, 1H); MS, <i>m/e</i> 570.03 (M+1) ⁺

*R² and R^{3b} together are -(CH₂)₃- as derived from L-proline

The purification procedure by Prep-HPLC:

[0178] Crude products were dissolved in methanol. Injection volumes of these solutions were 5 mL.

[0179] The preparative HPLC system including 2 sets of Gilson 306 pumps, a Gilson 156 UV/Vis detector, a Gilson 215 injector & fraction collector, with Unipoint control software. A Ymc 25×30×2 mm column was used. The mobile phase was HPLC grade water (A), and HPLC grade acetonitrile (B). Fractions were collected into 100×15mm glass tubes.

[0180] HPLC gradient is shown in Table 1. Once the gradient was selected, acetonitrile solution was injected into HPLC system, and then fractions collected according to UV peaks. After the separation, each glass tubes were run MS test to collect the desired compounds. The fractions with target MS were combined in a well-weighted flask. Most of acetonitrile was removed under reduce pressure and the remaining solution was freeze-dried to give desired compound.

Table 1:

Preparative HPLC gradient			
Time (min)	Flow rate (mL/min)	% A	% B
0	15	90	10


(continued)

Preparative HPLC gradient			
Time (min)	Flow rate (mL/min)	% A	% B
30	15	60	40

Preparation of Example 66

[0181]

Scheme



Preparation of compound (b)

[0182] To a solution of compound **a** (1 g, 2.69 mmol) in anhydrous THF (30 mL) was added dropwise 1 M solution of $\text{LiAl}(\text{OBu-}t)_3\text{H}$ in THF (2.69 mL, 2.69 mmol) at -20°C . The reaction mixture was stirred for 2-3 h at the same temperature. EtOAc (100 mL) was added followed by saturated NH_4Cl solution (10 mL) and reaction mixture was slowly brought to room temperature. Reaction mixture was extracted with EtOAc and washed with 1N HCl and water. Combined organic phase was evaporated to give 0.8 g of crude compound **b** as transparent oil, which was used directly for next reaction.

Preparation of compound (d)

[0183] To a solution of compound **b** (0.8 g, 2.1 mmol), compound **c** (0.45 g, 2.5 mmol) and Ph_3P (0.56 g, 2.1 mmol) in anhydrous THF (20 mL) under nitrogen atmosphere was added DEAD (1.8 mL). The reaction mixture was stirred at room temperature overnight. The reaction solution was concentrated under reduce pressure. The residue was separated by preparative layer chromatography (hexanes:EtOAc = 3:1) to give crude compound **d** (0.8 g). The crude compound

d was used to the next step without further purification.

Preparation of compound (e)

[0184] Compound **d** (0.8 g, 1.57 mmol) was dissolved in THF (2 mL) and THF saturated with ammonia (5 mL) was then added to this solution. The reaction mixture was heated to 90 °C overnight. After 18 hours, the solution was cooled to room temperature by ice water, then the solvent was removed under reduced pressure and the residue was purified by column to give compound **e** (0.75 g) for the next step.

Preparation of compound (f)

[0185] Compound **e** (0.5 g, 1.01 mmol) was dissolved in methanol (2 mL) and methanol was saturated with ammonia (5 mL) was then added to this solution. The reaction mixture was stirred at room temperature overnight. After 18 hours, the solvent was removed under reduced pressure and the residue was purified by column to give crude compound **f** (0.15 g) for the next step.


Preparation of compound (i)

[0186] A solution of triethylamine (1.07 g, 10.6 mmol) in anhydrous dichloromethane (15 mL) was added dropwise to a solution of compound **g** (1.16 g, 5.3 mmol) and compound **h** (1.31 g, 5.3 mmol) in dichloromethane (10 mL) with vigorous stirring at -78 °C over a period of 2 hours. After completion of addition, the reaction temperature was allowed to warm to room temperature gradually and stirred over night. Then the solvent was removed under vacuum and anhydrous ether 20 mL was added and the precipitated salt was filtered and the precipitate was washed with ether. The combined organic phase was concentrated to give the colorless oil of compound **i** (1.0 g).

Preparation of Compound 66



[0187] To a solution of compound **j** (0.1 g, 0.35 mmol) dissolved in 10 mL of anhydrous THF, stirred and added 0.4g NMI till the solution became clear, added compound **i** (0.8 g, 2.89 mmol) in 10 mL THF dropwise, stirred at r.t. overnight. Compound purity and identification was confirmed by LCMS. The solvent was evaporated and purified by Prep-HPLC to afford **66**. (25 mg, Yield: 13.6%). ¹H NMR (DMSO-*d*₆) δ 1.08 (d, *J*= 22.8 Hz, 3H), 1.17-1.24 (m, 3H), 3.50-3.52 (m, 3H), 3.78-3.83 (m, 1H), 4.10-4.13 (m, 1H), 4.24-4.44 (m, 2H), 5.85-5.92 (m, 1H), 6.01-6.11 (m, 1H), 6.2-6.27 (m, 1H), 7.08-7.19 (m, 4H), 7.31-7.38 (m, 3H), 8.15 (s, 1H), 8.26 (s, 1H); MS, *m/e* 525 (M+1)⁺.

[0188] Example numbers **67-74**, identified below, were prepared using similar procedures disclosed for Example **66**, above.






Example	R ¹¹	R ¹⁰	NMR/MS
67	OH	NH ₂	¹ H NMR (DMSO- <i>d</i> ₆) δ 1.06-1.13 (m, 3H), 1.20-1.24 (m, 3H), 3.27-3.33 (m, 3H), 3.56 (s, 1H), 3.82-3.88 (m, 1H), 4.07-4.13 (m, 1H), 4.25-4.40 (m, 2H), 5.85-5.87 (m, 1H), 5.98-6.09 (m, 2H), 6.59 (s, 32H), 7.14-7.37 (m, 3H), 7.35-7.37 (m, 2H), 7.79 (d, <i>J</i> =7.2 Hz, 1H), 10.69 (s, 1H); MS, <i>m/e</i> 541 (M+1) ⁺ ;
68	NH ₂	NH ₂	¹ H NMR (DMSO- <i>d</i> ₆) δ 1.07 (d, <i>J</i> =22.8 Hz, 3H), 1.19 (d, <i>J</i> =7.2 Hz, 3H), 3.51 (s, 3H), 3.62 (s, 1H), 3.75-3.81 (m, 1H), 4.05-4.11 (m, 1H), 4.27-4.42 (m, 2H), 5.79-5.83 (m, 1H), 5.92 (s, 2H), 6.00-6.09 (m, 2H), 6.75 (s, 2H), 7.08-7.17 (m, 3H), 7.31-7.35 (m, 2H), 7.78 (s, 1H); MS, <i>m/e</i> 540 (M+1) ⁺ ;

(continued)


Example	R ¹¹	R ¹⁰	NMR/MS
69	NH ₂	c-Pentyl-NH-	¹ H NMR (DMSO- <i>d</i> ₆) δ 1.05 (d, <i>J</i> =22.8 Hz, 3H), 1.09-1.19 (m, 3H), 1.48 (s, 4H), 1.66 (s, 1H), 1.86 (s, 1H), 3.54 (d, <i>J</i> =14 Hz, 3H), 3.65 (s, 1H), 4.25-4.43 (m, 4H), 5.71-5.82 (m, 1H), 5.94-6.04 (m, 4H), 7.11-7.24 (m, 3H), 7.26-7.34 (m, 2H), 7.77 (d, <i>J</i> =3.6 Hz, 1H); MS, <i>m/e</i> 608 (M+1) ⁺
70	NH ₂		¹ H NMR (DMSO- <i>d</i> ₆) δ 1.07 (d, <i>J</i> =22.4 Hz, 3H), 2.35-2.38 (m, 2H), 3.54 (d, <i>J</i> =9.2 Hz, 3H), 3.59-3.62 (m, 2H), 3.65 (s, 1H), 3.75-3.82 (m, 1H), 4.01-4.13 (m, 2H), 4.22-4.40 (m, 6H), 5.75-5.85 (m, 1H), 6.00-6.07 (m, 4H), 7.15-7.21 (m, 3H), 7.32-7.35 (m, 2H), 7.79 (d, <i>J</i> =4.0 Hz, 1H); MS, <i>m/e</i> 580 (M+1) ⁺
71	NH ₂	Et ₂ N-	¹ H NMR (DMSO- <i>d</i> ₆) δ 1.06-1.28 (m, 12H), 3.55 (d, <i>J</i> =4.8 Hz, 3H), 3.79-3.87 (m, 4H), 4.07-4.12 (m, 2H), 4.29-4.42 (m, 3H), 5.75-5.82 (m, 1H), 5.94 (s, 2H), 6.04-6.10 (m, 2H), 7.14-7.22 (m, 3H), 7.31-7.37 (m, 2H), 7.82 (d, <i>J</i> =4.4 Hz, 1H); MS, <i>m/e</i> 596 (M+1) ⁺
72	NH ₂	n-Propyl-NH-	¹ H NMR (DMSO- <i>d</i> ₆) δ 0.84 (t, <i>J</i> =7.2 Hz, 3H), 1.01-1.01 (m, 3H), 1.09-1.12 (m, 3H), 1.51-1.56 (m, 2H), 3.48 (d, <i>J</i> =15.2 Hz, 3H), 3.79-3.82 (m, 1H), 4.04-4.05 (m, 1H), 4.27-4.38 (m, 3H), 5.72-5.79 (m, 1H), 5.98-6.04 (m, 4H), 7.13-7.20 (m, 3H), 7.26-7.32 (m, 2H), 7.76 (d, <i>J</i> =5.2 Hz, 1H); MS, <i>m/e</i> 582 (M+1) ⁺
73	NH ₂	c-Butyl-NH-	¹ H NMR (DMSO- <i>d</i> ₆) δ 1.02-1.08 (m, 3H), 1.18 (d, <i>J</i> =4.8 Hz, 3H), 1.44-1.61 (m, 2H), 2.02-2.17 (m, 4H), 3.51 (d, <i>J</i> =10.8 Hz, 3H), 3.78-3.83 (m, 1H), 4.03-4.06 (m, 1H), 4.27-4.38 (m, 2H), 4.53-4.62 (m, 1H), 5.68-5.79 (m, 1H), 5.95-6.04 (m, 4H), 7.11-7.18 (m, 3H), 7.29-7.35 (m, 2H), 7.51-7.58 (m, 1H), 7.78 (d, <i>J</i> =5.2 Hz, 1H); MS, <i>m/e</i> 594 (M+1) ⁺
74	NH ₂		¹ H NMR (DMSO- <i>d</i> ₆) δ 0.97-1.20 (m, 6H), 2.18 (s, 3H), 2.19 (s, 4H), 3.43-3.47 (m, 3H), 3.75 (s, 1H), 4.01-4.06 (m, 4H), 4.22-4.35 (m, 3H), 5.69-5.75 (m, 1H), 5.98-6.05 (m, 3H), 7.09-7.15 (m, 3H), 7.25-7.29 (m, 2H), 7.77 (d, <i>J</i> =3.6 Hz, 1H); MS, <i>m/e</i> 623 (M+1) ⁺

[0189] Example numbers 75-80 are prepared using similar procedures disclosed for Example 66, above.



Example	R ¹¹	R ¹⁰
75	H	n-propyl-NH-
76	H	c-Butyl-NH-
77	H	c-Pentyl-NH-
78	H	
79	H	

(continued)

Example	R ¹¹	R ¹⁰
80	H	

EXAMPLE 81









[0190] Certain exemplified compounds were obtained as mixture of diastereomers because of the chirality at phosphorous. The diastereomers were separated on a Chiralpak-AS-H (2 X 25 cm) column under Supercritical Fluid Chromatography (SFC) conditions using 20% methanol in carbon dioxide as solvent. The absolute stereochemistry of the P-chiral center of the diastereomers were not determined. However, chromatographic resolution of these two diastereomers provides for isomers that are characterized as fast eluting and slow eluting isomers. Some examples are shown below.

Compound	EC ₉₀ (uM)
Example 15 (Diastereomeric mixture)	0.86
Fast Moving isomer of Example 15	1.35
Slow Moving isomer of Example 15	0.26
Example 39 (Diastereomeric mixture)	0.47
Fast Moving isomer of Example 39	0.78
Slow Moving isomer of Example 39	0.02
Example 49 (Diastereomeric mixture)	0.126
Fast Moving isomer of Example 49	0.03
Slow Moving isomer of Example 49	5.78

EXAMPLE 82









[0191] HCV replicon assay. HCV replicon RNA-containing Huh7 cells (clone A cells; Apath, LLC, St. Louis, Mo.) were kept at exponential growth in Dulbecco's modified Eagle's medium (high glucose) containing 10% fetal bovine serum, 4 mM L-glutamine and 1 mM sodium pyruvate, 1 × nonessential amino acids, and G418 (1,000 µg/ml). Antiviral assays were performed in the same medium without G418. Cells were seeded in a 96-well plate at 1,500 cells per well, and test compounds were added immediately after seeding. Incubation time 4 days. At the end of the incubation step, total cellular RNA was isolated (RNeasy 96 kit; Qiagen). Replicon RNA and an internal control (TaqMan rRNA control reagents; Applied Biosystems) were amplified in a single-step multiplex RT-PCR protocol as recommended by the manufacturer. The HCV primers and probe were designed with Primer Express software (Applied Biosystems) and covered highly conserved 5'-untranslated region (UTR) sequences (sense, 5'-AGCCATGGCGTTAGTA(T)GAGTGT-3', and antisense, 5'-TTCCGCAGACCACTATGG-3'; probe, 5'-FAM-CCTCCAGGACCCCCCTCCC-TAMRA-3').

[0192] To express the antiviral effectiveness of a compound, the threshold RT-PCR cycle of the test compound was subtracted from the average threshold RT-PCR cycle of the no-drug control (ΔCt_{HCV}). A ΔCt of 3.3 equals a 1-log 10 reduction (equal to the 90% effective concentration [EC₉₀]) in replicon RNA levels. The cytotoxicity of the test compound could also be expressed by calculating the ΔCt_{rRNA} values. The $\Delta\Delta Ct$ specificity parameter could then be introduced ($\Delta Ct_{HCV} - \Delta Ct_{rRNA}$), in which the levels of HCV RNA are normalized for the rRNA levels and calibrated against the no-drug control.

Ex #	Compound	Log10 Reduction at 50 μ M	EC90 (μ M)
5		-1.21	3.0
6		-0.45	ND
7		0.31	ND
8		-1.48	2.11
10		-1.25	19.15
11		-0.55	ND
12		0.31	ND
15		ND	0.86

EP 2 824 109 A1

(continued)

Ex #	Compound	Log10 Reduction at 50 μ M	EC90 (μ M)
25		-2.22	0.39
27		-2.25	0.66
28		-2.16	0.75
36		-1.64	21.9
39		-1.78	0.47
49		-2.69	0.126
53		-1.33	<0.3
54		-1.55	0.57


(continued)

Ex #	Compound	Log10 Reduction at 50 μ M	EC90 (μ M)
55		-2.38	<0.3
69		-2.25	< 0.3
70		-2.25	<0.3
¹ (4-BrPh): 4-bromo-phenyl.			

[0193] The entire contents of 60/909,315, filed March 30, 2007; 60/982,309, filed October 24, 2007; and 12/053,015, filed March 21, 2008 are hereby incorporated by reference in the present application so far as needed to supplement the present disclosure and/or rectify any errors. Moreover, the patent and non-patent references disclosed herein are incorporated by reference. In the event that the incorporated patent and non-patent reference contains a term that conflicts with a term disclosed in either one of the two Provisional Applications or the present application text, the meaning of the term contained in the present application text and the two Provisional Applications controls provided that the overall meaning of the incorporated subject matter is not lost.

[0194] The present invention will now be described with reference to the following clauses:

1. A compound, its stereoisomer, salt, hydrate, solvate, or crystalline form thereof, represented by formula I:



I

wherein

(a) R¹ is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C₁₋₆ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₁₋₆ alkoxy, F, Cl, Br, I, nitro, cyano, C₁₋₆ haloalkyl, -N(R^{1'})₂, C₁₋₆ acylamino, -NHSO₂C₁₋₆ alkyl, -SO₂N(R^{1'})₂, COR^{1''}, and -SO₂C₁₋₆ alkyl; (R^{1'} is independently hydrogen or alkyl, which includes, but is not limited to, C₁₋₂₀ alkyl, C₁₋₁₀ alkyl, or C₁₋₆ alkyl, R¹ is -OR' or -N(R^{1'})₂);

(b) R² is hydrogen, C₁₋₁₀ alkyl, R^{3a} or R^{3b} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms, C(O)CR^{3a}R^{3b}NHR¹, where n is 2 to 4 and R¹, R^{3a}, and R^{3b};

(c) R^{3a} and R^{3b} are (i) independently selected from hydrogen, C₁₋₁₀ alkyl, cycloalkyl, -(CH₂)_c(NR^{3'})₂, C₁₋₆ hydroxyalkyl, -CH₂SH, -(CH₂)₂S(O)_dMe, -(CH₂)₃NHC(=NH)NH₂, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, -(CH₂)_eCOR^{3''}, aryl and aryl C₁₋₃ alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C₁₋₁₀ alkyl, C₁₋₆ alkoxy, halogen, nitro and cyano; (ii) R^{3a} and R^{3b} both are C₁₋₆ alkyl; (iii) R^{3a} and R^{3b} together are (CH₂)_f so as to form a spiro ring; (iv) R^{3a} is hydrogen and R^{3b} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where R^{3'} is independently hydrogen or C₁₋₆ alkyl and R^{3''} is -OR' or -N(R^{3'})₂; (vi) R^{3a} is H and R^{3b} is H, CH₃, CH₂CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl; or (viii) R^{3a} is CH₃, -CH₂CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl and R^{3b} is H, where R^{3'} is independently hydrogen or alkyl, which includes, but is not limited to, C₁₋₂₀ alkyl, C₁₋₁₀ alkyl, or C₁₋₆ alkyl, R^{3''} is -OR' or -N(R^{3'})₂;

(d) R⁴ is hydrogen, C₁₋₁₀ alkyl, C₁₋₁₀ alkyl optionally substituted with a lower alkyl, alkoxy, di(lower alkyl)-amino, or halogen, C₁₋₁₀ haloalkyl, C₃₋₁₀ cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;


(e) R⁵ is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., -(CH₂)_pOH, where p is 1-6, including hydroxyl methyl (CH₂OH), CH₂F, N₃, CH₂CN, CH₂NH₂, CH₂NHCH₃, CH₂N(CH₃)₂, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R⁶ is H, R⁵ cannot be N₃ and when X is OH, R⁶ is CH₃ or CH₂F and B is a purine base, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OMe, halogen, NH₂, or N₃;

(h) Y is OH, H, C₁₋₄ alkyl, C₂₋₄ alkenyl, C₂₋₄ alkynyl, vinyl, N₃, CN, Cl, Br, F, I, NO₂, OC(O)O(C₁₋₄ alkyl), OC(O)O(C₁₋₄ alkyl), OC(O)O(C₂₋₄ alkynyl), OC(O)O(C₂₋₄ alkenyl), OC₁₋₁₀ haloalkyl, O(aminoacyl), O(C₁₋₁₀ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₁₈ acyl)₂, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N₃, CN, one to three halogen (Cl, Br, F, I), NO₂, C(O)O(C₁₋₄ alkyl), C(O)O(C₁₋₄ alkyl), C(O)O(C₂₋₄ alkynyl), C(O)O(C₂₋₄ alkenyl), O(C₁₋₄ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₄ acyl)₂;

the base is a naturally occurring or modified purine or pyrimidine base represented by the following structures:



wherein

Z is N or CR¹²;

R⁷, R⁸, R⁹, R¹⁰, and R¹¹ are independently H, F, Cl, Br, I, OH, OR', SH, SR', NH₂, NHR', NR'₂, lower alkyl of C₁-C₆, halogenated (F, Cl, Br, I) lower alkyl of C₁-C₆, lower alkenyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkenyl of C₂-C₆, lower alkynyl of C₂-C₆ such as C=CH, halogenated (F, Cl, Br, I) lower alkynyl of C₂-C₆, lower alkoxy of C₁-C₆, halogenated (F, Cl, Br, I) lower alkoxy of C₁-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R',

wherein R' is an optionally substituted alkyl, which includes, but is not limited to, an optionally substituted C₁-₂₀ alkyl, an optionally substituted C₁-₁₀ alkyl, an optionally substituted lower alkyl; an optionally substituted cycloalkyl; an optionally substituted alkynyl of C₂-C₆, an optionally substituted lower alkenyl of C₂-C₆, or optionally substituted acyl, which includes but is not limited to C(O) alkyl, C(O)(C₁-₂₀ alkyl), C(O)(C₁-₁₀ alkyl), or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

R¹² is an H, halogen (including F, Cl, Br, I), OH, OR', SH, SR', NH₂, NHR', NR'₂, NO₂ lower alkyl of C₁-C₆, halogenated (F, Cl, Br, I) lower alkyl of C₁-C₆, lower alkenyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkenyl of C₂-C₆, lower alkynyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkynyl of C₂-C₆, lower alkoxy of C₁-C₆, halogenated (F, Cl, Br, I) lower alkoxy of C₁-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'; with the proviso that when base is represented by the structure c with R¹¹ being hydrogen, R¹² is not a: (i) -C≡C-H, (ii) -C=CH₂, or (iii) -NO₂.

2. A compound its stereoisomer, salt, hydrate, solvate, or crystalline form thereof selected from among

5 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(phenyl methoxy-alanyl phosphate ((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester);

6 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(phenyl methoxy-valyl phosphate ((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-3-methyl-butyric acid methyl ester);

7 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(4-bromophenyl methoxy-valyl phosphate ((S)-2-[(4-bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino]-3-methyl-butyric acid methyl ester);

8 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(4-bromophenyl methoxy-alanyl phosphate (((S)-2-[(4-bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid methyl ester);

9 N⁴-(N,N-dimethylformamidinyl)-2'-deoxy-2'-fluoro-2'-C-methylcytidine;

10 2'-Deoxy-2'-fluoro-2'-C-methylcytidine 5'-(phenyl methoxy-alanyl phosphate (((S)-2-[(2R,3R,4R,5R)-5-(2-oxo-3-amino-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester);

11 2'-Deoxy-2'-fluoro-2'-C-methylcytidine 5'-(4-bromophenyl methoxy-valyl phosphate (2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(4-bromophenyl methoxy-valyl phosphate ((S)-2-[(4-bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2-oxo-3-amino-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-3-

methyl-butyrac acid methyl ester);

12 2'-deoxy-2'-fluoro-2'-C-methylcytidine 5'-(phenyl methoxy-valyl phosphate ((S)-2-[[[(2R,3R,4R,5R)-5-(2-oxo-3-amino-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-3-methyl-butyrac acid methyl ester;

13 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-propionic acid ethyl ester;

14 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(naphthalen-1-yloxy)-phosphorylamino]-propionic acid benzyl ester;

15 {[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-acetic acid methyl ester;

16 (((S)-2-[(2,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino]-propionic acid methyl ester;

17 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(naphthalen-1-yloxy)-phosphorylamino]-propionic acid methyl ester;

18 (((S)-1-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphoryl]-pyrrolidine-2-carboxylic acid methyl ester;

19 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-propionic acid butyl ester;

20 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-propionic acid benzyl ester;

21 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(4-fluoro-phenoxy)-phosphorylamino]-propionic acid methyl ester;

22 (((S)-2-[(4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino]-propionic acid methyl ester;

23 (((S)-2-[(3,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino]-propionic acid methyl ester;

24 ((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-propionic acid sec-butyl ester;

25 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-propionic acid isopropyl ester;

26 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(4-methoxy-phenoxy)-phosphorylamino]-propionic acid butyl ester;

27 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(4-fluoro-phenoxy)-phosphorylamino]-propionic acid ethyl ester;

28 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(4-fluoro-phenoxy)-phosphorylamino]-propionic acid isopropyl ester;

29 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(4-fluoro-phenoxy)-phosphorylamino]-propionic acid benzyl ester;

30 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(4-methoxy-phenoxy)-phosphorylamino]-propionic acid isopropyl ester;

31 (((S)-2-[(2-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino]-propionic acid benzyl ester;

32 (((S)-2-[(2,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino]-propionic acid butyl ester;

33 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-p-tolyloxy-phosphorylamino]-propionic acid isopropyl ester;

34 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(4-fluoro-phenoxy)-phosphorylamino]-propionic acid butyl ester;

35 (((S)-2-[(3,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino]-propionic acid ethyl ester;

36 (((S)-2-[(2-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino]-propionic acid isopropyl ester;

37 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(4-methoxy-phenoxy)-phosphorylamino]-propionic acid benzyl ester;


38 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-propionic acid pentyl ester;

39 (((S)-2-[(4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino]-propionic acid isopropyl ester;

- 40 ((S)-2-((4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid butyl ester;
- 41 (((S)-2-((4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid ethyl ester;
- 5 42 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-p-tolyloxy-phosphorylamino)-propionic acid butyl ester;
- 43 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-p-tolyloxy-phosphorylamino)-propionic acid benzyl ester;
- 44 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-butyric acid methyl ester;
- 10 45 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid 4-fluoro-benzyl ester;
- 46 (((S)-2-((2-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid butyl ester;
- 15 47 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid 3-methyl-butyl ester;
- 48 (((S)-2-((2,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid ethyl ester;
- 49 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid cyclohexyl ester;
- 20 50 (((R)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid butyl ester;
- 51 (((R)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid isopropyl ester;
- 25 52 (((R)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid benzyl ester;
- 53 (((S)-2-((2-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid butyl ester;
- 54 (((S)-2-((4-Bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid isopropyl ester;
- 30 55 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(4-fluoro-phenoxy)-phosphorylamino)-propionic acid cyclohexyl ester;
- 56 ((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(4-bromo-phenoxy)-phosphorylamino)-propionic acid cyclohexyl ester;
- 35 57 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-butyric acid isopropyl ester;
- 58 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-butyric acid cyclohexyl ester;
- 59 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(4-fluoro-phenoxy)-phosphorylamino)-butyric acid cyclohexyl ester;
- 40 60 (((S)-2-((4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-butyric acid isopropyl ester;
- 61 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid 2,2-difluoro-ethyl ester;
- 45 62 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid 2,2,2-trifluoro-1-trifluoromethyl-ethyl ester;
- 63 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid 2-fluoro-1-fluoromethyl-ethyl ester;
- 64 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid cyclopropyl methyl ester;
- 50 65 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-butyric acid cyclopentyl ester;
- 66 (((S)-2-(((2R,3R,4R,5R)-5-(6-Amino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester;
- 55 67 (((S)-2-(((2R,3R,4R,5R)-5-(2-Amino-6-hydroxy-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester;
- 68 (((S)-2-((R)-[(2R,3R,4R,5R)-5-(2,6-Diamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester;

- 69 (((S)-2-((2R,3R,4R,5R)-5-(2-Amino-6-cyclopentylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;
- 70 (((S)-2-((2R,3R,4R,5R)-5-(2-Amino-6-azetidin-1-yl-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;
- 71 (((S)-2-((2R,3R,4R,5R)-5-(2-Amino-6-diethylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;
- 72 (((S)-2-((2R,3R,4R,5R)-5-(2-Amino-6-propylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;
- 73 (((S)-2-((2R,3R,4R,5R)-5-(2-Amino-6-cyclobutylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;
- 74 (((S)-2-((2R,3R,4R,5R)-5-[2-Amino-6-(4-methyl-piperazin-1-yl)-purin-9-yl]-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;
- 75 (((2S)-methyl 2-(((2R,3R,4R,5R)-4-fluoro-3-hydroxy-4-methyl-5-(6-(propylamino)-9H-purin-9-yl)tetrahydro-furan-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;
- 76 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(cyclobutylamino)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;
- 77 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(cyclopentylamino)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;
- 78 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(aziridin-1-yl)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;
- 79 (((2S)-methyl 2-(((2R,3R,4R,5R)-4-fluoro-3-hydroxy-4-methyl-5-(6-(piperidin-1-yl)-9H-purin-9-yl)tetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate; and
- 80 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(azetidin-1-yl)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate.

3. A composition for the treatment and/or prophylaxis of any of the viral agents disclosed herein said composition comprising a pharmaceutically acceptable medium selected from among an excipient, carrier, diluent, and equivalent medium and a compound, its stereoisomer, salt, hydrate, solvate, or crystalline form thereof, represented by formula I:



I

wherein

(a) R¹ is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C₁-₆ alkyl, C₂-₆ alkenyl, C₂-₆ alkynyl, C₁-₆ alkoxy, F, Cl, Br, I, nitro, cyano, C₁-₆ haloalkyl, -N(R¹)₂, C₁-₆ acylamino, -NHSO₂C₁-₆ alkyl, -SO₂N(R¹)₂, COR¹'', and -SO₂C₁-₆ alkyl; (R¹' is independently hydrogen or alkyl, which includes, but is not limited to, C₁-₂₀ alkyl, C₁-₁₀ alkyl, or C₁-₆ alkyl, R¹'' is -OR' or -N(R¹)₂);

(b) R² is hydrogen, C₁-₁₀ alkyl, R³ᵃ or R³ᵇ and R² together are (CH₂)ₙ so as to form a cyclic ring that includes the adjoining N and C atoms, C(O)CR³ᵃR³ᵇNHR¹, where n is 2 to 4 and R¹, R³ᵃ, and R³ᵇ;

(c) R³ᵃ and R³ᵇ are (i) independently selected from hydrogen, C₁-₁₀ alkyl, cycloalkyl, -(CH₂)₆(NR³)₂, C₁-₆ hydroxyalkyl, -CH₂SH, -(CH₂)₂S(O)₄Me, -(CH₂)₃NHC(=NH)NH₂, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, -(CH₂)₆COR³'', aryl and aryl C₁-₃ alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C₁-₁₀ alkyl, C₁-₆ alkoxy, halogen, nitro and cyano; (ii) R³ᵃ and R³ᵇ both are C₁-₆ alkyl; (iii) R³ᵃ and R³ᵇ together are (CH₂)₄ so as to form a spiro ring; (iv) R³ᵃ is hydrogen and R³ᵇ and R² together are (CH₂)ₙ so as to

form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where $R^{3'}$ is independently hydrogen or C_{1-6} alkyl and $R^{3''}$ is $-OR'$ or $-N(R^{3'})_2$;
 (vi) R^{3a} is H and R^{3b} is H, CH_3 , CH_2CH_3 , $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph , CH_2 -indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H , $CH_2C(O)NH_2$, CH_2CH_2COOH , $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2 -imidazol-4-yl, CH_2OH , $CH(OH)CH_3$, $CH_2((4'-OH)-Ph)$, CH_2SH , or lower cycloalkyl; or (viii) R^{3a} is CH_3 , $-CH_2CH_3$, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph , CH_2 -indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H , $CH_2C(O)NH_2$, CH_2CH_2COOH , $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2 -imidazol-4-yl, CH_2OH , $CH(OH)CH_3$, $CH_2((4'-OH)-Ph)$, CH_2SH , or lower cycloalkyl and R^{3b} is H, where $R^{3'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{3''}$ is $-OR'$ or $-N(R^{3'})_2$;

(d) R^4 is hydrogen, C_{1-10} alkyl, C_{1-10} alkyl optionally substituted with a lower alkyl, alkoxy, di(lower alkyl)-amino, or halogen, C_{1-10} haloalkyl, C_{3-10} cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;


(e) R^5 is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., $-(CH_2)_pOH$, where p is 1-6, including hydroxyl methyl (CH_2OH), CH_2F , N_3 , CH_2CN , CH_2NH_2 , CH_2NHCH_3 , $CH_2N(CH_3)_2$, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R^6 is H, R^5 cannot be N_3 and when X is OH, R^6 is CH_3 or CH_2F and B is a purine base, R^5 cannot be H;

(f) R^6 is H, CH_3 , CH_2F , CHF_2 , CF_3 , F, or CN;

(g) X is H, OH, F, OMe, halogen, NH_2 , or N_3 ;

(h) Y is OH, H, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, vinyl, N_3 , CN, Cl, Br, F, I, NO_2 , $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{2-4}$ alkynyl), $OC(O)O(C_{2-4}$ alkenyl), OC_{1-10} haloalkyl, O(aminoacyl), O(C_{1-10} acyl), O(C_{1-4} alkyl), O(C_{2-4} alkenyl), S(C_{1-4} acyl), S(C_{1-4} alkyl), S(C_{2-4} alkynyl), S(C_{2-4} alkenyl), SO(C_{1-4} acyl), SO(C_{1-4} alkyl), SO(C_{2-4} alkynyl), SO(C_{2-4} alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkynyl), NH_2 , $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl) $_2$, $N(C_{1-18}$ acyl) $_2$, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N_3 , CN, one to three halogen (Cl, Br, F, I), NO_2 , $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{1-4}$ alkyl), $C(O)O(C_{2-4}$ alkynyl), $C(O)O(C_{2-4}$ alkenyl), O(C_{1-4} acyl), O(C_{1-4} alkyl), O(C_{2-4} alkenyl), S(C_{1-4} acyl), S(C_{1-4} alkyl), S(C_{2-4} alkynyl), S(C_{2-4} alkenyl), SO(C_{1-4} acyl), SO(C_{1-4} alkyl), SO(C_{2-4} alkynyl), SO(C_{2-4} alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), $OS(O)_2(C_{1-4}$ acyl), $OS(O)_2(C_{1-4}$ alkyl), $OS(O)_2(C_{2-4}$ alkynyl), NH_2 , $NH(C_{1-4}$ alkyl), $NH(C_{2-4}$ alkenyl), $NH(C_{2-4}$ alkynyl), $NH(C_{1-4}$ acyl), $N(C_{1-4}$ alkyl) $_2$, $N(C_{1-4}$ acyl) $_2$;

the base is a naturally occurring or modified purine or pyrimidine base represented by the following structures:



wherein

Z is N or CR^{12} ;

R^7 , R^8 , R^9 , R^{10} , and R^{11} are independently H, F, Cl, Br, I, OH, OR' , SH, SR' , NH_2 , NHR' , NR'_2 , lower alkyl of C_1-C_6 , halogenated (F, Cl, Br, I) lower alkyl of C_1-C_6 , lower alkenyl of C_2-C_6 , halogenated (F, Cl, Br, I) lower alkenyl of C_2-C_6 , lower alkynyl of C_2-C_6 such as $C=CH$, halogenated (F, Cl, Br, I) lower alkynyl of C_2-C_6 , lower alkoxy of C_1-C_6 , halogenated (F, Cl, Br, I) lower alkoxy of C_1-C_6 , CO_2H , CO_2R' , $CONH_2$, $CONHR'$, $CONR'_2$,

CH=CHCO₂H, or CH=CHCO₂R',

wherein R' is an optionally substituted alkyl, which includes, but is not limited to, an optionally substituted C₁₋₂₀ alkyl, an optionally substituted C₁₋₁₀ alkyl, an optionally substituted lower alkyl; an optionally substituted cycloalkyl; an optionally substituted alkynyl of C₂₋₆, an optionally substituted lower alkenyl of C₂₋₆, or optionally substituted acyl, which includes but is not limited to C(O) alkyl, C(O)(C₁₋₂₀ alkyl), C(O)(C₁₋₁₀ alkyl), or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

R¹² is an H, halogen (including F, Cl, Br, I), OH, OR', SH, SR', NH₂, NHR', NR'₂, NO₂ lower alkyl of C₁₋₆, halogenated (F, Cl, Br, I) lower alkyl of C₁₋₆, lower alkenyl of C₂₋₆, halogenated (F, Cl, Br, I) lower alkenyl of C₂₋₆, lower alkynyl of C₂₋₆, halogenated (F, Cl, Br, I) lower alkynyl of C₂₋₆, lower alkoxy of C₁₋₆, halogenated (F, Cl, Br, I) lower alkoxy of C₁₋₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'; with the proviso that when base is represented by the structure c with R¹¹ being hydrogen, R¹² is not a: (i) -C≡C-H, (ii) -C=CH₂, or (iii) -NO₂.

4. A composition for the treatment and/or prophylaxis of any of the viral agents disclosed herein said composition comprising a pharmaceutically acceptable medium selected from among an excipient, carrier, diluent, and equivalent medium and a compound, its stereoisomer, salt, hydrate, solvate, or crystalline form thereof, selected from among

5' 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(phenyl methoxy-alanyl phosphate ((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester);

6' 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(phenyl methoxy-valyl phosphate ((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-3-methyl-butyric acid methyl ester);

7' 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(4-bromophenyl methoxy-valyl phosphate ((S)-2-[(4-bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-3-methyl-butyric acid methyl ester);

8' 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(4-bromophenyl methoxy-alanyl phosphate (((S)-2-[(4-bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid methyl ester);

9 N⁴-(N,N-dimethylformamidinyl)-2'-deoxy-2'-fluoro-2'-C-methylcytidine;

10' 2'-Deoxy-2'-fluoro-2'-C-methylcytidine 5'-(phenyl methoxy-alanyl phosphate (((S)-2-[(2R,3R,4R,5R)-5-(2-oxo-3-amino-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester);

11' 2'-Deoxy-2'-fluoro-2'-C-methylcytidine 5'-(4-bromophenyl methoxy-valyl phosphate (2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(4-bromophenyl methoxy-valyl phosphate ((S)-2-[(4-bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2-oxo-3-amino-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-3-methyl-butyric acid methyl ester);

12' 2'-deoxy-2'-fluoro-2'-C-methylcytidine 5'-(phenyl methoxy-valyl phosphate ((S)-2-[(2R,3R,4R,5R)-5-(2-oxo-3-amino-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-3-methyl-butyric acid methyl ester);

13' (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid ethyl ester;

14' ((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(naphthalen-1-yloxy)-phosphorylamino]-propionic acid benzyl ester;

15' {[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-acetic acid methyl ester;

16' (((S)-2-[(2,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid methyl ester);

17' (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(naphthalen-1-yloxy)-phosphorylamino)-propionic acid methyl ester;

18' (((S)-1-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphoryl)-pyrrolidine-2-carboxylic acid methyl ester;

19' (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid butyl ester;

20' (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester);

dro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid benzyl ester;

21 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy]-(4-fluoro-phenoxy)-phosphorylamino]-propionic acid methyl ester;

22 (((S)-2-((4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl)methoxy]-phosphorylamino)-propionic acid methyl ester;

23 (((S)-2-((3,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy)-phosphorylamino}-propionic acid methyl ester;

24 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid sec-butyl ester;

25 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino}-propionic acid isopropyl ester;

26 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(4-methoxy-phenoxy)-phosphorylamino]-propionic acid butyl ester;

27 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(4-fluoro-phenoxy)-phosphorylamino]-propionic acid ethyl ester;

28 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-4-fluoro-phenoxy)-phosphorylamino]-propionic acid isopropyl ester;

29 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-4-fluoro-phenoxy]-phosphorylamino]-propionic acid benzyl ester;

30 ((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-4-methoxy-phenoxy]-phosphorylamino]-propionic acid isopropyl ester;

31 (((S)-2-((2-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino}-propionic acid benzyl ester;

32 (((S)-2-((2,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy]phosphorylamino} propionic acid butyl ester;

33 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-p-tolyloxy-phosphorylamino]-propionic acid isopropyl ester;

34 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-4-fluoro-phenoxy]-phosphorylamino]-propionic acid butyl ester;

35 (((S)-2-((3,4-Dichlorophenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino}-propionic acid ethyl ester;

36 (((S)-2-(2-(2-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]phosphorylamino}propionic acid ethyl ester;

37 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(4-methoxy-phenoxy)-phosphorylamino]-propionic acid benzyl ester;

38 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino}-propionic acid pentyl ester;

39 (((S)-2-((4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]phosphorylamino}propionic acid isopropyl ester;

40 (((S)-2-{(4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy}-phosphorylamino}-propionic acid isopropyl ester;

41 (((S)-2-((4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy]-phosphorylamino}-propionic acid ethyl ester;

42 ((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-p-tolyl]oxy-phosphorylamino]-propionic acid butyl ester;

43 (((S)-2-[[[(2R,3R,4R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-p-tolyl]oxy-phosphorylamino]-propionic acid benzyl ester):

44 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-butyric acid methyl ester:

45 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-propionic acid 4-fluoro-benzyl ester:

46 ((S)-2-{(2-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]phosphorylamino}propionic acid butyl ester;

47 ((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl)methoxy)-phenoxy-phosphorylamino}propionic acid 3-methyl-butyl ester:

48 (((S)-2-((2,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino}-propionic acid ethyl ester);

49 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahy-

dro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid cyclohexyl ester;

50 (((R)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid butyl ester;

51 (((R)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid isopropyl ester;

52 (((R)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid benzyl ester;

53 (((S)-2-((2-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid butyl ester;

54 (((S)-2-((4-Bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid isopropyl ester;

55 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(4-fluoro-phenoxy)-phosphorylamino)-propionic acid cyclohexyl ester;

56 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(4-bromo-phenoxy)-phosphorylamino)-propionic acid cyclohexyl ester;

57 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-butyric acid isopropyl ester;

58 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-butyric acid cyclohexyl ester;

59 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(4-fluoro-phenoxy)-phosphorylamino)-butyric acid cyclohexyl ester;

60 (((S)-2-((4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-butyric acid isopropyl ester;

61 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid 2,2-difluoro-ethyl ester;

62 ((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid 2,2,2-trifluoro-1-trifluoromethyl-ethyl ester;

63 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid 2-fluoro-1-fluoromethyl-ethyl ester;

64 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid cyclopropyl methyl ester;

65 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-butyric acid cyclopentyl ester;

66 (((S)-2-(((2R,3R,4R,5R)-5-(6-Amino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;

67 (((S)-2-(((2R,3R,4R,5R)-5-(2-Amino-6-hydroxy-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;

68 (((S)-2-((R)-[(2R,3R,4R,5R)-5-(2,6-Diamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester;

69 (((S)-2-(((2R,3R,4R,5R)-5-(2-Amino-6-cyclopentylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;

70 (((S)-2-(((2R,3R,4R,5R)-5-(2-Amino-6-azetidin-1-yl-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;

71 (((S)-2-(((2R,3R,4R,5R)-5-(2-Amino-6-diethylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;

72 (((S)-2-(((2R,3R,4R,5R)-5-(2-Amino-6-propylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;

73 (((S)-2-(((2R,3R,4R,5R)-5-(2-Amino-6-cyclobutylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;

74 (((S)-2-(((2R,3R,4R,5R)-5-[2-Amino-6-(4-methyl-piperazin-1-yl)-purin-9-yl]-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;

75 (((2S)-methyl 2-(((2R,3R,4R,5R)-4-fluoro-3-hydroxy-4-methyl-5-(6-(propylamino)-9H-purin-9-yl)-tetrahydro-furan-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;

76 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(cyclobutylamino)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;

77 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(cyclopentylamino)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;

78 ((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(aziridin-1-yl)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-


furan-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;

79 (((2S)-methyl 2-(((2R,3R,4R,5R)-4-fluoro-3-hydroxy-4-methyl-5-(6-(piperidin-1-yl)-9H-purin-9-yl)tetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate; and

80 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(azetidin-1-yl)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate.

5. A use of the compound represented by formula I in the manufacture of a medicament for the treatment of any condition the result of an infection by hepatitis C virus, West Nile virus, yellow fever virus, dengue virus, rhinovirus, polio virus, hepatitis A virus, bovine viral diarrhea virus or Japanese encephalitis virus.

wherein the compound, its stereoisomer, salt, hydrate, solvate, or crystalline form thereof, are represented by formula I:



I

wherein

(a) R¹ is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C₁-₆ alkyl, C₂-₆ alkenyl, C₂-₆ alkynyl, C₁-₆ alkoxy, F, Cl, Br, I, nitro, cyano, C₁-₆ haloalkyl, -N(R¹)₂, C₁-₆ acylamino, -NHSO₂C₁-₆ alkyl, -SO₂N(R¹)₂, COR¹', and -SO₂C₁-₆ alkyl; (R¹' is independently hydrogen or alkyl, which includes, but is not limited to, C₁-₂₀ alkyl, C₁-₁₀ alkyl, or C₁-₆ alkyl, R¹' is -OR' or -N(R¹)₂);

(b) R² is hydrogen, C₁-₁₀ alkyl, R³ᵃ or R³ᵇ and R² together are (CH₂)ₙ so as to form a cyclic ring that includes the adjoining N and C atoms, C(O)CR³ᵃR³ᵇNHR¹, where n is 2 to 4 and R¹, R³ᵃ, and R³ᵇ;

(c) R³ᵃ and R³ᵇ are (i) independently selected from hydrogen, C₁-₁₀ alkyl, cycloalkyl, -(CH₂)₆(NR³')₂, C₁-₆ hydroxyalkyl, -CH₂SH, -(CH₂)₂S(O)ₑMe, -(CH₂)₃NHC(=NH)NH₂, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, -(CH₂)₆COR³'', aryl and aryl C₁-₃ alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C₁-₁₀ alkyl, C₁-₆ alkoxy, halogen, nitro and cyano; (ii) R³ᵃ and R³ᵇ both are C₁-₆ alkyl; (iii) R³ᵃ and R³ᵇ together are (CH₂)₆ so as to form a spiro ring; (iv) R³ᵃ is hydrogen and R³ᵇ and R² together are (CH₂)ₙ so as to form a cyclic ring that includes the adjoining N and C atoms (v) R³ᵇ is hydrogen and R³ᵃ and R² together are (CH₂)ₙ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where R³' is independently hydrogen or C₁-₆ alkyl and R³'' is -OR' or -N(R³')₂); (vi) R³ᵃ is H and R³ᵇ is H, CH₃, CH₂CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl; or (viii) R³ᵃ is CH₃, -CH₂CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl and R³ᵇ is H, where R³' is independently hydrogen or alkyl, which includes, but is not limited to, C₁-₂₀ alkyl, C₁-₁₀ alkyl, or C₁-₆ alkyl, R³'' is -OR' or -N(R³')₂);

(d) R⁴ is hydrogen, C₁-₁₀ alkyl, C₁-₁₀ alkyl optionally substituted with a lower alkyl, alkoxy, di(lower alkyl)-amino, or halogen, C₁-₁₀ haloalkyl, C₃-₁₀ cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R⁵ is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., -(CH₂)ₚOH, where p is 1 -6, including


hydroxyl methyl (CH₂OH), CH₂F, N₃, CH₂CN, CH₂NH₂, CH₂NHCH₃, CH₂N(CH₃)₂, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R⁶ is H, R⁵ cannot be N₃ and when X is OH, R⁶ is CH₃ or CH₂F and B is a purine base, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OMe, halogen, NH₂, or N₃;

(h) Y is OH, H, C₁₋₄ alkyl, C₂₋₄ alkenyl, C₂₋₄ alkynyl, vinyl, N₃, CN, Cl, Br, F, I, NO₂, OC(O)O(C₁₋₄ alkyl), OC(O)O(C₁₋₄ alkyl), OC(O)O(C₂₋₄ alkynyl), OC(O)O(C₂₋₄ alkenyl), OC₁₋₁₀ haloalkyl, O(aminoacyl), O(C₁₋₁₀ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkynyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₁₈ acyl)₂, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N₃, CN, one to three halogen (Cl, Br, F, I), NO₂, C(O)O(C₁₋₄ alkyl), C(O)O(C₁₋₄ alkyl), C(O)O(C₂₋₄ alkynyl), C(O)O(C₂₋₄ alkenyl), O(C₁₋₄ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkynyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₄ acyl)₂;

the base is a naturally occurring or modified purine or pyrimidine base represented by the following structures:



wherein

Z is N or CR¹²;

R⁷, R⁸, R⁹, R¹⁰, and R¹¹ are independently H, F, Cl, Br, I, OH, OR', SH, SR', NH₂, NHR', NR'₂, lower alkyl of C₁-C₆, halogenated (F, Cl, Br, I) lower alkyl of C₁-C₆, lower alkenyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkenyl of C₂-C₆, lower alkynyl of C₂-C₆ such as C=CH, halogenated (F, Cl, Br, I) lower alkynyl of C₂-C₆, lower alkoxy of C₁-C₆, halogenated (F, Cl, Br, I) lower alkoxy of C₁-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R',

wherein R' is an optionally substituted alkyl, which includes, but is not limited to, an optionally substituted C₁₋₂₀ alkyl, an optionally substituted C₁₋₁₀ alkyl, an optionally substituted lower alkyl; an optionally substituted cycloalkyl; an optionally substituted alkynyl of C₂-C₆, an optionally substituted lower alkenyl of C₂-C₆, or optionally substituted acyl, which includes but is not limited to C(O) alkyl, C(O)(C₁₋₂₀ alkyl), C(O)(C₁₋₁₀ alkyl), or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

R¹² is an H, halogen (including F, Cl, Br, I), OH, OR', SH, SR', NH₂, NHR', NR'₂, NO₂ lower alkyl of C₁-C₆, halogenated (F, Cl, Br, I) lower alkyl of C₁-C₆, lower alkenyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkenyl of C₂-C₆, lower alkynyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkynyl of C₂-C₆, lower alkoxy of C₁-C₆, halogenated (F, Cl, Br, I) lower alkoxy of C₁-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'; with the proviso that when base is represented by the structure c with R¹¹ being hydrogen, R¹²

is not a: (i) $-C\equiv C-H$, (ii) $-C=CH_2$, or (iii) $-NO_2$.

6. A use of

a compound, its stereoisomer, salt, hydrate, solvate, or crystalline form thereof, selected from among

5 **5** 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(phenyl methoxy-alanyl phosphate ((S)-2-[(2R,3R,4R,5R)-5-(2,4-Di-oxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester);

10 **6** 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(phenyl methoxy-valyl phosphate ((S)-2-[(2R,3R,4R,5R)-5-(2,4-Di-oxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-3-methyl-butyric acid methyl ester);

7 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(4-bromophenyl methoxy-valyl phosphate ((S)-2-[(4-bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-3-methyl-butyric acid methyl ester);

15 **8** 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(4-bromophenyl methoxy-alanyl phosphate (((S)-2-[(4-bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid methyl ester);

9 N⁴-(N,N-dimethylformamidinyl)-2'-deoxy-2'-fluoro-2'-C-methylcytidine;

20 **10** 2'-Deoxy-2'-fluoro-2'-C-methylcytidine 5'-(phenyl methoxy-alanyl phosphate (((S)-2-[(2R,3R,4R,5R)-5-(2-oxo-3-amino-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester);

25 **11** 2'-Deoxy-2'-fluoro-2'-C-methylcytidine 5'-(4-bromophenyl methoxy-valyl phosphate (2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(4-bromophenyl methoxy-valyl phosphate ((S)-2-[(4-bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2-oxo-3-amino-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-3-methyl-butyric acid methyl ester);

12 2'-deoxy-2'-fluoro-2'-C-methylcytidine 5'-(phenyl methoxy-valyl phosphate ((S)-2-[(2R,3R,4R,5R)-5-(2-oxo-3-amino-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-3-methyl-butyric acid methyl ester;

30 **13** (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid ethyl ester;

14 (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-naphthalen-1-yloxy)-phosphorylamino)-propionic acid benzyl ester;

35 **15** {[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-acetic acid methyl ester;

16 ((S)-2-[(2,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid methyl ester;

17 (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-naphthalen-1-yloxy)-phosphorylamino)-propionic acid methyl ester;

40 **18** (((S)-1-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphoryl)-pyrrolidine-2-carboxylic acid methyl ester;

19 (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid butyl ester;

20 (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid benzyl ester;

45 **21** (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-4-fluoro-phenoxy)-phosphorylamino)-propionic acid methyl ester;

22 (((S)-2-[(4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid methyl ester;

50 **23** (((S)-2-[(3,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid methyl ester;

24 (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid sec-butyl ester;

25 (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid isopropyl ester;

55 **26** (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-4-methoxy-phenoxy)-phosphorylamino)-propionic acid butyl ester;

27 (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-4-fluoro-phenoxy)-phosphorylamino)-propionic acid ethyl ester;


[illegible]

57 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-butyric acid isopropyl ester;
 58 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-butyric acid cyclohexyl ester;
 59 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(4-fluoro-phenoxy)-phosphorylamino)-butyric acid cyclohexyl ester;
 60 (((S)-2-((4-Chloro-phenoxy)-((2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phosphorylamino)-butyric acid isopropyl ester;
 61 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid 2,2-difluoro-ethyl ester;
 62 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid 2,2,2-trifluoro-1-trifluoromethyl-ethyl ester;
 63 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid 2-fluoro-1-fluoromethyl-ethyl ester;
 64 ((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid cyclopropyl methyl ester;
 65 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-butyric acid cyclopentyl ester;
 66 (((S)-2-(((2R,3R,4R,5R)-5-(6-Amino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;
 67 (((S)-2-(((2R,3R,4R,5R)-5-(2-Amino-6-hydroxy-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;
 68 (((S)-2-((R)-((2R,3R,4R,5R)-5-(2,6-Diamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;
 69 (((S)-2-(((2R,3R,4R,5R)-5-(2-Amino-6-cyclopentylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;
 70 (((S)-2-(((2R,3R,4R,5R)-5-(2-Amino-6-azetidin-1-yl-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;
 71 (((S)-2-(((2R,3R,4R,5R)-5-(2-Amino-6-diethylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;
 72 (((S)-2-(((2R,3R,4R,5R)-5-(2-Amino-6-propylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;
 73 (((S)-2-(((2R,3R,4R,5R)-5-(2-Amino-6-cyclobutylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;
 74 (((S)-2-(((2R,3R,4R,5R)-5-[2-Amino-6-(4-methyl-piperazin-1-yl)-purin-9-yl]-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid methyl ester;
 75 (((2S)-methyl 2-(((2R,3R,4R,5R)-4-fluoro-3-hydroxy-4-methyl-5-(6-(propylamino)-9H-purin-9-yl)tetrahydro-furan-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;
 76 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(cyclobutylamino)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;
 77 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(cyclopentylamino)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;
 78 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(aziridin-1-yl)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;
 79 (((2S)-methyl 2-(((2R,3R,4R,5R)-4-fluoro-3-hydroxy-4-methyl-5-(6-(piperidin-1-yl)-9H-purin-9-yl)tetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate; and
 80 ((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(azetidin-1-yl)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate
 in the manufacture of a medicament for the treatment of any condition the result of an infection by hepatitis C virus, West Nile virus, yellow fever virus, dengue virus, rhinovirus, polio virus, hepatitis A virus, bovine viral diarrhea virus or Japanese encephalitis virus.

7. A method of treatment in a subject in need thereof, which comprises:

administering a therapeutically effective amount of the compound represented by formula I to the subject;

wherein the compound or its stereoisomer, salt, hydrate, solvate, or crystalline form thereof represented by formula I:



I

wherein

(a) R¹ is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C₁₋₅ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₁₋₆ alkoxy, F, Cl, Br, I, nitro, cyano, C₁₋₆ haloalkyl, -N(R^{1'})₂, C₁₋₆ acylamino, -NHSO₂C₁₋₆ alkyl, -SO₂N(R^{1'})₂, COR^{1'}, and -SO₂C₁₋₆ alkyl; (R^{1'} is independently hydrogen or alkyl, which includes, but is not limited to, C₁₋₂₀ alkyl, C₁₋₁₀ alkyl, or C₁₋₆ alkyl, R^{1'} is -OR' or -N(R^{1'})₂);

(b) R² is hydrogen, C₁₋₁₀ alkyl, R^{3a} or R^{3b} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms, C(O)CR^{3a}R^{3b}NHR¹, where n is 2 to 4 and R¹, R^{3a}, and R^{3b};

(c) R^{3a} and R^{3b} are (i) independently selected from hydrogen, C₁₋₁₀ alkyl, cycloalkyl, -(CH₂)_c(NR^{3'})₂, C₁₋₆ hydroxyalkyl, -CH₂SH, -(CH₂)₂S(O)_dMe, -(CH₂)₃NHC(=NH)NH₂, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, -(CH₂)₆COR^{3'}, aryl and aryl C₁₋₃ alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C₁₋₁₀ alkyl, C₁₋₆ alkoxy, halogen, nitro and cyano; (ii) R^{3a} and R^{3b} both are C₁₋₆ alkyl; (iii) R^{3a} and R^{3b} together are (CH₂)_f so as to form a spiro ring; (iv) R^{3a} is hydrogen and R^{3b} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where R^{3'} is independently hydrogen or C₁₋₆ alkyl and R^{3'} is -OR' or -N(R^{3'})₂; (vi) R^{3a} is H and R^{3b} is H, CH₃, CH₂CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl; or (viii) R^{3a} is CH₃, -CH₂CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl and R^{3b} is H, where R^{3'} is independently hydrogen or alkyl, which includes, but is not limited to, C₁₋₂₀ alkyl, C₁₋₁₀ alkyl, or C₁₋₆ alkyl, R^{3'} is -OR' or -N(R^{3'})₂;

(d) R⁴ is hydrogen, C₁₋₁₀ alkyl, C₁₋₁₀ alkyl optionally substituted with a lower alkyl, alkoxy, di(lower alkyl)-amino, or halogen, C₁₋₁₀ haloalkyl, C₃₋₁₀ cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R⁵ is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., -(CH₂)_pOH, where p is 1 -6, including hydroxyl methyl (CH₂OH), CH₂F, N₃, CH₂CN, CH₂NH₂, CH₂NHCH₃, CH₂N(CH₃)₂, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R⁶ is H, R⁵ cannot be N₃ and when X is OH, R⁶ is CH₃ or CH₂F and B is a purine base, R⁵ cannot be H;


(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OMe, halogen, NH₂, or N₃;

(h) Y is OH, H, C₁₋₄ alkyl, C₂₋₄ alkenyl, C₂₋₄ alkynyl, vinyl, N₃, CN, Cl, Br, F, I, NO₂, OC(O)O(C₁₋₄ alkyl), OC(O)O(C₁₋₄ alkyl), OC(O)O(C₂₋₄ alkynyl), OC(O)O(C₂₋₄ alkenyl), OC₁₋₁₀ haloalkyl, O(aminoacyl), O(C₁₋₁₀ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄

acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkynyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₁₈ acyl)₂, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N₃, CN, one to three halogen (Cl, Br, F, I), NO₂, C(O)O(C₁₋₄ alkyl), C(O)O(C₁₋₄ alkyl), C(O)O(C₂₋₄ alkynyl), C(O)O(C₂₋₄ alkenyl), O(C₁₋₄ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkynyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₄ acyl)₂;

the base is a naturally occurring or modified purine or pyrimidine base represented by the following structures:



wherein

Z is N or CR¹²;

R⁷, R⁸, R⁹, R¹⁰, and R¹¹ are independently H, F, Cl, Br, I, OH, OR', SH, SR', NH₂, NHR', NR'₂, lower alkyl of C₁-C₆, halogenated (F, Cl, Br, I) lower alkyl of C₁-C₆, lower alkenyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkenyl of C₂-C₆, lower alkynyl of C₂-C₆ such as C=CH, halogenated (F, Cl, Br, I) lower alkynyl of C₂-C₆, lower alkoxy of C₁-C₆, halogenated (F, Cl, Br, I) lower alkoxy of C₁-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R',

wherein R' is an optionally substituted alkyl, which includes, but is not limited to, an optionally substituted C₁₋₂₀ alkyl, an optionally substituted C₁₋₁₀ alkyl, an optionally substituted lower alkyl; an optionally substituted cycloalkyl; an optionally substituted alkynyl of C₂-C₆, an optionally substituted lower alkenyl of C₂-C₆, or optionally substituted acyl, which includes but is not limited to C(O) alkyl, C(O)(C₁₋₂₀ alkyl), C(O)(C₁₋₁₀ alkyl), or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

R¹² is an H, halogen (including F, Cl, Br, I), OH, OR', SH, SR', NH₂, NHR', NR'₂, NO₂ lower alkyl of C₁-C₆, halogenated (F, Cl, Br, I) lower alkyl of C₁-C₆, lower alkenyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkenyl of C₂-C₆, lower alkynyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkynyl of C₂-C₆, lower alkoxy of C₁-C₆, halogenated (F, Cl, Br, I) lower alkoxy of C₁-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'; with the proviso that when base is represented by the structure c with R¹¹ being hydrogen, R¹² is not a: (i) -C≡C-H, (ii) -C=CH₂, or (iii) -NO₂.

8. A method of treatment in a subject in need thereof, which comprises:

administering a therapeutically effective amount of a compound, its stereoisomer, salt, hydrate, solvate, or crystalline form thereof, selected from among

5'2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(phenyl methoxy-alanyl phosphate ((S)-2-[(2R,3R,4R,5R)-5-(2,4-Di-oxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester);

6'2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(phenyl methoxy-valyl phosphate ((S)-2-[(2R,3R,4R,5R)-5-(2,4-Di-

oxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-3-methyl-butyric acid methyl ester;

7 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(4-bromophenyl methoxy-valyl phosphate ((S)-2-((4-bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-3-methyl-butyric acid methyl ester);

8 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(4-bromophenyl methoxy-alanyl phosphate (((S)-2-((4-bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid methyl ester);

9 N⁴-(N,N-dimethylformamidinyl)-2'-deoxy-2'-fluoro-2'-C-methylcytidine;

10 10 2'-Deoxy-2'-fluoro-2'-C-methylcytidine 5'-(phenyl methoxy-alanyl phosphate (((S)-2-((2R,3R,4R,5R)-5-(2-oxo-3-amino-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester);

11 2'-Deoxy-2'-fluoro-2'-C-methylcytidine 5'-(4-bromophenyl methoxy-valyl phosphate (2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(4-bromophenyl methoxy-valyl phosphate ((S)-2-((4-bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2-oxo-3-amino-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-3-methyl-butyric acid methyl ester);

12 2'-deoxy-2'-fluoro-2'-C-methylcytidine 5'-(phenyl methoxy-valyl phosphate ((S)-2-((2R,3R,4R,5R)-5-(2-oxo-3-amino-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-3-methyl-butyric acid methyl ester;

13 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid ethyl ester;

14 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(naphthalen-1-yloxy)-phosphorylamino]-propionic acid benzyl ester;

15 {((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino}-acetic acid methyl ester;

16 (((S)-2-((2,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid methyl ester;

17 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(naphthalen-1-yloxy)-phosphorylamino]-propionic acid methyl ester;

18 (((S)-1-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphoryl)-pyrrolidine-2-carboxylic acid methyl ester;

19 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid butyl ester;

20 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid benzyl ester;

21 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(4-fluoro-phenoxy)-phosphorylamino]-propionic acid methyl ester;

22 (((S)-2-((4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid methyl ester;

23 (((S)-2-((3,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid methyl ester;

24 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid sec-butyl ester;

25 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propionic acid isopropyl ester;

26 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(4-methoxy-phenoxy)-phosphorylamino)-propionic acid butyl ester;

27 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(4-fluoro-phenoxy)-phosphorylamino)-propionic acid ethyl ester;

28 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(4-fluoro-phenoxy)-phosphorylamino)-propionic acid isopropyl ester;

29 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(4-fluoro-phenoxy)-phosphorylamino)-propionic acid benzyl ester;

30 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(4-methoxy-phenoxy)-phosphorylamino)-propionic acid isopropyl ester;

31 ((S)-2-((2-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid benzyl ester;

32 (((S)-2-((2,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid benzyl ester;

droxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino}-propionic acid butyl ester;

33 ((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-p-tolyl-oxy-phosphorylamino)-propionic acid isopropyl ester;

34 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(4-fluoro-phenoxy)-phosphorylamino]-propionic acid butyl ester;

35 ((S)-2-((3,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid ethyl ester;

36 ((S)-2-((2-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid isopropyl ester;

37 ((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl)methoxy]-(4-methoxy-phenoxy)-phosphorylamino]-propionic acid benzyl ester;

38 ((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphoryl]amino]-propionic acid pentyl ester;

39 ((S)-2-((4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid isopropyl ester:

40 ((S)-2-((4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid butyl ester:

41 (((S)-2-((4-Chloro-phenoxy)-(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl)methoxy)phosphorylamino}propionic acid ethyl ester;

42 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl)methoxy)-p-tolyl)oxy-phosphoryl)amino]-propionic acid butyl ester;

43 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-p-tolyl]oxy-phosphorylamino]-propanoic acid benzyl ester):

44 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy]-phenoxy-phosphorylamino]-butyric acid methyl ester:

45 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy]-phenoxy-phosphoryl]amino]-propionic acid 4-fluoro-benzyl ester:

46 (((S)-2-{(2-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino}-propionic acid butyl ester:

47 ((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl)methoxy)-phenoxy-phosphorylamino)-propionic acid 3-methyl-butyl ester:

48 (((S)-2-((2,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy)-phosphorylamino}-propionic acid ethyl ester:

49 ((S)-2-(((2R,3R,4R,5R)-5-(2,4-dihydro-3,4-dioxo-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl)methoxy)-phenoxy-phosphorylamino}-propionic acid cyclohexyl ester:

50 (((R)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl)methoxy)-phenoxy-phosphorylamino)-propionic acid butyl ester:

51 (((R)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl)methoxy)-phenoxy-phosphorylamino}-propionic acid isopropyl ester:

52 (((R)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy]-phenoxy-phosphorylamino]-propionic acid benzyl ester:

53 (((S)-2-{(2-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino}-propionic acid butyl ester:

54 (((S)-2-((4-Bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy)-phosphorylamino)-propionic acid butyl ester:

55 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy]-(4-fluoro-phenoxy)-phosphoryl]amino]-propionic acid cyclohexyl ester:

56 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy]-(4-bromo-phenoxy)-phosphoryl]aminol-propionic acid cyclohexyl ester:

57 (((S)-2-[[[(2R,3R,4R,5S)-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy]-phenoxy-phosphoryl]amino]-butyric acid isopropovl ester:

58 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl)methoxy)-phenoxy-phosphorylamino)-butyric acid cyclohexyl ester:

59 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy]-4-fluoro-phenoxy]-phosphorylaminol-butyrac acid cyclohexyl ester:

60 (((S)-2-((4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino}-butyric acid isopropyl ester:

61 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahy-

dro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid 2,2-difluoro-ethyl ester;

62 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid 2,2,2-trifluoro-1-trifluoromethyl-ethyl ester;

63 ((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid 2-fluoro-1-fluoromethyl-ethyl ester;

64 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid cyclopropyl methyl ester;

65 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-butyric acid cyclopentyl ester;

66 (((S)-2-[[[(2R,3R,4R,5R)-5-(6-Amino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid methyl ester;

67 (((S)-2-[[[(2R,3R,4R,5R)-5-(2-Amino-6-hydroxy-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid methyl ester;

68 (((S)-2-[[[(R)-[(2R,3R,4R,5R)-5-(2,6-Diamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid methyl ester;

69 (((S)-2-[[[(2R,3R,4R,5R)-5-(2-Amino-6-cyclopentylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid methyl ester;

70 (((S)-2-[[[(2R,3R,4R,5R)-5-(2-Amino-6-azetidin-1-yl-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid methyl ester;

71 (((S)-2-[[[(2R,3R,4R,5R)-5-(2-Amino-6-diethylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid methyl ester;

72 (((S)-2-[[[(2R,3R,4R,5R)-5-(2-Amino-6-propylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid methyl ester;

73 (((S)-2-[[[(2R,3R,4R,5R)-5-(2-Amino-6-cyclobutylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid methyl ester;

74 (((S)-2-[[[(2R,3R,4R,5R)-5-[2-Amino-6-(4-methyl-piperazin-1-yl)-purin-9-yl]-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid methyl ester;

75 (((2S)-methyl 2-(((2R,3R,4R,5R)-4-fluoro-3-hydroxy-4-methyl-5-(6-(propylamino)-9H-purin-9-yl)tetrahydro-furan-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;

76 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(cyclobutylamino)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;


77 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(cyclopentylamino)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;

78 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(aziridin-1-yl)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;

79 ((2S)-methyl 2-(((2R,3R,4R,5R)-4-fluoro-3-hydroxy-4-methyl-5-(6-(piperidin-1-yl)-9H-purin-9-yl)tetrahydro-furan-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate; and

80 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(azetidin-1-yl)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydro-furan-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate.

9. A process for preparing a compound, its stereoisomer, salt, hydrate, solvate, or crystalline form thereof, represented by formula I:



I

wherein

(a) R¹ is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C₁₋₆ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₁₋₆ alkoxy, F, Cl, Br, I, nitro, cyano, C₁₋₆ haloalkyl, -N(R¹)₂, C₁₋₆ acylamino, -NH-SO₂-C₁₋₆ alkyl, -SO₂-N(R¹)₂, COR¹, and -SO₂-C₁₋₆ alkyl; (R¹ is independently hydrogen or alkyl, which includes, but is not limited to, C₁₋₂₀ alkyl, C₁₋₁₀ alkyl, or C₁₋₆ alkyl, R¹ is -OR' or -N(R¹)₂);

(b) R² is hydrogen, C₁₋₁₀ alkyl, R^{3a} or R^{3b} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms, C(O)CR^{3a}R^{3b}NHR¹, where n is 2 to 4 and R¹, R^{3a}, and R^{3b};

(c) R^{3a} and R^{3b} are (i) independently selected from hydrogen, C₁₋₁₀ alkyl, cycloalkyl, -(CH₂)_c(NR³)₂, C₁₋₆ hydroxyalkyl, -CH₂SH, -(CH₂)₂S(O)_dMe, -(CH₂)₃NHC(=NH)NH₂, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, - (CH₂)_eCOR³, aryl and aryl C₁₋₃ alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C₁₋₁₀ alkyl, C₁₋₆ alkoxy, halogen, nitro and cyano; (ii) R^{3a} and R^{3b} both are C₁₋₆ alkyl; (iii) R^{3a} and R^{3b} together are (CH₂)_f so as to form a spiro ring; (iv) R^{3a} is hydrogen and R^{3b} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R² together are (CH₂)_n so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where R³ is independently hydrogen or C₁₋₆ alkyl and R³ is -OR' or -N(R³)₂; (vi) R^{3a} is H and R^{3b} is H, CH₃, CH₂CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl; or (viii) R^{3a} is CH₃, -CH₂CH₃, CH(CH₃)₂, CH₂CH(CH₃)₂, CH(CH₃)CH₂CH₃, CH₂Ph, CH₂-indol-3-yl, -CH₂CH₂SCH₃, CH₂CO₂H, CH₂C(O)NH₂, CH₂CH₂COOH, CH₂CH₂C(O)NH₂, CH₂CH₂CH₂CH₂NH₂, -CH₂CH₂CH₂NHC(NH)NH₂, CH₂-imidazol-4-yl, CH₂OH, CH(OH)CH₃, CH₂((4'-OH)-Ph), CH₂SH, or lower cycloalkyl and R^{3b} is H, where R³ is independently hydrogen or alkyl, which includes, but is not limited to, C₁₋₂₀ alkyl, C₁₋₁₀ alkyl, or C₁₋₆ alkyl, R³ is -OR' or -N(R³)₂);

(d) R⁴ is hydrogen, C₁₋₁₀ alkyl, C₁₋₁₀ alkyl optionally substituted with a lower alkyl, alkoxy, di(lower alkyl)-amino, or halogen, C₁₋₁₀ haloalkyl, C₃₋₁₀ cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;


(e) R⁵ is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., -(CH₂)_pOH, where p is 1-6, including hydroxyl methyl (CH₂OH), CH₂F, N₃, CH₂CN, CH₂NH₂, CH₂NHCH₃, CH₂N(CH₃)₂, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R⁶ is H, R⁵ cannot be N₃ and when X is OH, R⁶ is CH₃ or CH₂F and B is a purine base, R⁵ cannot be H;

(f) R⁶ is H, CH₃, CH₂F, CHF₂, CF₃, F, or CN;

(g) X is H, OH, F, OMe, halogen, NH₂, or N₃;

(h) Y is OH, H, C₁₋₄ alkyl, C₂₋₄ alkenyl, C₂₋₄ alkynyl, vinyl, N₃, CN, Cl, Br, F, I, NO₂, OC(O)O(C₁₋₄ alkyl), OC(O)O(C₁₋₄ alkyl), OC(O)O(C₂₋₄ alkynyl), OC(O)O(C₂₋₄ alkenyl), OC₁₋₁₀ haloalkyl, O(aminoacyl), O(C₁₋₁₀ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₁₈ acyl)₂, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N₃, CN, one to three halogen (Cl, Br, F, I), NO₂, C(O)O(C₁₋₄ alkyl), C(O)O(C₁₋₄ alkyl), C(O)O(C₂₋₄ alkynyl), C(O)O(C₂₋₄ alkenyl), O(C₁₋₄ acyl), O(C₁₋₄ alkyl), O(C₂₋₄ alkenyl), S(C₁₋₄ acyl), S(C₁₋₄ alkyl), S(C₂₋₄ alkynyl), S(C₂₋₄ alkenyl), SO(C₁₋₄ acyl), SO(C₁₋₄ alkyl), SO(C₂₋₄ alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₄ acyl)₂;

the base is a naturally occurring or modified purine or pyrimidine base represented by the following structures:



wherein

Z is N or CR¹²;


R⁷, R⁸, R⁹, R¹⁰, and R¹¹ are independently H, F, Cl, Br, I, OH, OR', SH, SR', NH₂, NHR', NR'₂, lower alkyl of C₁-C₆, halogenated (F, Cl, Br, I) lower alkyl of C₁-C₆, lower alkenyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkenyl of C₂-C₆, lower alkynyl of C₂-C₆ such as C≡CH, halogenated (F, Cl, Br, I) lower alkynyl of C₂-C₆, lower alkoxy of C₁-C₆, halogenated (F, Cl, Br, I) lower alkoxy of C₁-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R',

wherein R' is an optionally substituted alkyl, which includes, but is not limited to, an optionally substituted C₁₋₂₀ alkyl, an optionally substituted C₁₋₁₀ alkyl, an optionally substituted lower alkyl; an optionally substituted cycloalkyl; an optionally substituted alkynyl of C₂-C₆, an optionally substituted lower alkenyl of C₂-C₆, or optionally substituted acyl, which includes but is not limited to C(O) alkyl, C(O)(C₁₋₂₀ alkyl), C(O)(C₁₋₁₀ alkyl), or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

R¹² is an H, halogen (including F, Cl, Br, I), OH, OR', SH, SR', NH₂, NHR', NR'₂, NO₂ lower alkyl of C₁-C₆, halogenated (F, Cl, Br, I) lower alkyl of C₁-C₆, lower alkenyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkenyl of C₂-C₆, lower alkynyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkynyl of C₂-C₆, lower alkoxy of C₁-C₆, halogenated (F, Cl, Br, I) lower alkoxy of C₁-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'; with the proviso that when base is represented by the structure c with R¹¹ being hydrogen, R¹² is not a: (i) -C≡C-H, (ii) -C=CH₂, or (iii) -NO₂;

said process comprising:

reacting a substituted phosphochloridate compound 4 with a nucleoside analog 5



10. A process for preparing a compound, its stereoisomer, salt, hydrate, solvate, or crystalline form thereof, selected from among

5 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(phenyl methoxy-alanyl phosphate ((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Di-oxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-propionic acid methyl ester);

6 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(phenyl methoxy-valyl phosphate ((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Di-

oxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-3-methyl-butyric acid methyl ester;

7 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(4-bromophenyl methoxy-valyl phosphate ((S)-2-((4-bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-3-methyl-butyric acid methyl ester);

8 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(4-bromophenyl methoxy-alanyl phosphate (((S)-2-((4-bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid methyl ester);

9 N⁴-(N,N-dimethylformamidinyl)-2'-deoxy-2'-fluoro-2'-C-methylcytidine;

10 10 2'-Deoxy-2'-fluoro-2'-C-methylcytidine 5'-(phenyl methoxy-alanyl phosphate (((S)-2-((2R,3R,4R,5R)-5-(2-oxo-3-amino-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester);

11 2'-Deoxy-2'-fluoro-2'-C-methylcytidine 5'-(4-bromophenyl methoxy-valyl phosphate (2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(4-bromophenyl methoxy-valyl phosphate ((S)-2-((4-bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2-oxo-3-amino-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-3-methyl-butyric acid methyl ester);

12 2'-deoxy-2'-fluoro-2'-C-methylcytidine 5'-(phenyl methoxy-valyl phosphate ((S)-2-((2R,3R,4R,5R)-5-(2-oxo-3-amino-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-3-methyl-butyric acid methyl ester;

13 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid ethyl ester;

14 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(naphthalen-1-yloxy)-phosphorylamino)-propionic acid benzyl ester;

15 {(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-acetic acid methyl ester;

16 (((S)-2-((2,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid methyl ester;

17 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(naphthalen-1-yloxy)-phosphorylamino)-propionic acid methyl ester;

18 ((S)-1-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphoryl)-pyrrolidine-2-carboxylic acid methyl ester;

19 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid butyl ester;

20 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid benzyl ester;

21 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(4-fluoro-phenoxy)-phosphorylamino)-propionic acid methyl ester;

22 (((S)-2-((4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid methyl ester;

23 (((S)-2-((3,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid methyl ester;

24 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid sec-butyl ester;

25 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid isopropyl ester;

26 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(4-methoxy-phenoxy)-phosphorylamino)-propionic acid butyl ester;

27 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(4-fluoro-phenoxy)-phosphorylamino)-propionic acid ethyl ester;

28 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(4-fluoro-phenoxy)-phosphorylamino)-propionic acid isopropyl ester;

29 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(4-fluoro-phenoxy)-phosphorylamino)-propionic acid benzyl ester;

30 (((S)-2-((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-(4-methoxy-phenoxy)-phosphorylamino)-propionic acid isopropyl ester;

31 (((S)-2-((2-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid benzyl ester;

32 (((S)-2-((2,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid benzyl ester;

droxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino}-propionic acid butyl ester;

33 ((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-p-tolyloxy-phosphorylamino]-propionic acid isopropyl ester;

34 ((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(4-fluoro-phenoxy)-phosphorylamino]-propionic acid butyl ester;

35 ((S)-2-((3,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid ethyl ester;

36 ((S)-2-((2-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid isopropyl ester;

37 ((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(4-methoxy-phenoxy)-phosphorylamino]-propionic acid benzyl ester;

38 ((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid pentyl ester;

39 ((S)-2-((4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid isopropyl ester;

40 ((S)-2-((4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid butyl ester;

41 (((S)-2-{(4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy}-phosphorylamino}-propionic acid ethyl ester;

42 ((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-p-tolyloxy-phosphorylamino)-propionic acid butyl ester;

43 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-p-tolyloxy-phosphorylamino}-propionic acid benzyl ester;

44 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-butyric acid methyl ester:

45 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino)-propenoic acid 4-fluoro-benzyl ester;

46 (((S)-2-((2-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino}-propionic acid butyl ester;

47 ((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino}-propionic acid 3-methyl-butyl ester;

48 (((S)-2-[(2,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]phosphorylamino}propionic acid ethyl ester;

49 ((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino}-propionic acid cyclohexyl ester;

50 ((R)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy)-phenoxy-phosphorylamino}-propionic acid butyl ester;

51 (((R)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-propionic acid isopropyl ester;

52 (((R)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-propionic acid benzyl ester:

53 ((S)-2-((2-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino}-propionic acid butyl ester;

54 (((S)-2-((4-Bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy]phosphorylamino} propionic acid butyl ester;

55 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(4-fluoro-phenoxy)-phosphoryl]amino]-propionic acid cyclohexyl ester;

56 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-4-(bromo-phenoxy)-phosphorv[aminol]-propionic acid cyclohexyl ester;

57 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]phenoxy-phosphorylamino]-butyric acid isopropyl ester:

58 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-butyric acid cyclohexyl ester;

59 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy]-(4-fluoro-phenoxy)-phosphoryl]amino]-butyric acid cyclohexyl ester:

60 (((S)-2-((4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino}-butyric acid isopropyl ester:

61 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahy-

dro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid 2,2-difluoro-ethyl ester;

62 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid 2,2,2-trifluoro-1-trifluoromethyl-ethyl ester;

63 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid 2-fluoro-1-fluoromethyl-ethyl ester;

64 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid cyclopropyl methyl ester;

65 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-butyric acid cyclopentyl ester;

66 ((S)-2-(((2R,3R,4R,5R)-5-(6-Amino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester;

67 (((S)-2-(((2R,3R,4R,5R)-5-(2-Amino-6-hydroxy-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester;

68 (((S)-2-(((R)-((2R,3R,4R,5R)-5-(2,6-Diamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester;

69 (((S)-2-(((2R,3R,4R,5R)-5-(2-Amino-6-cyclopentylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester;

70 (((S)-2-(((2R,3R,4R,5R)-5-(2-Amino-6-azetidin-1-yl-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester;

71 (((S)-2-(((2R,3R,4R,5R)-5-(2-Amino-6-diethylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester;

72 (((S)-2-(((2R,3R,4R,5R)-5-(2-Amino-6-propylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester;

73 (((S)-2-(((2R,3R,4R,5R)-5-(2-Amino-6-cyclobutylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester;

74 (((S)-2-(((2R,3R,4R,5R)-5-[2-Amino-6-(4-methyl-piperazin-1-yl)-purin-9-yl]-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester;

75 (((2S)-methyl 2-(((2R,3R,4R,5R)-4-fluoro-3-hydroxy-4-methyl-5-(6-(propylamino)-9H-purin-9-yl)tetrahydro-furan-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;

76 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(cyclobutylamino)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;

77 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(cyclopentylamino)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;


78 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(aziridin-1-yl)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;

79 (((2S)-methyl 2-(((2R,3R,4R,5R)-4-fluoro-3-hydroxy-4-methyl-5-(6-(piperidin-1-yl)-9H-purin-9-yl)tetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate; and

80 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(azetidin-1-yl)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate


said process comprising:

reacting a substituted phosphochloridate compound 4 with a nucleoside analog 5




11. A product its stereoisomer, salt, hydrate, solvate or crystalline form thereof, prepared a process comprising:

reacting a substituted phosphochloridate compound 4 with a nucleoside analog 5



4



5

wherein

(a) R^1 is hydrogen, n-alkyl; branched alkyl; cycloalkyl; or aryl, which includes, but is not limited to, phenyl or naphthyl, where phenyl or naphthyl are optionally substituted with at least one of C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-6} alkoxy, F, Cl, Br, I, nitro, cyano, C_{1-6} haloalkyl, $-N(R^1)_2$, C_{1-6} acylamino, $-NHSO_2C_{1-6}$ alkyl, $-SO_2N(R^1)_2$, $COR^{1''}$, and $-SO_2C_{1-6}$ alkyl; (R^1 is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{1''}$ is $-OR'$ or $-N(R^1)_2$);

(b) R^2 is hydrogen, C_{1-10} alkyl, R^{3a} or R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, $C(O)CR^{3a}R^{3b}NHR^1$, where n is 2 to 4 and R^1 , R^{3a} , and R^{3b} ;

(c) R^{3a} and R^{3b} are (i) independently selected from hydrogen, C_{1-10} alkyl, cycloalkyl, $-(CH_2)_c(NR^{3'})_2$, C_{1-6} hydroxyalkyl, $-CH_2SH$, $-(CH_2)_2S(O)_dMe$, $-(CH_2)_3NHC(=NH)NH_2$, (1H-indol-3-yl)methyl, (1H-imidazol-4-yl)methyl, $-(CH_2)_eCOR^{3''}$, aryl and aryl C_{1-3} alkyl, said aryl groups optionally substituted with a group selected from hydroxyl, C_{1-10} alkyl, C_{1-6} alkoxy, halogen, nitro and cyano; (ii) R^{3a} and R^{3b} both are C_{1-6} alkyl; (iii) R^{3a} and R^{3b} together are $(CH_2)_f$ so as to form a spiro ring; (iv) R^{3a} is hydrogen and R^{3b} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms (v) R^{3b} is hydrogen and R^{3a} and R^2 together are $(CH_2)_n$ so as to form a cyclic ring that includes the adjoining N and C atoms, where c is 1 to 6, d is 0 to 2, e is 0 to 3, f is 2 to 5, n is 2 to 4, and where $R^{3'}$ is independently hydrogen or C_{1-6} alkyl and $R^{3''}$ is $-OR'$ or $-N(R^3)_2$; (vi) R^{3a} is H and R^{3b} is H, CH_3 , CH_2CH_3 , $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph , CH_2 -indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H , $CH_2C(O)NH_2$, CH_2CH_2COOH , $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2 -imidazol-4-yl, CH_2OH , $CH(OH)CH_3$, $CH_2((4'-OH)-Ph)$, CH_2SH , or lower cycloalkyl; or (viii) R^{3a} is CH_3 , $-CH_2CH_3$, $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph , CH_2 -indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H , $CH_2C(O)NH_2$, CH_2CH_2COOH , $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2 -imidazol-4-yl, CH_2OH , $CH(OH)CH_3$, $CH_2((4'-OH)-Ph)$, CH_2SH , or lower cycloalkyl and R^{3b} is H, where $R^{3'}$ is independently hydrogen or alkyl, which includes, but is not limited to, C_{1-20} alkyl, C_{1-10} alkyl, or C_{1-6} alkyl, $R^{3''}$ is $-OR'$ or $-N(R^3)_2$;

(d) R^4 is hydrogen, C_{1-10} alkyl, C_{1-10} alkyl optionally substituted with a lower alkyl, alkoxy, di(lower alkyl)-amino, or halogen, C_{1-10} haloalkyl, C_{3-10} cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl, aminoacyl, aryl, such as phenyl, heteroaryl, such as, pyridinyl, substituted aryl, or substituted heteroaryl;

(e) R^5 is H, a lower alkyl, CN, vinyl, O-(lower alkyl), hydroxyl lower alkyl, i.e., $-(CH_2)_pOH$, where p is 1 -6, including hydroxyl methyl (CH_2OH), CH_2F , N_3 , CH_2CN , CH_2NH_2 , CH_2NHCH_3 , $CH_2N(CH_3)_2$, alkyne (optionally substituted), or halogen, including F, Cl, Br, or I, with the provisos that when X is OH, base is cytosine and R^6 is H, R^5 cannot be N_3 and when X is OH, R^6 is CH_3 or CH_2F and B is a purine base, R^5 cannot be H;


(f) R^6 is H, CH_3 , CH_2F , CHF_2 , CF_3 , F, or CN;

(g) X is H, OH, F, OMe, halogen, NH_2 , or N_3 ;

(h) Y is OH, H, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, vinyl, N_3 , CN, Cl, Br, F, I, NO_2 , $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{1-4}$ alkyl), $OC(O)O(C_{2-4}$ alkynyl), $OC(O)O(C_{2-4}$ alkenyl), OC_{1-10} haloalkyl, O(aminoacyl), O(C_{1-10} acyl), O(C_{1-4} alkyl), O(C_{2-4} alkenyl), S(C_{1-4} acyl), S(C_{1-4} alkyl), S(C_{2-4} alkynyl), S(C_{2-4} alkenyl), SO(C_{1-4} acyl), SO(C_{1-4} alkyl), SO(C_{2-4} alkynyl), SO(C_{2-4} alkenyl), $SO_2(C_{1-4}$ acyl), $SO_2(C_{1-4}$ alkyl), $SO_2(C_{2-4}$ alkynyl), $SO_2(C_{2-4}$ alkenyl), OS(O_2 (C_{1-4} acyl), OS(O_2 (C_{1-4} alkyl), OS(O_2 (C_{2-4} alkenyl), NH_2 , NH(C_{1-4} alkyl), NH(C_{2-4} alkenyl), NH(C_{2-4} alkynyl), NH(C_{1-4} acyl), N(C_{1-4} alkyl) $_2$, N(C_{1-18} acyl) $_2$, wherein alkyl, alkynyl, alkenyl and vinyl are optionally substituted by N_3 , CN, one to three halogen (Cl, Br, F, I), NO_2 , C(O)O(C_{1-4} alkyl), C(O)O(C_{1-4} alkyl), C(O)O(C_{2-4} alkynyl), C(O)O(C_{2-4} alkenyl), O(C_{1-4} acyl), O(C_{1-4} alkyl), O(C_{2-4} alkenyl), S(C_{1-4} acyl), S(C_{1-4} alkyl), S(C_{2-4} alkynyl), S(C_{2-4} alkenyl), SO(C_{1-4} acyl), SO(C_{1-4} alkyl), SO(C_{2-4}

alkynyl), SO(C₂₋₄ alkenyl), SO₂(C₁₋₄ acyl), SO₂(C₁₋₄ alkyl), SO₂(C₂₋₄ alkynyl), SO₂(C₂₋₄ alkenyl), OS(O)₂(C₁₋₄ acyl), OS(O)₂(C₁₋₄ alkyl), OS(O)₂(C₂₋₄ alkenyl), NH₂, NH(C₁₋₄ alkyl), NH(C₂₋₄ alkenyl), NH(C₂₋₄ alkynyl), NH(C₁₋₄ acyl), N(C₁₋₄ alkyl)₂, N(C₁₋₄ acyl)₂;

the base is a naturally occurring or modified purine or pyrimidine base represented by the following structures:



wherein

Z is N or CR¹²;

R⁷, R⁸, R⁹, R¹⁰, and R¹¹ are independently H, F, Cl, Br, I, OH, OR', SH, SR', NH₂, NHR', NR'₂, lower alkyl of C₁-C₆, halogenated (F, Cl, Br, I) lower alkyl of C₁-C₆, lower alkenyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkenyl of C₂-C₆, lower alkynyl of C₂-C₆ such as C=CH, halogenated (F, Cl, Br, I) lower alkynyl of C₂-C₆, lower alkoxy of C₁-C₆, halogenated (F, Cl, Br, I) lower alkoxy of C₁-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R',


wherein R' is an optionally substituted alkyl, which includes, but is not limited to, an optionally substituted C₁₋₂₀ alkyl, an optionally substituted C₁₋₁₀ alkyl, an optionally substituted lower alkyl; an optionally substituted cycloalkyl; an optionally substituted alkynyl of C₂-C₆, an optionally substituted lower alkenyl of C₂-C₆, or optionally substituted acyl, which includes but is not limited to C(O) alkyl, C(O)(C₁₋₂₀ alkyl), C(O)(C₁₋₁₀ alkyl), or C(O)(lower alkyl) or alternatively, in the instance of NR'₂, each R' comprise at least one C atom that are joined to form a heterocycle comprising at least two carbon atoms; and

R¹² is an H, halogen (including F, Cl, Br, I), OH, OR', SH, SR', NH₂, NHR', NR'₂, NO₂ lower alkyl of C₁-C₆, halogenated (F, Cl, Br, I) lower alkyl of C₁-C₆, lower alkenyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkenyl of C₂-C₆, lower alkynyl of C₂-C₆, halogenated (F, Cl, Br, I) lower alkynyl of C₂-C₆, lower alkoxy of C₁-C₆, halogenated (F, Cl, Br, I) lower alkoxy of C₁-C₆, CO₂H, CO₂R', CONH₂, CONHR', CONR'₂, CH=CHCO₂H, or CH=CHCO₂R'; with the proviso that when base is represented by the structure c with R¹¹ being hydrogen, R¹² is not a: (i) -C≡C-H, (ii) -C=CH₂, or (iii) -NO₂ and

wherein X' is a leaving group, such as, Cl.

12. A product its stereoisomer, salt, hydrate, solvate or crystalline form thereof, prepared a process comprising:

reacting a substituted phosphochloridate compound 4 with a nucleoside analog 5



wherein the product comprises a compound, its stereoisomer, salt, hydrate, solvate, or crystalline form thereof, selected from among

- 5** **5** 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(phenyl methoxy-alanyl phosphate ((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester);
- 6** 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(phenyl methoxy-valyl phosphate ((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-3-methyl-butyric acid methyl ester);
- 7** 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(4-bromophenyl methoxy-valyl phosphate ((S)-2-[(4-bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-3-methyl-butyric acid methyl ester);
- 8** 2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(4-bromophenyl methoxy-alanyl phosphate (((S)-2-[(4-bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid methyl ester);
- 9** N⁴-(N,N-dimethylformamidinyl)-2'-deoxy-2'-fluoro-2'-C-methylcytidine;
- 10** **10** 2'-Deoxy-2'-fluoro-2'-C-methylcytidine 5'-(phenyl methoxy-alanyl phosphate (((S)-2-[(2R,3R,4R,5R)-5-(2-oxo-3-amino-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester);
- 11** 2'-Deoxy-2'-fluoro-2'-C-methylcytidine 5'-(4-bromophenyl methoxy-valyl phosphate (2'-Deoxy-2'-fluoro-2'-C-methyluridine 5'-(4-bromophenyl methoxy-valyl phosphate ((S)-2-[(4-bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2-oxo-3-amino-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-3-methyl-butyric acid methyl ester);
- 12** 2'-deoxy-2'-fluoro-2'-C-methylcytidine 5'-(phenyl methoxy-valyl phosphate ((S)-2-[(2R,3R,4R,5R)-5-(2-oxo-3-amino-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-3-methyl-butyric acid methyl ester);
- 13** (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid ethyl ester);
- 14** (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-[naphthalen-1-yloxy]-phosphorylamino)-propionic acid benzyl ester);
- 15** {(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-acetic acid methyl ester);
- 16** (((S)-2-[(2,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid methyl ester);
- 17** (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-[naphthalen-1-yloxy]-phosphorylamino)-propionic acid methyl ester);
- 18** ((S)-1-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphoryl)-pyrrolidine-2-carboxylic acid methyl ester);
- 19** (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid butyl ester);
- 20** (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid benzyl ester);
- 21** (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-[4-fluoro-phenoxy]-phosphorylamino)-propionic acid methyl ester);
- 22** (((S)-2-[(4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid methyl ester);
- 23** (((S)-2-[(3,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid methyl ester);
- 24** (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid sec-butyl ester);
- 25** (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid isopropyl ester);
- 26** (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-[4-methoxy-phenoxy]-phosphorylamino)-propionic acid butyl ester);
- 27** (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-[4-fluoro-phenoxy]-phosphorylamino)-propionic acid ethyl ester);
- 28** (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-[4-fluoro-phenoxy]-phosphorylamino)-propionic acid isopropyl ester);
- 29** (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-[4-fluoro-phenoxy]-phosphorylamino)-propionic acid benzyl ester);
- 30** (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-[4-fluoro-phenoxy]-phosphorylamino)-propionic acid benzyl ester);

dro-furan-2-ylmethoxy]-(4-methoxy-phenoxy)-phosphorylamino]-propionic acid isopropyl ester;

31 (((S)-2-((2-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid benzyl ester;

32 (((S)-2-((2,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid butyl ester;

33 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-p-tolyloxy-phosphorylamino]-propionic acid isopropyl ester:

34 ((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy]-(4-fluoro-phenoxy)-phosphorylamino]-propionic acid butyl ester;

35 (((S)-2-((3,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl)methoxy]-phosphorylamino)-propionic acid ethyl ester;

36 ((S)-2-((2-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid isopropyl ester;

37 ((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(4-methoxy-phenoxy)-phosphorylamino]-propionic acid benzyl ester;

38 ((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid pentyl ester;

39 ((S)-2-((4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid isopropyl ester;

40 ((S)-2-((4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid butyl ester;

41 ((S)-2-((4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid ethyl ester;

42 ((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-p-tolyl]oxy-phosphorylamino]-propionic acid butyl ester;

43 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-p-tolyloxy-phosphorylamino}-propionic acid benzyl ester;

44 ((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-butyric acid methyl ester;

45 ((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid 4-fluoro-benzyl ester;

46 (((S)-2-((2-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy)-phosphorylamino}-propionic acid butyl ester;

47 ((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid 3-methyl-butyl ester;

48 (((S)-2-((2,4-Dichloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino)-propionic acid ethyl ester;

49 ((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid cyclohexyl ester;

50 ((R)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid butyl ester;

51 ((R)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid isopropyl ester;

52 ((R)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino}-propionic acid benzyl ester;

53 ((S)-2-((2-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy)-phosphorylamino}-propionic acid butyl ester;

54 (((S)-2-((4-Bromo-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl)methoxy]-phosphorylamino}-propionic acid isopropyl ester:

55 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(4-fluoro-phenoxy)-phosphorylamino]-propionic acid cyclohexyl ester;

56 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-(4-bromo-phenoxy)-phosphorylamino]-propionic acid cyclohexyl ester;

57 (((S)-2-[[[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl]methoxy]-phenoxy-phosphoryl]amino}-butyric acid isopropyl ester:

58 (((S)-2-(((2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-yl)methoxy)-phenoxy-phosphoryl)amino}-butyric acid cyclohexyl ester:

59 (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahy-

dro-furan-2-ylmethoxy]-(4-fluoro-phenoxy)-phosphorylamino]-butyric acid cyclohexyl ester;

60 (((S)-2-[(4-Chloro-phenoxy)-[(2R,3R,4R,5R)-5-(2,4-dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phosphorylamino]-butyric acid isopropyl ester;

61 (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-propionic acid 2,2-difluoro-ethyl ester;

62 (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-propionic acid 2,2,2-trifluoro-1-trifluoromethyl-ethyl ester;

63 (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-propionic acid 2-fluoro-1-fluoromethyl-ethyl ester;

64 (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-propionic acid cyclopropyl methyl ester;

65 (((S)-2-[(2R,3R,4R,5R)-5-(2,4-Dioxo-3,4-dihydro-2H-pyrimidin-1-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-butyric acid cyclopentyl ester;

66 ((S)-2-[(2R,3R,4R,5R)-5-(6-Amino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-propionic acid methyl ester;

67 (((S)-2-[(2R,3R,4R,5R)-5-(2-Amino-6-hydroxy-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-propionic acid methyl ester;

68 (((S)-2-[(R)-[(2R,3R,4R,5R)-5-(2,6-Diamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino]-propionic acid methyl ester;

69 (((S)-2-[(2R,3R,4R,5R)-5-(2-Amino-6-cyclopentylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester;

70 (((S)-2-[(2R,3R,4R,5R)-5-(2-Amino-6-azetidin-1-yl-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester;

71 (((S)-2-[(2R,3R,4R,5R)-5-(2-Amino-6-diethylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester;

72 (((S)-2-[(2R,3R,4R,5R)-5-(2-Amino-6-propylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester;

73 (((S)-2-[(2R,3R,4R,5R)-5-(2-Amino-6-cyclobutylamino-purin-9-yl)-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester;

74 (((S)-2-[(2R,3R,4R,5R)-5-[2-Amino-6-(4-methyl-piperazin-1-yl)-purin-9-yl]-4-fluoro-3-hydroxy-4-methyl-tetrahydro-furan-2-ylmethoxy]-phenoxy-phosphorylamino)-propionic acid methyl ester;

75 (((2S)-methyl 2-(((2R,3R,4R,5R)-4-fluoro-3-hydroxy-4-methyl-5-(6-(propylamino)-9H-purin-9-yl)tetrahydro-furan-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;

76 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(cyclobutylamino)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;

77 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(cyclopentylamino)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;

78 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(aziridin-1-yl)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate;

79 (((2S)-methyl 2-(((2R,3R,4R,5R)-4-fluoro-3-hydroxy-4-methyl-5-(6-(piperidin-1-yl)-9H-purin-9-yl)tetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate; and

80 (((2S)-methyl 2-(((2R,3R,4R,5R)-5-(6-(azetidin-1-yl)-9H-purin-9-yl)-4-fluoro-3-hydroxy-4-methyltetrahydrofuran-2-yl)methoxy)(phenoxy)phosphorylamino)propanoate

wherein Base' is as recited in each of compounds 5-74; and
wherein X' is a leaving group, such as, Cl.

SEQUENCE LISTING

<110> Gilead Pharmasset LLC

<120> Nucleoside Phosphoramidate Prodrugs

<130> PN813970EPC

<150> US12/053,015

<151> 2008-03-21

<150> US60/982,309

<151> 2007-10-24

<150> US60/909,315

<151> 2007-03-30

<160> 3

<170> BiSSAP 1.3

<210> 1

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 1

agccatggcg ttagtatgag tgt

23

<210> 2

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer

<400> 2

ttccgcagac cactatgg

18

<210> 3

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer


<400> 3

cctccaggac cccccctccc

20

Claims

1. A compound represented by the following formula:



wherein

(a) R^1 is hydrogen, methyl, ethyl, *n*-propyl, *i*-propyl, or a substituted or unsubstituted phenyl, where the substituent of the substituted phenyl is at least one of a CH_3 , OCH_3 , F, Cl, Br, I, nitro, cyano, and a CH_3-qX_q , where X is F, Cl, Br, or I, and q is 1-3;

(b) R^2 is hydrogen or CH_3 ;

(c) R^{3a} is H and R^{3b} is H, CH_3 , $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph , CH_2 -indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H , $CH_2C(O)NH_2$, CH_2CH_2COOH , $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2 -imidazol-4-yl, CH_2OH , $CH(OH)CH_3$, $CH_2((4'-OH)-Ph)$, CH_2SH , or lower cycloalkyl; or R^{3a} is CH_3 , $CH(CH_3)_2$, $CH_2CH(CH_3)_2$, $CH(CH_3)CH_2CH_3$, CH_2Ph , CH_2 -indol-3-yl, $-CH_2CH_2SCH_3$, CH_2CO_2H , $CH_2C(O)NH_2$, CH_2CH_2COOH , $CH_2CH_2C(O)NH_2$, $CH_2CH_2CH_2CH_2NH_2$, $-CH_2CH_2CH_2NHC(NH)NH_2$, CH_2 -imidazol-4-yl, CH_2OH , $CH(OH)CH_3$, $CH_2((4'-OH)-Ph)$, CH_2SH , or lower cycloalkyl and R^{3b} is H;

(d) R^4 is hydrogen, CH_3 , Et, *i*Pr, *n*Pr, *n*Bu, 2-butyl, *t*Bu, benzyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, N-methyl-aziridin-2-yl, N-methyl-azetidin-3-yl, N-methyl-pyrrolidin-3-yl, N-methyl-pyrrolidin-4-yl, N-methyl-piperidin-4-yl, lower haloalkyl, or di(lower alkyl)amino-lower alkyl;

(e) R^5 is H, CN, CH_3 , OCH_3 , CH_2OH , CH_2F , N_3 , CH_2CN , CH_2N_3 , CH_2NH_2 , CH_2NHCH_3 , $CH_2N(CH_3)_2$, halogen, including F, Cl, Br, or I;

(f) R^6 is H, CH_3 , CH_2F , CHF_2 , CF_3 , F, or CN;

(g) X is Cl;

(h) Y is OH, H, CH_3 , vinyl, N_3 , CN, Cl, Br, F, I, $OC(O)CH_3$, OCH_3 , NH_2 , $NHCH_3$, $NH(vinyl)$, $NH(acetyl)$, $NH(C(O)CH_3)$, $N(CH_3)_2$, $N(C(O)CH_3)_2$;

(i) R^7 and R^8 are independently H, F, Cl, Br, I, OH, OCH_3 , SH, SCH_3 , NH_2 , $NHCH_3$, $N(CH_3)_2$, CH_3 , CH_3-qX_q , where X is F, Cl, Br, or I and q is 1 to 3, vinyl, CO_2H , CO_2CH_3 , $CONH_2$, $CONHCH_3$, or $CON(CH_3)_2$.

2. A compound according to claim 1, wherein

(a) R^1 is phenyl;

(b) R^2 is hydrogen;

(c) R^{3a} and R^{3b} are independently H or CH_3 ;

(d) R^4 is *i*Pr, *n*Pr, *n*Bu, 2-butyl, *t*Bu, or benzyl;

(e) R^5 is H;

(f) R^6 is CH_3 ;


(g) X is Cl;

(h) Y is OH;


(i) R^7 and R^8 are H.

3. A compound according to claim 2, wherein R^4 is *i*Pr, *n*Bu, or benzyl.


4. A compound according to claim 1, having the following structure:




5. A compound according to claim 1, having the following structure:



6. A compound according to claim 1, having the following structure:



7. A compound according to claim 1, having the following structure:



8. A pharmaceutical composition comprising a compound according to any one of the preceding claims and a pharmaceutically acceptable excipient.
- 5 9. A compound according to any one of claims 1 to 7 or a composition according to claim 8 for use in the treatment or prophylaxis of an infection by hepatitis C virus or a disease or condition associated with or mediated by hepatitis C infection, or the clinical symptoms thereof.
10. A compound for use or a composition for use according to claim 9 for use in combination with another antiviral agent.
- 10 11. A compound for use or a composition for use according to claim 10, wherein the another antiviral agent is a NS5A inhibitor.
12. A compound for use or a composition for use according to claim 10, wherein the another antiviral agent is a NS3 protease inhibitor.
- 15 13. A compound for use or a composition for use according to claim 12, for use in combination with a NS5A inhibitor.

20

25

30

35

40

45

50

55



EUROPEAN SEARCH REPORT

Application Number

EP 14 17 9593

DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
A	WO 2005/003147 A2 (PHARMASSET LTD [US]; CLARK JEREMY [US]) 13 January 2005 (2005-01-13) * claims 6, 8, 34, 35 *	1-13	INV. C07H19/20 A61K31/7072 A61P31/00
A,D	US 2006/241064 A1 (ROBERTS CHRISTOPHER D [US] ET AL) 26 October 2006 (2006-10-26) * abstract; claims 19, 20, 37 *	1-13	
A	CLARK J L ET AL: "Design, synthesis, and antiviral activity of 2'-deoxy-2'-fluoro-2'-C-methylcytidine, a potent inhibitor of hepatitis C virus replication", JOURNAL OF MEDICINAL CHEMISTRY, AMERICAN CHEMICAL SOCIETY, US, vol. 48, 1 January 2005 (2005-01-01), pages 5504-5508, XP002415215, ISSN: 0022-2623, DOI: 10.1021/JM0502788 * the whole document * * page 5506, right-hand column, paragraph first; table 2; compound 9 *	1-13	TECHNICAL FIELDS SEARCHED (IPC)
A	CLARK J L ET AL: "Synthesis and antiviral activity of 2'-deoxy-2'-fluoro-2'-C-methyl purine nucleosides as inhibitors of hepatitis C virus RNA replication", BIOORGANIC & MEDICINAL CHEMISTRY LETTERS, PERGAMON, AMSTERDAM, NL, vol. 16, no. 6, 15 March 2006 (2006-03-15), pages 1712-1715, XP027966449, ISSN: 0960-894X [retrieved on 2006-03-15] * abstract; figure 1 *	1-13	C07H A61K
The present search report has been drawn up for all claims			
Place of search		Date of completion of the search	Examiner
Munich		11 December 2014	Gohlke, Pascale
CATEGORY OF CITED DOCUMENTS		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document			

EPO FORM 1503 03/02 (P04C01)



EUROPEAN SEARCH REPORT

 Application Number
 EP 14 17 9593

DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
E	WO 2008/085508 A2 (MERCK & CO INC [US]; ANGELETTI P IST RICHERCHE BIO [IT]; NARJES FRANK) 17 July 2008 (2008-07-17) * claims 3, 8, 21 *	1-13	
X,P	----- EISUKE MURAKAMI ET AL: "The mechanism of action of beta-D-2'-Deoxy-2'-fluoro-2'-C-methylcytidine involves a second metabolic pathway leading to beta-D-2'-deoxy-2-fluoro-2'-C-methyluridine 5'-triphosphate, a potent inhibitor of the hepatitis C virus RNA-dependent RNA polymerase", ANTIMICROBIAL AGENTS AND CHEMOTHERAPY, AMERICAN SOCIETY FOR MICROBIOLOGY, US, [Online] vol. 52, no. 2, 1 February 2008 (2008-02-01), pages 458-464, XP002674431, ISSN: 0066-4804, DOI: 10.1128/AAC.01184-07 Retrieved from the Internet: URL: http://aac.asm.org/content/52/2/458 [retrieved on 2007-11-01] * abstract * * page 459; figure 1; compounds PSI-7672 *	1,8-13	
The present search report has been drawn up for all claims			TECHNICAL FIELDS SEARCHED (IPC)
Place of search		Date of completion of the search	Examiner
Munich		11 December 2014	Gohlke, Pascale
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

EPO FORM 1503 03/02 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 14 17 9593

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

11-12-2014

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 2005003147 A2	A2	13-01-2005	AR 044566 A1	21-09-2005
			AR 082064 A2	07-11-2012
			AR 082066 A2	07-11-2012
			AR 082067 A2	07-11-2012
			AR 082068 A2	07-11-2012
			AU 2004253860 A1	13-01-2005
			BR PI0410846 A	27-06-2006
			CA 2527657 A1	13-01-2005
			CA 2733842 A1	13-01-2005
			CA 2734052 A1	13-01-2005
			CA 2734055 A1	13-01-2005
			CA 2734066 A1	13-01-2005
			CN 1816558 A	09-08-2006
			CO 5660270 A2	31-07-2006
			EP 1633766 A2	15-03-2006
			EP 2345657 A1	20-07-2011
			EP 2345658 A1	20-07-2011
			EP 2345659 A1	20-07-2011
			EP 2345661 A1	20-07-2011
			EP 2604620 A1	19-06-2013
			IL 172259 A	30-12-2010
			JP 4958158 B2	20-06-2012
			JP 5266357 B2	21-08-2013
			JP 2006526629 A	24-11-2006
			JP 2011178795 A	15-09-2011
			JP 2011190263 A	29-09-2011
			JP 2011190264 A	29-09-2011
			JP 2011201882 A	13-10-2011
			KR 20060020649 A	06-03-2006
			MX PA05012788 A	22-02-2006
			MY 138477 A	30-06-2009
			NO 333700 B1	26-08-2013
			NZ 543867 A	31-05-2009
			RU 2358979 C2	20-06-2009
			TW I333956 B	01-12-2010
			US 2005009737 A1	13-01-2005
			US 2008070861 A1	20-03-2008
			US 2008253995 A1	16-10-2008
			US 2009004135 A1	01-01-2009
			US 2009036666 A1	05-02-2009
			US 2011038833 A1	17-02-2011
			US 2012245335 A1	27-09-2012
			WO 2005003147 A2	13-01-2005
			ZA 200509521 A	25-10-2006

US 2006241064 A1	A1	26-10-2006	AR 056327 A1	03-10-2007

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 14 17 9593

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

11-12-2014

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
		US 2006241064 A1	26-10-2006
		WO 2006116557 A1	02-11-2006

WO 2008085508 A2	17-07-2008	AU 2007342367 A1	17-07-2008
		CA 2673649 A1	17-07-2008
		EP 2124555 A2	02-12-2009
		JP 2010515680 A	13-05-2010
		US 2010035835 A1	11-02-2010
		WO 2008085508 A2	17-07-2008

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- US 90931507 P [0001]
- US 60982309 P [0001]
- US 05301508 A [0001]
- WO 9712033 A, Hagedorn [0011]
- US 20060241064 A [0016] [0135]
- WO 2007095269 A [0016] [0135] [0141]
- US 6180134 B [0124]
- US 5192549 A [0124]
- US 5376380 A [0124]
- US 6060080 A [0124]
- US 6132763 A [0124]
- WO 2008010921 A [0135]
- EP 1881001 A [0135]
- WO 2007015824 A [0135]
- WO 2007014925 A [0135]
- WO 2007014926 A [0135]
- WO 2007014921 A [0135]
- WO 2007014920 A [0135]
- WO 2007014922 A [0135]
- US 2005267018 A [0135]
- WO 2005095403 A [0135]
- WO 2005037214 A [0135]
- WO 2004094452 A [0135]
- US 2003187018 A [0135]
- WO 200364456 A [0135]
- WO 2005028502 A [0135]
- WO 2003006490 A [0135]
- US 2007275947 A [0135]
- US 20072759300 A [0135]
- WO 2007092000 A [0135]
- WO 2007076034 A [0135]
- WO 200702602 A [0135]
- US 200598125 B [0135]
- WO 2006093801 A [0135]
- US 2006166964 A [0135]
- WO 2006065590 A [0135]
- WO 2006065335 A [0135]
- US 2006040927 A [0135]
- US 2006040890 A [0135]
- WO 2006020082 A [0135]
- WO 2006012078 A [0135]
- WO 2005123087 A [0135]
- US 2005154056 A [0135]
- US 2004229840 A [0135]
- WO 2004065367 A [0135]
- WO 2004003138 A [0135]
- WO 2004002977 A [0135]
- WO 2004002944 A [0135]
- WO 2004002940 A [0135]
- WO 2004000858 A [0135]
- WO 2003105770 A [0135]
- WO 2003010141 A [0135]
- WO 2002057425 A [0135]
- WO 2002057287 A [0135]
- WO 2005021568 A [0135]
- WO 2004041201 A [0135]
- US 20060293306 A [0135]
- US 20060194749 A [0135]
- US 6784166 B [0135]
- WO 2007088148 A [0135]
- WO 2007039142 A [0135]
- WO 2005103045 A [0135]
- WO 2007039145 A [0135]
- WO 2004096210 A [0135]
- WO 2003037895 A [0135]
- WO 2007070556 A [0135]
- WO 2005067900 A [0135]
- US 2006276511 A [0135]
- WO 2006120252 A [0135]
- WO 2006120251 A [0135]
- WO 2006100310 A [0135]
- WO 2006035061 A [0135]
- WO 2007093901 A [0135]
- WO 2004035571 A [0135]
- WO 2004014852 A [0135]
- WO 2004014313 A [0135]
- WO 2004009020 A [0135]
- WO 2003101993 A [0135]
- WO 2000006529 A [0135]
- US 20060142238 A [0141]
- US 20050009737 A [0145]
- US 20060199783 A [0145]
- US 20060122146 A [0145]
- US 20070197463 A [0145]
- US 60909315 B [0193]
- US 60982309 B [0193]
- US 12053015 B [0193]

Non-patent literature cited in the description

- K. ISHI et al. *Heptology*, 1999, vol. 29, 1227-1235 [0004]

- **V. LOHMANN et al.** *Virology*, 1998, vol. 249, 108-118 [0004]
- **CALISHER et al.** *J. Gen. Virol.*, 1993, vol. 70, 37-43 [0006]
- **Fields Virology.** Lippincott-Raven Publishers, 1996, 931-959 [0006]
- **HALSTEAD, S. B.** *Rev. Infect. Dis.*, 1984, vol. 6, 251-264 [0006]
- **HALSTEAD, S. B.** *Science*, 1988, vol. 239, 476-481 [0006]
- **MONATH, T. P.** *New Eng. J. Med.*, 1988, vol. 319 (64), 1-643 [0006]
- **MOENNIG, V. et al.** *Adv. Vir. Res.*, 1992, vol. 41, 53-98 [0007]
- **MEYERS, G. ; THIEL, H.J.** *Advances in Virus Research*, 1996, vol. 47, 53-118 [0007]
- **MOENNIG V. et al.** *Adv. Vir. Res.*, 1992, vol. 41, 53-98 [0007]
- **GORBALENYA et al.** *Nature*, 1988, vol. 333, 22 [0010]
- **BAZAN ; FLETTERICK.** *Virology*, 1989, vol. 171, 637-639 [0010]
- **GORBALENYA et al.** *Nucleic Acid Res.*, 1989, vol. 17, 3889-3897 [0010]
- **KOONIN, E.V. ; DOLJA, V.V.** *Crit. Rev. Biochem. Molec. Biol.*, 1993, vol. 28, 375-430 [0010]
- **WISKERCHEN ; COLLETT.** *Virology*, 1991, vol. 184, 341-350 [0011]
- **BARTENSCHLAGER et al.** *J. Virol.*, 1993, vol. 67, 3835-3844 [0011]
- **ECKART et al.** *Biochem. Biophys. Res. Comm.*, 1993, vol. 192, 399-406 [0011]
- **GRAKOU et al.** *J. Virol.*, 1993, vol. 67, 2832-2843 [0011]
- **GRAKOU et al.** *Proc. Natl. Acad. Sci. USA*, 1993, vol. 90, 10583-10587 [0011]
- **HIJIKATA et al.** *J. Virol.*, 1993, vol. 67, 4665-4675 [0011]
- **TOME et al.** *J. Virol.*, 1993, vol. 67, 4017-4026 [0011]
- **BARTENSCHLAGER et al.** *J. Virol.*, 1994, vol. 68, 5045-5055 [0011]
- **FAILLA et al.** *J. Virol.*, 1994, vol. 68, 3753-3760 [0011]
- **XU et al.** *J. Virol.*, 1997, vol. 71, 53 12-5322 [0011]
- **KIM et al.** *Biochem. Biophys. Res. Comm.*, 1995, vol. 215, 160-166 [0011]
- **JIN ; PETERSON.** *Arch. Biochem. Biophys.*, 1995, vol. 323, 47-53 [0011]
- **WARRENER ; COLLETT.** *J. Virol.*, 1995, vol. 69, 1720-1726 [0011]
- **BEHRENS et al.** *EMBO*, 1996, vol. 15, 12-22 [0011]
- **LECHMANN et al.** *J. Virol.*, 1997, vol. 71, 8416-8428 [0011]
- **YUAN et al.** *Biochem. Biophys. Res. Comm.*, 1997, vol. 232, 231-235 [0011]
- **ZHONG et al.** *J. Virol.*, 1998, vol. 72, 9365-9369 [0011]
- **TAN, S.-L. et al.** *Nature Rev. Drug Discov.*, 2002, vol. 1, 867-881 [0014]
- **WALKER, M.P. et al.** *Exp. Opin. Investigational Drugs*, 2003, vol. 12, 1269-1280 [0014]
- **NI, Z-J et al.** *Current Opinion in Drug Discovery and Development*, 2004, vol. 7, 446-459 [0014]
- **BEAULIEU, P. L. et al.** *Current Opinion in Investigational Drugs*, 2004, vol. 5, 838-850 [0014]
- **WU, J. et al.** *Current Drug Targets-Infectious Disorders*, 2003, vol. 3, 207-219 [0014]
- **GRIFFITH, R.C. et al.** *Annual Reports in Medicinal Chemistry*, 2004, vol. 39, 223-237 [0014]
- **CARROL, S. et al.** *Infectious Disorders-Drug Targets*, 2006, vol. 6, 17-29 [0014]
- **MCGUIGAN, C. et al.** *J. Med. Chem.*, 1996, vol. 39, 1748-1753 [0016]
- **VALETTE, G. et al.** *J. Med. Chem.*, 1996, vol. 39, 1981-1990 [0016]
- **BALZARINI, J. et al.** *Proc. National Acad. Sci. USA*, 1996, vol. 93, 7295-7299 [0016]
- **SIDDIQUI, A. Q. et al.** *J. Med. Chem.*, 1999, vol. 42, 4122-4128 [0016]
- **EISENBERG, E. J. et al.** *Nucleosides, Nucleotides and Nucleic Acids*, 2001, vol. 20, 1091-1098 [0016]
- **LEE, W.A. et al.** *Antimicrobial Agents and Chemotherapy*, 2005, vol. 49, 1898 [0016]
- **T.W. GREENE ; P.G. M. WUTS.** *Protective*. John Wiley & Sons, 1999 [0041]
- **Remington: The Science and Practice of Pharmacy.** Mack Publishing Company, 1995 [0124]
- **MARCH.** *Advanced Organic Chemistry* [0141]
- **C. MCGUIGAN et al.** *Antiviral Res.*, 1992, vol. 17, 311-321 [0147]
- **D. CURLEY et al.** *Antiviral Res.*, 1990, vol. 14, 345-356 [0147]
- **MCGUIGAN et al.** *Antiviral Chem. Chemother*, 1990, vol. 1 (2), 107-113 [0147]
- **CLARK, J. et al.** *J. Med. Chem.*, 2005, vol. 48, 5504-5508 [0158]

摘要

本文所公开的是核苷衍生物的用于治疗哺乳动物中的病毒感染，这是一种化合物，它的立体异构体，盐（酸或碱加成盐），水合物，溶剂化物或结晶形式或其，由下述结构表示氨基磷酸酯前药：另公开的是治疗，用途，和过程制备各自利用由式I表示的化合物的方法