United States Patent [19]

Horntrich

[11] **Des. 268,935**

[45] ** **May 10, 1983**

[54] **MARKING INSTRUMENT**

[75] Inventor: **Günter Horntrich,** Pforzheim, Fed. Rep. of Germany

[73] Assignee: **Messrs. Kreuzer-Werk GmbH,** Bonn-Duisdorf, Fed. Rep. of Germany

[**] Term: **14 Years**

[21] Appl. No.: **253,362**

[22] Filed: **Apr. 13, 1981**

[30] **Foreign Application Priority Data**

Oct. 16, 1980 [DE] Fed. Rep. of Germany ..... MR 1872

[51] **Int. Cl.** ..... **D19—06**

[52] **U.S. Cl.** **D19/43;** D19/48; D19/56; D19/57

[58] **Field of Search** D19/35, 36, 41–51, D19/54, 57; 401/195, 202, 262; D27/36

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 235,883	7/1975	Stuetzer	D27/36
D. 260,272	8/1981	Horvtrich	D19/57
D. 264,854	6/1982	Spiegel	D19/49
4,183,685	1/1980	Hofmann et al.	D19/43

OTHER PUBLICATIONS

Visual Systems Co. Inc., Cat. (c) 1978, p. 160–B, Item No. 7304P.

Primary Examiner—George P. Word

[57] **CLAIM**

The ornamental design for a marking instrument, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a marking instrument showing my new design;
FIG. **2** is an exploded perspective view thereof;
FIG. **3** is a front elevational view thereof;
FIG. **4** is a right side elevational view thereof;
FIG. **5** is a left side elevational view thereof;
FIG. **6** is a rear elevational view thereof;
FIG. **7** is a top plan view thereof; and
FIG. **8** is a bottom plan view thereof.




Fig. 1




Fig. 2




Fig. 8




Fig. 4




Fig. 3




Fig. 5




Fig. 6




Fig. 7

