



(72) MORSEY, MOHAMMAD ALI, US

(72) SHEPPARD, MICHAEL GEORGE, US

(71) PFIZER PRODUCTS INC., US

(51) Int.Cl.<sup>7</sup> C12N 15/18, C12N 15/88, C12N 15/86, C12N 15/63,  
C07K 14/575, C12N 15/12, A61K 48/00

(30) 1999/04/12 (60/128,830) US

(54) **COMPOSITIONS D'HORMONE DE CROISSANCE ET  
D'HORMONE LIBERANT DE L'HORMONE DE CROISSANCE**

(54) **GROWTH HORMONE AND GROWTH HORMONE RELEASING  
HORMONE COMPOSITIONS**

(57) The present invention relates to methods and compositions of growth hormone and/or growth hormone releasing hormone that promote of the release and the elevation of growth hormone when administered to animals. The present invention further relates to methods and compositions of growth hormone and/or growth hormone releasing hormone for treatment of diseases or disorders resulting from growth hormone related deficiencies. The invention also provides methods for producing novel growth hormone releasing hormone variants and their uses thereof.

Abstract

The present invention relates to methods and compositions of growth hormone and/or growth hormone releasing hormone that promote of the release and the elevation of growth hormone when administered to animals. The present invention further relates to methods and  
5 compositions of growth hormone and/or growth hormone releasing hormone for treatment of diseases or disorders resulting from growth hormone related deficiencies. The invention also provides methods for producing novel growth hormone releasing hormone variants and their uses thereof.

PC10525A

-1-

GROWTH HORMONE AND GROWTH HORMONE  
RELEASING HORMONE COMPOSITIONS

Introduction

The present invention relates to novel variants of growth hormone releasing hormone (GHRH) that have enhanced resistance to enzymatic degradation and polynucleotides encoding said GHRH variants. The present invention relates to methods and therapeutic compositions for the treatment of growth hormone related deficiencies comprising administering to humans, companion animals, livestock or poultry, plasmid compositions comprising polynucleotides encoding GHRH or variants thereof, alone or in combination with polynucleotides encoding growth hormone or modified growth hormone. The present invention further relates to methods and compositions that promote the release and expression of growth hormone in order to enhance the growth and performance of companion animals, livestock or poultry comprising the administration plasmid compositions encoding GHRH variants, GHRH or modified GHRH, and/or GH or modified GH.

15 Background of the Invention

Growth hormone-releasing hormone ("GHRH") is a peptide hormone secreted from the hypothalamus. Following secretion, GHRH enters the portal circulation connecting the hypothalamus to pituitary gland. GHRH then interacts with its receptors on the pituitary gland and induces the release of growth hormone ("GH"). GH secreted from the pituitary gland enters the general circulation and from there it reaches various organs and tissues of the body where it interacts with specific receptors and induces a wide range of developmental effects.

GHRH peptides have been isolated and characterized from several species including humans, porcine, ovine and bovine. In each of these species, GHRH is a small polypeptide consisting of 44 amino acids (GHRH(1-44)-NH<sub>2</sub>). However, it has been also shown that smaller fragments, most notably those consisting of the first (amino terminal) 29 amino acids (referred to as GHRH1-29 fragment) retain the same intrinsic biological activity as the full length parent molecule.

GHRH is synthesized as a precursor polypeptide consisting of 107 or 108 amino acids depending on the species. Following synthesis, the precursor GHRH polypeptide undergoes sequential processing. First, the 31 amino acid signal peptide (Met<sup>-30</sup> to Arg<sup>0</sup>) of the GHRH precursor polypeptide is cleaved (Smith et al., 1992, *Biotechnology* 10:315-319). Subsequently, the GHRH precursor polypeptide is cleaved at position 46-47 and at position 45-46 by a trypsin-like endopeptidase and a carboxypeptidase, respectively, resulting in generation of GHRH(1-45)-OH and a 30 amino acid peptide (amino acids 77-107) designated GCTP (Brar, A.K. et al., 1991, *Endocrinology* 129: 3274-3280). The GHRH(1-45)-OH polypeptide is further processed by peptidyl glycine  $\alpha$ -amidating monooxygenase ("PAM"),

which transfers an amide group from Gly<sup>45</sup> to Leu<sup>44</sup> and results in the formation of GHRH(1-44)-NH<sub>2</sub>, the full length form of GHRH (Brar, A.K. et al., 1991, *Endocrinology* 129: 3274-3280). The GCTP is also undergoes processing by PAM, which results in the transfer of an amide group from Gly<sup>77</sup> to Gln<sup>76</sup>. Although the role of GHRH(1-44)-NH<sub>2</sub> in inducing the release of GH is well established, the role of the GCTP peptide is less clear. One report has implicated the GCTP peptide in the control of feeding behavior (Arase, K. et al., 1987, *Endocrinology* 121:1960-1965).

GH has been identified and its gene cloned from many species including human, porcine, bovine, and equine. Unlike GHRH, there exists natural variants of GH within a given species. For example, bovine GH is released from the pituitary gland in one of four variants which differ from one another by one or more amino acids and some studies suggest that these variants differ in their potency (e.g., in terms of their ability to increase milk yield). Several studies have also identified amino acid substitutions that lead to an increase in the affinity of GH to its receptors and/or enhanced stability to enzymatic degradation. Studies have also shown that immunization against specific peptides from GH (e.g., a peptide consisting of amino acids 35 to 53 of GH) leads to production of antibodies that bind growth hormone and increase the efficacy of GH treatment, presumably because the antibodies delay the clearance of GH from circulation, thus, increasing half-life of GH, and/or protect GH from proteolytic degradation (Bomford, F. and Aston, P., 1990, *Endocrinology* 125:31-38).

Significant research efforts have focused on the structural attributes of GH and GHRH, as well as their biological and developmental activities. A number of groups have attempted to exploit GH and GHRH in a manner that could provide important therapeutic and economic benefits as a result of their use in humans and animals. For example, the traditional treatment of GH-deficient children has been the administration of growth hormone isolated from human pituitary glands, however these preparations are no longer available in the United States due to virus-contaminated samples (Vance, 1990, *Clin. Chem* 36/3: 415-420). Recombinantly expressed and purified GH have been shown to have some benefits in treating GH-deficient children, however the combination of recombinantly expressed GH and GHRH in the treatment of GH-deficient children has provided conflicting results. (Vance, *supra*). Further, purified GH and GHRH must be administered at very high quantities to be effective as the exposure of these polypeptides to serum results in their rapid degradation to a polypeptide which exhibits considerably different biological and pharmacokinetic properties. (Fronman et al., 1989, *J. Clin. Invest.* 83:1533-1540).

Other studies have shown that GH or GHRH administered as purified polypeptides have significant impact on animal growth (muscle and bone growth), average daily gain, milk production, feed efficiency (the ratio of feed consumed to body weight gain), adipose tissue accretion and others. For example, it has been shown that daily administration of maximally

effective doses of GH administered to growing pigs for 33-77 days can increase average daily gain -10-20%, improves feed efficiency 13-33%, decrease adipose tissue accretion by as much as 70%, and stimulates protein deposition (muscle growth) by as much as 62%. (Etherton et al.,1998, *Physiological Reviews* 78:745-761). Furthermore, when GH was  
5 administered to dairy cows, milk yields were increased by 10-15% (□4-6kg/day) (Etherton et al.,1998, *Physiological Reviews* 78:745-761).

A major impediment to fulfilling the therapeutic and economic potential of GHRH peptides is their susceptibility to cleavage (and subsequent conversion to inactive forms) by specific tissue and plasma proteolytic enzymes; most notably dipeptidylpeptidase IV  
10 ("DPPIV"). A number of researchers have focused on manipulating GHRH in order to develop compounds with significant therapeutic potential. Consequently, a wide variety of synthetic GHRH peptide analogues have been produced. They consist of GHRH polypeptides in which one or more amino acids have been chemically modified or replaced with other L- or D- amino acids. These modifications or substitutions are designed to yield  
15 analogues with biological properties superior to those of the parent molecule in terms of potency, stability and resistance to chemical and enzymatic degradation. However, these chemically modified polypeptides are not easily or efficiently produced in a suitable form to be administered to humans or animals.

In spite of the significant therapeutic and economic benefits of GH or GHRH alluded  
20 to above, exogenous supplementation of animals with GH or GHRH proteins have not been widely adopted as a component of routine management practices to enhance the quality of meat from animals and/or enhance the productivity of livestock. This is because in order to get these benefits, animals have to be repeatedly administered GH or GHRH polypeptides (often daily, but typically in a slow release formulation given every 7-10 days). (Etherton, T.D.,  
25 1997, *Nature Biotechnology* 15:1248) This situation is labor intensive, time consuming, expensive, and does not fit current management practices where animals are reared in large numbers and are handled very infrequently, it is apparent therefore that in order to realize the therapeutic and economic benefits of GH and/or GHRH administration, much improved formulations for delivery of these hormones must be developed to overcome the current  
30 limitations of their use; namely the need for repeated administration.

#### Summary of the Invention

The present invention relates to novel variants of GHRH that have enhanced resistance to enzymatic degradation and polynucleotides encoding said variants. The present invention also relates to pharmaceutical formulations comprising polynucleotide sequences  
35 encoding GHRH variants alone or in combination with polynucleotide sequences encoding GHRH, modified GHRH, GH and/or modified GH. The present invention also relates to pharmaceutical formulations comprising GHRH variant peptides alone or in combination with

GHRH polypeptides, modified GHRH polypeptides, GH polypeptides and/or modified GH polypeptides. The present invention further relates to pharmaceutical formulations comprising canine or feline GHRH peptides alone or in combination with GHRH variant polypeptides, modified GHRH polypeptides, GH polypeptides and/or modified GH polypeptides.

5           The present invention relates to therapeutic methods and compositions for the treatment of growth hormone related deficiencies comprising growth hormone ("GH") and/or growth hormone-releasing hormone ("GHRH") in human, companion animals, livestock and poultry. The invention also relates to methods for the improvement in the health of humans, companion animals, livestock and poultry. The invention also relates to methods for the  
10 treatment of obesity and frailty of companion animals. The invention further relates to methods for the enhancement of the growth and performance of companion livestock and poultry. The methods of the present invention comprise pharmaceutical compositions which enhance the expression of growth hormone or promote the release of growth hormone or both when administered to humans, companion animals, livestock or poultry. According to the  
15 present invention, the term "GHRH" relates to the full length wildtype form of GHRH which is 44 amino acids (aa) or a precursor form of GHRH. In accordance with the present invention, the term "modified GHRH" refers to any amino terminal polypeptide fragment of GHRH from 29 amino acids to 107 or 108 amino acids in length and any mutant of GHRH, including additions, deletions or substitutions at the nucleotide or amino acid level, which retains at  
20 least the level of activity of wildtype GHRH, that is, the ability to induce GH gene transcription at levels comparable to wildtype GHRH.

          In accordance with the present invention, the term "GHRH variant" relates to a GHRH polypeptide to which one or more amino acids have been attached to the carboxy or amino terminus of the polypeptide, or a wildtype GHRH polypeptide that contains a substitution of  
25 one or more amino acids, so that the GHRH variant retains at least equal or enhanced wildtype GHRH activity and has enhanced resistance to enzymatic degradation relative to the wildtype GHRH. In accordance with the present invention, wildtype GHRH activity is measured by its ability to induce GH gene transcription. In accordance with the present invention, resistance to enzymatic degradation is determined by the ability of the polypeptide  
30 to resist degradation caused by dipeptidylpeptidase type IV.

          According to the present invention, the term "GH" refers to the full length wildtype form of GH, which is 191 amino acids, and "modified GH" refers to any fragment of GH and any mutant including additions, deletions or substitutions at the nucleotide or amino acid level, which retains at least the level of wildtype activity of GH, that is, the ability to induce insulin  
35 growth factor (IGF) gene transcription at levels comparable to wildtype GH, or mimic the anti-adipogenic and lipolytic effects of GH.

#### Description of the Figures

Figure 1 is a map of the pGHRH-4 construct (SEQ ID No. 47).

Figure 2 is a map of the pGHRH1-44SK construct (SEQ ID No. 48).

Figure 3 is a map of the pGHRH1-44WTSK685 construct (SEQ ID No. 49).

5 Figure 4 is a map of the pGHRH1-44WTSK2014 construct (SEQ ID No. 50).

Figure 5 is a graph depicting the GHRH expression levels detected in supernatants from pGHRH-4 transfected cells.

#### Detailed description of the invention

10 The present invention relates to novel variants of GHRH that have enhanced resistance to enzymatic degradation and polynucleotides encoding said GHRH variants. The present invention relates to pharmaceutical compositions which promote the release and/or expression of GH. In particular, the pharmaceutical compositions of the present invention comprise polynucleotide sequences encoding GHRH variants alone or in combination with polynucleotide sequences encoding GHRH, modified GHRH, GH and/or modified GH or any  
15 combination thereof. In another embodiment, the pharmaceutical compositions of the present invention comprise GHRH variant polypeptides alone or in combination with GHRH polypeptides, GHRH modified polypeptides, GH polypeptides or GH modified polypeptides or any combination thereof.

20 The present invention relates to methods of treating disorders related to GH related deficiencies in humans, companion animals, livestock and poultry, comprising administering pharmaceutical formulations which enhance GH expression and/or release. The present invention further relates to methods of treating livestock and poultry in order to enhance growth and performance comprising administering pharmaceutical formulations which enhance GH expression and/or release.

25 The pharmaceutical formulations to be administered in accordance with the methods of the present invention encompass plasmid compositions comprising (a) polynucleotide sequences encoding GHRH variants; (b) polynucleotide sequences encoding GHRH or modified GHRH; (c) polynucleotide sequences encoding GH or modified GH; or any combination thereof, wherein the polynucleotide sequences are operably linked to a promoter  
30 or regulatory element, preferably one that is transcriptionally active in muscle tissue. The pharmaceutical formulations to be administered in accordance with the methods of the present invention also include: i) plasmid compositions comprising polynucleotides encoding for GH or modified or variant GHRH gene; ii) plasmid compositions comprising polynucleotides encoding for both GH and GHRH genes; iii) plasmid compositions comprising  
35 polynucleotides encoding for a GHRH gene, a GH gene or a gene encoding a fusion protein consisting of a peptide from GH and a carrier protein for induction of GH potency-enhancing antibodies; (iv) recombinant proteins, peptides, fragments or derivatives thereof comprising

canine GHRH or feline GHRH; (v) recombinant proteins, peptides, fragments or derivatives thereof of the GHRH variants of the present invention; and (vi) recombinant fusion proteins, peptides, fragments or derivatives thereof comprising GH and GHRH.

5 In one embodiment, the pharmaceutical compositions of the present invention comprise polynucleotide sequences encoding canine or feline GHRH alone or in combination with polynucleotide sequences encoding GHRH variant, modified GHRH, GH and/or modified GH or any combination thereof. In another embodiment, the pharmaceutical compositions of the present invention comprise canine or feline GHRH polypeptides alone or in combination with GHRH variant polypeptides, modified GHRH, GH polypeptides or GH modified  
10 polypeptides or any combination thereof. The pharmaceutical compositions of the present invention are in suitable formulation to be administered to humans, companion animals, livestock or poultry for the treatment of growth hormone related deficiencies or the enhancement of growth and performance of livestock and poultry. The pharmaceutical compositions of the present invention are also in suitable formulation for the treatment of  
15 obesity and frailty of companion animals or the improvement in the health of humans, companion animals, livestock, and poultry.

The present invention relates to therapeutic methods and compositions for the treatment of growth hormone related deficiencies comprising growth hormone ("GH"); modified GH; growth hormone releasing hormone ("GHRH"); GHRH variants; modified GHRH  
20 or any combination thereof. The therapeutic compositions of the invention are administered to animals, preferably to mammals, more preferably to companion animals (e.g., dogs, cats and horses), livestock (e.g., cows and pigs) and poultry (e.g., chickens and turkeys), and most preferably to humans. The invention also relates to methods and compositions for the enhancement of the growth and performance of animals, more preferably mammals, and most  
25 preferably livestock (e.g., cows and pigs) and poultry (e.g., chickens and turkeys) with the proviso that such compositions are not to be administered to mice, rats, rodents, guinea pigs, or rabbits. The invention also relates to methods and compositions for the treatment of obesity and frailty of animals, preferably to mammals, more preferably to companion animals (e.g., dogs, cats and horses). The invention further relates to methods and compositions for  
30 the improvement in the health of animals, preferably to mammals, more preferably to companion animals (e.g., dogs, cats and horses), livestock (e.g., cows and pigs) and poultry (e.g., chickens and turkeys), and most preferably to humans.

The present invention is based in part of the discovery of recombinantly engineered GHRH variants which retain at least the level of activity wildtype GHRH, that is the ability to  
35 induce GH gene transcription at levels comparable to wildtype GHRH, and which have enhanced resistance to enzymatic degradation relative to the wildtype GHRH. The GHRH variants of the present invention may be recombinantly expressed at high levels in host cells

and easily isolated and purified in a form suitable for administration to humans and animals. Thus, the GHRH variants of the present invention may be efficiently produced and isolated at high levels as opposed to modified GHRH polypeptides in the art which are modified using traditional chemistry methods to introduce modifications in the native GHRH sequence.

5           In one embodiment, a GHRH variant of the present invention comprises the addition of one amino acid, preferably a hydrophobic residue and more preferably a tyrosine residue, to the amino terminus (position 1) of GHRH. In another embodiment, a GHRH variant comprises the addition of two amino acids, wherein the second amino acid is not proline or alanine, to the amino terminus (position 1) of GHRH. In another embodiment, a GHRH  
10       variant comprises the addition of three amino acids, wherein the second amino acid is proline or alanine, to the amino terminus (position 1) of GHRH. In another embodiment, a GHRH variant comprises the addition of more than three amino acids to the amino terminus (position 1) of GHRH, wherein the addition does not interfere with the functional activity of GHRH, that is, the ability of GHRH to induce GH gene transcription. In a preferred embodiment of the  
15       present invention, a GHRH variant comprises the addition of a tripeptide to the amino terminus, wherein the tripeptide is diprotin A or diprotin B or a peptide with a structure analogous to diprotin A or diprotin B. In yet another embodiment, a GHRH variant comprises the addition of glycine and arginine at the carboxy-terminus. This addition results in the amidation of GHRH; the glycine and arginine is cleaved off and the last amino acid before the  
20       added glycine is amidated.

          In one embodiment, a GHRH variant comprises any of the amino acid additions described above and the substitution of glycine with alanine at residue 15. In another embodiment, a GHRH variant comprises any of the amino acid additions described above and the substitution of leucine with alanine at residue 22. In another embodiment, a GHRH variant  
25       comprises any of the amino acid additions described above and the substitutions of glycine with alanine at residue 15 and leucine with alanine at residue 22. In another embodiment, a GHRH variant comprises any of the amino acid additions at the amino terminus and the amino acid additions at the carboxy-terminus. In another embodiment, a GHRH variant comprises any of the amino acid additions at the amino terminus described above, the amino acid  
30       additions at the carboxy-terminus described above, and the substitution of glycine to alanine at residue 15. In another embodiment, a GHRH variant comprises any of the amino acid additions at the amino terminus described above, the amino acid additions at the carboxy-terminus described above, and the substitution of leucine to alanine at residue 22. In yet another embodiment, a GHRH variant comprises any of the amino acid additions at the amino  
35       terminus described above, the amino acid additions at the carboxy-terminus described above, and the substitutions of glycine to alanine at residue 15 and leucine to alanine at residue 22. The term "GHRH precursor variant" as used herein refers to a precursor form of the full length

wildtype GHRH polypeptide to which one or more amino acids have been attached to the amino terminus of the polypeptide and/or contains a substitution of one or more amino acids, so that the GHRH precursor variant retains at least equal or enhanced wildtype GHRH activity and has enhanced resistance to enzymatic degradation relative to wildtype GHRH. In one  
5 embodiment of the present invention, a GHRH precursor variant comprises the amino acid additions and/or the amino acid substitutions described above. The present invention also encompasses a fusion variant comprising any of the GHRH variants described above and GH or modified GH. The term "fusion variant" as used herein refers to a fusion protein comprising GHRH variants or modified GHRH and GH or modified GH. In one embodiment of the  
10 present invention, a fusion variant comprises any of the GHRH variants described above, which consist of amino acid additions at the amino terminus and/or amino acid substitutions, and GH or modified GH.

The modifications and/or substitutions of GHRH described herein are made to GHRH polypeptides which retain the biological activity at least equal to the full length wildtype GHRH, preferably a precursor form of GHRH, more preferably the sequence of GHRH consisting of  
15 about 29 amino acids to about 44 amino acids. The polynucleotide sequences encoding the GHRH variants described herein are also within the scope of the present invention. The present invention provides that the polypeptides are encoded by the nucleic acid fragments of the present invention or by degenerate variants of the nucleic acid fragments of the present  
20 invention. By "degenerate variant" is intended nucleotide fragments which differ from a nucleic acid fragment of the present invention (e.g., an ORF) by nucleotide sequence but, due to the degeneracy of the genetic code, encode an identical polypeptide sequence. Preferred nucleic acid fragments of the present invention are the ORFs that encode proteins. The present invention encompasses GHRH variants encoded by the polynucleotide sequence any  
25 species.

The present invention encompasses polynucleotide sequences encoding precursor forms of GHRH, full length wildtype GHRH, modified GHRH, GHRH variants, and fragments of GHRH from 29 amino acids to 44 amino acids in length for any species, which retain at least the activity of wildtype GHRH. For example, the polynucleotide sequences encoding  
30 human, swine, and bovine growth hormone releasing hormone disclosed in Genbank accession number SEG\_HSGHRH, accession number U90275, and accession number U29611, respectively, are incorporated herein by reference. The present invention also encompasses polynucleotide sequences encoding GHRH polypeptides disclosed for any species (e.g., the polynucleotide sequence encoding the human GHRH precursor polypeptide  
35 disclosed in Genbank accession number P01286 is incorporated herein by reference). The present invention further encompasses polynucleotide sequences encoding full length wildtype GH or modified GH for any species. For example, the polynucleotide sequences

encoding human, swine, and bovine growth hormone disclosed in Genbank accession number J03071, accession number U19787, and accession number E00293, respectively, are incorporated herein by reference. The present invention also encompasses polynucleotide sequences encoding GH polypeptides disclosed for any species (e.g., the polynucleotide  
5 sequence encoding the bovine GH polypeptide disclosed in Genbank accession number STBO is incorporated herein by reference).

The polynucleotide sequence encoding GHRH, modified GHRH or GHRH variants can be inserted into an appropriate expression vector, *i.e.*, a vector which contains the necessary elements for the transcription and translation of the inserted protein-coding  
10 sequence. The polynucleotide sequence encoding GH or modified GH can be inserted into an appropriate expression vector, *i.e.*, a vector which contains the necessary elements for the transcription and translation of the inserted protein-coding sequence. The necessary transcriptional and translational signals can also be supplied by the native GH or native GHRH genes or its flanking regions. A variety of host-vector systems may be utilized to  
15 express the protein-coding sequence. These include but are not limited to mammalian cell systems infected with virus (e.g., vaccinia virus, adenovirus, etc.); insect cell systems infected with virus (e.g., baculovirus); microorganisms such as yeast containing yeast vectors, or bacteria transformed with bacteriophage, DNA, plasmid DNA, or cosmid DNA. The expression elements of vectors vary in their strengths and specificities. Depending on the  
20 host-vector system utilized, any one of a number of suitable transcription and translation elements may be used. In one embodiment, the wildtype or modified human GH gene is expressed. In another embodiment, the wildtype, modified or variant human GHRH is expressed. In yet another embodiment, the wildtype or modified human GH and the wildtype, modified or variant human GHRH gene are expressed.

Any of the methods previously described for the insertion of DNA fragments into a vector may be used to construct expression vectors containing a chimeric gene, comprising GH or modified GH and GHRH, modified GHRH or GHRH variants, consisting of appropriate transcriptional and translational control signals and the protein coding sequences. These methods may include *in vitro* recombinant DNA and synthetic techniques and *in vivo*  
30 recombinants (genetic recombination). Expression of the nucleic acid sequence encoding GH or modified GH may be regulated by a second nucleic acid sequence so that the GH or modified GH is expressed in a host transformed with the recombinant DNA molecule. Expression of the nucleic acid sequence encoding GHRH, modified GHRH or GHRH variant may be regulated by a second nucleic acid sequence so that the GHRH modified GHRH or  
35 GHRH variant is expressed in a host transformed with the recombinant DNA molecule. For example, expression of GH or GHRH may be controlled by any promoter or enhancer element known in the art. Promoters which may be used to control GH and/or GHRH gene expression

include, but are not limited to, the Cytomeglovirus (CMV) immediate early promoter region, the SV40 early promoter region (Bernoist and Chambon, 1981, *Nature* 290:304-310), the promoter contained in the 3' long terminal repeat of Rous sarcoma virus (Yamamoto, et al., 1980, *Cell* 22:787-797), the herpes thymidine kinase promoter (Wagner et al., 1981, *Proc. Natl. Acad. Sci. USA* 78:1441-1445), the regulatory sequences of the metallothionein gene (Brinster et al., 1982, *Nature* 296:39-42); prokaryotic expression vectors such as the  $\beta$ -lactamase promoter (Villa-Kamaroff et al., 1978, *Proc. Natl. Acad. Sci. USA* 75:3727-3731), or the *tac* promoter (DeBoer et al., 1983, *Proc. Natl. Acad. Sci. USA* 80:21-25); see also "Useful proteins from recombinant bacteria" in *Scientific American*, 1980, 242:74-94; plant expression vectors comprising the nopaline synthetase promoter region (Herrera-Estrella et al., *Nature* 303:209-213) or the cauliflower mosaic virus 35S RNA promoter (Gardner et al., 1981, *Nucl. Acids Res.* 9:2871), and the promoter of the photosynthetic enzyme ribulose biphosphate carboxylase (Herrera-Estrella et al., 1984, *Nature* 310:115-120); promoter elements from yeast or other fungi such as the Gal 4 promoter, the ADC (alcohol dehydrogenase) promoter, PGK (phosphoglycerol kinase) promoter, alkaline phosphatase promoter, and the following animal transcriptional control regions, which exhibit tissue specificity and have been utilized in transgenic animals: elastase I gene control region which is active in pancreatic acinar cells (Swift et al., 1984, *Cell* 38:639-646; Ornitz et al., 1986, *Cold Spring Harbor Symp. Quant. Biol.* 50:399-409; MacDonald, 1987, *Hepatology* 7:425-515); insulin gene control region which is active in pancreatic beta cells (Hanahan, 1985, *Nature* 315:115-122), immunoglobulin gene control region which is active in lymphoid cells (Grosschedl et al., 1984, *Cell* 38:647-658; Adames et al., 1985, *Nature* 318:533-538; Alexander et al., 1987, *Mol. Cell. Biol.* 7:1436-1444), mouse mammary tumor virus control region which is active in testicular, breast, lymphoid and mast cells (Leder et al., 1986, *Cell* 45:485-495), albumin gene control region which is active in liver (Pinkert et al., 1987, *Genes and Devel.* 1:268-276), alpha-fetoprotein gene control region which is active in liver (Krumlauf et al., 1985, *Mol. Cell. Biol.* 5:1639-1648; Hammer et al., 1987, *Science* 235:53-58; alpha 1-antitrypsin gene control region which is active in the liver (Kelsey et al., 1987, *Genes and Devel.* 1:161-171), beta-globin gene control region which is active in myeloid cells (Mogam et al., 1985, *Nature* 315:338-340; Kollias et al., 1986, *Cell* 46:89-94; myelin basic protein gene control region which is active in oligodendrocyte cells in the brain (Readhead et al., 1987, *Cell* 48:703-712); myosin light chain-2 gene control region which is active in skeletal muscle (Sani, 1985, *Nature* 314:283-286), swine alpha-skeletal actin control region which is active in muscle (Reecy, M. et al., 1998, *Animal Biotechnology* 9:101-120) and gonadotropic releasing hormone gene control region which is active in the hypothalamus (Mason et al., 1986, *Science* 234:1372-1378).

In a specific embodiment, a vector is used that comprises a promoter operably linked to GH- or modified GH-encoding nucleic acid, one or more origins of replication, and,

optionally, one or more selectable markers (e.g., an antibiotic resistance gene). In another embodiment, a vector is used that comprises a promoter operably linked to GHRH-, modified GHRH- or GHRH variant-encoding nucleic acid, one or more origins of replication, and, optionally, one or more selectable markers (e.g., an antibiotic resistance gene). In yet another  
5 embodiment, a vector is used that comprises a promoter operably linked to GH or modified GH and GHRH, modified GHRH or GHRH variant-encoding nucleic acids, one or more origins of replication, and, optionally, one or more selectable markers (e.g., an antibiotic resistance gene).

Expression vectors containing gene inserts can be identified by three general  
10 approaches: (a) nucleic acid hybridization, (b) presence or absence of "marker" gene functions, and (c) expression of inserted sequences. In the first approach, the presence of the GH- or modified GH-encoding polynucleotides and GHRH-, modified GHRH- or GHRH variant-encoding polynucleotides inserted in an expression vector(s) can be detected by nucleic acid hybridization using probes comprising sequences that are homologous to the  
15 inserted genes. In the second approach, the recombinant vector/host system can be identified and selected based upon the presence or absence of certain "marker" gene functions (e.g., thymidine kinase activity, resistance to antibiotics, transformation phenotype, occlusion body formation in baculovirus, etc.) caused by the insertion of the gene(s) in the vector(s). For example, if the GH gene is inserted within the marker gene sequence of the  
20 vector, recombinants containing the GH gene insert can be identified by the absence of the marker gene function. In the third approach, recombinant expression vectors can be identified by assaying the gene product expressed by the recombinant. Such assays can be based, for example, on the physical or functional properties of the GH and GHRH in *in vitro* assay systems, e.g., binding of GH with anti-GH antibody or binding of GHRH with anti-GHRH  
25 antibody.

Once a particular recombinant DNA molecule is identified and isolated, several methods known in the art may be used to propagate it. Once a suitable host system and growth conditions are established, recombinant expression vectors can be propagated and prepared in quantity. As previously explained, the expression vectors which can be used  
30 include, but are not limited to, the following vectors or their derivatives: human or animal viruses such as vaccinia virus or adenovirus; insect viruses such as baculovirus; yeast vectors; bacteriophage vectors (e.g., lambda), and plasmid and cosmid DNA vectors, to name but a few.

In addition, a host cell strain may be chosen which modulates the expression of the  
35 inserted sequences, or modifies and processes the gene product in the specific fashion desired. Expression from certain promoters can be elevated in the presence of certain inducers; thus, expression of the genetically engineered may be controlled. Furthermore,

different host cells have characteristic and specific mechanisms for the translational and post-translational processing and modification (e.g., glycosylation, phosphorylation of proteins). Appropriate cell lines or host systems can be chosen to ensure the desired modification and processing of the foreign protein expressed. For example, expression in a bacterial system  
5 can be used to produce an unglycosylated core protein product. Expression in yeast will produce a glycosylated product. Expression in mammalian cells can be used to ensure "native" glycosylation of a heterologous protein. Furthermore, different vector/host expression systems may effect processing reactions to different extents.

For long-term, high-yield production of recombinant proteins, stable expression is  
10 preferred. For example, cell lines which stably express the differentially expressed or pathway gene protein may be engineered. Rather than using expression vectors which contain viral origins of replication, host cells can be transformed with DNA controlled by appropriate expression control elements (e.g., promoter, enhancer, sequences, transcription terminators, polyadenylation sites, etc.), and a selectable marker. Following the introduction  
15 of the foreign DNA, engineered cells may be allowed to grow for 1-2 days in an enriched media, and then are switched to a selective media. The selectable marker in the recombinant plasmid confers resistance to the selection and allows cells to stably integrate the plasmid into their chromosomes and grow to form foci which in turn can be cloned and expanded into cell lines. This method may advantageously be used to engineer cell lines which express the  
20 differentially expressed or pathway gene protein. Such engineered cell lines may be particularly useful in screening and evaluation of compounds that affect the endogenous activity of the differentially expressed or pathway gene protein.

A number of selection systems may be used, including but not limited to the herpes simplex virus thymidine kinase (Wigler, et al., 1977, *Cell* 11:223), hypoxanthine-guanine  
25 phosphoribosyltransferase (Szybalska & Szybalski, 1962, *Proc. Natl. Acad. Sci. USA* 48:2026), and adenine phosphoribosyltransferase (Lowy et al., 1980, *Cell* 22:817) genes can be employed in tk<sup>-</sup>, hgprt<sup>-</sup> or aprt<sup>-</sup> cells, respectively. Also, antimetabolite resistance can be used as the basis of selection for dhfr, which confers resistance to methotrexate (Wigler et al., 1980, *Natl. Acad. Sci. USA* 77:3567; O'Hare et al., 1981, *Proc. Natl. Acad. Sci. USA* 78:1527); gpt,  
30 which confers resistance to mycophenolic acid (Mulligan & Berg, 1981, *Proc. Natl. Acad. Sci. USA* 78:2072); neo, which confers resistance to the aminoglycoside G-418 (Colberre-Garapin et al., 1981, *J. Mol. Biol.* 150:1); and hygromycin (Santerre et al., 1984, *Gene* 30:147) genes.

The present invention provides for the treatment or prevention of GH associated  
35 diseases or disorders, including those disorders characterized by GH deficiency, comprising the administration of a pharmaceutical formulation to a human, companion animal, livestock or poultry which enhances GH expression and/or release. The present invention also provides for

methods and protocols to enhance the growth and performance of livestock and poultry, comprising the administration of a pharmaceutical formulation to a companion animal, livestock or poultry which enhances GH expression and/or release. The present invention also provides for the treatment of obesity and frailty, comprising the administration of a pharmaceutical  
5 formulation to a companion animal which enhances or modulates GH expression and/or release. The present invention further provides for methods for the improvement in health, comprising the administration of a pharmaceutical formulation to a human, companion animal, livestock or poultry which enhances GH expression and/or release. In accordance with the invention, methods of the present invention encompass the administration of pharmaceutical  
10 formulations comprising: (a) polynucleotide sequences encoding GHRH variants alone or in combination with polynucleotide sequences encoding GHRH, modified GHRH, GH, modified GH or any combination thereof, wherein the polynucleotide sequences are operably linked to a promoter or regulatory element, preferably one that is transcriptionally active in muscle tissue; (b) polynucleotide sequences encoding canine or feline GHRH alone or in combination with  
15 polynucleotide sequences encoding GHRH variants, modified GHRH, GH, modified GH or any combination thereof, wherein the polynucleotide sequences are operably linked to a promoter or regulatory element, preferably one that is transcriptionally active in muscle tissue; (c) polynucleotide sequences encoding GHRH, modified GHRH, GH, modified GH or any combination thereof wherein the polynucleotide sequences are operably linked to a promoter  
20 or regulatory element, preferably one that is transcriptionally active in muscle tissue; (c) variant GHRH polypeptides alone, expressed as a fusion protein, or in combination with GHRH, modified GHRH, GH or modified GH polypeptides or any combination thereof; or (d) canine or feline GHRH polypeptides alone, expressed as a fusion protein, or in combination with GHRH variants, modified GHRH, GH or modified GH polypeptides or any combination thereof.

25 Generally, administration of products of a species origin or species reactivity (in the case of antibodies) that is the same species as that of the patient is preferred. Thus, in a preferred embodiment, human GH and/or GHRH genes, gene fragments or derivatives thereof are administered to a human patient for therapy or prophylaxis.

In a specific embodiment, nucleic acids comprising sequences encoding GH and/or  
30 GHRH or functional derivatives thereof, are administered to promote the release and/or elevation of growth hormone, by way of gene therapy. Gene therapy refers to therapy performed by the administration to a subject of an expressed or expressible nucleic acid. In this embodiment of the invention, the nucleic acids produce their encoded protein that mediate a therapeutic effect by promoting the function of GH.

35 Any of the methods for gene therapy available in the art can be used according to the present invention. Exemplary methods are described below.

For general reviews of the methods of gene therapy, see Goldspiel et al., 1993, *Clinical Pharmacy* 12:488-505; Wu and Wu, 1991, *Biotherapy* 3:87-95; Tolstoshev, 1993, *Ann. Rev. Pharmacol. Toxicol.* 32:573-596; Mulligan, 1993, *Science* 260:926-932; and Morgan and Anderson, 1993, *Ann. Rev. Biochem.* 62:191-217; May, 1993, *TIBTECH* 11(5):155-215).

5 Methods commonly known in the art of recombinant DNA technology which can be used are described in Ausubel et al. (eds.), 1993, *Current Protocols in Molecular Biology*, John Wiley & Sons, NY; and Kriegler, 1990, *Gene Transfer and Expression, A Laboratory Manual*, Stockton Press, NY.

In a preferred aspect, the compound comprises nucleic acid sequences encoding GH  
10 or modified GH and GHRH, modified GHRH or GHRH variants, said nucleic acid sequences being part of expression vectors that express GH or modified GH and GHRH, modified GHRH or GHRH variants in a suitable host. In particular, such nucleic acid sequences have promoters operably linked to the GH or modified GH and GHRH, modified GHRH or GHRH variants coding regions, said promoters being inducible or constitutive, and, optionally, tissue-specific. In another particular embodiment, nucleic acid molecules are used in which the GH or  
15 modified GH and GHRH, modified GHRH or GHRH variants coding sequences and any other desired sequences are flanked by regions that promote homologous recombination at a desired site in the genome, thus providing for intrachromosomal expression of the GH or modified GH and GHRH, modified GHRH or GHRH variants nucleic acids (Koller and Smithies,  
20 1989, *Proc. Natl. Acad. Sci. USA* 86:8932-8935; Zijlstra et al., 1989, *Nature* 342:435-438).

Delivery of the nucleic acids into a patient may be either direct, in which case the patient is directly exposed to the nucleic acid or nucleic acid-carrying vectors, or indirect, in which case, cells are first transformed with the nucleic acids *in vitro*, then transplanted into the patient. These two approaches are known, respectively, as *in vivo* or *ex vivo* gene therapy.

25 In a specific embodiment, the nucleic acid sequences are directly administered *in vivo*, where it is expressed to produce the encoded product. This can be accomplished by any of numerous methods known in the art, e.g., by constructing them as part of an appropriate nucleic acid expression vector and administering it so that they become intracellular, e.g., by infection using defective or attenuated retrovirals or other viral vectors (see U.S. Patent No.  
30 4,980,286), or by direct injection of naked DNA, or by use of microparticle bombardment (e.g., a gene gun; Biolistic, Dupont), or coating with lipids or cell-surface receptors or transfecting agents, encapsulation in liposomes, microparticles, or microcapsules, or by administering them in linkage to a peptide which is known to enter the nucleus, by administering it in linkage to a ligand subject to receptor-mediated endocytosis (see, e.g., Wu and Wu, 1987, *J. Biol. Chem.*  
35 262:4429-4432) (which can be used to target cell types specifically expressing the receptors), etc. In another embodiment, nucleic acid-ligand complexes can be formed in which the ligand comprises a fusogenic viral peptide to disrupt endosomes, allowing the nucleic acid to avoid

lysosomal degradation. In yet another embodiment, the nucleic acid can be targeted *in vivo* for cell specific uptake and expression, by targeting a specific receptor (see, e.g., PCT Publications WO 92/06180 dated April 16, 1992 (Wu et al.); WO 92/22635 dated December 23, 1992 (Wilson et al.); WO92/20316 dated November 26, 1992 (Findeis et al.); WO93/14188  
5 dated July 22, 1993 (Clarke et al.), WO 93/20221 dated October 14, 1993 (Young)). Alternatively, the nucleic acid can be introduced intracellularly and incorporated within host cell DNA for expression, by homologous recombination (Koller and Smithies, 1989, *Proc. Natl. Acad. Sci. USA* 86:8932-8935; Zijlstra et al., 1989, *Nature* 342:435-438).

In a specific embodiment, viral vectors that contain nucleic acid sequences encoding  
10 GH or modified GH and/or GHRH, modified GHRH or GHRH variants are used. For example, a retroviral vector can be used (see Miller et al., 1993, *Meth. Enzymol.* 217:581-599). These retroviral vectors have been to delete retroviral sequences that are not necessary for packaging of the viral genome and integration into host cell DNA. The nucleic acid sequences encoding the GH or modified GH and GHRH, modified GHRH or GHRH variants to be used in  
15 gene therapy are cloned into one or more vectors, which facilitates delivery of the gene into a patient. More detail about retroviral vectors can be found in Boesen et al., 1994, *Biotherapy* 6:291-302, which describes the use of a retroviral vector to deliver the *mdr1* gene to hematopoietic stem cells in order to make the stem cells more resistant to chemotherapy. Other references illustrating the use of retroviral vectors in gene therapy are: Clowes et al.,  
20 1994, *J. Clin. Invest.* 93:644-651; Kiem et al., 1994, *Blood* 83:1467-1473; Salmons and Gunzberg, 1993, *Human Gene Therapy* 4:129-141; and Grossman and Wilson, 1993, *Curr. Opin. in Genetics and Devel.* 3:110-114.

Adenoviruses are other viral vectors that can be used in gene therapy. Adenoviruses are especially attractive vehicles for delivering genes to respiratory epithelia. Adenoviruses  
25 naturally infect respiratory epithelia where they cause a mild disease. Other targets for adenovirus-based delivery systems are liver, the central nervous system, endothelial cells, and muscle. Adenoviruses have the advantage of being capable of infecting non-dividing cells. Kozarsky and Wilson, 1993, *Current Opinion in Genetics and Development* 3:499-503 present a review of adenovirus-based gene therapy. Bout et al., 1994, *Human Gene Therapy* 5:3-10  
30 demonstrated the use of adenovirus vectors to transfer genes to the respiratory epithelia of rhesus monkeys. Other instances of the use of adenoviruses in gene therapy can be found in Rosenfeld et al., 1991, *Science* 252:431-434; Rosenfeld et al., 1992, *Cell* 68:143-155; Mastrangeli et al., 1993, *J. Clin. Invest.* 91:225-234; PCT Publication WO94/12649; and Wang, et al., 1995, *Gene Therapy* 2:775-783. In a preferred embodiment, adenovirus vectors are  
35 used. Adeno-associated virus (AAV) has also been proposed for use in gene therapy (Walsh et al., 1993, *Proc. Soc. Exp. Biol. Med.* 204:289-300; U.S. Patent No. 5,436,146).

Another approach to gene therapy involves transferring a gene to cells in tissue culture by such methods as electroporation, lipofection, calcium phosphate mediated transfection, or viral infection. Usually, the method of transfer includes the transfer of a selectable marker to the cells. The cells are then placed under selection to isolate those cells that have taken up  
5 and are expressing the transferred gene. Those cells are then delivered to a patient.

In this embodiment, the nucleic acid is introduced into a cell prior to administration *in vivo* of the resulting recombinant cell. Such introduction can be carried out by any method known in the art, including but not limited to transfection, electroporation, microinjection, infection with a viral or bacteriophage vector containing the nucleic acid sequences, cell fusion,  
10 chromosome-mediated gene transfer, microcell-mediated gene transfer, spheroplast fusion, etc. Numerous techniques are known in the art for the introduction of foreign genes into cells (see, e.g., Loeffler and Behr, 1993, *Meth. Enzymol.* 217:599-618; Cohen et al., 1993, *Meth. Enzymol.* 217:618-644; Cline, 1985, *Pharmac. Ther.* 29:69-92) and may be used in accordance with the present invention, provided that the necessary developmental and physiological  
15 functions of the recipient cells are not disrupted. The technique should provide for the stable transfer of the nucleic acid to the cell, so that the nucleic acid is expressible by the cell and preferably heritable and expressible by its cell progeny.

The resulting recombinant cells can be delivered to a subject by various methods known in the art. Recombinant blood cells (e.g., hematopoietic stem or progenitor cells) are  
20 preferably administered intravenously. The amount of cells envisioned for use depends on the desired effect, subject's state, etc., and can be determined by one skilled in the art.

Cells into which a nucleic acid can be introduced for purposes of gene therapy encompass any desired, available cell type, and include but are not limited to epithelial cells, endothelial cells, keratinocytes, fibroblasts, muscle cells, hepatocytes; blood cells such as  
25 T lymphocytes, B lymphocytes, monocytes, macrophages, neutrophils, eosinophils, megakaryocytes, granulocytes; various stem or progenitor cells, in particular hematopoietic stem or progenitor cells, e.g., as obtained from bone marrow, umbilical cord blood, peripheral blood, fetal liver, etc.

In a preferred embodiment, the cell used for gene therapy is autologous to the subject.

30 In an embodiment in which recombinant cells are used in gene therapy, nucleic acid sequences encoding GH or modified GH and/or GHRH, modified GHRH or GHRH variants are introduced into the cells such that they are expressible by the cells or their progeny, and the recombinant cells are then administered *in vivo* for therapeutic effect. In a specific embodiment, stem or progenitor cells are used. Any stem and/or progenitor cells which can be  
35 isolated and maintained *in vitro* can potentially be used in accordance with this embodiment of the present invention (see e.g. PCT Publication WO 94/08598, dated April 28, 1994; Stemple

and Anderson, 1992, *Cell* 71:973-985; Rheinwald, 1980, *Meth. Cell Bio.* 21A:229; and Pittelkow and Scott, 1986, *Mayo Clinic Proc.* 61:771).

In a specific embodiment, the nucleic acid to be introduced for purposes of gene therapy comprises an inducible promoter operably linked to the coding region, such that  
5 expression of the nucleic acid is controllable by controlling the presence or absence of the appropriate inducer of transcription.

The polypeptides of the invention include polypeptides which comprise the amino acid sequence of canine or feline GHRH. The polypeptides of the invention also include polypeptides which comprise the amino acid sequence of a GHRH variant of the present  
10 invention. The polypeptides of the invention further include polypeptides which comprise the amino acid sequence of GH or modified and GHRH or modified GHRH. Protein compositions of the present invention may further comprise an acceptable carrier, such as a hydrophilic, e.g., pharmaceutically acceptable, carrier.

The invention also relates to methods for producing a polypeptide comprising growing  
15 a culture of the cells of the invention in a suitable culture medium, and purifying the protein from the culture. For example, the methods of the invention include a process for producing a polypeptide in which a host cell containing a suitable expression vector that includes a polynucleotide of the invention is cultured under conditions that allow expression of the encoded polypeptide. The polypeptide can be recovered from the culture, conveniently from  
20 the culture medium, and further purified.

The present invention further provides isolated polypeptides encoded by the nucleic acid fragments of the present invention or by degenerate variants of the nucleic acid fragments of the present invention. By "degenerate variant" is intended nucleotide fragments which differ from a nucleic acid fragment of the present invention (e.g., an ORF) by nucleotide sequence  
25 but, due to the degeneracy of the genetic code, encode an identical polypeptide sequence. Preferred nucleic acid fragments of the present invention are the ORFs that encode proteins. A variety of methodologies known in the art can be utilized to obtain any one of the isolated polypeptides or proteins of the present invention. At the simplest level, the amino acid sequence can be synthesized using commercially available peptide synthesizers. This is  
30 particularly useful in producing small peptides and fragments of larger polypeptides. Fragments are useful, for example, in generating antibodies against the native polypeptide. In an alternative method, the polypeptide or protein is purified from bacterial cells which naturally produce the polypeptide or protein. One skilled in the art can readily follow known methods for isolating polypeptides and proteins in order to obtain one of the isolated polypeptides or  
35 proteins of the present invention. These include, but are not limited to, immunochromatography, HPLC, size-exclusion chromatography, ion-exchange chromatography, and immuno-affinity chromatography. See, e.g., Scopes, *Protein Purification*:

*Principles and Practice*, Springer-Verlag (1994); Sambrook, *et al.*, in *Molecular Cloning: A Laboratory Manual*; Ausubel *et al.*, *Current Protocols in Molecular Biology*.

The polypeptides and proteins of the present invention can alternatively be purified from cells which have been altered to express the desired polypeptide or protein. As used  
5 herein, a cell is said to be altered to express a desired polypeptide or protein when the cell, through genetic manipulation, is made to produce a polypeptide or protein which it normally does not produce or which the cell normally produces at a lower level. One skilled in the art can readily adapt procedures for introducing and expressing either recombinant or synthetic sequences into eukaryotic or prokaryotic cells in order to generate a cell which produces one of  
10 the polypeptides or proteins of the present invention. The purified polypeptides can be used in *in vitro* binding assays which are well known in the art to identify molecules which bind to the polypeptides. These molecules include but are not limited to, for e.g., small molecules, molecules from combinatorial libraries, antibodies or other proteins.

The protein of the invention may also be expressed as a product of transgenic animals,  
15 e.g., as a component of the milk of transgenic cows, goats, pigs, or sheep which are characterized by somatic or germ cells containing a nucleotide sequence encoding the protein.

The protein may also be produced by known conventional chemical synthesis. Methods for constructing the proteins of the present invention by synthetic means are known to those skilled in the art. The synthetically-constructed protein sequences, by virtue of sharing  
20 primary, secondary or tertiary structural and/or conformational characteristics with proteins may possess biological properties in common therewith, including protein activity. Thus, they may be employed as biologically active or immunological substitutes for natural, purified proteins in screening of therapeutic compounds and in immunological processes for the development of antibodies.

25 The protein may also be produced by operably linking the isolated polynucleotide of the invention to suitable control sequences in one or more insect expression vectors, and employing an insect expression system. Materials and methods for baculovirus/insect cell expression systems are commercially available in kit form from, e.g., Invitrogen, San Diego, Calif., U.S.A. (the MaxBat.RTM. kit), and such methods are well known in the art, as described  
30 in Summers and Smith, Texas Agricultural Experiment Station Bulletin No. 1555 (1987), incorporated herein by reference. As used herein, an insect cell capable of expressing a polynucleotide of the present invention is "transformed."

The protein of the invention may be prepared by culturing transformed host cells under culture conditions suitable to express the recombinant protein. The resulting expressed protein  
35 may then be purified from such culture (i.e., from culture medium or cell extracts) using known purification processes, such as gel filtration and ion exchange chromatography. The purification of the protein may also include an affinity column containing agents which will bind

to the protein; one or more column steps over such affinity resins as concanavalin A-agarose, heparin-toyopearl.RTM. or Cibacrom blue 3GA Sepharose.RTM.; one or more steps involving hydrophobic interaction chromatography using such resins as phenyl ether, butyl ether, or propyl ether; or immunoaffinity chromatography.

- 5           Alternatively, the protein of the invention may also be expressed in a form which will facilitate purification. For example, it may be expressed as a fusion protein, such as those of maltose binding protein (MBP), glutathione-S-transferase (GST) or thioredoxin (TRX). Kits for expression and purification of such fusion proteins are commercially available from New England BioLab (Beverly, Mass.), Pharmacia (Piscataway, N.J.) and In Vitrogen, respectively.
- 10          The protein can also be tagged with an epitope and subsequently purified by using a specific antibody directed to such epitope. One such epitope ("Flag") is commercially available from Kodak (New Haven, Conn.).

- Finally, one or more reverse-phase high performance liquid chromatography (RP-HPLC) steps employing hydrophobic RP-HPLC media, e.g., silica gel having pendant methyl or
- 15          other aliphatic groups, can be employed to further purify the protein. Some or all of the foregoing purification steps, in various combinations, can also be employed to provide a substantially homogeneous isolated recombinant protein. The protein thus purified is substantially free of other mammalian proteins and is defined in accordance with the present invention as an "isolated protein."

- 20           The compounds of the invention are preferably tested *in vitro*, and then *in vivo* for the desired therapeutic or prophylactic activity, prior to use in humans. For example, *in vitro* assays which can be used to determine whether administration of a specific compound is indicated, include *in vitro* cell culture assays in which a patient tissue sample is grown in culture, and exposed to or otherwise administered a compound, and the effect of such
- 25          compound upon the tissue sample is observed.

            The expression of GH or modified GH and GHRH, modified GHRH or GHRH variants can be assayed by the immunoassays, gel electrophoresis followed by visualization, or any other method known to those skilled in the art.

- In various specific embodiments, *in vitro* assays can be carried out with representative
- 30          cells of cell types involved in a patient's disorder, to determine if a compound has a desired effect upon such cell types. In accordance with the present invention, the functional activity of GHRH can be measured by its ability to induce GH gene transcription *in vitro*. In accordance with the present invention, the functional activity of GHRH can be measured by its ability to induce IGF gene transcription *in vitro*.

- 35           Compounds for use in therapy can be tested in suitable animal model systems prior to testing in humans, including but not limited to pigs, chicken, cows or monkeys.

The invention provides methods of treatment (and prophylaxis) by administration to a subject of an effective amount of a compound of the invention. In a preferred aspect, the compound is substantially purified (e.g., substantially free from substances that limit its effect or produce undesired side-effects). The subject is preferably an animal, including but not limited to animals such as cows, pigs, horses, chickens, cats, dogs, etc., and is preferably a mammal, and most preferably human. In a specific embodiment, a non-human mammal is the subject.

Formulations and methods of administration that can be employed when the compound comprises a nucleic acid are described above; additional appropriate formulations and routes of administration can be selected from among those described herein below.

Various delivery systems are known and can be used to administer a compound of the invention, e.g., encapsulation in liposomes, microparticles, microcapsules, recombinant cells capable of expressing the compound, receptor-mediated endocytosis (see, e.g., Wu and Wu, 1987, *J. Biol. Chem.* 262:4429-4432), construction of a nucleic acid as part of a retroviral or other vector, etc. Methods of introduction include but are not limited to intratumoral, intradermal, intramuscular, intraperitoneal, intravenous, subcutaneous, intranasal, epidural, and oral routes. The compounds may be administered by any convenient route, for example by infusion or bolus injection, by absorption through epithelial or mucocutaneous linings (e.g., oral mucosa, rectal and intestinal mucosa, etc.) and may be administered together with other biologically active agents. Administration can be systemic or local. In addition, it may be desirable to introduce the pharmaceutical compositions of the invention into the central nervous system by any suitable route, including intraventricular and intrathecal injection; intraventricular injection may be facilitated by an intraventricular catheter, for example, attached to a reservoir, such as an Ommaya reservoir. Pulmonary administration can also be employed, e.g., by use of an inhaler or nebulizer, and formulation with an aerosolizing agent.

In a specific embodiment, it may be desirable to administer the pharmaceutical compositions of the invention locally to the area in need of treatment; this may be achieved by, for example, and not by way of limitation, local infusion during surgery, topical application, e.g., in conjunction with a wound dressing after surgery, by injection, by means of a catheter, by means of a suppository, or by means of an implant, said implant being of a porous, non-porous, or gelatinous material, including membranes, such as sialastic membranes, or fibers. In one embodiment, administration can be by direct injection at the site (or former site) of a malignant tumor or neoplastic or pre-neoplastic tissue.

In another embodiment, the compound can be delivered in a vesicle, in particular a liposome (see Langer, *Science* 249:1527-1533 (1990); Treat et al., in *Liposomes in the Therapy of Infectious Disease and Cancer*, Lopez-Berestein and Fidler (eds.), Liss, New York, pp. 353-365 (1989); Lopez-Berestein, *ibid.*, pp. 317-327; see generally *ibid.*)

In yet another embodiment, the compound can be delivered in a controlled release system. In one embodiment, a pump may be used (see Langer, *supra*; Sefton, *CRC Crit. Ref. Biomed. Eng.* 14:201 (1987); Buchwald et al., *Surgery* 88:507 (1980); Saudek et al., *N. Engl. J. Med.* 321:574 (1989)). In another embodiment, polymeric materials can be used (see Medical Applications of Controlled Release, Langer and Wise (eds.), CRC Pres., Boca Raton, Florida (1974); Controlled Drug Bioavailability, Drug Product Design and Performance, Smolen and Ball (eds.), Wiley, New York (1984); Ranger and Peppas, *J. Macromol. Sci. Rev. Macromol. Chem.* 23:61 (1983); see also Levy et al., *Science* 228:190 (1985); During et al., *Ann. Neurol.* 25:351 (1989); Howard et al., *J. Neurosurg.* 71:105 (1989)). In yet another embodiment, a controlled release system can be placed in proximity of the therapeutic target, *i.e.*, the brain, thus requiring only a fraction of the systemic dose (see, *e.g.*, Goodson, in Medical Applications of Controlled Release, *supra*, vol. 2, pp. 115-138 (1984)).

Other controlled release systems are discussed in the review by Langer (*Science* 249:1527-1533 (1990)).

In a specific embodiment where the compound of the invention is a nucleic acid encoding a protein, the nucleic acid can be administered *in vivo* to promote expression of its encoded protein, by constructing it as part of an appropriate nucleic acid expression vector and administering it so that it becomes intracellular, *e.g.*, by use of a retroviral vector (see U.S. Patent No. 4,980,286), or by direct injection, or by use of microparticle bombardment (*e.g.*, a gene gun; Biolistic, Dupont), or coating with lipids or cell-surface receptors or transfecting agents, or by administering it in linkage to a homeobox-like peptide which is known to enter the nucleus (see *e.g.*, Joliot et al., 1991, *Proc. Natl. Acad. Sci. USA* 88:1864-1868), etc. Alternatively, a nucleic acid can be introduced intracellularly and incorporated within host cell DNA for expression, by homologous recombination.

The present invention also provides pharmaceutical compositions. Such compositions comprise a therapeutically effective amount of a compound, and a pharmaceutically acceptable carrier. In a specific embodiment, the term "pharmaceutically acceptable" means approved by a regulatory agency of the Federal or a state government or listed in the U.S. Pharmacopeia or other generally recognized pharmacopeia for use in animals, and more particularly in humans. The term "carrier" refers to a diluent, adjuvant, excipient, or vehicle with which the therapeutic is administered. Such pharmaceutical carriers can be sterile liquids, such as water and oils, including those of petroleum, animal, vegetable or synthetic origin, such as peanut oil, soybean oil, mineral oil, sesame oil and the like. Water is a preferred carrier when the pharmaceutical composition is administered intravenously. Saline solutions and aqueous dextrose and glycerol solutions can also be employed as liquid carriers, particularly for injectable solutions. Suitable pharmaceutical excipients include starch, glucose, lactose, sucrose, gelatin, malt, rice, flour, chalk, silica gel, sodium stearate, glycerol monostearate, talc, sodium chloride, dried skim

milk, glycerol, propylene, glycol, water, ethanol and the like. The composition, if desired, can also contain minor amounts of wetting or emulsifying agents, or pH buffering agents. These compositions can take the form of solutions, suspensions, emulsion, tablets, pills, capsules, powders, sustained-release formulations and the like. The composition can be formulated as a suppository, with traditional binders and carriers such as triglycerides. Oral formulation can include standard carriers such as pharmaceutical grades of mannitol, lactose, starch, magnesium stearate, sodium saccharine, cellulose, magnesium carbonate, etc. Examples of suitable pharmaceutical carriers are described in "Remington's Pharmaceutical Sciences" by E.W. Martin. Such compositions will contain a therapeutically effective amount of the compound, preferably in purified form, together with a suitable amount of carrier so as to provide the form for proper administration to the patient. The formulation should suit the mode of administration.

In a preferred embodiment, the composition is formulated in accordance with routine procedures as a pharmaceutical composition adapted for intravenous administration to human beings. Typically, compositions for intravenous administration are solutions in sterile isotonic aqueous buffer. Where necessary, the composition may also include a solubilizing agent and a local anesthetic such as lignocaine to ease pain at the site of the injection. Generally, the ingredients are supplied either separately or mixed together in unit dosage form, for example, as a dry lyophilized powder or water free concentrate in a hermetically sealed container such as an ampoule or sachette indicating the quantity of active agent. Where the composition is to be administered by infusion, it can be dispensed with an infusion bottle containing sterile pharmaceutical grade water or saline. Where the composition is administered by injection, an ampoule of sterile water for injection or saline can be provided so that the ingredients may be mixed prior to administration.

The compounds of the invention can be formulated as neutral or salt forms. Pharmaceutically acceptable salts include those formed with free amino groups such as those derived from hydrochloric, phosphoric, acetic, oxalic, tartaric acids, etc., and those formed with free carboxyl groups such as those derived from sodium, potassium, ammonium, calcium, ferric hydroxides, isopropylamine, triethylamine, 2-ethylamino ethanol, histidine, procaine, etc.

The amount of the compound of the invention which will be effective in the treatment of cancer can be determined by standard clinical techniques. In addition, *in vitro* assays may optionally be employed to help identify optimal dosage ranges. The precise dose to be employed in the formulation will also depend on the route of administration, and the seriousness of the disease or disorder, and should be decided according to the judgment of the practitioner and each patient's circumstances. However, suitable dosage ranges for intravenous administration are generally about 20-500 micrograms of active compound per kilogram body weight. Suitable dosage ranges for intranasal administration are generally

about 0.01 pg/kg body weight to 1 mg/kg body weight. Effective doses may be extrapolated from dose-response curves derived from *in vitro* or animal model test systems.

Suppositories generally contain active ingredient in the range of 0.5% to 10% by weight; oral formulations preferably contain 10% to 95% active ingredient.

5           The invention also provides a pharmaceutical pack or kit comprising one or more containers filled with one or more of the ingredients of the pharmaceutical compositions of the invention. Optionally associated with such container(s) can be a notice in the form prescribed by a governmental agency regulating the manufacture, use or sale of pharmaceuticals or biological products, which notice reflects approval by the agency of manufacture, use or sale  
10       for human administration.

#### EXAMPLES

##### CLONING OF CANINE AND FELINE GHRH

###### 1.       CLONING OF CANINE GHRH

15           In order to clone the canine GHRH, the canine genomic library (Clontech Lab) is screened with the radioactively labeled fragment encoding the porcine GHRH (SEQ ID No. 1) following protocols known to one of ordinary skill in the art. The fragment encoding the porcine GHRH (SEQ ID No. 1) is labeled using commercially available DNA labeling kits as recommended by the manufacturer. Clones identified that contain the gene coding for the canine precursor GHRH are isolated and sequenced by methods known to one of ordinary skill  
20       in the art. The sequence results obtained from sequencing both DNA strands of a clone is compared with sequences of known GHRH species and the canine GHRH is subcloned into appropriate plasmid vectors (e.g., pVR1012; Vical, San Diego, CA) according to protocols known to one of ordinary skill in the art.

###### 2.       CLONING OF FELINE GHRH

25           In order to clone the feline GHRH, the feline genomic library (Clontech Lab) is screened with the radioactively labeled fragment encoding the porcine GHRH (SEQ ID No. 1) following protocols known to one of ordinary skill in the art. The fragment encoding the porcine GHRH (SEQ ID No. 1) is labeled using commercially available DNA labeling kits as recommended by the manufacturer. Clones identified that contain the gene coding for the  
30       feline precursor GHRH are isolated and sequenced by methods known to one of ordinary skill in the art. The sequence results obtained from sequencing both DNA strands of a clone is compared with sequences of known GHRH species and the feline GHRH is subcloned into appropriate plasmid vectors (e.g., pVR1012; Vical, San Diego, CA) according to protocols known to one of ordinary skill in the art.

### SYNTHESIS OF GHRH CONSTRUCTS

#### 3. pGHRH-4 (pGHRH1-44WTCMV)

In order to construct a plasmid containing the gene that codes for the natural porcine GHRH polypeptide and to have the latter secreted into the blood circulation when such plasmids are injected into animals, primers designated GHRH-1 (SEQ ID No. 61), GHRH-2 (SEQ ID No. 62), GHRH-4 (SEQ ID No. 66), and GHRH-7 (SEQ ID No. 67) were synthesized. The primers were used in reverse transcription polymerase chain reactions (RT-PCRs) to amplify the human GHRH signal sequence from human mRNA and the porcine GHRH protein sequence from porcine mRNA. The resulting PCR-amplified human GHRH signal sequence and porcine GHRH protein sequence were digested with Bgl II and Bam HI, respectively. Then the fragments were ligated together and cloned into the Bam HI site of the plasmid pVR1012 (Vical, San Diego, CA) to produce a plasmid designated pGHRH-4 (Figure 1). The expression of the GHRH oligonucleotide (SEQ ID Nos. 1 and 2), which encodes a 75 amino acid polypeptide comprising the porcine GHRH protein sequence (44 amino acids) preceded by the signal sequence from human GHRH protein (31 amino acids), is driven by Cytomegalo-virus immediate early (CMV IE) promoter/enhancer element.

#### 4. pGHRH1-44WTSK685:

A plasmid containing the polynucleotide sequences encoding the 75-amino acid GHRH protein described above driven by a 685 bp fragment derived from the swine  $\alpha$ -skeletal actin promoter (SEQ ID No. 3) was constructed as described below.

The oligonucleotide fragment encoding the 75 amino acid GHRH protein (SEQ ID No. 1) was PCR-amplified from plasmid pGHRH-4 using a primer designated p97-S1 containing a Hind III site (SEQ ID No. 4) and a primer designated p97-A258, containing an Xba I site (SEQ ID No. 5). The PCR-amplified sequence was then cloned into the Hind III-Xba I site of plasmid pGL3 basic (Promega) to produce a plasmid designated GHRH1-44 SK (Figure 2). A 685 bp fragment corresponding to a portion of the porcine  $\alpha$ -skeletal actin promoter designated SK685 was PCR-amplified from swine genomic DNA using primer designated SK-3, containing a Kpn I site (SEQ ID No. 6) and primer designated SK-4, containing a Hind III site; (SEQ ID No. 7). The PCR-amplified SK685 promoter fragment was then cloned into plasmid GHRH1-44SK digested with Kpn I and HindIII enzymes to produce a plasmid designated GHRH1-44WTSK685 (Figure 3).

#### 5. pGHRH1-44WTSK2014

A plasmid containing the polynucleotide sequences encoding the 75-amino acid GHRH protein described above operatively linked to a fragment derived from the swine  $\alpha$ -skeletal actin promoter approximately 2014 bp (SEQ ID No. 8) was constructed as described below.

An approximately 2014 bp fragment designated SK 2014 corresponding to a portion of the porcine  $\alpha$ -skeletal actin promoter was PCR-amplified from swine genomic DNA using

primer designated SK-7; containing a Kpn I site (SEQ ID No. 9) and primer designated SK-8; containing a Hind III site; (SEQ ID No. 10). The PCR-amplified SK2014 promoter fragment was then cloned into plasmid GHRH1-44SK which was digested with Kpn I and Hind III enzymes to produce a plasmid designated GHRH1-44WTSK2014 (Figure 4).

5           6.       pGHRH1-29WTCMV

A plasmid containing the polynucleotide sequences encoding the signal sequence derived from human GHRH polynucleotides and encoding amino acids 1-29 of swine GHRH protein was produced as described below.

10           An approximately 189 bp DNA fragment was PCR-amplified from plasmid pGHRH-4 using primer designated GHRH-5, containing a Bam HI site; (SEQ ID No. 11) and primer designated GHRH-6, containing a Bgl II site; (SEQ ID No. 12). The PCR-amplified fragment was digested with Bam HI and Bgl II enzymes and cloned into plasmid pVR1012 (Vical, San Diego, CA) which was digested with Bam HI and Bgl II enzymes to produce a plasmid designated GHRH1 -29WTCMV (SEQ ID No. 51) in which expression of the GHRH 1-29  
15           protein is driven by CMV IE promoter/enhancer sequences.

7.       pGHRH1-29YWTCMV

In order to produce novel variants of GHRH protein with enhanced stability to enzymatic degradation (e.g. DPPIV enzyme degradation) a plasmid containing polynucleotide sequences encoding the signal sequence of human GHRH and an altered version of the 1-29  
20           porcine GHRH protein was produced. The alteration consisted of the addition of an extra tyrosine residue just preceding the first tyrosine residue of the natural porcine GHRH 1-29 sequence. This modification alters the amino terminal in such away that it is no longer recognized or cleaved by DPPIV enzyme. A plasmid containing the gene for this variant GHRH protein was produced as described below.

25           A set of overlapping oligonucleotides (SEQ ID Nos. 13-25) were synthesized, mixed, and GHRH was amplified using the PCR method. The PCR reaction resulted in the formation of a fragment of approximately 192 bp encoding amino acids 1-29 of GHRH in which nucleotides encoding a tyrosine residue were inserted immediately 5' to the coding sequence of GHR(1-29) and further containing a Bam HI site (5' end) and an Bgl II site (3' end ). The 192  
30           bp fragment was then digested with Bam HI and Bgl II enzymes and cloned into plasmid pVR1012 which was digested with Bam HI and Bgl II enzymes to produce plasmid designated GHRH1-29YWTCMV (SEQ ID No. 52) in which expression of GHRH1-29 (now 30) is driven by CMV IE promoter enhancer elements.

8.       pGHRH1-29YWTSK685

35           A plasmid containing the 192 bp fragment described above in Section 5 under the control of the SK685 promoter fragment was produced as described below.

The 192 bp fragment was amplified with two primers designated p99-S1, containing a 5' end Hind III site; (SEQ ID No. 26) and p99-A214, containing a 3' end Xba I site; (SEQ ID No. 27). The PCR-amplified fragment was then digested with Hind III and Xba I enzymes and cloned into plasmid GHRH1-29 Yala1522SK685 (see below) also digested with Hind III and Xba I enzymes to produce plasmid GHRH1-29YWTSK685 (SEQ ID No. 53).

#### 9. pGHRH1-29YWTSK2014

A plasmid containing the 192 bp fragment described above in Section 5 under the control of the SK2014 promoter fragment was produced as described below.

The 192 bp fragment was amplified with two primers designated p99-S1 containing a 5' end Hind III site; (SEQ ID No. 28) and p99-A214 containing a 3' end Xba I site; (SEQ ID No. 29). The PCR-amplified fragment was then digested with Hind III and Xba I enzymes and cloned into plasmid GHRH1-29 YAla 1522SK2014 (see below) also digested with Hind III and Xba I enzymes to produce plasmid GHRH1-29YWTSK2014 (SEQ ID No. 54).

#### 10. pGHRH1-29YAla1522CMV

In order to produce novel variants of GHRH protein with enhanced stability to enzymatic degradation (e.g., due to DPPIV enzyme) and enhanced potency, a plasmid containing the signal sequence of human GHRH and an altered version of the 1-29 porcine GHRH protein was produced. The alteration consisted of the addition of an extra tyrosine residue just preceding the first tyrosine residue of the natural porcine GHRH 1-29 sequence and replacement of glycine 15 and leucine 22 with alanine. These modifications alter the amino terminal end of GHRH1-29 in such away that it is no longer by recognized or cleaved by the DPP IV enzyme and the modified protein has enhanced potency relative to the 29 or the 44 amino acid GHRH protein. A plasmid containing the gene for this variant protein was produced as described below.

A set of overlapping oligonucleotides were synthesized (SEQ ID Nos. 30-42), mixed and amplified using the PCR method. The PCR reaction resulted in the formation of a fragment of approximately 192 bp containing a Bam HI site (5' end) and an Bgl II site (3' end) and in which an extra three nucleotides encoding for tyrosine is immediately 5' to the nucleotide sequence encoding the natural tyrosine at position 1 of the GHRH1-29 sequence. Furthermore, the alteration included replacement of the 3 nucleotides encoding glycine 15 with three nucleotides encoding alanine and replacement of three nucleotides encoding leucine 22 with three nucleotides encoding alanine. The 192 bp fragment was then digested with Bam HI and Bgl II enzymes and cloned into plasmid pVR1012 which was digested with Bam HI and Bgl II enzymes to produce plasmid designated GHRH1-29YAla 1522CMV in which expression of the variant GHRH1-29 (now 30) is driven by CMV IE promoter enhancer elements (SEQ ID No. 55).

11. pGHRH1-29YAla15225K685

A plasmid containing the GHRH1-29YAla1522 fragment described above under the control of the SK685 promoter fragment was produced as described below.

An approximately 192 bp fragment as described above in Section 8 was PCR-  
 5 amplified with primers designated p99-S1, containing a Hind III at 5' end (SEQ ID No. 26) and  
 p99-A214 containing a Xba I site at 3' end; (SEQ ID No. 27). The PCR-amplified fragment was  
 digested with Hind III and Xba I enzymes and cloned into plasmid *pGL3* (Promega) also  
 digested with Hind III and Xba I to produce plasmid GHRH1-29YAla 1522SK (SEQ ID No. 56).  
 A 685 bp fragment corresponding to a portion of the porcine  $\alpha$ -skeletal actin promoter was  
 10 PCR-amplified from swine genomic DNA using primers SK-3 (Kpn I site) and SK-4 (Hind III  
 site). This fragment was designated SK685. The PCR-amplified SK685 promoter fragment  
 was then cloned into plasmid GHRH1-29YAla1522SK digested with KpnI and HindIII enzymes  
 to produce a plasmid designated GHRH1-29YA1a1522SK685 (SEQ ID No. 57).

12. pGHRH1-29Yala1522SK2014

15 A plasmid containing the GHRH1-29YAla1522 fragment described above under the  
 control of the SK2014 promoter fragment was produced as described below.

An approximately 192 bp fragment as described above in Section 8 was PCR amplified  
 with primers designated p99-S1 containing a Hind III at 5' end; (SEQ ID No. 26) and p99-A214  
 containing a Xba I site at 3' end; (SEQ ID No. 27). The PCR-amplified fragment was digested  
 20 with Hind III and Xba I enzymes and cloned into plasmid *pGL3* (Promega) also digested with  
 HindIII and Xba I to produce plasmid GHRH1-29YAla1522SK. An 2014 bp fragment  
 corresponding to a portion of the porcine  $\alpha$ -skeletal actin promoter was PCR-amplified from  
 swine genomic DNA using primers SK-7 containing a Kpn I site and SK-8 containing a Hind III  
 site. This fragment was designated SK2014. The PCR-amplified SK2014 promoter fragment  
 25 was then cloned into plasmid GHRH1-29YAla1522SK digested with Kpn I and Hind III  
 enzymes to produce a plasmid designated GHRH1-29YAla1522SK2014 (SEQ ID No. 58).

13. pGHRH 1-44YWTCMV

In order to produce novel variants of GHRH protein with enhanced stability to  
 enzymatic degradation (e.g., due to DPPIV enzyme) a plasmid containing the signal sequence  
 30 of human GHRH and an altered version of the 1-44 porcine GHRH protein was produced. The  
 alteration consisting of the addition of an extra tyrosine residue immediately 5' to the nucleotide  
 sequence encoding the first tyrosine residue of the natural porcine GHRH 1-44 sequence. This  
 modification will alter the amino terminal end in such away that it is no longer by recognized or  
 cleaved by DPPIV enzyme. A plasmid containing the gene for this modified GHRH protein is  
 35 produced as described below.

A set primers designated GHRH-1 (SEQ ID No. 61) and GHRH-3 (SEQ ID No. 65)  
 were used in a PCR reaction amplify the human GHRH signal sequence and porcine GHRH

from pGHRH1-29YWTCMV. The resulting GHRH fragment was digested with Bam HI and Bgl II, and cloned into the Bam HI site of plasmid pVR1012 (Vical, San Diego, CA) to produce the plasmid designated GHRH1-44YWTCMV (SEQ ID No. 59).

#### 14. SYNTHESIS OF GH CONSTRUCTS

5 In order to provide plasmid constructs containing GH genes suitable for treatment of growth hormone maladies or to enhance animal health and productivity, the construction of plasmids of the invention and their methods of use are described below in detail.

The canine GH gene was cloned into plasmids vectors suitable for the various aspects of the present invention using the following procedures. Total RNA was prepared from the  
10 pituitary gland of a dog using the RNazol B method using reagents and procedures from Biotecx Laboratories, Houston TX. Briefly, about 0.15 mg of the tissue was homogenized in 2 ml of RNazol B solution in a RNase-free glass homogenizer. The material was then divided into two equal halves, and RNA extracted by chloroform and ethanol precipitation. The nucleic acid pellet was dried and taken up in RNase-free water. Reverse transcription (RT) of total  
15 RNA was done in a 20 ml volume using 0.02 mg of RNA, 138 pmol of oligo #2 (SEQ ID No. 43), 1 mM MnCl<sub>2</sub>, and the recommended amounts of dNTPs and rTth enzyme from the RT-PCR kit purchased from Perkin-Elmer, Norwalk, CT. The reaction was incubated at 70°C for 11 min in a Perkin-Elmer Thermal cycler. The completed (RT) reaction was then subjected to PCR following addition of 66 pmol of oligo #1 (SEQ ID No. 44), 2.5 mM MgCl<sub>2</sub>, and chelating  
20 buffer from the RT-PCR reaction kit. The PCR conditions were as follows: 94 C, 1 min; 55 C, 1 min; and 72 C, 2 min; for 32 cycles. The 0.7 kb PCR-amplified DNA fragment obtained was cloned into plasmid pCRScript purchased from Stratagene, La Jolla, CA and used according to manufacturer's recommendations. The recombinant plasmid thus generated was termed cCG-SP. The insert fragment was partially sequenced and confirmed to contain the growth  
25 hormone ("GH") DNA sequences. cGH-SP plasmid DNA was then used as a template to PCR-amplify using oligonucleotides oligo #3 (SEQ ID No. 45) and oligo #4 (SEQ ID No. 46) using reagents from the PCR system kit from Perkin-Elmer using standard procedures and following cycling conditions: 94 C, 1 min 1 cycle; 94 C, 30 sec; 55 C, 30 sec; 72 C, 1 min; 30 cycles. The 0.7 kb PCR-amplified DNA fragment obtained was subjected to column purification  
30 (Qiagen, Chatsworth, CA), and digested with restriction enzymes EcoRV and BglII by standard protocols (Sambrook et al., 1989). The digested PCR fragment was ligated to EcoRV-BglII digested pCMV-MCS, a plasmid derivative of pCMVb (Clontech, Palo Alto, CA), engineered to contain multiple cloning sites in place of lacZ gene. The ligation product was used to transform E. coli, and transformants were selected for resistance to ampicillin (pCMV-MCS-encoded  
35 marker). Transformants were analyzed by plasmid DNA preparation and restriction site analysis, and a clone of the GH DNA sequences in pCMV-MCS was isolated (termed pCGH#9). The insert sequences were completely sequenced by standard procedures to

confirm presence of GH DNA sequences. The EcoRV-BglII GH fragment from pCGH#9 has also been sub-cloned into gene therapy plasmid VR1012 (obtained from Vical, San Diego, CA). This clone referred to as pC51.

#### 15. SYNTHESIS OF GH-GHRH CONSTRUCTS

5 A GH-GHRH fusion protein, comprising the carboxy terminal 20 amino acids of GH and full length wildtype GHRH is produced. The full length GHRH gene is PCR amplified from plasmid pGHRH-4 using two primers designated GHRH-1 containing a Bgl II site (SEQ ID No. 61) and GHRH-2 containing a Bam HI site (SEQ ID No. 62). The PCR-amplified fragment is then cloned into the Bam HI site of the pVR1012 plasmid. Two  
10 complementary oligonucleotides encoding the carboxy terminal amino acids 172-191 of GH (GH-1 oligo.; SEQ ID No. 62 and GH-2 oligo.; SEQ ID No. 63) are synthesized. The GH-1 and GH-2 oligonucleotides are annealed and cloned into the Bam HI site of the pVR1012 plasmid containing the full length GHRH gene to produce pGHRH1-44WTGHpep (SEQ ID No. 60).

#### 16. IN VITRO STUDIES ASSESSING GHRH EXPRESSION LEVELS

15 In order to assess the expression level of GHRH from pGHRH-4, this plasmid or pVR1012 was transfected into C2C12 mouse myoblasts using the fugene reagent according to the manufacturer=s recommendations (Boehringer Ingelheim). Supernatant harvested from transfected and non-transfected cells at various time points were assayed for the presence of GHRH using a commercially available radioimmune assay kit (Pennisula Laboratories). The  
20 results depicted in Figure 5 indicate that GHRH production could be detected 24 hours post-transfection.

#### 17. THE EFFECT OF GH PLASMID INJECTION ON SWINE GROWTH

In order to evaluate the effect of a single injection of plasmids containing GH gene on  
25 swine growth, experiments addressing the effect GH treatment on swine of different ages were carried out according to the experimental design described below.

#### MATERIALS & METHODS

Thirty six 3-week old (weaned) cross-bred (Yorkshire X landrace) pigs of mixed sex were brought into experimental barns and maintained for an acclimation period of 3 weeks.  
30 Animals were kept in pens (2/pen) according to treatment group. Animals were fed daily a non-medicated commercial pig diet ad libitum (16% protein pellet until approximately 45 Kg body weight and then a 14% protein pellet until slaughter) and fresh water was available ad libitum. Animals were randomized into one of four treatment groups (A-D; table 1) according to weight, sex and litter. Eight animals in group A were injected once with plasmids containing GH gene at 6 weeks of age. Controls (10 animals; group C) were injected with blank plasmid  
35 vector when they were also 6 weeks of age. Eight animals in group B were injected once with plasmids containing GH gene at 13 weeks of age. Controls (group D; 10 animals) were

injected with blank plasmid vector when they were also 13 weeks of age. Food consumption was recorded daily for each pen and animals were weighed on two consecutive days each week until slaughter. Loin eye area and back fat were quantified at slaughter.

**Table 1. Experimental Design**

5

| Group | Number of Animals | Plasmid dose | Age at time of injection | Weight at time of injection |
|-------|-------------------|--------------|--------------------------|-----------------------------|
| A     | 8                 | 4.6 mg       | 6 weeks                  | 12.4                        |
| B     | 8                 | 4.6 mg       | 13 weeks                 | 4.2                         |
| C     | 10                | Placebo      | 6 weeks                  | 13.8                        |
| D     | 10                | Placebo      | 13 weeks                 | 41.9                        |

### RESULTS

As shown in table 2, treatment of 6 week-old pigs with plasmids encoding GH gene results in enhanced performance. This is evident by the 5% increase in weight gain and 5.1% increase in Average daily gain (ADG) achieved in GH injected animals versus placebo injected pigs. Moreover, the data shows that GH plasmid injection resulted in an improvement of 3.3 % in feed efficiency (ratio of feed consumed relative to weight gain) as well as an increase of 7.2% in loin eye area of GH plasmid injected animals.

The data in table 3 shows that treatment of 13 week-old pigs with plasmids encoding GH gene results in an even higher magnitude of increase in animal performance relative to age placebo injected controls than treatment of 6 week-old pigs. This is evident by the 9.5% increase in weight gain and 9.3% increase in Average daily gain (ADG) achieved in GH injected animals versus placebo injected pigs. Moreover, the data shows that GH plasmid injection resulted in an improvement of 6.7 % in feed efficiency (ratio of feed consumed relative to weight gain) as well as an increase of 6.8% in loin eye area of GH plasmid injected animals. Thus treatment of animals with plasmids containing GH gene results in enhanced animal growth and performance.

**Table 2: The effect of GH plasmid administration of weight gain**

| Group                                         | A     | C     | % Improvement |
|-----------------------------------------------|-------|-------|---------------|
| Weight at injection time (Kg)                 | 12.4  | 13.8  |               |
| Weight gain <sup>a</sup>                      | 77.7  | 73.8  | 5.0%          |
| ADG <sup>b</sup>                              | .79   | .75   | 5.1%          |
| total feed intake/pen <sup>c</sup>            | 473.3 | 457.6 | 3.4%          |
| Feed intake/pen/day <sup>d</sup>              | 4.8   | 4.7   | 2.1%          |
| feed to gain <sup>e</sup>                     | 3.03  | 3.13  | 3.3%          |
| Loin eye area at Slaughter (Cm <sup>2</sup> ) | 39.51 | 36.83 | 7.2%          |

a→e = from time of injection to time of slaughter

**Table 3: The effect of GH plasmid administration of weight gain**

| Group                                         | B     | D     | % Improvement |
|-----------------------------------------------|-------|-------|---------------|
| Weight at injection time (Kg)                 | 42.0  | 41.9  | N/A           |
| Weight gain <sup>a</sup>                      | 52.1  | 47.6  | 9.5%          |
| ADG <sup>b</sup>                              | 1.06  | .97   | 9.3%          |
| total feed intake/pen <sup>c</sup>            | 309.6 | 300.7 | 3.0%          |
| Feed intake/pen/day <sup>d</sup>              | 6.3   | 6.1   | 3.3%          |
| feed to gain <sup>e</sup>                     | 3.0   | 3.2   | 6.7%          |
| Loin eye area at Slaughter (Cm <sup>2</sup> ) | 41.61 | 38.96 | 6.8%          |

a→e = from time of injection to time of slaughter

5 A number of references have been cited and the entire disclosures of which are incorporated herein by reference.

The present invention is not to be limited in scope by the specific embodiments described which are intended as single illustrations of individual aspects of the invention, and functionally equivalent methods and components are within the scope of the invention. Indeed  
10 various modifications of the invention, in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and accompanying drawings. Such modifications are intended to fall within the scope of the appended claims.

-33-

## SEQUENCE LISTING

&lt;110&gt; PFIZER PRODUCTS INC.

<120> GROWTH HORMONE AND GROWTH HORMONE RELEASING HORMONE  
COMPOSITIONS

&lt;130&gt; PC10525

&lt;140&gt;

&lt;141&gt;

&lt;160&gt; 67

&lt;170&gt; PatentIn Ver. 2.1

&lt;210&gt; 1

&lt;211&gt; 246

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:  
oligonucleotide

&lt;400&gt; 1

```

ggatccgccca ccattgccact ctgggtgttc ttctttgtga tcctcaccct cagcaacagc 60
tcccactgct cccacactcc ccctttgacc ctccaggatgc ggcggtatgc agatgccatc 120
ttcaccaaca gctaccggaa ggtgctgggc cagctgtccg cccgcaagct gctccaggac 180
atcatgagca ggcagcaggg agagagaaac caagagcaag gagcaagggt gcggctttga 240
agatct                                         246

```

&lt;210&gt; 2

&lt;211&gt; 75

&lt;212&gt; PRT

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: GHRH protein

&lt;400&gt; 2

```

Met Pro Leu Trp Val Phe Phe Phe Val Ile Leu Thr Leu Ser Asn Ser
 1             5             10             15

Ser His Cys Ser Pro Pro Pro Pro Leu Thr Leu Arg Met Arg Arg Tyr
                20             25             30

```

-34-

Ala Asp Ala Ile Phe Thr Asn Ser Tyr Arg Lys Val Leu Gly Gln Leu  
           35                          40                          45

Ser Ala Arg Lys Leu Leu Gln Asp Ile Met Ser Arg Gln Gln Gly Glu  
           50                          55                          60

Arg Asn Gln Glu Gln Gly Ala Arg Val Arg Leu  
       65                          70                          75

&lt;210&gt; 3

&lt;211&gt; 685

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence:  
           obligonucleotide

&lt;400&gt; 3

ggtaccatcg ctggggagct gggggagggg tgccttcct gccctacca ggactccggg 60  
 tgcgaccgct cctctatctc tccagccac caccactcca ccacttggac acgtctccct 120  
 cctccctgga gtcgctctag agggtttggg ggtctgagta aagaaccga agtagggata 180  
 cagtgtggcg gcaccttcca gagggcccg ggcgagggtg gaccggggcg gggcggcccg 240  
 cggacagggtg cagccccagg cgcaggcgca ctgcgcctc ccggcgcagg cgggtgaacct 300  
 cgccccacc cagccccctc ggggggcagc tgggcccgggt cgggaggggc ccaccagccc 360  
 gggagacact ccatatacgg ccaggcccgc ttacctggg ctccggccag gccgctcctt 420  
 ctttggtcag cacaggggac ccgggcccgg gccagggccg ctaaccgcgc gggggagggg 480  
 gctccagtgc ccaacacca aatatggctc gagaagggga gcgacattcc agtgaggcgg 540  
 ctggggggga gaaccgcgg gctatataaa acctgagcgt ggggaccagc ggccaccgca 600  
 gcggacagcg ccgagagaag cctcgttcc ctccgcggc gaccagggcc ccagccggag 660  
 agcagcaggt gtagccacca agctt 685

&lt;210&gt; 4

&lt;211&gt; 30

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: primer

&lt;400&gt; 4

aatcccaagc ttgccaccat gccactctgg

30

&lt;210&gt; 5

&lt;211&gt; 30

-35-

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 5

tattgctcta gatcaaagcc gcacccttgc

30

&lt;210&gt; 6

&lt;211&gt; 39

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 6

cggtaccat cgctggggga gctggggcag gggtcgcct

39

&lt;210&gt; 7

&lt;211&gt; 40

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 7

cccgcttggg ggctacacct gctgctctcc ggctggggcc

40

&lt;210&gt; 8

&lt;211&gt; 2014

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: SK 2014

&lt;400&gt; 8

ggtaccgcta taggagagaa aagagctgca ctgagcaccc tccttcccct ttaaattgtca 60  
 acagattagg agtcagtga tgacagcaca cctcttgcta ccttagagac caaaatttaa 120  
 gctactcccc ttaagctata gctagagtgc acctgccagt gtcttttagtc cccactgatg 180  
 gaacaggacc caaggtattg aagatggaac aagattattc attcatcctc taatttaaaa 240  
 agctggatat gctgtacagc agaaattgac ggaacaatgt aaatcaacta taacagaaga 300

-36-

```

aataaaaacc tgggggggaaa gaagctgact atgaaacccc aggagctttc tacatggggcc 360
tggactcacc aaactcttta ttttgtaatg gacttctgac attttttagga agggctgtcc 420
tgatgtgggc tatagaagag ggtttcacat gcttcttcaa gaggaccac actgtcccag 480
ttgctgagtc ccaccaccag atgctagtgg cagctatttg gggaacactt aggcactaca 540
aaaaaatgag tgattccatt ctggctcaca ccatatccct gatgtacccc ttaaagcatg 600
tcactgagtt catcacagaa aattgtttcc cctgtgcctt ccacaacaag gttagagctg 660
tccttggggc caggggaagg gggcagggag tgagaagcac caactggata acctcctctg 720
acccccactc caccttacca taagtagatc caaatccttc tagaaaatta ggaaggcata 780
tccccatata tcagcgatat aaatagaact gcttcagcgc tctggtagac ggtgactctc 840
caaggtggac tgggaggcag cctggccttg gctgggcacg gtcctctaaa tagaaagatg 900
aacttgttca gcctttccag aaggaaaact gctgccacgc ctacagtgcg acgtccttgt 960
cttccatctg gaggaagcac gggtgacata tcatctagta agggcacctc tctgtttcca 1020
cctccaggtc gaggggtgtg acccttactt ctacgcctca agggaggagc actcaacycc 1080
ccaaaaagac atgagggcgc tcagctcggc ccaccgcacc ccggaccgga gccgtcacc 1140
cccgaaattc actcccttca caagcccca agcgcgttct ctggtgcgga ctgctccggg 1200
gccttggtt tgtgccacgc gttgtcagag ccaccgcctt gagcctgtcc ccgggagccc 1260
cgcgctcct cccaccgctc crctctcgcg ccccgcggcc agttgtctgc cccgagacag 1320
ctgcgcgcc tcccgtgccc ggtggccctc tccggtgggg gtggggaccg acagggtcag 1380
ccctccgat ccggggcgct ccgggtagcg gggagaagtg atcgctgggg agctggggga 1440
ggggtcgct tcctgccta cccaggactc cgggtgcgac cgctcctcta tctctccagc 1500
ccaccaccac tccaccactt ggacacgtct cctcctccc tggagtcgct ctagagggtt 1560
tgggggtctg agtaaagaac ccgaagtagg gatacagtgt ggcggcacct tccagaggcc 1620
ccgggcgcag ggtagaccgg ggcggggcgg cccgcggaca ggtgcagccc caggcgcagg 1680
cgactcgcg cctcccggcg caggcgggtga acctcgcccc accccagccc ctccgggggg 1740
cagctgggcc gggtcgggag gggcccacca gcccgggaga cactccatat acggccaggc 1800
ccgctttacc tgggtccgg ccaggccgct ccttcttttg tcagcacagg ggacccgggc 1860
gggggcccag gccgctaacc cgccggggga gggggctcca gtgcccaca cccaaatatg 1920
gctcgagaag gggagcgaca ttccagttag gcggctcggg gggagaacct gcgggctata 1980
taaaacctga gcgtggggac cagcggccaa gctt 2014

```

&lt;210&gt; 9

&lt;211&gt; 30

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 9

cccaagcttg gccgctggtc cccacgctca

30

&lt;210&gt; 10

&lt;211&gt; 38

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

-37-

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 10

caggtaccgc tataggagac aaaagagtgc actgagca

38

&lt;210&gt; 11

&lt;211&gt; 46

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 11

agatatcccg gccgctctag accaggcccc tggatccgcc accatg

46

&lt;210&gt; 12

&lt;211&gt; 44

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 12

gaagatctct acctgctcat gatgtcctgg agcagcttgc gggc

44

&lt;210&gt; 13

&lt;211&gt; 20

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 13

gtcattccga gattcggata

20

&lt;210&gt; 14

&lt;211&gt; 40

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

-38-

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 14

gtcattccga gattcggata cacaggatcc gccaccatcc

40

&lt;210&gt; 15

&lt;211&gt; 40

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 15

cactctgggt gttcttcttt gtgatacctca ccctcagcaa

40

&lt;210&gt; 16

&lt;211&gt; 40

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 16

cagctccac tgctcccccac ctcccccttt gaccctcagg

40

&lt;210&gt; 17

&lt;211&gt; 40

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 17

atgcggcgtt attatgcaga tgccatcttc accaacagct

40

&lt;210&gt; 18

&lt;211&gt; 40

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

-39-

<220>

<223> Description of Artificial Sequence: Primer

<400> 18

accggaagggt gctggggccag ctgtccgccc gcaagctcct

40

<210> 19

<211> 40

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer

<400> 19

ccaggacatc atgagcagggt agagatctga taagcgttat

40

<210> 20

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer

<400> 20

ataacgctta tcagatctct

20

<210> 21

<211> 40

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer

<400> 21

acctgctcat gatgtcctgg accagcttgc gggcggacag

40

<210> 22

<211> 40

<212> DNA

<213> Artificial Sequence

-40-

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 22

ctggcccagc accttccggt agctgttggt gaagatggca

40

&lt;210&gt; 23

&lt;211&gt; 40

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 23

tctgcataat accgccgcat cctgaggggtc aaacccccag

40

&lt;210&gt; 24

&lt;211&gt; 40

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 24

gtggggagca gtgggagctg ttgctgaggg tgaggatcac

40

&lt;210&gt; 25

&lt;211&gt; 40

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 25

gtggggagca gtgggagctg ttgctgaggg tcaggatcac

40

&lt;210&gt; 26

&lt;211&gt; 30

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

-41-

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 26

gagctcaagc ttgccaccat gccactctgg

30

&lt;210&gt; 27

&lt;211&gt; 28

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 27

aagatctaga ctacctgctc atgatgtc

28

&lt;210&gt; 28

&lt;211&gt; 30

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 28

gagctcaagc ttgccaccat gccactctgg

30

&lt;210&gt; 29

&lt;211&gt; 28

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 29

aagatctaga ctacctgctc atgatgtc

28

&lt;210&gt; 30

&lt;211&gt; 20

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

-42-

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 30

gtcattccga gattcggata

20

&lt;210&gt; 31

&lt;211&gt; 40

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 31

gtcattccga gattcggata cacaggatcc gccaccatcc

40

&lt;210&gt; 32

&lt;211&gt; 40

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 32

cactctgggt gttcttcttt gtgattcctca ccctcagcaa

40

&lt;210&gt; 33

&lt;211&gt; 39

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 33

cagctccact gctccccacc tccccctttg accctcagg

39

&lt;210&gt; 34

&lt;211&gt; 40

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

-43-

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 34

atgcggcggt attatgcaga tcccatcttc accaacagct

40

&lt;210&gt; 35

&lt;211&gt; 40

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 35

accggaaggt gctggcccag ctgtccgccc gcaaggccct

40

&lt;210&gt; 36

&lt;211&gt; 40

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 36

ccaggacatc atgagcaggt agagatctga taagcgttat

40

&lt;210&gt; 37

&lt;211&gt; 20

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 37

ataacgctta tcagatctct

20

&lt;210&gt; 38

&lt;211&gt; 40

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

-44-

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 38

acctgctcat gatgtcctgg agggccttgc gggcccacag

40

&lt;210&gt; 39

&lt;211&gt; 40

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 39

ctgggccagc accttcggt acctgttggt gaagatggca

40

&lt;210&gt; 40

&lt;211&gt; 40

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 40

tctccataat accgccgcat cctgagggtc aaagggggag

40

&lt;210&gt; 41

&lt;211&gt; 40

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 41

gtggggagca gtgggagctg ttgctgaggg tgaggatcac

40

&lt;210&gt; 42

&lt;211&gt; 40

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

-45-

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 42

gtggggagca gtgggagctc ttgctgaggg tgaggatcac

40

&lt;210&gt; 43

&lt;211&gt; 25

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 43

ctagaaggca cagctgcttt ccacg

25

&lt;210&gt; 44

&lt;211&gt; 25

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 44

atggctgcag gcccccgac ctctg

25

&lt;210&gt; 45

&lt;211&gt; 27

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 45

aaagatatca tggctgcagg cccccgg

27

&lt;210&gt; 46

&lt;211&gt; 27

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

-46-

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 46

aaaagatctc tagaaggcac agctgct

27

&lt;210&gt; 47

&lt;211&gt; 5185

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence: pGHRH-4  
construct

&lt;400&gt; 47

```

gctgtgcctt ctagttgcca gccatctggt gtttgcccct cccccgtgcc ttccttgacc 60
ctggaagggt ccactcccac tgtcctttcc taataaaatg aggaaattgc atcgcatgtg 120
ctgagtaggt gtcattctat tctggggggt ggggtggggc aggacagcaa gggggaggat 180
tggaagaca atagcaggca tgctggggat gcggtgggct ctatgggtac ccagggtgctg 240
aagaattgac ccggttcctc ctggggccaga aagaagcagg cacatcccct tctctgtgac 300
acaccctgtc cacgcccctg gttcttagtt ccagccccac tcataggaca ctcatagctc 360
aggagggctc cgccttcaat cccacccgct aaagtacttg gagcgggtctc tccctccctc 420
atcagcccac caaaccaaac ctagcctcca agagtgggaa gaaattaaag caagataggc 480
tattaagtgc agagggagag aaaatgcctc caacatgtga ggaagtaatg agagaaatca 540
tagaatttct tccgcttctc cgctcactga ctcgctgcgc tcggtcgttc ggctgcggcg 600
agcggtatca gctcactcaa aggcggtaat acggttatcc acagaatcag gggataacgc 660
aggaaagaac atgtgagcaa aaggccagca aaaggccagg aaccgtaaaa aggccgcggt 720
gctggcggtt ttccataggc tccgcccccc tgacgagcat cacaaaaatc gacgctcaag 780
tcagaggtgg cgaaaccoga caggactata aagataccag gcgtttcccc ctggaagctc 840
cctcgctgcg tctcctgttc cgaccctgcc gcttaccgga tacctgtccg cctttctccc 900
ttcgggaagc gtggcgcttt ctcatagctc acgctgtagg tatctcagtt cgggtgtaggt 960
cgttcgctcc aagctggggt gtgtgcacga accccccgtt cagcccgacc gctgcgcctt 1020
atccggtaac tatcgtcttg agtccaaccc ggtaagacac gacttatcgc cactggcagc 1080
agccactggt aacaggatta gcagagcgag gtatgtaggc ggtgctacag agttcttgaa 1140
gtggtggcct aactacggct acactagaag aacagtatct ggtatctgcg ctctgctgaa 1200
gccagttacc ttcggaaaaa gagttggtag ctcttgatcc ggcaaaaaa ccaccgctgg 1260
tagcgggtgt ttttttgttt gcaagcagca gattacgcgc agaaaaaaag gatctcaaga 1320
agatcctttg atcttttcta cggggtctga cgctcagtgg aacgaaaact cacgttaagg 1380
gattttgggt atgagattat caaaaaggat cttcacctag atccttttaa attaaaaatg 1440
aagtttttaa tcaatctaaa gtatatatga gtaaaacttg tctgacagtt accaatgctt 1500
aatcagtgag gcacctatct cagcgatctg tctatttcgt tcatccatag ttgcctgact 1560
cggggggggg gggcgctgag gtctgcctcg tgaagaaggt gttgctgact cataccaggc 1620
ctgaatcgcc ccatcatcca gccagaaagt gagggagcca cggttgatga gagctttgtt 1680
gtaggtggac cagttggtga ttttgaactt ttgctttgcc acggaacggt ctgcgttgct 1740
gggaagatgc gtgatctgat cttcaactc agcaaaagtt cgatttatc aacaaagccg 1800
ccgtcccgtc aagtcagcgt aatgctctgc cagtgttaca accaattaac caattctgat 1860

```

-47-

tagaaaaact catcgagcat caaatgaaac tgcaatttat tcatatcagg attatcaata 1920  
ccatattttt gaaaaagccg tttctgtaat gaaggagaaa actcaccgag gcagttccat 1980  
aggatggcaa gatcctggta tcggtctgcg attccgactc gtccaacatc aatacaacct 2040  
attaatttcc cctcgtcaaa aataagggtta tcaagtgaga aatcaccatg agtgacgact 2100  
gaatccggtg agaatggcaa aagcttatgc atttctttcc agacttggtc aacaggccag 2160  
ccattacgct cgtcatcaaa atcactcgca tcaaccaaac cgttattcat tcgtgattgc 2220  
gcctgagcga gacgaaatac gcgatcgctg ttaaaaggac aattacaaac aggaatcgaa 2280  
tgcaaccggc gcaggaacac tgccagcgca tcaacaatat ttccacctga atcaggatat 2340  
tcttctaata cctggaatgc tgttttcccg gggatcgagc tggtagagtaa ccatgcatca 2400  
tcaggagtac ggataaaatg cttgatggtc ggaagaggca taaattccgt cagccagttt 2460  
agtctgacca tctcatctgt aacatcattg gcaacgctac ctttgccatg tttcagaaac 2520  
aactctggcg catcggtt cccatacaat cgatagattg tcgcacctga ttgcccagaca 2580  
ttatcgcgag cccatttata cccatataaa tcagcatcca tgttggaatt taatcgcggc 2640  
ctcgagcaag acgtttcccg ttgaatatgg ctcataacac cccttgattt actgtttatg 2700  
taagcagaca gttttattgt tcatgatgat atatttttat cttgtgcaat gtaacatcag 2760  
agattttgag acacaacgtg gctttccccc cccccccatt attgaagcat ttatcagggt 2820  
tattgtctca tgagcggata catatttgaa tgtattttaga aaaataaaca aataggggtt 2880  
ccgcgcacat ttccccgaaa agtgccacct gacgtctaag aaaccattat tatcatgaca 2940  
ttaacctata aaaataggcg tatcacgagg ccctttcgtc ctgcgcggtt tcggtgatga 3000  
cggtgaaaac ctctgacaca tgcagctccc ggagacggtc acagcttgct tgtaagcgga 3060  
tgccgggagc agacaagccc gtcagggcgc gtcagcgggt gttggcgggt gtcggggctg 3120  
gcttaactat gcggcatcag agcagattgt actgagagtg caccatatgc ggtgtgaaat 3180  
accgcacaga tgcgtaagga gaaaataccg catcagattg gctattggcc attgcatacg 3240  
ttgtatccat atcataatat gtacatttat attggctcat gtccaacatt accgccatgt 3300  
tgacattgat tattgactag ttattaatag taatcaatta cggggtcatt agttcatagc 3360  
ccatatatgg agttccgctg tacataactt acggtaaatt gcccgcctgg ctgaccgcc 3420  
aacgaccccc gccattgac gtcaataatg acgtatgttc ccatagtaac gccaataggg 3480  
actttccatt gacgtcaatg ggtggagtat ttacggtaaa ctgcccactt ggcagtacat 3540  
caagtgtatc atatgccaaag tacgccccct attgacgtca atgacggtaa atggcccgcc 3600  
tggcattatg ccagtacat gaccttatgg gactttccta cttggcagta catctacgta 3660  
ttagtcatcg ctattaccat ggtgatgcgg ttttggcagt acatcaatgg gcgtggatag 3720  
cggtttgact cacggggatt tccaagtctc caccctattg acgtcaatgg gagtttgttt 3780  
tggcaccaaa atcaacggga ctttccaaaa tgcgtaaca actccgcccc attgacgcaa 3840  
atgggcggtg ggcgtgtacg gtgggaggtc tatataagca gagctcgttt agtgaaccgt 3900  
cagatcgctt ggagacgcca tccacgctgt tttgacctcc atagaagaca ccgggaccga 3960  
tccagcctcc gcggccggga acggtgcatt ggaacgcgga ttccccgtgc caagagtgc 4020  
gtaagtaccg cctatagact ctataggcac acccctttgg ctcttatgca tgctatactg 4080  
tttttggctt ggggcctata caccctcgct tccttatgct atagggtgat gtatagctta 4140  
gcctataggt gtgggttatt gaccattatt gaccactccc ctattgggtg cgatactttc 4200  
cattactaat ccataacatg gctctttgcc acaactatct ctattggcta tatgccaata 4260  
ctctgtcctt cagagactga cacggactct gtatttttac aggatggggt cccatttatt 4320  
atttaciaat tcacatatac aacaacgccg tccccgtgc ccgcagtttt tattaaacat 4380  
agcgtgggat ctccacgcga atctcgggta cgtgttccgg acatgggctc ttctccggta 4440  
gcggcggagc ttccacatcc gagccctggg cccatgcctc cagcggctca tggtcgctcg 4500  
gcagctcctt gtcctaaca gtggaggcca gacttaggca cagcacaatg cccaccacca 4560  
ccagtgtgcc gcacaaggcc gtggcggtag ggtatgtgtc tgaaaatgag cgtggagatt 4620  
gggctcgcac ggctgacgca gatggaagac ttaaggcagc ggcagaagaa gatgcaggca 4680  
gctgagttgt tgtattctga taagagtcag aggttaactcc cgttgcgggtg ctgttaacgg 4740

-48-

```

tggagggcag tgtagtctga gcagtactcg ttgctgccgc gcgcgccacc agacataata 4800
gctgacagac taacagactg ttcctttcca tgggtctttt ctgcagtcac cgtcgtcgac 4860
acgtgtgata agatatcgcg gccgctctag accaggcgcc tggatccgcc accatgccac 4920
tctgggtgtt cttctttgtg atcctcacc tcagcaacag ctcccactgc tccccacctc 4980
cccctttgac cctcaggatg cggcggtatg cagatgccat cttcaccaac agctaccgga 5040
aggtgctggg ccagctgtcc gcccgcaagc tgctccagga catcatgagc aggcagcagg 5100
gagagagaaa ccaagagcaa ggagcaaggg tgcggctttg aagatcttag tagtagtagg 5160
cggccgctct agaggatcca gatct                                     5185

```

&lt;210&gt; 48

&lt;211&gt; 3369

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence: pGHRH1-44SK  
construct

&lt;400&gt; 48

```

ggtaccgagc tcttacgcgt gctagcccgg gctcgagatc tgcgatctaa gtaagcttgc 60
caccatgcca ctctgggtgt tcttctttgt gatcctcacc ctcagcaaca gctcccactg 120
ctccccacct ccccttttga ccctcaggat gcggcggtat gcagatgcca tcttcaccaa 180
cagctaccgg aaggtgctgg gccagctgtc cggccgcaag ctgctccagg acatcatgag 240
caggcagcag ggagagagaa accaagagca aggagcaagg gtgcggcttt gatctagagt 300
cggggcggcc ggccgcttcg agcagacatg ataagataca ttgatgagtt tggacaaacc 360
acaactagaa tgcagtga aaatgcttt atttgtgaaa tttgtgatgc tattgcttta 420
tttgtaacca ttataagctg caataaaca gttaacaaca acaattgcat tcattttatg 480
tttcagggtc agggggaggt gtgggaggtt ttttaaagca agtaaaacct ctacaaatgt 540
ggtaaaatcg ataaggatcc gtgcaccgat gcccttgaga gccttcaacc cagtcagctc 600
cttcgggtgg gcgcggggca tgactatcgt cggcgactt atgactgtct tctttatcat 660
gcaactcgta ggacaggtgc cggcagcgct cttccgcttc ctgcgtcact gactcgctgc 720
gctcggtcgt tcggctgcgg cgagcggtat cagctcactc aaaggcggtg atacggttat 780
ccacagaatc aggggataac gcaggaaaga acatgtgagc aaaaggccag caaaaggcca 840
ggaaccgtaa aaaggccgcg ttgctggcgt ttttccatag gctccgcccc cctgacgagc 900
atcacaaaaa tcgacgctca agtcagaggt ggcgaaacc gacaggacta taaagatacc 960
aggcgtttcc ccctggaagc tcctcgtgc gctctcctgt tccgacctg ccgcttaccg 1020
gatacctgtc cgcctttctc cttcgggaa gcgtggcgct ttctcaatgc tcacgctgta 1080
ggtatctcag ttcgggtgtg gtgcgttcgt ccaagctggg ctgtgtgcac gaaccccccg 1140
ttcagcccga ccgctgcgcc ttatccggta actatcgtct tgagtccaac ccggtaagac 1200
acgacttata gccactggca gcagccactg gtaacaggat tagcagagcg aggtatgtag 1260
gcggtgctac agagttcttg aagtgggtgg ctaactacgg ctacactaga aggacagtat 1320
ttggtatctg cgctctgctg aagccagtta cttcggaaa aagagttggt agctcttgat 1380
ccggcaaaca aaccaccgct ggtagcgggt gtttttttgt ttgcaagcag cagattacgc 1440
gcagaaaaaa aggatctcaa gaagatcctt tgatcttttc tacggggtct gacgctcagt 1500
ggaacgaaaa ctcacgttaa gggatttttg tcatgagatt atcaaaaagg atcttcacct 1560
agatcctttt aaattaaaaa tgaagtttta aatcaatcta aagtatatat gagtaaactt 1620
ggtctgacag ttaccaatgc ttaatcagtg aggcacctat ctcagcgatc tgtctatttc 1680

```

-49-

```

gttcatccat agttgcctga ctccccgtcg tgtagataac tacgatacgg gagggcttac 1740
catctggccc cagtgtctga atgataccgc gagacccacg ctcaccggct ccagatttat 1800
cagcaataaa ccagccagcc ggaagggccg agcgcagaag tggtcctgca actttatccg 1860
cctccatcca gtctattaat tgttgccggg aagctagagt aagtagttcg ccagttaata 1920
gtttgcgcaa cgttgttgcc attgctacag gcatcgtggt gtcacgctcg tcgtttggta 1980
tggcttcatt cagctccggt tcccaacgat caaggcgagt tacatgatcc cccatgttgt 2040
gcaaaaaagc ggtagctcc ttcggctctc cgatcgttgt cagaagtaag ttggccgcag 2100
tgttatcact catggttatg gcagcactgc ataattctct tactgtcatg ccatccgtaa 2160
gatgcttttc tgtgactggt gagtactcaa ccaagtcatt ctgagaatag tgtatgcggc 2220
gaccgagttg ctcttgcccg gcgtcaatac gggataatac cgcgccacat agcagaactt 2280
taaaagtgct catcattgga aaacgttctt cggggcgaaa actctcaagg atcttaccgc 2340
tgttgagatc cagttcgatg taaccactc gtgcacccaa ctgatcttca gcatctttta 2400
ctttcaccag cgtttctggg tgagcaaaaa caggaaggca aaatgccgca aaaaagggaa 2460
taagggcgac acggaaatgt tgaatactca tactcttcct ttttcaatat tattgaagca 2520
tttatcaggg ttattgtctc atgagcggat acatatttga atgtatttag aaaaataaac 2580
aaataggggt tccgcgcaca tttccccgaa aagtgccacc tgacgcgcc cccagcgccc 2640
cattaagcgc ggcgggtgtg gtggttacgc gcagcgtgac cgctacactt gccagcgccc 2700
tagcgcccg ccttttcgct ttcttccctt cctttctcgc cacgttcgcc ggctttcccc 2760
gtcaagctct aaatcggggg ctccctttag ggttccgatt tagtgcttta cggcacctcg 2820
acccccaaaa acttgattag ggtgatggtt cacgtagtgg gccatcgccc tgatagacgg 2880
tttttcgccc tttagcgttg gagtccacgt tctttaatag tggactcttg ttccaaactg 2940
gaacaacact caaccctatc tcggtctatt cttttgattt ataagggtt ttgccgattt 3000
cggcctattg gttaaaaaat gagctgattt aacaaaaatt taacgcgaat tttaacaaaa 3060
tattaacgtt tacaatttcc cattcgccat tcaggctgcg caactgttgg gaagggcgat 3120
cgggtgcgggc ctcttcgcta ttacgccagc ccaagctacc atgataagta agtaatatta 3180
aggtagcggga ggtacttgga gcggccgcaa taaaatatct ttattttcat tacatctgtg 3240
tgttgggttt ttgtgtgaat cgatagtact aacatacgct ctccatcaaa acaaaacgaa 3300
acaaaacaaa ctagcaaaaat aggctgtccc cagtgcaggt gcagggtgcca gaacatttct 3360
ctatcgata 3369

```

&lt;210&gt; 49

&lt;211&gt; 3976

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence:

pGHRH1-44WTSK685 construct

&lt;400&gt; 49

```

ggtaccatcg ctggggagct gggggagggg tcgccttctt gccctaccca ggactccggg 60
tgcgaccgct cctctatctc tccagcccac caccactcca ccacttggac acgtctccct 120
cctccctgga gtcgctctag agggtttggg ggtctgagta aagaaccoga agtagggata 180
cagtgtggcg gcaccttcca gagggcccg ggcaggggta gaccggggcg gggcgggccc 240
cggacaggtg cagccccagg cgcaggcgca ctgcgcctc ccggcgaggg cgggtgaacct 300
cgccccaccc cagcccctcc ggggggcagc tggggcgggt cgggaggggc ccaccagccc 360
gggagacact ccatatacgg ccaggcccg tttacctggg ctccggccag gccgctcctt 420

```

-50-

```

ctttggtcag cacaggggac ccgggcgggg gccagggccg ctaacccgcc gggggagggg 480
gctccagtgc ccaacaccca aatatggctc gagaagggga gcgacattcc agtgaggcgg 540
ctcgggggga gaaccgcggg gctatataaa acctgagcgt ggggaccagc ggccaccgca 600
gcggaacagcg ccgagagaag cctcgcttcc ctcccgcggc gaccagggcc ccagccggag 660
agcagcaggt gtagccacca agcttgccac catgccactc tgggtgttct tctttgtgat 720
cctcaccctc agcaacagct cccactgctc cccacctccc cctttgacct tcaggatgcg 780
gcggtatgca gatgccatct tcaccaacag ctaccggaag gtgctgggccc agctgtccgc 840
ccgcaagctg ctccaggaca tcatgagcag gcagcaggga gagagaaacc aagagcaagg 900
agcaaggggt cggctttgat ctagagtcgg ggcgccgggc cgcttcgagc agacatgata 960
agatacattg atgagtttgg acaaaccaca actagaatgc agtgaaaaaa atgctttatt 1020
tgtgaaattt gtgatgctat tgctttattt gtaaccatta taagctgcaa taaacaagtt 1080
aacaacaaca attgcattca ttttatgttt caggttcagg gggaggtgtg ggaggttttt 1140
taaagcaagt aaaacctcta caaatgtggt aaaatcgata aggatccgtc gaccgatgcc 1200
cttgagagcc ttcaacccag tcagctcctt ccggtggggc cggggcatga ctatcgtcgc 1260
cgcaacttatg actgtcttct ttatcatgca actcgtagga caggtgccgg cagcgctctt 1320
ccgcttcctc gctcactgac tcgctgcgct cggtcgttcg gctgcggcga gcggtatcag 1380
ctcactcaaa ggcggttaata cggttatcca cagaatcagg ggataacgca ggaaagaaca 1440
tgtgagcaaa aggccagcaa aaggccagga accgtaaaaa ggccgcgttg ctggcgtttt 1500
tccataggct ccgccccctt gacgagcatc aaaaaaatcg acgctcaagt cagaggtggc 1560
gaaacccgac aggactataa agataccagg cgtttcccc tggaaagctcc ctcgctgcgct 1620
ctcctgttcc gacctgccg cttaccggat acctgtccgc ctttctccct tcgggaagcg 1680
tggcgctttc tcaatgctca cgctgtaggt atctcagttc ggtgtaggtc gttcgctcca 1740
agctgggctg tgtgcacgaa cccccgttc agcccgaccg ctgcgcctta tccggtaact 1800
atcgtcttga gtccaacccg gtaagacacg acttatcgcc actggcagca gccactggta 1860
acaggattag cagagcgagg tatgtaggcg gtgctacaga gttcttgaag tgggtggccta 1920
actacggcta cactagaagg acagtatttg gtatctgcgc tctgctgaag ccagttacct 1980
tcggaaaaag agttggtagc tcttgatccg gcaaacaaac caccgctggg agcggtggtt 2040
tttttgtttg caagcagcag attacgcgca gaaaaaaagg atctcaagaa gatcctttga 2100
tcttttctac ggggtctgac gctcagtgga acgaaaactc acgttaaggg attttggtca 2160
tgagattatc aaaaaggatc ttcacctaga tcctttttaa ttaaaaatga agttttaaat 2220
caatctaaag tatatatgag taaacttggt ctgacagtta ccaatgctta atcagtgagg 2280
cacctatctc agcgatctgt ctatttcggt catccatagt tgccctgact cccgtcgtgt 2340
agataactac gatacgggag ggcttaccat ctggccccag tgctgcaatg ataccgcgag 2400
acccacgctc accggctcca gatttatcag caataaacca gccagccgga agggccgagc 2460
gcagaagtgg tcctgcaact ttatccgcct ccatccagtc tattaattgt tgccgggaag 2520
ctagagtaag tagttcgcca gttaatagtt tgcgcaacgt tgttgccatt gctacaggca 2580
tcgtggtgtc acgctcgtcg tttggtatgg cttcattcag ctccggttcc caacgatcaa 2640
ggcgagttac atgatcccc atgttgtgca aaaaagcggg tagctccttc ggtcctccga 2700
tcgttgctcag aagtaagttg gccgcagtggt tatcactcat gggttatggc gactgcata 2760
attctcttac tgtcatgcca tccgtaagat gcttttctgt gactggtgag tactcaacca 2820
agtcattctg agaatagtgt atgcggcgac cgagttgctc ttgcccggcg tcaatacggg 2880
ataataccgc gccacatagc agaactttaa aagtgtcat cattggaaaa cgttcttcgg 2940
ggcgaaaact ctcaaggatc ttaccgctgt tgagatccag ttcgatgtaa cccactcgtg 3000
cacccaactg atcttcagca tcttttactt tcaccagcgt ttctgggtga gcaaaaacag 3060
gaaggcaaaa tgccgcaaaa aagggaataa gggcgacacg gaaatgttga atactcatac 3120
tcttcctttt tcaatattat tgaagcattt atcagggtta ttgtctcatg agcggatata 3180
tatttgaatg tatttagaaa aataaacaac taggggttcc gcgcacattt ccccgaaaag 3240
tgccacctga cgcgcctgt agcggcgcat taagcgcggc ggggtgtggtg gttacgcgca 3300

```

-51-

```

gcgtgaccgc tacacttgcc agcgccctag cgcccgcctc tttegccttc ttcccttcc 3360
ttctcgccac gtctcgccgc tttccccgctc aagctctaaa tcggggggctc cctttagggt 3420
tccgatttag tgctttacgg cacctcgacc ccaaaaaact tgattagggt gatgggtcac 3480
gtagtgggcc atcgccctga tagacgggtt ttcgcccttt gacgttggag tccacgttct 3540
ttaatagtgg actcttggtc caaactggaa caaactcaa ccctatctcg gtctattctt 3600
ttgatttata agggattttg ccgatttcgg cctattgggt aaaaaatgag ctgatttaac 3660
aaaaatttaa cggaatttt aacaaaatat taacgtttac aatttcccat tcgccattca 3720
ggctgcgcaa ctgttgggaa gggcgatcgg tgcgggctc ttcgctatta cgccagccca 3780
agctaccatg ataagtaagt aatattaagg tacgggaggt acttggagcg gccgcaataa 3840
aatatcttta ttttcattac atctgtgtgt tggttttttg tgtgaatcga tagtactaac 3900
atacgctctc catcaaaaca aaacgaaaca aaacaaacta gcaaaatagg ctgtccccag 3960
tgcaagtgca ggtgcc                                     3976

```

&lt;210&gt; 50

&lt;211&gt; 5325

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence:

pGHRH1-44WTSK2014 construct

&lt;400&gt; 50

```

ggtaccgcta taggagagaa aagagctgca ctgagcacc tccttcccct ttaaattgtca 60
acagattagg agtcagtga tgacagcaca cctcttgcta ccttagagac caaaatttaa 120
gctactcccc ttaagctata gctagagtgc acctgccagt gtcttttagtc ccactgatg 180
gaacaggacc caaggtattg aagatggaac atagttattc attcatcctc taatttaaaa 240
agctggatat gctgtacagc agaaattgac ggaacaatgt aaatcaacta taacagaaga 300
aataaaaacc tggggggaaa gaagctgact atgaaacccc aggagcttct tacatgggcc 360
tggactcacc aaactcttta ttttgtaatg gacttctgac atttttagga agggctgtcc 420
tgatgtgggc tatagaagag ggtttcacat gcttcttcaa gaggaccac actgtcccag 480
ttgctgagtc ccaccaccag atgctagtgg cagctatttg gggaacactt aggcactaca 540
aaaaaatgag tgattccatt ctggctcaca ccatatccct gatgtacccc ttaaagcatg 600
tactgagtt catcacagaa aattgtttcc cctgtgcctt ccacaacaag gttagagctg 660
tccttggggc caggggaagg gggcaggag tgagaagcac caactggata acctcctctg 720
acccccactc caccttacca taagtagatc caaatccttc tagaaaatta ggaaggcata 780
tccccatata tcagcgatat aaatagaact gcttcagcgc tctggtagac ggtgactctc 840
caaggtggac tgggaggcag cctggccttg gctgggcac gtcctctaaa tagaaagatg 900
aacttgttca gcctttccag aaggaaaact gctgcccagc ctacagtgca acgtccttgt 960
cttccatctg gaggaagcac gggtgacata tcatctagta agggcacctc tctgtttcca 1020
cctccaggtc gaggggtgtg acccttactt ctacgcctca agggaggag actcaacccc 1080
ccaaaaagac atgagggcgc tcagctcggc ccaccgcacc ccggaccgga gccgtcacc 1140
cccgaaattc actcccttca caagccccca agcgcgcttct ctggtgcgga ctgctccggg 1200
gccttggtt tgtgcccagc gttgtcagag ccaccgcct gagcctgtcc ccgggagccc 1260
cgcgctcct ccaccgctc cgctctcgcg ccccgcggcc agttgtctgc cccgagacag 1320
ctgcgcgcc tccgctgcc ggtggcctc tccggtgggg gtggggaccg acagggtcag 1380
ccctccggat ccggggcgct ccgggtagcg gggagaagt atcgctgggg agctggggga 1440

```

-52-

ggggtgcct tectgcccta cccaggactc cgggtgcgac cgtcctcta tctctccagc 1500  
 ccaccaccac tccaccactt ggacacgtct cctcctccc tggagtcgct ctagagggtt 1560  
 tgggggtctg agtaaagaac ccgaagtagg gatacagtgt ggcggcacct tccagaggcc 1620  
 ccgggcgag ggtagaccgg ggcggggcgg cccgcggaca ggtgcagccc caggcgcagg 1680  
 cgcactcgcg cctcccggcg caggcgggtga acctcgcgcc accccagccc ctccgggggg 1740  
 cagctgggcc gggtcgggag gggcccacca gcccgggaga cactccatat acggccaggc 1800  
 ccgctttacc tgggtccgg ccaggccgct ccttctttgg tcagcacagg ggaccgggc 1860  
 gggggcccag gccgctaacc cgccggggga gggggctcca gtgcccaaca cccaaatatg 1920  
 gctcgagaag gggagcgaca ttccagttag gcggctcggg gggagaaccc gcgggctata 1980  
 taaaacctga gcgtggggac cagcggccaa gcttgccacc atgccactct ggggtgttctt 2040  
 ctttgtgatc ctcacctca gcaacagctc cactgctcc ccacctccc ctttgacctt 2100  
 caggatgcgg cggtatgcag atgccatctt caccaacagc taccggaagg tgctgggcca 2160  
 gctgtccgcc cgcaagctgc tccaggacat catgagcagg cagcaggag agagaaacca 2220  
 agagcaagga gcaaggggtgc ggctttgatc tagagtcggg gcggccggcc gcttcgagca 2280  
 gacatgataa gatacattga tgagtgtgga caaaccacaa ctagaatgca gtgaaaaaaaa 2340  
 tgctttattt gtgaaatttg tgatgctatt gctttatttg taaccattat aagctgcaat 2400  
 aaacaagtta acaacaacaa ttgcattcat tttatgtttc aggttcaggg ggaggtgtgg 2460  
 gaggtttttt aaagcaagta aaacctctac aaatgtggta aaatcgataa ggatccgtcg 2520  
 accgatgccc ttgagagcct tcaaccagc cagctccttc cgggtgggcgc ggggcatgac 2580  
 tategtgcgc gcacttatga ctgtcttctt tatcatgcaa ctcgtaggac aggtgccggc 2640  
 agcgtctctc cgttcctcg ctcactgact cgtgcgctc ggtcgttcgg ctgcggcgag 2700  
 cggtatcagc tcaactcaaag gcggtaatat ggttatccac agaatcaggg gataacgcag 2760  
 gaaagaacat gtgagcaaaa ggccagcaaa aggccaggaa ccgtaaaaag gccgcgttgc 2820  
 tggcggtttt ccataggctc cgccccctg acgagcatca caaaaatcga cgctcaagtc 2880  
 agaggtggcg aaaccgcaca ggactataaa gataccaggc gtttccccct ggaagctccc 2940  
 tcgtgcgctc tectgttccg acctgccgc ttaccggata cctgtccgcc tttctccctt 3000  
 cggaagcgt ggcgctttct caatgctcac gctgtaggta tctcagttcg gtgtaggtcg 3060  
 ttcgctccaa gctgggctgt gtgcacgaac ccccggttca gcccgaccgc tgcgccttat 3120  
 ccggtaacta tcgtcttgag tccaaccgg taagacacga cttatcgcca ctggcagcag 3180  
 ccaactggtaa caggattagc agagcgaggt atgtaggcgg tgctacagag ttcttgaagt 3240  
 ggtggcctaa ctacggctac actagaagga cagtatttgg tatctgcgct ctgctgaagc 3300  
 cagttacctt cggaaaaaga gttggtagct cttgatccgg caaacaacc accgctggta 3360  
 gcggtgggtt ttttggttgc aagcagcaga ttacgcgcag aaaaaaagga tctcaagaag 3420  
 atcctttgat cttttctacg gggctgacg ctcagtggaa cgaaaactca cgtaaggga 3480  
 ttttggtcat gagattatca aaaaggatct tcacctagat ctttttaa ataaaaatgaa 3540  
 gttttaaatc aatctaaagt atatatgagt aaacttggtc tgacagttac caatgcttaa 3600  
 tcagtaggc acctatctca gcgatctgtc tatttcgttc atccatagtt gcctgactcc 3660  
 ccgtcgtgta gataactacg atacgggagg gcttaccatc tggccccagt gctgcaatga 3720  
 taccgcgaga cccacgctca ccggctccag atttatcagc aataaaccag ccagccggaa 3780  
 gggccgagcg cagaagtggc cctgcaactt tatccgcctc catccagtct attaattgtt 3840  
 gccgggaagc tagagtaagt agttcgccag ttaatagttt gcgcaacggt gttgccattg 3900  
 ctacaggcat cgtggtgtca cgctcgtcgt ttggtatggc ttcattcagc tccggttccc 3960  
 aacgatcaag gcgagttaca tgatcccca tgttggtgcaa aaaagcggtt agctccttcg 4020  
 gtccctccgat cgttggtcaga agtaagttgg ccgcagtgtt atcactcatg gttatggcag 4080  
 cactgcataa ttctcttact gtcatgcat ccgtaagatg cttttctgtg actggtgagt 4140  
 actcaaccaa gtcattctga gaatagtgtg tgccggcgacc gagttgctct tgcccggcgt 4200  
 caatacggga taataccgcg ccacatagca gaactttaaa agtgctcatc attggaaaac 4260  
 gttcttcggg gcgaaaactc tcaaggatct taccgctgtt gagatccagt tcgatgtaac 4320

-53-

```

ccactcgtgc acccaactga tcttcagcat cttttacttt caccagcgtt tctgggtgag 4380
caaaaacagg aaggcaaaat gccgcaaaaa aggggaataag ggcgacacgg aaatggtgaa 4440
tactcatact cttccttttt caatattatt gaagcattta tcagggttat tgtctcatga 4500
gcgatacat atttgaatgt atttagaaaa ataaacaaat aggggttccg cgcacatttc 4560
ccgaaaagt gccacctgac gcgccctgta gcggcgcat aagcgcgggc ggtgtggtgg 4620
ttacgcgcag cgtgaccgct acacttgcca gcgccctagc gcccgctcct ttcgctttct 4680
tcccttcctt tctcgccacg ttgcgcggct tccccgtca agctctaaat cgggggctcc 4740
ctttagggtt ccgatttagt gctttacggc acctcgaccc caaaaaactt gattagggtg 4800
atggttcacg tagtgggcca tcgccctgat agacggtttt tcgccctttg acgttggagt 4860
ccacgttctt taatagtga ctcttggtcc aaactggaac aacactcaac cctatctcgg 4920
tctattcttt tgatttataa gggattttgc cgatttcggc ctattggtta aaaaatgagc 4980
tgatttaaca aaaatttaac gcgaatttta acaaaatatt aacgtttaca atttcccatt 5040
cgccattcag gctgcgcaac tgttgggaag ggcgatcggg gcgggcctct tcgctattac 5100
gccagcccaa gctaccatga taagtaagta atattaaggt acgggaggta cttggagcgg 5160
ccgcaataaa atatctttat tttcattaca tctgtgtgtt ggttttttgt gtgaatcgat 5220
agtactaaca tacgctctcc atcaaaacaa aacgaaacaa aacaaactag caaataggc 5280
tgtccccagt gcaagtgcag gtgccagaac atttctctat cgata 5325

```

&lt;210&gt; 51

&lt;211&gt; 5108

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence:

pGHRH1-29WTCMV construct

&lt;400&gt; 51

```

gctgtgcctt ctagttgcca gccatctggt gtttgccct ccccggtgcc ttccttgacc 60
ctggaagggt ccactccac tgctctttcc taataaaatg aggaaattgc atcgcatgt 120
ctgagtaggt gtcattctat tctggggggg ggggtggggc aggacagcaa gggggaggat 180
tggaagaca atagcaggca tgctggggat gcggtgggct ctatgggtac ccagggtgctg 240
aagaattgac ccggttcctc ctgggccaga aagaagcagg cacatccct tctctgtgac 300
acaccctgtc cagccctctg gttcttagtt ccagcccccac tcataggaca ctcatagctc 360
aggagggtc cgccttcaat cccaccgct aaagtacttg gagcggctc tccctccctc 420
atcagccac caaaccaaac ctagcctcca agagtgggaa gaaattaaag caagataggc 480
tattaagtgc agagggagag aaaatgcctc caacatgtga ggaagtaatg agagaaatca 540
tagaatttct tccgcttcct cgctcactga ctcgctgcgc tcggtcgttc ggctgcggcg 600
agcggtatca gctcactcaa aggcggtaat acggttatcc acagaatcag gggataacgc 660
aggaaagaac atgtgagcaa aaggccagca aaaggccagg aaccgtaaaa aggccgcgtt 720
gctggcggtt ttccataggc tccgcccccc tgacgagcat cacaaaaatc gacgctcaag 780
tcagagggtg cgaaaccgca caggactata aagataccag gcgtttcccc ctggaagctc 840
cctcgtgcgc tctcctgttc cgaccctgcc gcttaccgga tacctgtccg cttttctccc 900
ttcgggaagc gtggcgcttt ctcatagctc acgctgtagg tatctcagtt cgggtgtaggt 960
cgttcgctcc aagctgggct gtgtgcacga acccccgtt cagcccgacc gctgcgcctt 1020
atccggtaac tategtcttg agtccaaccc ggtaagacac gacttatcgc cactggcagc 1080
agccactggt aacaggatta gcagagcgag gtatgtaggc ggtgctacag agttcttgaa 1140

```

-54-

|             |             |             |             |             |             |      |
|-------------|-------------|-------------|-------------|-------------|-------------|------|
| gtggtggcct  | aactacggct  | acactagaag  | aacagtattt  | ggtatctgcg  | ctctgctgaa  | 1200 |
| gccagttacc  | ttcggaaaaa  | gagttggtag  | ctcttgatcc  | ggcaaacaaa  | ccaccgctgg  | 1260 |
| tagcgggtgt  | ttttttgttt  | gcaagcagca  | gattacgcgc  | agaaaaaaag  | gatctcaaga  | 1320 |
| agatcctttg  | atcttttcta  | cgggggtctga | cgctcagtgg  | aacgaaaact  | cacgttaagg  | 1380 |
| gatttttggtc | atgagattat  | caaaaaggat  | cttcacctag  | atccttttaa  | attaaaaatg  | 1440 |
| aagttttaaa  | tcaatctaaa  | gtatatatga  | gtaaacttgg  | tctgacagtt  | accaatgctt  | 1500 |
| aatcagtgag  | gcacctatct  | cagcgatctg  | tctatttcgt  | tcatccatag  | ttgcctgact  | 1560 |
| cggggggggg  | gggcgctgag  | gtctgcctcg  | tgaagaagg   | gttgctgact  | cataccaggc  | 1620 |
| ctgaatcgcc  | ccatcatcca  | gccagaaagt  | gaggagcca   | cggttgatga  | gagctttgtt  | 1680 |
| gtaggtggac  | cagttggtga  | ttttgaactt  | ttgctttgcc  | acggaacgg   | ctgcgttgct  | 1740 |
| gggaagatgc  | gtgatctgat  | ccttcaactc  | agcaaaagtt  | cgattttatt  | aacaaagccg  | 1800 |
| ccgtcccgtc  | aagtcagcgt  | aatgctctgc  | cagtgttaca  | accaattaac  | caattctgat  | 1860 |
| tagaaaaact  | catcgagcat  | caaatgaaac  | tgcaatttat  | tcatatcagg  | attatcaata  | 1920 |
| ccatattttt  | gaaaaagccg  | tttctgtaat  | gaaggagaaa  | actcaccgag  | gcagttccat  | 1980 |
| aggatggcaa  | gaccttggtg  | tcggtctgcg  | attccgactc  | gtccaacatc  | aatacaacct  | 2040 |
| attaattttc  | cctcgtcaaa  | aataagggtt  | tcaagtgaga  | aatcaccatg  | agtgacgact  | 2100 |
| gaatccggtg  | agaatggcaa  | aagcttatgc  | atttctttcc  | agacttggtc  | aacaggccag  | 2160 |
| ccattacgct  | cgtcatcaaa  | atcactcgca  | tcaaccaaac  | cgttattcat  | tcgtgattgc  | 2220 |
| gcctgagcga  | gacgaaatac  | gcgatcgctg  | ttaaaaggac  | aattacaaac  | aggaatcgaa  | 2280 |
| tgcaaccggc  | gcaggaacac  | tgccagcgca  | tcaacaatat  | tttcacctga  | atcaggatat  | 2340 |
| tcttctaata  | cctggaatgc  | tgttttccc   | gggatcgag   | tggtgagtaa  | ccatgcatca  | 2400 |
| tcaggagtac  | ggataaaatg  | cttgatggtc  | ggaagaggca  | taaattccgt  | cagccagttt  | 2460 |
| agtctgacca  | tctcatctgt  | aacatcattg  | gcaacgctac  | ctttgccatg  | tttcagaaac  | 2520 |
| aactctggcg  | catcgggctt  | cccatacaat  | cgatagattg  | tcgcacctga  | ttgcccgcga  | 2580 |
| ttatcgcgag  | cccattttata | cccatataaa  | tcagcatcca  | tggttggaatt | taatcgcggc  | 2640 |
| ctcgagcaag  | acgtttccc   | ttgaatatgg  | ctcataaac   | cccttggtatt | actgtttatg  | 2700 |
| taagcagaca  | gttttattgt  | tcatgatgat  | atatttttat  | cttgtgcaat  | gtaacatcag  | 2760 |
| agattttgag  | acacaacgtg  | gctttcccc   | ccccccatt   | attgaagcat  | ttatcagggt  | 2820 |
| tattgtctca  | tgagcggata  | catatttgaa  | tgtatttaga  | aaaataaaca  | aataggggtt  | 2880 |
| ccgcgcacat  | ttccccgaaa  | agtgccacct  | gacgtctaag  | aaaccattat  | tatcatgaca  | 2940 |
| ttaacctata  | aaaataggcg  | tatcacgagg  | ccctttcgtc  | ctcgcgcggt  | tcgggtgatga | 3000 |
| cggtgaaaac  | ctctgacaca  | tgagctccc   | ggagacggtc  | acagcttgtc  | tgtaagcgga  | 3060 |
| tgccgggagc  | agacaagccc  | gtcagggcgc  | gtcagcgggt  | gttggcgggt  | gtcggggctg  | 3120 |
| gcttaactat  | gcggcatcag  | agcagattgt  | actgagagtg  | caccatatgc  | ggtgtgaaat  | 3180 |
| accgcacaga  | tgcgtaagga  | gaaaataccg  | catcagattg  | gctattggcc  | attgcatacg  | 3240 |
| ttgtatccat  | atcataatat  | gtacatttat  | attggctcat  | gtccaacatt  | accgccatgt  | 3300 |
| tgacattgat  | tattgactag  | ttattaatag  | taatcaatta  | cgggggtcatt | agttcatagc  | 3360 |
| ccatatatgg  | agttccgcgt  | tacataactt  | acggtaaatg  | gcccgcctgg  | ctgaccgccc  | 3420 |
| aacgaccccc  | gcccattgac  | gtcaataatg  | acgtatgttc  | ccatagtaac  | gccaataggg  | 3480 |
| actttccatt  | gacgtcaatg  | ggtggagtat  | ttacggtaaa  | ctgcccactt  | ggcagtacat  | 3540 |
| caagtgtatc  | atatgccaa   | tacgccccct  | attgacgtca  | atgacggtaa  | atggcccgc   | 3600 |
| tggcattatg  | cccagtacat  | gaccttatgg  | gactttccta  | cttggcagta  | catctacgta  | 3660 |
| ttagtcatcg  | ctattaccat  | ggtgatgcgg  | ttttggcagt  | acatcaatgg  | gcgtggatag  | 3720 |
| cggtttgact  | cacggggatt  | tccaagtctc  | cacccattg   | acgtcaatgg  | gagtttgttt  | 3780 |
| tggcaccaaa  | atcaacggga  | ctttccaaaa  | tgctcgtaaca | actccgcccc  | attgacgcaa  | 3840 |
| atgggcggta  | ggcgtgtacg  | gtgggaggtc  | tatataagca  | gagctcgttt  | agtgaaccgt  | 3900 |
| cagatcgctc  | ggagacgcca  | tccacgctgt  | tttgacctcc  | atagaagaca  | ccgggaccga  | 3960 |
| tccagcctcc  | gcggccggga  | acggtgcatt  | ggaacgcgga  | ttccccgtgc  | caagagtgc   | 4020 |

-55-

```

gtaagtaccg cctatagact ctataggcac accccttttg ctcttatgca tgctatactg 4080
tttttggett ggggcctata ccccccgct tccttatgct atagggtgatg gtatagctta 4140
gcctataggt gtgggttatt gaccattatt gaccactccc ctattgggtga cgatactttc 4200
cattactaat ccataacatg gctctttgcc acaactatct ctattggcta tatgccaata 4260
ctctgtcctt cagagactga cacggactct gtatTTTTac aggatgggggt cccatttatt 4320
atttaciaaat tcacatatat aacaacgccg tcccccggtc ccgcagtttt tattaacat 4380
agcgtgggat ctccacgcga atctcgggta cgtgttccgg acatgggctc ttctccggta 4440
gcggcggagc ttccacatcc gagccctggt cccatgcctc cagcggctca tggtcgctcg 4500
gcagctcctt gtcctaaca gtggaggcca gacttaggca cagcacaatg cccaccacca 4560
ccagtgtgcc gcacaaggcc gtggcggtag ggtatgtgtc tgaaaatgag cgtggagatt 4620
gggctcgcac ggctgacgca gatggaagac ttaaggcagc ggcagaagaa gatgcaggca 4680
gctgagttgt tgtattctga taagagtcag aggtaactcc cgttgcgggtg ctgttaacgg 4740
tgaggggcag ttagtctga gcagtactcg ttgctgccgc gcgcgccacc agacataata 4800
gctgacagac taacagactg ttcttttcca tgggtctttt ctgcagtcac cgtcgtcgac 4860
acgtgtgatc agatatcgcg gccgctctag accaggcgcc tggatccgcc accatgccac 4920
tctgggtggt cttctttgtg atcctcacc cagcaacag ctcccactgc tcccacctc 4980
cccctttgac cctcaggatg cggcggtatg cagatgccat cttcaccaac agctaccgga 5040
aggtgctggg ccagctgtcc gcccgcaagc tgctccagga catcatgagc aggtagagat 5100
ccagatct 5108

```

&lt;210&gt; 52

&lt;211&gt; 5108

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence:

pGHRH1-29YWTCMV construct

&lt;400&gt; 52

```

gctgtgcctt ctagttgcca gccatctggt gtttgcccct ccccggtgcc ttccttgacc 60
ctggaagggt ccactccac tgctctttcc taataaaatg aggaaattgc atcgcatgtg 120
ctgagtaggt gtcattctat tctgggggggt ggggtggggc aggacagcaa gggggaggat 180
tggaagaca atagcaggca tgctggggat gcggtgggct ctatgggtac ccagggtgctg 240
aagaattgac ccggttcctc ctggggccaga aagaagcagg cacatcccct tctctgtgac 300
acaccctgtc cagccccctg gttcttagtt ccagccccac tcataggaca ctcatagctc 360
aggagggtc cgccttcaat cccacccgct aaagtacttg gagcgggtctc tccctccctc 420
atcagccac caaaccaaac ctagcctcca agagtgggaa gaaattaaag caagataggc 480
tattaagtgc agaggagag aaaatgcctc caacatgtga ggaagtaatg agagaaatca 540
tagaatttct tccgcttcct cgctcactga ctcgctgcgc tcggtcggtc ggctgcggcg 600
agcggtatca gctcactcaa aggcggtaat acggttatcc acagaatcag gggataacgc 660
aggaaagaac atgtgagcaa aaggccagca aaaggccagg aaccgtaaaa aggccgcgtt 720
gctggcggtt ttccataggc tccgcccccc tgacgagcat cacaaaaatc gacgctcaag 780
tcagaggtgg cgaaaccga caggactata aagataccag gcgtttcccc ctggaagctc 840
cctcgtgcgc tctcctgttc cgaccctgcc gcttaccgga tacctgtccg cttttctccc 900
ttcggaagc gtggcgcttt ctcatagctc aegctgtagg tatctcagtt cgggtgtaggt 960
cgttcgctcc aagctgggct gtgtgcacga accccccgtt cagcccgacc gctgcgcctt 1020

```

atccggtaac tatcgtcttg agtccaaccc ggtaagacac gacttatcgc cactggcagc 1080  
 agccactggt aacaggatta gcagagcgag gtatgtaggc ggtgctacag agttcttgaa 1140  
 gtgggtggcct aactacggct acactagaag aacagtatctt ggtatctgcg ctctgctgaa 1200  
 gccagttacc ttccgaaaaa gagttggtag ctcttgatcc ggcaaacaaa ccaccgctgg 1260  
 tagcgggtggt ttttttggtt gcaagcagca gattacgcgc agaaaaaaag gatctcaaga 1320  
 agatcctttg atcttttcta cggggtctga cgctcagtgg aacgaaaact cacgttaagg 1380  
 gatcttggtc atgagattat caaaaaggat cttcacctag atccttttaa attaaaaatg 1440  
 aagttttaaa tcaatctaaa gtatatatga gtaaaacttg tctgacagtt accaatgctt 1500  
 aatcagtgag gcacctatct cagcgatctg tctatttctg tcatccatag ttgcctgact 1560  
 cggggggggg gggcgctgag gtctgcctcg tgaagaagggt gttgctgact cataccaggc 1620  
 ctgaatcgcc ccatcatcca gccagaaagt gagggagcca cggttgatga gagctttggt 1680  
 gtaggtggac cagttggtga ttttgaactt ttgctttgcc acggaacggg ctgcgttgct 1740  
 ggggaagatgc gtgatctgat ccttcaactc agcaaaagtt cgattttattc aacaaagccg 1800  
 ccgtcccgtc aagtcagcgt aatgctctgc cagtgttaca accaattaac caattctgat 1860  
 tagaaaaact catcgagcat caaatgaaac tgcaatttat tcatatcagg attatcaata 1920  
 ccatattttt gaaaaagccg tttctgtaat gaaggagaaa actcacgag gcagttccat 1980  
 aggatggcaa gatcctggta tcgggtctgcg attccgactc gtccaacatc aatacaacct 2040  
 attaatttcc cctcgtcaaa aataaggtta tcaagtgaga aatcaccatg agtgacgact 2100  
 gaatccggtg agaatggcaa aagcttatgc atttctttcc agacttggtc aacaggccag 2160  
 ccattacgct cgtcatcaaa atcactcgca tcaaccaaac cgttattcat tcgtgattgc 2220  
 gcctgagcga gacgaaatac gcgatcgctg ttaaaaggac aattacaaac aggaatcgaa 2280  
 tgcaaccggc gcaggaacac tgccagcgca tcaacaatat tttcacctga atcaggatat 2340  
 tcttctaata cctggaatgc tgttttcccg gggatcgagc tggtagtaaa ccatgcatca 2400  
 tcaggagtac ggataaaatg cttgatgggc ggaagaggca taaattccgt cagccagttt 2460  
 agtctgacca tctcatctgt aacatcattg gcaacgctac ctttgccatg tttcagaaac 2520  
 aactctggcg catcgggctt cccatacaat cgatagattg tcgcacctga ttgcccgcga 2580  
 ttatcgcgag cccatttata cccatataaa tcagcatcca tgttggaatt taatcgcggc 2640  
 ctcgagcaag acgtttcccg ttgaatatgg ctcataacac cccttgattt actgtttatg 2700  
 taagcagaca gttttattgt tcatgatgat atatttttat cttgtgcaat gtaacatcag 2760  
 agattttgag acacaacgtg gctttccccc cccccccatt attgaagcat ttatcagggt 2820  
 tattgtctca tgagcggata catatttgaa tgtatttaga aaaataaaca aataggggtt 2880  
 ccgcgacat tccccgaaa agtgccacct gacgtctaag aaaccattat tatcatgaca 2940  
 ttaacctata aaaataggcg tatcacgagg ccctttcgtc ctgcgcggtt tcggtgatga 3000  
 cggtgaaaac ctctgacaca tgcagctccc ggagacgggc acagcttggtc tgtaagcggg 3060  
 tgccggggagc agacaagccc gtcagggcg cgcagcgggt gttggcgggt gtcgggggctg 3120  
 gcttaactat gcggcatcag agcagattgt actgagagtg caccatatgc ggtgtgaaat 3180  
 accgcacaga tgcgtaagga gaaaataccg catcagattg gctattggcc attgcatacg 3240  
 ttgtatccat atcataatat gtacatttat attggctcat gtccaacatt accgccatgt 3300  
 tgacattgat tattgactag ttattaatag taatcaatta cggggtcatt agttcatagc 3360  
 ccatatatgg agttccgcgt tacataactt acggtaaatt gcccgctgg ctgaccgccc 3420  
 aacgaccccc gccattgac gtcaataatg acgtatgttc ccatagtaac gccaataggg 3480  
 actttccatt gacgtcaatg ggtggagtat ttacggtaaa ctgcccactt ggcagtacat 3540  
 caagtgtatc atatgccaaag tacgccccct attgacgtca atgacggtaa atggcccgc 3600  
 tggcattatg ccagtacat gaccttatgg gactttccta cttggcagta catctacgta 3660  
 ttagtcatcg ctattaccat ggtgatgcgg ttttggcagt acatcaatgg gcgtggatag 3720  
 cggtttgact cacggggatt tccaagtctc caccctattg acgtcaatgg gagtttggtt 3780  
 tggcaccaaa atcaacggga ctttccaaaa tgctgtaaca actccgcccc attgacgcaa 3840  
 atgggcggtg ggcgtgtacg gtgggaggtc tatataagca gagctcgttt agtgaaccgt 3900

-57-

```

cagatcgctt ggagacgcca tccacgctgt tttgacctcc atagaagaca ccgggaccga 3960
tccagcctcc gcggccggga acggtgcatt ggaacgcgga ttccccgtgc caagagtgc 4020
gtaagtaccg cctatagact ctataggcac acccctttgg ctcttatgca tgctatactg 4080
tttttggctt ggggcctata ccccccgct tccttatgct atagggtgat gtatagctta 4140
gcctataggt gtgggttatt gaccattatt gaccactccc ctattgggtga cgatactttc 4200
cattactaat ccataacatg gctctttgcc acaactatct ctattggcta tatgccata 4260
ctctgtcctt cagagactga cacggactct gtatttttac aggatggggg cccattttatt 4320
atttacaat tcacatatac aacaacgcgg tcccccggtgc ccgcagtttt tattaacat 4380
agcgtgggat ctccacgcga atctcgggta cgtgttccgg acatgggctc ttctccggta 4440
gcggcgggagc ttccacatcc gagccctggg cccatgcctc cagcggctca tggtcgctcg 4500
gcagctcctt gctcctaaca gtggaggcca gacttaggca cagcacaatg cccaccacca 4560
ccagtgtgcc gcacaaggcc gtggcggtag ggtatgtgtc tgaaaatgag cgtggagatt 4620
gggctcgcac ggctgacgca gatggaagac ttaaggcagc ggcagaagaa gatgcaggca 4680
gctgagttgt tgtattctga taagagtcag aggttaactcc cgttgcggtg ctgttaacgg 4740
tggagggcag tgtagtctga gcagtactcg ttgctgccgc gcgcgccacc agacataata 4800
gctgacagac taacagactg ttcctttcca tgggtctttt ctgcagtcac cgtcgtcgac 4860
acgtgtgatc agatatcgcg gccgctctag accaggcgcc tggatccgcc accatgccac 4920
tctgggtgtt cttctttgtg atcctcacc tcagcaacag ctcccactgc tcccacctc 4980
cccctttgac cctcaggatg cggcggtatg cagatgccat cttcaccaac agctaccgga 5040
aggtgctggg ccagctgtcc gcccgcaagc tcctccagga catcatgagc aggtagagat 5100
ccagatct
5108

```

&lt;210&gt; 53

&lt;211&gt; 3954

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence:

pGHRH1-29YWTSK685 construct

&lt;400&gt; 53

```

ggtaccatcg ctggggagct gggggagggg tcgccttcct gccctaccca ggactccggg 60
tgcgaccgct cctctatctc tccagcccac caccactcca ccacttggac acgtctccct 120
cctccctgga gtcgctctag agggtttggg ggtctgagta aagaaccgga agtagggata 180
cagtgtggcg gcaccttcca gagggcccg ggcagggta gaccggggcg gggcggcccg 240
cggacaggtg cagccccagg cgcaggcgca ctgcgcctc ccggcgagc cgtgaacct 300
cgccccaccc cagcccctcc ggggggcagc tgggcccggg cgggaggggc ccaccagccc 360
gggagacact ccatatacgg ccaggcccgc ttacctggg ctccggccag gccgctcctt 420
ctttggtcag cacaggggac ccgggcgggg gcccaggccg ctaaccgcgc gggggagggg 480
gctccagtgc ccaacaccca aatatggctc gagaagggga gcgacattcc agtgaggcgg 540
ctcgggggga gaaccgcgg gctatataaa acctgagcgt ggggaccagc ggccaccgca 600
gcggacagcg ccgagagaag cctcgtctcc ctcccgcggc gaccagggcc ccagccggag 660
agcagcaggt gtagccacca agcttgccac catgccactc tgggtgttct tctttgtgat 720
cctcaccctc agcaacagct cccactgctc cccacctccc cctttgacct tcaggatgcg 780
gcggtattat gcagatgcca tcttcaccaa cagctaccgg aagggtgctgg gccagctgtc 840
cgccccgaag ctctccagg acatcatgag caggtagtct agagtcgggg cggccggccg 900

```

-58-

ctctcgagcag acatgataag atacattgat gagttttggac aaaccacaac tagaatgcag 960  
 tgaaaaaaat gctttatttg tgaaatttgt gatgctattg ctttatttgt aaccattata 1020  
 agctgcaata aacaagttaa caacaacaat tgcattcatt ttatgtttca ggttcagggg 1080  
 gaggtgtggg aggtttttta aagcaagtaa aacctctaca aatgtggtaa aatcgataag 1140  
 gatccgtcga ccgatgccct tgagagcctt caaccagtc agctccttcc ggtgggcgcg 1200  
 gggcatgact atcgtcgccg cacttatgac tgtcttcttt atcatgcaac tcgtaggaca 1260  
 ggtgccggca gcgctcttcc gcttcctcgc tctactgactc gctgcgctcg gtcgttcggc 1320  
 tgcggcgagc ggtatcagct cactcaaagg cggtaatacg gttatccaca gaatcagggg 1380  
 ataacgcagg aaagaacatg tgagcaaaag gccagcaaaa ggccaggaac cgtaaaaagg 1440  
 ccgcgttgct ggcgtttttc cataggctcc gccccctga cgagcatcac aaaaatcgac 1500  
 gctcaagtca gaggtggcga aaccgcagag gactataaag ataccaggcg tttccccctg 1560  
 gaagctccct cgtgcgctct cctgttccga ccctgccgct taccggatac ctgtccgcct 1620  
 ttctcccttc gggaagcgtg gcgctttctc aatgctcacg ctgtaggtat ctgagttcgg 1680  
 tgtaggtcgt tcgctccaag ctgggctgtg tgcacgaacc ccccgttcag cccgaccgct 1740  
 gcgccttata cggtaactat cgtcttgagt ccaaccgggt aagacacgac ttatcgccac 1800  
 tggcagcagc cactggtaac aggattagca gagcgaggta tgtaggcgggt gctacagagt 1860  
 tcttgaagtg gtggcctaac tacggctaca ctagaaggac agtatttggt atctgcgctc 1920  
 tgctgaagcc agttaccttc ggaaaaagag ttggtagctc ttgatccggc aaacaaacca 1980  
 ccgctggtag cgggtggttt tttgtttgca agcagcagat tacgcgcaga aaaaaaggat 2040  
 ctcaagaaga tcctttgatc ttttctacgg ggtctgacgc tcagtggaaac gaaaactcac 2100  
 gttaagggat tttggtcatg agattatcaa aaaggatctt cacctagatc cttttaaaatt 2160  
 aaaaatgaag ttttaaatca atctaaagta tatatgagta aacttgggtct gacagttacc 2220  
 aatgcttaat cagtgaggca cctatctcag cgatctgtct atttcgttca tccatagttg 2280  
 cctgactccc cgtcgtgtag ataactacga tacgggaggg cttaccatct ggccccagtg 2340  
 ctgcaatgat accgcgagac ccacgctcac cggctccaga ttatcagca ataaaccagc 2400  
 cagccggaag ggccgagcgc agaagtggtc ctgcaacttt atccgcctcc atccagtcta 2460  
 ttaattggtg ccgggaagct agagtaagta gttcgccagt taatagtttg cgcaacgttg 2520  
 ttgccattgc tacaggcatc gtggtgtcac gctcgtcgtt tggtaggtt tcattcagct 2580  
 ccggttccca acgatcaagg cgagttacat gatccccat gttgtgcaaa aaagcggtta 2640  
 gctccttcgg tcctccgata gttgtcagaa gtaagttggc cgcagtgtta tctactatgg 2700  
 ttatggcagc actgcataat tctcttactg tcatgccatc cgtaagatgc ttttctgtga 2760  
 ctggtgagta ctcaaccaag tcattctgag aatagtgtat gcggcgaccg agttgctctt 2820  
 gcccggcgtc aatacgggat aataccgcgc cacatagcag aactttaaaa gtgctcatca 2880  
 ttggaaaacg ttcttcgggg cgaaaactct caaggatctt accgctgttg agatccagtt 2940  
 cgatgtaacc cactcgtgca ccaactgat cttcagcatc ttttactttc accagcgttt 3000  
 ctgggtgagc aaaaacagga aggcaaaatg ccgcaaaaaa gggaataagg gcgacacgga 3060  
 aatgttgaat actcatactc ttcctttttc aatattattg aagcatttat cagggttatt 3120  
 gtctcatgag cggatacata tttgaatgta tttagaaaaa taaacaaata ggggttccgc 3180  
 gcacatttcc ccgaaaagtg ccacctgacg cgccctgtag cggcgcatca agcgcggcgg 3240  
 gtgtggtggt tacgcgcagc gtgaccgcta cacttgccag cgccctagcg cccgctcctt 3300  
 tcgctttctt ccttcccttt ctcgccacgt tcgccggctt tccccgtcaa gctctaaatc 3360  
 gggggctccc tttagggttc cgatttagtg ctttacggca cctcgacccc aaaaaacttg 3420  
 attagggtga tggttcacgt agtgggccat cgccctgata gacggttttt cgccctttga 3480  
 cgttggagtc cacgttcttt aatagtggac tcttgttcca aactggaaca aactcaacc 3540  
 ctatctcggt ctattctttt gatttataag ggattttgcc gatttcggcc tattgggtta 3600  
 aaaatgagct gatttaacaa aaatttaacg cgaattttta caaaatatta acgtttacaa 3660  
 tttcccatte gccattcagg ctgcgcaact gttgggaagg gcgatcgggtg cgggcctctt 3720  
 cgctattacg ccagcccaag ctaccatgat aagtaagtaa tattaaggta cgggaggtac 3780

-59-

ttggagcggc cgcaataaaa tatctttatt ttcattacat ctgtgtgttg gttttttgtg 3840  
 tgaatcgata gtactaacat acgctctcca tcaaaacaaa acgaaacaaa acaaactagc 3900  
 aaaataggct gtccccagtg caagtgcagg tgccagaaca tttctctatc gata 3954

&lt;210&gt; 54

&lt;211&gt; 5163

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence:

pGHRH1-29YWTSK2014 construct

&lt;400&gt; 54

ggtaccgcta taggagagaa aagagctgca ctgagcaccc tccttcccct ttaaagtca 60  
 acagattagg agtcagtga tgacagcaca cctcttgcta ccttagagac caaaatttaa 120  
 gctactcccc ttaagctata gctagagtgc acctgccagt gtctttagtc cccactgatg 180  
 gaacaggacc caaggtattg aagatggaac atagttattc attcatcctc taatttaaaa 240  
 agctggatat gctgtacagc agaaattgac ggaacaatgt aaatcaacta taacagaaga 300  
 aataaaaacc tggggggaaa gaagctgact atgaaacccc aggagcttcc tacatgggcc 360  
 tggactcacc aaactcttta ttttgtaatg gacttctgac atttttagga agggctgtcc 420  
 tgatgtgggc tatagaagag gggttcacat gcttcttcaa gaggaccac actgtcccag 480  
 ttgctgagtc ccaccaccag atgctagtgg cagctatttg gggaacactt aggcactaca 540  
 aaaaaatgag tgattccatt ctggctcaca ccatatccct gatgtacccc ttaaagcatg 600  
 tcaactgagtt catcacagaa aattgtttcc cctgtgcctt ccacaacaag gttagagctg 660  
 tccttggggc caggggaagg gggcaggag tgagaagcac caactggata acctcctctg 720  
 acccccactc caccttacca taagtagatc caaatccttc tagaaaatta ggaaggcata 780  
 tccccatata tcagcgatat aaatagaact gcttcagcgc tctggtagac ggtgactctc 840  
 caaggtggac tgggaggcag cctggccttg gctgggcacg gtccctctaaa tagaaagatg 900  
 aacttgttca gcctttccag aaggaaaact gctgcccagc ctacagtga acgtccttgt 960  
 cttccatctg gaggaagcac gggtgacata tcatctagta agggcacctc tctgtttcca 1020  
 cctccaggtc gaggggtgtg acccttactt ctacgcctca agggaggag actcaacccc 1080  
 ccaaaaagac atgagggcgc tcagctcggc ccaccgcacc ccggaccgga gccgtcacc 1140  
 cccgaaattc actcccttca caagccccca agcgcgttct ctggtgcgga ctgctccggg 1200  
 gccctggctt tgtgcccagc gttgtcagag ccaccgcctt gagcctgtcc ccgggagccc 1260  
 cgcgcctcct cccaccgctc cgtctctcgc ccccgcgcc agttgtctgc cccgagacag 1320  
 ctgcgcgccc tcccgtgcc ggtggccctc tccggtgggg gtggggaccg acagggtcag 1380  
 ccctccggat ccggggcgct ccgggtagcg gggagaagt atcgctgggg agctggggga 1440  
 ggggtgcctt tcctgcccta ccaggactc cgggtgcgac cgctcctcta tctctccagc 1500  
 ccgggagcag ggtagaccgg ggcggggagg cccgcggaca ggtgcagccc caggcgcagg 1560  
 cgcactcgcg cctcccggcg caggcgggtga acctcgcccc accccagccc ctccgggggg 1620  
 cagctgggcc gggtcgggag gggcccacca gcccgggaga cactccatat acggccaggc 1680  
 ccgctttacc tgggctccgg ccaggccgct ccttcttttg tcagcacagg ggaccggggc 1740  
 gggggcccag gccgctaacc cgccggggga gggggctcca gtgcccacaa cccaaatatg 1800  
 gctcgagaag gggagcgaca ttccagttag gcggctcggg gggagaacct gcgggctata 1860  
 taaaacctga gcgtggggac cagcggccaa gcttgccacc atgccactct ggggtgttctt 1920  
 ctttgtgatc ctcaccctca gcaacagctc ccaactgtcc ccacctccc ctttgaccct 1980

-60-

caggatgcgg cggtattatg cagatgccat cttcaccaac agctaccgga aggtgctggg 2040  
 ccagctgtcc gcccgcaagc tcctccagga catcatgagc aggtagtcta gagtcggggc 2100  
 ggccggccgc ttcgagcaga catgataaga tacattgatg agtttggaca aaccacaact 2160  
 agaatgcagt gaaaaaaatg ctttattttgt gaaatttgtg atgctattgc tttattttgta 2220  
 accattataa gctgcaataa acaagttaac aacaacaatt gcattcattt tatgttttcag 2280  
 gttcaggggg aggtgtggga ggttttttaa agcaagtaaa acctctacaa atgtggtaaa 2340  
 atcgataagg atccgtcgac cgatgccctt gagagccttc aaccagtcga gtccttccg 2400  
 gtgggcgcgg ggcatgacta tcgtcgccgc acttatgact gtcttcttta tcatgcaact 2460  
 cgtaggacag gtgccggcag cgctcttccg cttcctcgct cactgactcg ctgcgctcgg 2520  
 tcgttcggct gcggcgagcg gtatcagctc actcaaaggc ggtaatacgg ttatccacag 2580  
 aatcagggga taacgcagga aagaacatgt gagcaaaagg ccagcaaaag gccaggaacc 2640  
 gtaaaaaggc cgcgttgctg gcgtttttcc ataggctccg cccccctgac gagcatcaca 2700  
 aaaatcgacg ctcaagtcag aggtggcgaa acccgacagg actataaaga taccaggcgt 2760  
 ttccccctgg aagctccctc gtgcgctctc ctgttccgac cctgccgctt accggatacc 2820  
 tgtccgcctt tctcccttcg ggaagcgtgg cgctttctca atgctcacgc tgtaggtatc 2880  
 tcagttcggg ttaggtcggt cgctccaagc tgggctgtgt gcacgaacc cccgttcagc 2940  
 ccgaccgctg cgcttatcc ggtaactatc gtcttgagtc caaccggta agacacgact 3000  
 tatcgccact ggcagcagcg actggtaaca ggattagcag agcgaggat gtaggcgggtg 3060  
 ctacagagtt cttgaagtgg tggcctaact acggctacac tagaaggaca gtatttggtgta 3120  
 tctgcgctct gctgaagcca gttaccttcg gaaaaagagt tggtagctct tgatccggca 3180  
 aacaaaccac cgctggtagc ggtggttttt ttgtttgcaa gcagcagatt acgcgcagaa 3240  
 aaaaaggatc tcaagaagat cctttgatct tttctacggg gtctgacgct cagtggaaacg 3300  
 aaaactcacg ttaagggatt ttggtcatga gattatcaaa aaggatcttc acctagatcc 3360  
 ttttaaatga aaaatgaagt tttaaatcaa tctaaagtat atatgagtaa acttgggtctg 3420  
 acagttacca atgcttaatc agtgaggcac ctatctcagc gatctgtcta tttcgttcat 3480  
 ccatagttgc ctgactcccc gtcgtgtaga taactacgat acgggagggc ttaccatctg 3540  
 gccccagtgc tgcaatgata ccgcgagacc cacgctcacc ggctccagat ttatcagcaa 3600  
 taaaccagcc agccggaagg gccgagcgca gaagtgggtc tgcaacttta tccgcctcca 3660  
 tccagtctat taattgttgc cgggaagcta gagtaagtag ttcgccagtt aatagtttgc 3720  
 gcaacgttgt tgccattgct acaggcatcg tgggtgtcacg ctcgctgctt ggtatggctt 3780  
 cattcagctc cggttcccaa cgatcaaggc gagttacatg atcccccatg ttgtgcaaaa 3840  
 aagcggtag ctcttcgggt cctccgatcg ttgtcagaag taagttggcc gcagtgttat 3900  
 cactcatggt tatggcagca ctgcataatt ctcttactgt catgccatcc gtaagatgct 3960  
 tttctgtgac tggtagtagc tcaaccaagt cattctgaga atagtgtatg cggcgaccga 4020  
 gttgctcttg cccggcgctc atacgggata ataccgcgcc acatagcaga actttaaaaag 4080  
 tgctcatcat tggaaaacgt tcttcggggc gaaaactctc aaggatctta ccgctgttga 4140  
 gatccagttc gatgtaacct actcgtgcac ccaactgatc ttcagcatct tttactttca 4200  
 ccagcgtttc tgggtgagca aaaacaggaa ggcaaaatgc cgcaaaaaag ggaataaggg 4260  
 cgacacggaa atgttgaata ctcatctct tcttttttca atattattga agcatttatc 4320  
 agggttattg tctcatgagc ggatacatat ttgaatgtat ttagaaaaat aaacaaatag 4380  
 gggttccgcg cacatttccc cgaaaagtgc cacctgacgc gccctgtagc ggcgcattaa 4440  
 gcgcggcggg tgtgggtggt acgcgcagcg tgaccgctac acttgccagc gccctagcgc 4500  
 ccgctccttt cgctttcttc ccttcctttc tcgccacgtt cgccggcttt ccccgtaag 4560  
 ctctaaatcg ggggtccct ttagggttcc gatttagtgc ttacggcac ctcgaccca 4620  
 aaaaacttga ttaggggtgat ggttcacgta gtgggccatc gccctgatag acggtttttc 4680  
 gccctttgac gttggagtcc acgttcttta atagtggact cttgttccaa actggaacaa 4740  
 cactcaacct tatctcggtc tattcttttg atttataagg gattttgccg atttcggcct 4800  
 attgggttaa aaatgagctg atttaacaaa aatttaacgc gaattttaac aaaatattaa 4860

-61-

cgtttacaat ttcccatcgc ccattcaggc tgcgcaactg ttgggaaggg cgatcgggtgc 4920  
 gggcctcttc gctattacgc cagcccaagc taccatgata agtaagtaat attaagggtac 4980  
 gggaggtact tggagcggcc gcaataaaat atctttattt tcattacatc tgtgtgttgg 5040  
 ttttttgtgt gaatcgatag tactaacata cgctctccat caaaacaaaa cgaaacaaaa 5100  
 caaactagca aaataggctg tccccagtgc aagtgcaggt gccagaacat ttctctatcg 5160  
 ata 5163

&lt;210&gt; 55

&lt;211&gt; 5111

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence:

pGHRH1-29Yalal522CMV construct

&lt;400&gt; 55

gctgtgcctt ctagttgcc a gcatctgtt gtttgccct cccccgtgcc ttcccttgacc 60  
 ctggaagggt ccactcccac tgtcctttcc taataaaatg aggaaattgc atcgcatgtg 120  
 ctgagtaggt gtcattctat tctggggggg ggggtggggc aggacagcaa gggggaggat 180  
 tgggaagaca atagcaggca tgctggggat gcggtgggct ctatgggtac ccagggtgctg 240  
 aagaattgac ccggttcctc ctgggccaga aagaagcagg cacatcccct tctctgtgac 300  
 acaccctgtc cacgcccctg gttcttagtt ccagcccccac tcataggaca ctcatagctc 360  
 aggaggggtc cgccttcaat cccacccgct aaagtacttg gagcgggtctc tccctccctc 420  
 atcagccccc caaaccaaac ctagcctcca agagtgggaa gaaattaaag caagataggc 480  
 tattaagtgc agagggagag aaaatgcctc caacatgtga ggaagtaatg agagaaatca 540  
 tagaatctct tccgcttcc cgcctactga ctgcgtgcgc tcggctcggtc ggctgcggcg 600  
 agcggtatca gctcactcaa aggcggtaat acggttatcc acagaatcag gggataacgc 660  
 aggaaagaac atgtgagcaa aaggccagca aaaggccagg aaccgtaaaa aggccgcgtt 720  
 gctggcggtt ttccataggc tccgcccccc tgacgagcat cacaaaaatc gacgctcaag 780  
 tcagaggtgg cgaaaccoga caggactata aagataccag gcgtttcccc ctggaagctc 840  
 cctcgtgcgc tctcctgttc cgaccctgcc gcttaccgga tacctgtccg cctttctccc 900  
 ttcgggaagc gtggcgcttt ctcatagctc acgctgtagg tatctcagtt cgggtgtaggt 960  
 cgttcgctcc aagctgggct gtgtgcacga acccccgtt cagcccagcc gctgcgcctt 1020  
 atccggtaac tatcgtcttg agtccaaccc ggtaagacac gacttatcgc cactggcagc 1080  
 agccactggt aacaggatta gcagagcgag gtatgtaggc ggtgctacag agttcttgaa 1140  
 gtggtggcct aactacggct acactagaag aacagtattt ggtatctgcg ctctgctgaa 1200  
 gccagttacc ttcggaaaaa gagttggtag ctcttgatcc ggcaaaaaa ccaccgctgg 1260  
 tagcggtggt ttttttggtt gcaagcagca gattacgcgc agaaaaaaag gatctcaaga 1320  
 agatcctttg atcttttcta cgggggtctga cgctcagtgg aacgaaaact cacgttaagg 1380  
 gattttgggt atgagattat caaaaaggat cttcacctag atccttttaa attaaaaatg 1440  
 aagtttttaa tcaatctaaa gtatatatga gtaaacttgg tctgacagtt accaatgctt 1500  
 aatcagtgag gcacctatct cagcgatctg tctatttcgt tcatccatag ttgcctgact 1560  
 cggggggggg gggcgctgag gtctgcctcg tgaagaaggt gttgctgact cataccaggc 1620  
 ctgaatcgcc ccatcatcca gccagaaagt gagggagcca cggttgatga gagctttgtt 1680  
 gtaggtggac cagttggtga ttttgaactt ttgctttgcc acggaacggt ctgcgttgct 1740  
 gggaagatgc gtgatctgat ccttcaactc agcaaaaggt cgatttatcc aacaaagccg 1800

-62-

ccgtcccgtc aagtcagcgt aatgctctgc cagtgttaca accaattaac caattctgat 1860  
 tagaaaaact catcgagcat caaatgaaac tgcaatttat tcatatcagg attatcaata 1920  
 ccatattttt gaaaaagccg tttctgtaat gaaggagaaa actcaccgag gcagttccat 1980  
 aggatggcaa gatcctggta tcggtctgcg attccgactc gtccaacatc aatacaacct 2040  
 attaatttcc cctcgtcaaa aataaggtta tcaagtgaga aatcaccatg agtgacgact 2100  
 gaatccggtg agaatggcaa aagcttatgc atttctttcc agacttggtc aacaggccag 2160  
 ccattacgct cgtcatcaaa atcactcgca tcaaccaaac cgttattcat tcgtgattgc 2220  
 gcctgagcga gacgaaatac gcgatcgctg ttaaaaggac aattacaaac aggaatcgaa 2280  
 tgcaaccggc gcaggaacac tgccagcgca tcaacaatat tttcacctga atcaggatat 2340  
 tcttctaata cctggaatgc tgttttcccg gggatcgagc tggtagtaaa ccatgcatca 2400  
 tcaggagtac ggataaaatg cttgatggtc ggaagaggca taaattccgt cagccagttt 2460  
 agtctgacca tctcatctgt aacatcattg gcaacgctac ctttgccatg tttcagaaac 2520  
 aactctggcg catcgggctt cccatacaat cgatagattg tcgcacctga ttgcccgaca 2580  
 ttatcgcgag cccatttata cccatataaa tcagcatcca tgttggaatt taatcgcggc 2640  
 ctcgagcaag acgtttcccg ttgaatatgg ctcataacac cccttgattt actgtttatg 2700  
 taagcagaca gttttattgt tcatgatgat atatttttat cttgtgcaat gtaacatcag 2760  
 agattttgag acacaacgtg gctttccccc ccccccatt attgaagcat ttatcagggt 2820  
 tattgtctca tgagcggata catatttgaa tgtatttaga aaaataaaca aataggggtt 2880  
 ccgcgcacat ttccccgaaa agtgccacct gacgtctaag aaaccattat tatcatgaca 2940  
 ttaacctata aaaataggcg tatcacgagg ccctttcgtc ctgcgcgctt tcggtgatga 3000  
 cggtgaaaac ctctgacaca tgcagctccc ggagacggtc acagcttgtc tgtaagcgga 3060  
 tgccgggagc agacaagccc gtcagggcgc gtcagcgggt gttggcgggt gtcggggctg 3120  
 gcttaactat gcggcatcag agcagattgt actgagagtg caccatatgc ggtgtgaaat 3180  
 accgcacaga tgcgtaagga gaaaataccg catcagattg gctattggcc attgcatacg 3240  
 ttgtatccat atcataatat gtacatttat attggctcat gtccaacatt accgccatgt 3300  
 tgacattgat tattgactag ttattaatag taatcaatta cgggggtcatt agttcatagc 3360  
 ccatatatgg agttccgctg tacataactt acggtaaagt gcccgccctg ctgaccgccc 3420  
 aacgaccccc gccattgac gtcaataatg acgtatgttc ccatagtaac gccaataggg 3480  
 actttccatt gacgtcaatg ggtggagtat ttacggtaaa ctgcccactt ggcagtacat 3540  
 caagtgtatc atatgccaaag tacgccccct attgacgtca atgacggtaa atggccccgc 3600  
 tggcattatg ccagtacat gaccttatgg gactttccta cttggcagta catctacgta 3660  
 ttagtcatcg ctattaccat ggtgatgcgg ttttggcagt acatcaatgg gcgtggatag 3720  
 cggtttgact cacggggatt tccaagtctc caccctattg acgtcaatgg gagtttgttt 3780  
 tggcaccaaa atcaacggga ctttccaaaa tgtcgtaaca actccgcccc attgacgcaa 3840  
 atgggcggta ggcgtgtacg gtgggaggtc tatataagca gagctcgttt agtgaaccgt 3900  
 cagatcgctt ggagacgcca tccacgctgt tttgacctcc atagaagaca ccgggaccga 3960  
 tccagcctcc gcgccgggga acggtgcatt ggaacgcgga ttccccgtgc caagagtgc 4020  
 gtaagtaccg cctatagact ctataggcac acccctttgg ctcttatgca tgctatactg 4080  
 tttttggctt ggggcctata ccccccgct tccttatgct ataggtgatg gtatagctta 4140  
 gcctataggt gtgggttatt gaccattatt gaccactccc ctattgggtga cgatactttc 4200  
 cactactaat ccataacatg gctctttgcc acaactatct ctattggcta tatgccaata 4260  
 ctctgtcctt cagagactga cacggactct gtatttttac aggatgggggt cccatttatt 4320  
 atttacaat tcacatatac aacaacgccg tccccgtgc ccgcagtttt tattaacat 4380  
 agcgtgggat ctccacgcga atctcgggta cgtgttccgg acatgggctc ttctccggta 4440  
 gcggcggagc ttccacatcc gagccctggg cccatgcctc cagcggctca tggtcgctcg 4500  
 gcagctcctt gtcctaaca gtggaggcca gacttaggca cagcacaatg cccaccacca 4560  
 ccagtgtgcc gcacaaggcc gtggcggtag ggtatgtgtc tgaaaatgag cgtggagatt 4620  
 gggctcgcac ggctgacgca gatggaagac ttaaggcagc ggcagaagaa gatgcaggca 4680

-63-

```

gctgagttgt tgtattctga taagagtcag aggtaactcc cgttgcggtg ctgttaacgg 4740
tggagggcag ttagtctga gcagtactcg ttgctgccgc gcgcgccacc agacataata 4800
gctgacagac taacagactg ttcctttcca tgggtctttt ctgcagtcac cgtcgtcgac 4860
acgtgtgatc agatatcgcg gccgctctag accaggcgcc tggatccgcc accatgccac 4920
tctgggtggt cttctttgtg atcctcacc tcagcaacag ctcccactgc tccccacctc 4980
cccctttgac cctcaggatg cggcggtatt atgcagatgc catcttcacc aacagctacc 5040
ggaaggtgct ggcccagctg tccgcccgcg aggcctcca ggacatcatg agcaggtaga 5100
gatccagatc t 5111

```

&lt;210&gt; 56

&lt;211&gt; 3327

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence:

pGHRH1-29Yala1522SK construct

&lt;400&gt; 56

```

ggtaccgagc tcttacgcgt gctagcccgg gctcgagatc tgcgatctaa gtaagcttgc 60
caccatgcca ctctgggtgt tcttctttgt gatcctcacc ctgagcaaca gctcccactg 120
ctccccacct ccccttttga ccctcaggat ggcggcggtat tatgcagatg ccatcttcac 180
caacagctac cggaaggtgc tggcccagct gtccgcccgc aaggccctcc aggacatcat 240
gagcaggtag tctagagtcg gggcgggcgg ccgcttcgag cagacatgat aagatacatt 300
gatgagtttg gacaaaccac aactagaatg cagtgaaaaa aatgctttat ttgtgaaatt 360
tgtgatgcta ttgctttatt tgtaaccatt ataagctgca ataaacaagt taacaacaac 420
aattgcattc attttatggt tcaggttcag ggggaggtgt gggaggtttt ttaaagcaag 480
taaaacctct acaaatgtgg taaaatcgat aaggatccgt cgaccgatgc ccttgagagc 540
cttcaaccca gtcagctcct tccggtgggc gcggggcatg actatcgtcg ccgcacttat 600
gactgtcttc tttatcatgc aactcgtagg acaggtgccg gcagcgctct tccgcttcct 660
cgctcactga ctcgctgcgc tcggtcgttc ggctgcggcg agcggtatca gctcactcaa 720
aggcggtaat acggttatcc acagaatcag gggataacgc aggaagaac atgtgagcaa 780
aaggccagca aaaggccagg aaccgtaaaa aggcgcggtt gctggcggtt ttccataggc 840
tccgcccccc tgacgagcat cacaaaaatc gacgctcaag tcagaggtgg cgaaacccga 900
caggactata aagataccag gcgtttcccc ctggaagctc cctcgctgcgc tctcctgttc 960
cgaccctgcc gcttaccgga tacctgtccg cctttctccc ttgggaagc gtggcgcttt 1020
ctcaatgctc acgctgtagg tatctcagtt cgggtgtagt cgttcgctcc aagctgggct 1080
gtgtgcacga acccccgtt cagcccagacc gctgcgcctt atccggtaac tatcgtcttg 1140
agtccaaccc ggtaagacac gacttatcgc cactggcagc agccactggt aacaggatta 1200
gcagagcgag gtatgtaggc ggtgctacag agttcttgaa gtgggtggcct aactacggct 1260
acactagaag gacagtattt ggtatctgcg ctctgctgaa gccagttacc ttcggaaaaa 1320
gagttggtag ctcttgatcc ggcaaacaaa ccaccgctgg tagcgggtgg ttttttggtt 1380
gcaagcagca gattacgcgc agaaaaaaag gatctcaaga agatcctttg atcttttcta 1440
cgggggtctga cgctcagtg gaaacgaaaact cacgttaagg gattttggtc atgagattat 1500
caaaaaggat cttcacctag atccttttaa attaaaaatg aagtttttaa tcaatctaaa 1560
gtatatatga gtaaacttgg tctgacagtt accaatgctt aatcagtgag gcacctatct 1620
cagcgatctg tctatttcgt tcatccatag ttgcctgact ccccgctcgt tagataacta 1680

```

-64-

```

cgatacggga gggcttacca tctggcccca gtgctgcaat gataccgcga gacccacgct 1740
caccggctcc agatttatca gcaataaacc agccagccgg aagggccgag cgcagaagtg 1800
gtcctgcaac tttatccgcc tccatccagt ctattaattg ttgccgggaa gctagagtaa 1860
gtagttcgcc agttaatagt ttgcgcaacg ttgttgccat tgctacaggc atcgtggtgt 1920
cacgctcgtc gtttggtatg gcttcattca gctccggttc ccaacgatca aggcgagtta 1980
catgatcccc catgttgtgc aaaaaagcgg ttagctcctt cggtcctccg atcgttgtca 2040
gaagtaagtt ggccgcagtg ttatcactca tggttatggc agcactgcat aattctctta 2100
ctgtcatgcc atccgtaaga tgcttttctg tgactggtga gtactcaacc aagtcatctt 2160
gagaatagtg tatgcggcga ccgagttgct cttgcccggc gtcaatacgg gataataaccg 2220
cgccacatag cagaacttta aaagtgtca tcattggaaa acgttcttcg gggcgaaaac 2280
tctcaaggat cttaccgctg ttgagatcca gttcgatgta acccactcgt gcacccaact 2340
gatcttcagc atcttttact ttcaccagcg tttctgggtg agcaaaaaca ggaaggcaaa 2400
atgccgcaaa aaagggaata agggcgacac ggaaatgttg aatactcata ctcttccttt 2460
ttcaatatta ttgaagcatt tatcagggtt attgtctcat gagcggatac atatttgaat 2520
gtatttagaa aaataaacia ataggggttc cgcgcacatt tccccgaaaa gtgccacctg 2580
acgcgccctg tagcggcgca ttaagcgcgg cgggtgtggt gggtacgcgc agcgtgaccg 2640
ctacacttgc cagcgcccta gcgcccgtc ctttcgcttt cttcccttcc tttctcgcca 2700
cgttcgccgg ctttccccgt caagctctaa atcgggggct ccctttaggg ttccgattta 2760
gtgctttacg gcacctcgac ccaaaaaaac ttgattaggg tgatggttca cgtagtgggc 2820
catcgccctg atagacggtt ttctgcctt tgacgttgga gtccacgttc tttaatagtg 2880
gactcttggt ccaaactgga acaacactca accctatctc ggtctattct tttgatttat 2940
aagggatttt gccgatttcg gcctattggt taaaaaatga gctgatttaa caaaaattta 3000
acgcgaattt taacaaaata ttaacgttta caatttccca ttcgccattc aggctgcgca 3060
actgttgga agggcgatcg gtgcgggcct cttcgctatt acgccagccc aagctaccat 3120
gataagtaag taatattaag gtacgggagg tacttgagc ggccgcaata aaatatcttt 3180
attttcatta catctgtgtg ttggtttttt gtgtgaatcg atagtactaa catacgctct 3240
ccatcaaaac aaaacgaaac aaaacaaact agcaaaatag gctgtcccca gtgcaagtgc 3300
aggtgccaga acatttctct atcgata 3327

```

&lt;210&gt; 57

&lt;211&gt; 4469

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence:

pGHRH1-29Yalal522SK construct

&lt;400&gt; 57

```

bbsggtacca tcgctgggga gctgggggag gggtcgcctt cctgccctac ccaggactcc 60
gggtgcgacc gtcctctat ctctccagcc caccaccact ccaccacttg gacacgtctc 120
cctcctccct ggagtcgctc tagagggttt gggggtctga gtaaagaacc cgaagtaggg 180
atacagtgtg gcggcacctt ccagaggccc cgggcgcagg gtagaccggg gcggggcggc 240
ccgcggacag gtgcagcccc aggcgcaggc gactcgcgc ctcccggcgc aggcggtgaa 300
cctcgcccca cccagcccc tccggggggc agctgggccc ggtcgggagg ggcccaccag 360
ccggggagac actccatata cggccaggcc cgttttacct gggctccggc caggccgctc 420
cttctttggt cagcacaggg gaccggggcg ggggccagg ccgctaacc gccgggggag 480

```

ggggctccag tgcccaacac ccaaatatgg ctcgagaagg ggagcgacat tccagtgagg 540  
 cggctcgggg ggagaaccog cgggctatat aaaacctgag cgtggggacc agcggccacc 600  
 gcagcggaca gcgccgagag aagcctcgtt tccctcccgc ggcgaccagg gccccagccg 660  
 gagagcagca ggtgtagcca ccaagcttgc caccatgcc a ctctgggtgt tcttctttgt 720  
 gatcctcacc ctacgaaca gctcccactg ctccccacct ccccttttga ccctcaggat 780  
 gcggcggtat tatgcagatg ccattcttcac caacagctac cggaagggtg tggcccagct 840  
 gtccgcccgc aaggccctcc aggacatcat gagcaggtag tctagagtcg gggcgggcgg 900  
 ccgcttcgag cagacatgat aagatacatt gatgagtgtg gacaaaccac aactagaatg 960  
 cagtgaaaaa aatgctttat ttgtgaaatt tgtgatgcta ttgctttatt tgtaaccatt 1020  
 ataagctgca ataaacaagt taacaacaac aattgcattc attttatgtt tcagggttcag 1080  
 ggggaggtgt gggaggtttt ttaaagcaag taaaacctct acaaatgtgg taaaatcgat 1140  
 aaggatccgt cgaccgatgc ccttgagagc cttcaacca gtcagctcct tccggtgggc 1200  
 gcggggcatg actatcgtcg ccgcacttat gactgtcttc tttatcatgc aactcgtagg 1260  
 acaggtgccg gcagcgtctt tccgcttcct cgctcactga ctcgctgcgc tcggtcgttc 1320  
 ggctgcggcg agcggatatc gctcactcaa aggcggtaac acggttatcc acagaatcag 1380  
 gggataacgc aggaagaac atgtgagcaa aaggccagca aaaggccagg aaccgtaaaa 1440  
 aggcgcggtt gctggcggtt ttccataggc tccgcccccc tgacgagcat cacaaaaatc 1500  
 gacgctcaag tcagaggtgg cgaaaccgca caggactata aagataccag gcgtttcccc 1560  
 ctggaagctc cctcgtgcgc tctcctgttc cgacctgcc gcttaccgga tacctgtccg 1620  
 cctttctccc ttcgggaagc gtggcgcttt ctcaatgctc acgctgtagg tatctcagtt 1680  
 cggtgtaggt cgttcgctcc aagctgggct gtgtgcacga accccccgtt cagcccagcc 1740  
 gctgcgcctt atccggtaac tatcgtcttg agtccaacct ggtaagacac gacttatcgc 1800  
 cactggcagc agccactggt aacaggatta gcagagcgag gtatgtaggc ggtgctacag 1860  
 agttcttgaa gtgggtggcct aactacggct acactagaag gacagtattt ggtatctgcg 1920  
 ctctgctgaa gccagttacc ttcggaaaaa gagttggtag ctcttgatcc ggcaaacaaa 1980  
 ccaccgctgg tagcgggtgt ttttttgttt gcaagcagca gattacgcgc agaaaaaaag 2040  
 gatctcaaga agatcctttg atcttttcta cggggtctga cgctcagtgg aacgaaaact 2100  
 cacgttaagg gatttttggt atgagattat caaaaaggat cttcacctag atccttttaa 2160  
 attaaaaatg aagtttttaa tcaatctaaa gtatatatga gtaaacttgg tctgacagtt 2220  
 accaatgctt aatcagtgag gcacctatct cagcgatctg tctatttcgt tcatccatag 2280  
 ttgcctgact ccccgctcgt tagataacta cgatacggga gggcttacca tctggcccca 2340  
 gtgctgcaat gataccgcga gaccacgct caccggctcc agatttatca gcaataaacc 2400  
 agccagccgg aaggggccgag cgcagaagtg gtctgcaac tttatccgcc tccatccagt 2460  
 ctattaattg ttgcccggaa gctagagtaa gtagttcgcc agttaatagt ttgcgcaacg 2520  
 ttgttgccat tgctacaggc atcgtggtgt cacgctcgtc gtttggtatg gcttcattca 2580  
 gctccggttc ccaacgatca aggcgagtta catgatcccc catgttggtg aaaaaagcgg 2640  
 ttagctcctt cggctcctcg atcgttgta gaagtaagtt ggccgcagtg ttatcactca 2700  
 tggttatggc agcactgcat aattctctta ctgtcatgcc atccgtaaga tgcttttctg 2760  
 tgactggtga gtactcaacc aagtcattct gagaatagt tatgcggcga ccgagttgct 2820  
 cttgcccggc gtcaatacgg gataataccg cgccacatag cagaacttta aaagtgctca 2880  
 tcattggaaa acgttcttcg gggcgaaaac tctcaaggat cttaccgctg ttgagatcca 2940  
 gttcgatgta acccactcgt gcacccaact gatcttcagc atcttttact ttcaccagcg 3000  
 tttctgggtg agcaaaaaca ggaaggcaaa atgccgcaaa aaagggaata agggcgacac 3060  
 ggaaatgttg aatactcata ctcttccttt ttcaatatta ttgaagcatt tatcagggtt 3120  
 attgtctcat gagcggatac atatttgaat gtatttagaa aaataaacia ataggggttc 3180  
 cgcgcacatt tccccgaaaa gtgccacctg acgcgccttg tagcggcgca ttaagcgcgg 3240  
 cgggtgtggt ggttacgcgc agcgtgaccg ctacacttgc cagcgcccta gcgcccgtc 3300  
 ctttcgcttt ctcccttcc tttctcgcca cgttcgcccg ctttccccgt caagctctaa 3360

-66-

```

atcgggggct ccctttaggg ttccgattta gtgctttacg gcacctcgac cccaaaaaac 3420
ttgattaggg tgatggttca cgtagtgggc catcgccctg atagacggtt ttctgccctt 3480
tgacgttgga gtccacgttc tttaatagtg gactcttggt ccaaactgga acaacactca 3540
accctatctc ggtctattct tttgatttat aagggtttt gccgatttcg gcctattggt 3600
taaaaaatga gctgatttaa caaaaattta acgcgaattt taacaaaata ttaacgttta 3660
caatttccca ttccgcatte aggctgcgca actgttggga agggcgatcg gtgcgggcct 3720
cttcgctatt acgccagccc aagctaccat gataagtaag taatattaag gtacgggagg 3780
tacttgagac ggccgcaata aaatatcttt attttcatta catctgtgtg ttggtttttt 3840
gtgtgaatcg atagtactaa catacgctct ccatcaaac aaaacgaaac aaaacaaact 3900
agcaaaatag gctgtcccca gtgcaagtgc aggtgccaga acatttctct atcgatarh* 3960
rhtrh*rhtt vbbtvbnrma mhadatarag rahntantta rghrshrshs thstttk*kv 4020
ak*akwara bmwhrsbcmh stctttkvkv akvwakwav wabmwbmwbc mnybcmnycd 4080
nycdnydrga dvsnasysda taatntndtg tmsnwrms ymbaracrnr whrbbrbggt 4140
ccatcgctgg ggagctgggg gaggggtcgc cttcctgccc taccaggac tccgggrgad 4200
vsnr gadvsn hggtagcatc gctggggagc tgggggaggg gtgccttcc tgcctaccc 4260
aggactccgg gcgtargadv sngggargad vsnggmcrst wrdswsdhrn cggtagcatc 4320
gctggggagc tgggggaggg gtgccttcc tgcctaccc aggactccgg gttgdanbc 4380
dcdc*rtntr ysstabwrdd cmntsmmary nrmatndcmn tsmmarynrm atncmbbcts 4440
smcrstwrdd cmntmswrdd cwrddcmnt 4469

```

&lt;210&gt; 58

&lt;211&gt; 5283

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence:

pGHRH1-29Yala1522SK2014 construct

&lt;400&gt; 58

```

ggtaccgcta taggagagaa aagagctgca ctgagcacc tccttccct ttaaattgtca 60
acagattagg agtcagtga tgacagcaca cctcttgcta ccttagagac caaaatttaa 120
gctactcccc ttaagctata gctagagtgc acctgccagt gtctttagtc cccactgatg 180
gaacaggacc caaggtattg aagatggaac atagtatttc attcatctc taatttaaaa 240
agctggatat gctgtacagc agaaattgac ggaacaatgt aaatcaacta taacagaaga 300
aataaaaacc tggggggaaa gaagctgact atgaaacccc aggagctttc tacatgggcc 360
tggaactcacc aaactcttta ttttgtaatg gacttctgac atttttagga agggctgtcc 420
tgatgtgggc tatagaagag ggtttcacat gcttcttcaa gaggaccac actgtcccag 480
ttgctgagtc ccaccaccag atgctagtgg cagctatttg gggaacactt aggactaca 540
aaaaaatgag tgattccatt ctggctcaca ccatatccct gatgtacccc ttaaagcatg 600
tactgagtt catcacagaa aattgtttcc cctgtgcctt ccacaacaag gttagagctg 660
tccttggggc caggggaagg gggcaggag tgagaagcac caactggata acctcctctg 720
acccccactc caccttacca taagtagatc caaatccttc tagaaaatta ggaaggcata 780
tccccatata tcagcgatat aatagaact gcttcagcgc tctggtagac ggtgactctc 840
caaggtggac tgggaggcag cctggccttg gctgggcac gtcctctaaa tagaaagatg 900
aacttgttca gcctttccag aaggaaaact gctgccacgc ctacagtga acgtccttgt 960
cttccatctg gaggaagcac gggtgacata tcatctagta agggcacctc tctgtttcca 1020

```

-67-

cctccaggtc gaggggtgtg acccttactt ctcagcctca agggagggac actcaacccc 1080  
 ccaaaaagac atgagggcgc tcagctcggc ccaccgcacc ccggaccgga gccgtcacc 1140  
 cccgaaattc actcccttca caagccccca agcgcgttct ctggtgcgga ctgctccggg 1200  
 gccctggctt tgtgcccagc gttgtcagag ccaccgcctt gagcctgtcc ccgggagccc 1260  
 cgcgcctcct cccaccgctc cgctctcgcg ccccgcggcc agttgtctgc cccgagacag 1320  
 ctgcgcgccc tcccgtgccc ggtggccctc tcgggtgggg gtggggaccg acagggtcag 1380  
 ccctccggat ccggggcgct ccgggtagcg gggagaagtg atcgctgggg agctggggga 1440  
 ggggtcgcct tcctgcccta cccaggactc cgggtgcgac cgctcctcta tctctccagc 1500  
 ccaccaccac tccaccactt ggacacgtct cctcctccc tggagtcgct ctagagggtt 1560  
 tgggggtctg agtaaagaac ccgaagtagg gatacagtgt ggcggcacct tccagaggcc 1620  
 ccgggcgagc ggtagaccgg ggcgggggcg cccgcggaca ggtgcagccc caggcgagc 1680  
 cgcactcgcg cctcccgggc caggcggtga acctcgcccc accccagccc ctccgggggg 1740  
 cagctggggc gggtcgggag gggcccacca gcccgggaga cactccatat acggccaggc 1800  
 ccgctttacc tgggctccgg ccaggccgct ccttctttgg tcagcacagg ggacccgggc 1860  
 gggggcccag gccgctaacc cgccggggga gggggctcca gtgcccaca cccaaatatg 1920  
 gctcgagaag gggagcgaca ttccagttag gcggctcggg gggagaacct gcgggctata 1980  
 taaaacctga gcgtggggac cagcgggcaa gcttgccacc atgccactct ggggtgttctt 2040  
 ctttgtgatc ctcacctca gcaacagctc ccactgctcc ccacctccc ctttgacctt 2100  
 caggatgcgg cggtattatg cagatgccat cttaccaaac agctaccgga aggtgctggc 2160  
 ccagctgtcc gcccgcaagg ccctccagga catcatgagc aggtagtcta ggtcggggc 2220  
 ggccggccgc ttcgagcaga catgataaga tacattgatg agtttggaca aaccacaact 2280  
 agaatgcagt gaaaaaaatg ctttatttgt gaaatttgtg atgctattgc tttatttcta 2340  
 accattataa gctgcaataa acaagttaac aacaacaatt gcattcattt tatgtttcag 2400  
 gttcaggggg aggtgtggga ggttttttaa agcaagtaaa acctctaca atgtggtaaa 2460  
 atcgataagg atccgtcgac cgatgccctt gagagccttc aaccagtcga gctccttccg 2520  
 gtgggcgcgg ggcatgacta tcgtcgccgc acttatgact gtcttcttta tcatgcaact 2580  
 cgtaggacag gtgccggcag cgctcttccg ctctctcgct cactgactcg ctgcgctcgg 2640  
 tcgttcggct gcggcgagcg gtatcagctc actcaaaggc ggtaatacgg ttatccacag 2700  
 aatcagggga taacgcagga aagaacatgt gagcaaaagg ccagcaaaag gccaggaacc 2760  
 gtaaaaaggc cgcgttgctg gcgtttttcc ataggctccg cccccctgac gagcatcaca 2820  
 aaaatcgacg ctcaagtcag aggtggcgaa acccgacagg actataaaga taccaggcgt 2880  
 tccccctgg aagctccctc gtgcgctctc ctgttccgac cctgccgctt accggatacc 2940  
 tgtccgcctt tctcccttcg ggaagcgtgg cgctttctca atgctcacgc tgtaggtatc 3000  
 tcagttcggg gtaggtcggt cgctccaagc tgggctgtgt gcacgaacct ccggttcagc 3060  
 ccgaccgctg cgccttatcc ggtaactatc gtcttgagtc caaccggta agacacgact 3120  
 tatcgccact ggcagcagcc actggtaaca ggattagcag agcgaggatg gtaggcgggtg 3180  
 ctacagagtt cttgaagtgg tggcctaact acggctacac tagaaggaca gtatttggtta 3240  
 tctgcgctct gctgaagcca gttaccttcg gaaaaagagt tggtagctct tgatccggca 3300  
 aacaaaccac cgctggtagc ggtggttttt ttgtttgcaa gcagcagatt acgcgcagaa 3360  
 aaaaaggatc tcaagaagat cctttgatct tttctacggg gtctgacgct cagtggaacg 3420  
 aaaactcacg ttaagggatt ttggtcatga gattatcaaa aaggatcttc acctagatcc 3480  
 ttttaaatta aaaatgaagt tttaaataca tctaaagtat atatgagtaa acttggtctg 3540  
 acagttacca atgcttaatc agtgaggcac ctatctcagc gatctgtcta tttcgttcat 3600  
 ccâtagttgc ctgactcccc gtcgtgtaga taactacgat acgggagggc ttaccatctg 3660  
 gcccagtgcc tgcaatgata ccgcgagacc cacgctcacc ggctccagat ttatcagcaa 3720  
 taaaccagcc agccggaagg gccgagcgca gaagtggccc tgcaacttta tccgcctcca 3780  
 tccagtctat taattgttgc cgggaagcta gagtaagtag ttcgccagtt aatagtttgc 3840  
 gcaacgttgt tgccattgct acaggcatcg tgggtgcacg ctgcgctttt ggtatggctt 3900

-68-

```

cattcagctc cggttcccaa cgatcaaggc gagttacatg atcccccatg ttgtgcaaaa 3960
aagcgggttag ctcttcggt cctccgatcg ttgtcagaag taagttggcc gcagtgttat 4020
cactcatggt tatggcagca ctgcataatt ctcttactgt catgccatcc gtaagatgct 4080
tttctgtgac tggtagtac tcaaccaagt cattctgaga atagtgtatg cggcgaccga 4140
gttgctcttg cccggcgta atacgggata ataccgcgcc acatagcaga actttaaaaag 4200
tgctcatcat tggaaaacgt tcttcggggc gaaaactctc aaggatctta ccgctgttga 4260
gatccagttc gatgtaaccc actcgtgcac ccaactgatc ttcagcatct tttactttca 4320
ccagcgtttc tgggtgagca aaaacaggaa ggcaaaatgc cgcaaaaaag ggaataaggg 4380
cgacacggaa atgttgaata ctcatactct tcttttttca atattattga agcatttatc 4440
agggttattg tctcatgagc ggatacatat ttgaatgtat ttagaaaaat aaacaaatag 4500
gggttccgcg cacatttccc cgaaaagtgc cacctgacgc gccctgtagc ggcgcattaa 4560
gcgcggcggg tgtggtggtt acgcgcagcg tgaccgctac acttgccagc gccctagcgc 4620
ccgctccttt cgctttcttc ccttcctttc tgcacacgtt cgccggcttt ccccgtaag 4680
ctctaaatcg ggggtccct ttagggttcc gatttagtgc tttacggcac ctcgacccca 4740
aaaaacttga ttaggggtgat gggtcacgta gtgggccatc gccctgatag acggtttttc 4800
gccctttgac gttggagtcc acgttcttta atagtggact cttgttccaa actggaacaa 4860
cactcaaccc tatctcggtc tattcttttg atttataagg gattttgccg atttcggcct 4920
attggttaaa aaatgagctg atttaacaaa aatttaacgc gaattttaac aaaatattaa 4980
cgtttacaat ttcccattcg ccattcaggc tgcgcaactg ttgggaaggg cgatcgggtc 5040
gggcctcttc gctattacgc cagcccaagc taccatgata agtaagtaat attaaggtag 5100
gggaggtact tggagcggcc gcaataaaat atctttattt tcattacatc tgtgtgttgg 5160
ttttttgtgt gaatcgatag tactaacata cgctctccat caaaacaaaa cgaaacaaaa 5220
caactagca aaataggctg tccccagtgc aagtgcaggc gccagaacat ttctctatcg 5280
ata
5283

```

&lt;210&gt; 59

&lt;211&gt; 5188

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence:

pGHRH1-44YWTCMV construct

&lt;400&gt; 59

```

gctgtgcctt ctagttgcca gccatctgtt gtttgccct ccccggtgcc ttccttgacc 60
ctggaagggt ccaactccac tgcctttcc taataaaatg aggaaattgc atcgcatgtt 120
ctgagtaggt gtcattctat tctggggggt ggggtggggc aggacagcaa gggggaggat 180
tgggaagaca atagcaggca tgctggggat gcggtgggct ctatgggtac ccagggtgctg 240
aagaattgac ccggttcctc ctggggccaga aagaagcagg cacatccct tctctgtgac 300
acaccctgtc cacgcccctg gttcttagtt ccagccccac tcataggaca ctcatagctc 360
aggagggctc cgccttcaat cccaccgct aaagtacttg gagcgggtctc tccctccctc 420
atcagcccac caaaccaaac ctagcctcca agagtgggaa gaaattaaag caagataggc 480
tattaagtgc agagggagag aaaatgcctc caacatgtga ggaagtaatg agagaaatca 540
tagaatttct tccgcttctt cgctcactga ctgctgcgc tcggctcgtt ggctgcggcg 600
agcggtatca gctcactcaa aggcggtaat acggttatcc acagaatcag gggataacgc 660
aggaaagaac atgtgagcaa aaggccagca aaaggccagg aaccgtaaaa aggccgcgtt 720

```

-69-

```

gctggcggttt ttccataggc tccgcccccc tgacgagcat cacaaaaatc gacgctcaag 780
tcagaggtgg cgaaaccoga caggactata aagataccag gcgtttcccc ctggaagctc 840
cctcgtgcgc tctcctgttc cgaccctgcc gcttaccgga tacctgtccg cctttctccc 900
ttcgggaagc gtggcgcttt ctcatagctc acgctgtagg tatctcagtt cgggtgtaggt 960
cgttcgctcc aagctgggct gtgtgcacga acccccctt cagcccgacc gctgcgcctt 1020
atccggtaac tatcgtcttg agtccaaccc ggtaagacac gacttatcgc cactggcagc 1080
agccactggt aacaggatta gcagagcgag gtatgtaggc ggtgctacag agttcttgaa 1140
gtggtggcct aactacggct acactagaag aacagtatct ggatatctgc ctctgctgaa 1200
gccagttacc ttcggaaaaa gagttggtag ctcttgatcc ggcaaacaaa ccaccgctgg 1260
tagcgggtgg ttttttggtt gcaagcagca gattacgcgc agaaaaaaag gatctcaaga 1320
agatcctttg atcttttcta cggggtctga cgctcagtg aacgaaaact cacgttaagg 1380
gattttggtc atgagattat caaaaaggat cttcacctag atccttttaa attaaaaatg 1440
aagttttaaa tcaatctaaa gtatatatga gtaaacttgg tctgacagtt accaatgctt 1500
aatcagtgag gcacctatct cagcgatctg tctatttcgt tcatccatag ttgcctgact 1560
cggggggggg gggcgctgag gtctgcctcg tgaagaagg gttgctgact cataccaggc 1620
ctgaatcgcc ccatcatcca gccagaaagt gagggagcca cggttgatga gagctttggt 1680
gtaggtggac cagttggtga ttttgaactt ttgctttgcc acggaacggc ctgcgttgct 1740
gggaagatgc gtgatctgat ctttcaactc agcaaaagtt cgatttatc aacaaagccg 1800
ccgtcccgtc aagtcagcgt aatgctctgc cagtgttaca accaatata caattctgat 1860
tagaaaaact catcgagcat caaatgaaac tgcaatttat tcatatcagg attatcaata 1920
ccatattttt gaaaaagccg tttctgtaat gaaggagaaa actcaccgag gcagttccat 1980
aggatggcaa gatcctggta tcggtctgcg attccgactc gtccaacatc aatacaacct 2040
attaatttcc cctcgtcaaa aataagggtt tcaagtgaga aatcaccatg agtgacgact 2100
gaatccggtg agaatggcaa aagcttatgc atttctttcc agacttggtc aacaggccag 2160
ccattacgct cgtcatcaaa atcactcgca tcaaccaaac cgttattcat tcgtgattgc 2220
gcctgagcga gacgaaatac gcgatcgctg ttaaaaggac aattacaaac aggaatcgaa 2280
tgcaaccggc gcaggaacac tgccagcgca tcaacaatat tttcacctga atcaggatat 2340
tcttctaata cctggaatgc tgttttcccg gggatcgagc tggtagagta ccatgcatca 2400
tcaggagtac ggataaaatg cttgatggtc ggaagaggca taaattccgt cagccagttt 2460
agtctgacca tctcatctgt aacatcattg gcaacgctac ctttgccatg tttcagaaac 2520
aactctggcg catcgggctt cccatacaat cgatagattg tcgcacctga ttgcccagca 2580
ttatcgcgag cccatttata cccatataaa tcagcatcca tgttggaatt taatcgcggc 2640
ctcgagcaag acgtttcccg ttgaatatgg ctcataacac cccttgattt actgtttatg 2700
taagcagaca gttttattgt tcatgatgat atatttttat cttgtgcaat gtaacatcag 2760
agattttgag acacaacgtg gctttccccc cccccccatt attgaagcat ttatcagggt 2820
tattgtctca tgagcggata catatttgaa tgtatttaga aaaataaaca aataggggtt 2880
ccgcgcacat ttccccgaaa agtgccacct gacgtctaag aaaccattat tatcatgaca 2940
ttaacctata aaaataggcg tatcacgagg ccctttcgtc ctgcgcgctt tcggtgatga 3000
cggtgaaaac ctctgacaca tgcagctccc ggagacggtc acagcttgct tgtaagcgga 3060
tgccgggagc agacaagccc gtcagggcgc gtcagcgggt gttggcgggt gtcggggctg 3120
gcttaactat gcggcatcag agcagattgt actgagagtg caccatatgc ggtgtgaaat 3180
accgcacaga tgcgtaagga gaaaataccg catcagattg gctattggcc attgcatacg 3240
ttgtatccat atcataatat gtacatttat attggctcat gtccaacatt accgccatgt 3300
tgacattgat tattgactag ttattaatag taatcaatta cggggtcatt agttcatagc 3360
ccatatatgg agttccgcgt tacataactt acggtaaatg gccgcctgg ctgaccgccc 3420
aacgaccccc gccattgac gtcaataatg acgtatgttc ccatagtaac gccaataggg 3480
actttccatt gacgtcaatg ggtggagtat ttacggtaaa ctgcccactt ggcagtacat 3540
caagtgtatc atatgccaag tacgccccct attgacgtca atgacggtaa atggcccgc 3600

```

-70-

```

tggcattatg cccagtacat gaccttatgg gactttccta cttggcagta catctacgta 3660
ttagtcacgc ctattacccat ggtgatgcgg ttttggcagt acatcaatgg gcgtggatag 3720
cggtttgact cacgggggatt tccaagtctc caccgccattg acgtcaatgg gagtttgttt 3780
tggcaccaaaa atcaacggga ctttccaaaa tgtcgtaaca actccgcccc attgacgcaa 3840
atgggcggta ggcgtgtacg gtgggaggtc tatataagca gagctcgttt agtgaaccgt 3900
cagatcgctt ggagacgcca tccacgctgt tttgacctcc atagaagaca ccgggaccga 3960
tccagcctcc gcggccggga acggtgcatt ggaacgcgga ttccccgtgc caagagtgc 4020
gtaagtaccg cctatagact ctataggcac acccctttgg ctcttatgca tgctatactg 4080
tttttggctt ggggcctata ccccccgct tccttatgct atagggtgatg gtatagctta 4140
gcctatagggt gtgggttatt gaccattatt gaccactccc ctattgggtga cgatactttc 4200
cattactaat ccataacatg gctctttgcc acaactatct ctattggcta tatgccaata 4260
ctctgtcctt cagagactga cacggactct gtatttttac aggatggggg cccattttatt 4320
atttaciaaat tcacatatac aacaacgccg tcccccgctgc ccgcagtttt tattaacat 4380
agcgtgggat ctccacgcga atctcgggta cgtgttccgg acatgggctc ttctccggta 4440
gcggcggagc ttccacatcc gagccctggg cccatgcctc cagcggctca tggtcgctcg 4500
gcagctcctt gctcctaaca gtggaggcca gacttaggca cagcacaatg cccaccacca 4560
ccagtgtgcc gcacaaggcc gtggcggtag ggtatgtgtc tgaaaatgag cgtggagatt 4620
gggctcgcac ggctgacgca gatggaagac ttaaggcagc ggcagaagaa gatgcaggca 4680
gctgagttgt tgtattctga taagagtcag aggtaactcc cgttgccggg ctgttaacgg 4740
tggagggcag ttagtctga gcagtactcg ttgctgccgc gcgcgccacc agacataata 4800
gctgacagac taacagactg ttcctttcca tgggtctttt ctgcagtcac cgtcgtcgac 4860
acgtgtgatc agatatcgcg gccgctctag accaggcgcc tggatccgcc accatgccac 4920
tctgggtgtt cttctttgtg atcctcacc tcagcaacag ctcccactgc tccccacctc 4980
cccctttgac cctcaggatg cggcgggtatt atgcagatgc catcttcacc aacagctacc 5040
ggaagggtgct gggccagctg tccgcccga agctgctcca ggacatcatg agcaggcagc 5100
agggagagag aaaccaagag caaggagcaa ggggtgcggct ttgaagatct tagtagtagt 5160
aggcggccgc tctagaggat ccagatct 5188

```

&lt;210&gt; 60

&lt;211&gt; 5254

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence:

pGHRH1-44WTGHpep construct

&lt;400&gt; 60

```

gctgtgcctt ctagttgcc a gccatctgtt gtttgcccct cccccgtgcc ttccttgacc 60
ctggaagggtg ccactcccac tgtcctttcc taataaaatg aggaaattgc atcgcatgt 120
ctgagtaggt gtcattctat tctggggggg ggggtggggc aggacagcaa gggggaggat 180
tggaagaca atagcaggca tgctggggat gcggtgggct ctatgggtac ccaggtgctg 240
aagaattgac ccggttcctc ctgggccaga aagaagcagg cacatcccct tctctgtgac 300
acaccctgtc cacgcccctg gttcttaggt ccagccccac tcataggaca ctcatagctc 360
aggagggtc cgccttcaat cccacccgct aaagtacttg gagcgggtctc tccctccctc 420
atcagcccac caaaccaaac ctagcctcca agagtgggaa gaaattaaag caagatagga 480
tattaagtgc agaggagag aaaatgcctc caacatgtga ggaagtaatg agagaaatca 540

```

-71-

tagaatttct tccgcttcct cgctcactga ctcgctgcgc tcggtcggtc ggctgcggcg 600  
 agcggtatca gctcactcaa aggcggtaat acggttatcc acagaatcag gggataacgc 660  
 aggaaagaac atgtgagcaa aaggccagca aaaggccagg aaccgtaaaa aggccgcggt 720  
 gctggcggtt ttccatagge tccgcccccc tgacgagcat cacaaaaatc gacgctcaag 780  
 tcagagggtg cgaaaccoga caggactata aagataccag gcgtttcccc ctggaagctc 840  
 cctcgctgcgc tctcctgttc cgaccctgcc gcttaccgga tacctgtccg cttttctccc 900  
 ttcggaagc gtggcgcttt ctcatagctc acgctgtagg tatctcagtt cgggtgtaggt 960  
 cgttcgctcc aagctgggct gtgtgcacga accccccggt cagccccgacc gctgcgcctt 1020  
 atccggtaac tatcgtcttg agtccaaccc ggtaagacac gacttatcgc cactggcagc 1080  
 agccactggt aacaggatta gcagagcgag gtatgtaggc ggtgctacag agttcttgaa 1140  
 gtgggtggcct aactacggct acactagaag aacagtatth ggtatctgcg ctctgctgaa 1200  
 gccagttacc ttcggaaaaa gagttggtag ctcttgatcc ggcaaaaaa ccaccgctgg 1260  
 tagcgggtgt ttttttgttt gcaagcagca gattacgcgc agaaaaaaag gatctcaaga 1320  
 agatcctttg atcttttcta cggggtctga cgctcagtg aacgaaaact cacgttaagg 1380  
 gatttttggtc atgagattat caaaaaggat cttcacctag atccttttaa attaaaaatg 1440  
 aagtttttaa tcaatctaaa gtatatatga gtaaaacttg tctgacagtt accaatgctt 1500  
 aatcagtgag gcacctatct cagcgatctg tctatttcgt tcatccatag ttgcctgact 1560  
 cggggggggg gggcgctgag gtctgcctcg tgaagaaggt gttgctgact cataccaggc 1620  
 ctgaatcgcc ccatcatcca gccagaaagt gagggagcca cggttgatga gagctttggt 1680  
 gtaggtggac cagttggtga ttttgaactt ttgctttgcc acggaacggt ctgcgttgct 1740  
 gggaagatgc gtgatctgat ccttcaactc agcaaaagtt cgattttatt aacaaagccg 1800  
 ccgtcccgtc aagtcagcgt aatgctctgc cagtgttaca accaattaac caattctgat 1860  
 tagaaaaact catcgagcat caaatgaaac tgcaatttat tcatatcagg attatcaata 1920  
 ccatattttt gaaaaagccg tttctgtaat gaaggagaaa actcacgag gcagttccat 1980  
 aggatggcaa gatcctggta tcggtctgcg attccgactc gtccaacatc aatacaacct 2040  
 attaatttcc cctcgtcaaa aataaggtta tcaagtgaga aatcaccatg agtgacgact 2100  
 gaatccggtg agaatggcaa aagcttatgc atttctttcc agacttggtc aacaggccag 2160  
 ccattacgct cgtcatcaaa atcactcgca tcaaccaaac cgttattcat tcgtgattgc 2220  
 gcctgagcga gacgaaatac gcgatcgctg ttaaaaggac aattacaaac aggaatcgaa 2280  
 tgcaaccggc gcaggaacac tgccagcgca tcaacaatat tttcacctga atcaggatat 2340  
 tcttctaata cctggaatgc tggtttcccg gggatcgag tggtgagtaa ccatgcatca 2400  
 tcaggagtac ggataaaatg cttgatggct ggaagaggca taaattccgt cagccagttt 2460  
 agtctgacca tctcatctgt aacatcattg gcaacgctac ctttgccatg tttcagaaac 2520  
 aactctggcg catcgggctt cccatacaat cgatagattg tcgcacctga ttgcccgcga 2580  
 ttatcgcgag cccatttata cccatataaa tcagcatcca tgttggaatt taatcgcggc 2640  
 ctcgagcaag acgtttcccg ttgaatatgg ctcataacac cccttgattt actgtttatg 2700  
 taagcagaca gttttattgt tcatgatgat atatttttat cttgtgcaat gtaacatcag 2760  
 agattttgag acacaacgtg gctttccccc cccccatt attgaagcat ttatcagggt 2820  
 tattgtctca tgagcggata catatttgaa tgtattttaga aaaataaaca aataggggtt 2880  
 cgcgcacat ttccccgaaa agtgccacct gacgtctaag aaaccattat tatcatgaca 2940  
 ttaacctata aaaataggcg tatcacgagg ccctttcgtc ctgcgcggtt tcggtgatga 3000  
 cggtgaaaac ctctgacaca tgcagctccc ggagacggct acagcttgct tgtaagcgga 3060  
 tgccggggagc agacaagccc gtcagggcgc gtcagcgggt gttggcgggt gtcggggctg 3120  
 gcttaactat gcggcatcag agcagattgt actgagagtg caccatatgc ggtgtgaaat 3180  
 accgcacaga tgcgtaagga gaaaataccg catcagattg gctattggcc attgcatacg 3240  
 ttgtatccat atcataatat gtacatttat attggctcat gtccaacatt accgccatgt 3300  
 tgacattgat tattgactag ttattaatag taatcaatta cggggtcatt agttcatagc 3360  
 ccatatatgg agttccgcgt tacataactt acggtaaagt gcccgctgg ctgaccgccc 3420

-72-

```

aacgaccccc gccattgac gtcaataatg acgtatgttc ccatagtaac gccaataggg 3480
actttccatt gacgtcaatg ggtggagtat ttacggtaaa ctgcccactt ggcagtacat 3540
caagtgtatc atatgccaag tacgccccct attgacgtca atgacggtaa atggcccgcc 3600
tggcattatg ccagtacat gaccttatgg gactttccta cttggcagta catctacgta 3660
ttagtcacgc ctattacat ggtgatgcgg ttttggcagt acatcaatgg gcgtggatag 3720
cggtttgact cacggggatt tccaagtctc cacccttatt acgtcaatgg gagtttggtt 3780
tggcaccaaa atcaacggga ctttccaaaa tgctgtaaca actccgcccc attgacgcaa 3840
atgggcggtg ggcgtgtacg gtgggaggtc tatataagca gagctcgttt agtgaaccgt 3900
cagatcgctt ggagacgcca tccacgtctg tttgacctcc atagaagaca ccgggaccga 3960
tccagcctcc gcggccggga acggtgcatt ggaacgcgga ttccccgtgc caagagtgc 4020
gtaagtaccg cctatagact ctataggcac acccctttgg ctcttatgca tgctatactg 4080
tttttggtt ggggcctata caccctcgct tccttatgct ataggtgatg gtatagctta 4140
gcctataggt gtgggttatt gaccattatt gaccactccc ctattgggtg cgatactttc 4200
cattactaat ccataacatg gctctttgcc acaactatct ctattggcta tatgccaata 4260
ctctgtcctt cagagactga cacggactct gtatttttac aggatggggg cccattttatt 4320
atttacaat tcacatatac aacaacgcgc tccccgtgc ccgcagtttt tattaaacat 4380
agcgtgggat ctccacgcga atctcgggta cgtgttcgcg acatgggctc ttctccggta 4440
gcggcggagc ttccacatcc gagccctggt cccatgcctc cagcggctca tggctgcctc 4500
gcagctcctt gctcctaaca gtggaggcca gacttaggca cagcacaatg cccaccacca 4560
ccagtgtgcc gcacaaggcc gtggcggtag ggtatgtgtc tgaaaatgag cgtggagatt 4620
gggctcgcac ggctgacgca gatggaagac ttaaggcagc ggcagaagaa gatgcaggca 4680
gctgagttgt tgtattctga taagagtcag aggtactcc cgttgcggtg ctgttaacgg 4740
tggagggcag ttagtctga gcagtactcg ttgctgccgc gcgcgccacc agacataata 4800
gctgacagac taacagactg ttcctttcca tgggtctttt ctgcagtcac cgtcgtcgac 4860
acgtgtgatc agatatcgcg gccgctctag accaggcgcc tggatccgcc accatgccac 4920
tctgggtggt cttctttgtg atcctcacc tcagcaacag ctcccactgc tccccacctc 4980
cccctttgac cctcaggatg cggcgggtatt atgcagatgc catcttcacc aacagctacc 5040
ggaagggtgct gggccagctg tccgcccgcg agctgctcca ggacatcatg agcaggcagc 5100
agggagagag aaaccaagag caaggagcaa ggggtgcggct tgggcggaaa gtagaaacgt 5160
ttctgcgtat tgtacagtgt cgtagcgtag aaggagctg tgggttttga agatcttagt 5220
agtagtaggc ggccgctcta gaggatccag atct 5254

```

&lt;210&gt; 61

&lt;211&gt; 39

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 61

agatctgcc ccatgccact ctgggtgttc ttctttgtg

39

&lt;210&gt; 62

&lt;211&gt; 36

&lt;212&gt; DNA

-73-

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 62

ggatccaagc cgcacccttg ctccttgctc ttggtt

36

&lt;210&gt; 63

&lt;211&gt; 492

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 63

```

bbttttttst ggatccaagg ccgagacgta cctgcggggtc atgaagtgtc gccgcttcgt 60
ggaaagcagc tgtgccttcc cnrmamhada taragrahnt anttacrgad vsnasysdat 120
aatntndtgt msnwrmansy mbaracrrnw hrbrbybgga tccaaggccg agacgtacct 180
gcgggtcatg aagtgtcgcc gcttcgtgga aagcagcrga dvsnrgadv nhhcggatcc 240
aaggccgaga cgtacctgcg ggcatgaag tgtcgccgct tcgtggaaag cagcgatrga 300
dvsnccgarg advsnccmcr stwrdssydh rnccggatcc aaggccgaga cgtacctgcg 360
ggcatgaag tgtcgccgct tcgtggaaag cagcttdgda nbcdcdcrtn trybsstabw 420
rddcmntsmm arynrmatnd cmntsmmary nrmatncmbb ctssmcrstw rddcmntmsw 480
rddcwrddcm nt 492

```

&lt;210&gt; 64

&lt;211&gt; 69

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence: Primer

&lt;400&gt; 64

```

ggatccgaag gcacagctgc tttccacgaa gcggcgacac ttcatgaccc gcaggtagct 60
ctcggcctt 69

```

&lt;210&gt; 65

&lt;211&gt; 102

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

-74-

<223> Description of Artificial Sequence: Primer

<400> 65

agatcttcaa agccgcaccc ttgctccttg ctcttggttt ctctctccct gctgcctgct 60  
catgatgtcc tggagcagct tgcgggcgga cagctggccc ag 102

<210> 66

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer

<400> 66

ccgcggcatc ctgagggtca a 21

<210> 67

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer

<400> 67

tatgcagatg ccatcttcaa c 21

-75-

CLAIMS

1. A method for the treating growth hormone related disorders characterized by growth hormone deficiencies in an animal, comprising supplying the animal with a polynucleotide sequence that encodes growth hormone releasing hormone or modified growth hormone releasing hormone.
2. A method for improving the growth and performance of an animal, comprising supplying the animal with a polynucleotide sequence that encodes growth hormone releasing hormone or modified growth hormone releasing hormone.
3. The method of Claim 1 or 2 wherein a polynucleotide sequence encoding growth hormone releasing hormone or modified growth hormone releasing hormone is contained in pharmaceutically acceptable carrier and is administered to an animal.
4. The method of Claim 3 in which the carrier is a DNA vector, a viral vector, a liposome or lipofectin.
5. The method of Claim 4 in which the DNA vector is an expression vector.
6. The expression vector of Claim 5 containing a polynucleotide sequence of growth hormone releasing hormone or modified growth hormone releasing hormone in operative association with a nucleotide regulatory sequence that controls expression of the polynucleotide.
7. The expression vector of Claim 6, wherein said regulatory element is selected from the group consisting of the cytomegalovirus hCMV immediate early gene, the early or late promoters of SV40 adenovirus, and the swine alpha-skeletal actin promoter.

-76-

8. The method of Claim 2 in which the animal is a cat, dog, cow, pig, horse or chicken.
9. A method for the treating growth hormone related disorders characterized by growth hormone deficiencies in an animal, comprising supplying the animal with a polynucleotide sequence that encodes growth hormone or modified growth hormone.
10. A method for improving the growth and performance of an animal, comprising supplying the animal with a polynucleotide sequence that encodes growth hormone or modified growth hormone.
11. The method of Claim 9 or 10 wherein a polynucleotide sequence encoding growth hormone or modified growth hormone is contained in pharmaceutically acceptable carrier and is administered to an animal.
12. The method of Claim 11 in which the carrier is a DNA vector, a viral vector, a liposome or lipofectin.
13. The method of Claim 12 in which the DNA vector is an expression vector.
14. The expression vector of Claim 13 containing a polynucleotide sequence of growth hormone or modified growth hormone in operative association with a nucleotide regulatory sequence that controls expression of the polynucleotide.
15. The expression vector of Claim 14, wherein said regulatory element is selected from the group consisting of the cytomegalovirus hCMV immediate early gene, the early or late promoters of SV40 adenovirus, and the swine alpha-skeletal actin promoter.
16. The method of Claim 15 in which the animal is a dog, cat, cow, pig, horse or chicken.

-77-

17. A growth hormone releasing hormone (GHRH) variant comprising the addition of one amino acid to the amino terminus of a 29 amino acid amino terminal fragment of GHRH, in a pharmaceutical formulation suitable for delivery to a human or livestock.
18. The growth hormone releasing hormone of Claim 17 wherein the amino acid is a hydrophobic residue or tyrosine.
19. A growth hormone releasing hormone variant comprising the addition of two or three amino acids to the amino terminus, of a 29 amino acid amino terminal framgnt of GHRH wherein the second amino acid is not proline or alanine in a pharmaceutical formulation suitable for delivery to a human or livestock.
20. A growth hormone releasing hormone variant of Claim 19 comprising the addition of more than three amino acids to the amino terminus of a 29 amino acid amino terminal fragment of GHRH, wherein the addition does not interfere with the functional activity of growth hormone releasing hormone.
21. The growth hormone releasing hormone variant of Claim 17, 19 or 20, further comprising a substitution of glycine with alanine at residue 15.
22. The growth hormone releasing hormone variant of Claim 17, 19 or 20, further comprising a substitution of leucine with alanine at residue 22.
23. The growth hormone releasing hormone variant of Claim 17, 19 or 20, further comprising substitutions of glycine with alanine at residue 15 and leucine with alanine at residue 22.
24. The growth hormone releasing hormone variant of Claim 17, 19, or 20, further comprising the addition of glycine and arginine at the carboxy-terminus.

-78-

25. The growth hormone releasing hormone variant of Claim 18, 19 or 20 in which the amino acids are naturally occurring.

26. A polynucleotide sequence encoding the growth hormone releasing hormone variant of Claim 17, 19 or 20.

27. A nucleotide vector containing the polynucleotide sequence of Claim 26.

28. An expression vector containing the polynucleotide sequence of Claim 26 in operative association with a nucleotide regulatory sequence that controls expression of the polynucleotide sequence in a host cell.

29. The expression vector of Claim 28, wherein said regulatory element is selected from the group consisting of the cytomegalovirus hCMV immediate early gene, the early or late promoters of SV40 adenovirus, and the swine alpha-skeletal actin promoter.

30. A genetically engineered host cell that contains the polynucleotide sequence of Claim 26.

31. A genetically engineered host cell that contains the polynucleotide sequence of Claim 26 in operative association with a nucleotide regulatory sequence that controls expression of the polynucleotide sequence in the host cell.

32. A method for the treating growth hormone related disorders characterized by growth hormone deficiencies in an animal, comprising supplying the animal with a polynucleotide sequence that encodes the growth hormone releasing hormone variant of Claim 17, 19 or 20.

33. A method for improving the growth and performance of an animal, comprising supplying the animal with a polynucleotide sequence that encodes the growth hormone releasing hormone variant of Claim 17, 19 or 20.

-79-

34. A purified polypeptide of the growth hormone releasing hormone variant of Claim 17, 19 or 20.
35. A method for the treating growth hormone related disorders characterized by growth hormone deficiencies in an animal, comprising supplying the animal with an effective amount of a polypeptide of Claim 34.
36. A method for improving the growth and performance of an animal, comprising supplying the animal with an effective amount of a polypeptide of Claim 34.
37. A pharmaceutical composition for promoting the expression and elevation of growth hormone in an animal, comprising administering to said animal an effective amount of the growth hormone releasing hormone variant of Claim 17, 19 or 20.
38. A pharmaceutical composition for the treatment of growth hormone related disorders characterized by growth hormone deficiencies in an animal, comprising administering to said animal an effective amount of the growth hormone releasing hormone variant of Claim 17, 19 or 20.
39. A pharmaceutical composition for the improvement of growth and performance of an animal, comprising administering to said animal an effective amount of a growth hormone releasing hormone variant of Claim 17, 19 or 20.

(SHEET 1 OF 5)




FIGURE 1

(SHEET 2 OF 5)




FIGURE 2

(SHEET 3 OF 5)




FIGURE 3

(SHEET 4 OF 5)




FIGURE 4

(SHEET 5 OF 5)




FIGURE 5