



US00D770558S

(12) **United States Design Patent** (10) **Patent No.:** **US D770,558 S**
Ghodousi et al. (45) **Date of Patent:** **** Nov. 1, 2016**

(54) **SONAR GLASSES**

(71) Applicant: **Ghodousi, LLC**, Alexandria, VA (US)

(72) Inventors: **Arman Ghodousi**, Alexandria, VA
(US); **Jack Kotowicz**, Washington, DC
(US)

(73) Assignee: **Ghodousi, LLC**, Alexandria, VA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/532,036**

(22) Filed: **Jul. 1, 2015**

(51) **LOC (10) Cl.** **16-06**

(52) **U.S. Cl.**
USPC **D16/309**

(58) **Field of Classification Search**

USPC D16/101, 300–342, 900; D29/109–110;
D21/483, 659–661; D14/372; 351/41,
351/44, 45–48, 51–52, 62, 158, 92,
351/103–123, 140–153, 63, 59; 2/13, 15,
2/426–432, 447–449, 441, 434–437
CPC G02C 2200/08; G02C 1/06; G02C 5/14;
G02C 11/02; G02C 11/04; G02C 5/16;
G02C 2200/22; G02C 5/146; G02C 5/2254;
G02C 5/008; G01C 5/16; A61M 2021/0044;
A63B 33/002

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D177,229 S * 3/1956 Grace D16/301
D372,928 S * 8/1996 Brune D16/311
5,724,313 A 3/1998 Burgess et al.
5,818,381 A 10/1998 Williams
6,011,754 A 1/2000 Burgess et al.
D428,620 S * 7/2000 Maturaporn 2/12
D461,486 S * 8/2002 Katagiri D16/300
D510,379 S * 10/2005 Lane D16/321
D525,666 S * 7/2006 Yeung D16/312
D535,315 S * 1/2007 Lane D16/319

D565,082 S * 3/2008 McClure D16/309
D598,946 S * 8/2009 Roux D16/315
D634,348 S * 3/2011 Suzuki D16/300
D638,462 S * 5/2011 Bumgardner D16/300
D639,332 S * 6/2011 Basler D16/300
D645,492 S * 9/2011 Zhao D16/309
D646,316 S * 10/2011 Zhao D16/309
D652,860 S * 1/2012 Carlow D16/306

(Continued)

FOREIGN PATENT DOCUMENTS

WO WO 97/01320 1/1997

Primary Examiner — Rosemary K Tarcza

Assistant Examiner — Sanjeev Paul

(74) *Attorney, Agent, or Firm* — Diederiks & Whitelaw,
PLC


(57) **CLAIM**

The ornamental design for sonar glasses, as shown and
described.

DESCRIPTION

FIG. 1 is an upper perspective view of a pair of sonar
eyeglasses constructed according to our new design;
FIG. 2 is a front elevational view of the sonar eyeglasses of
FIG. 1;
FIG. 3 is a rear elevational view of the sonar eyeglasses of
FIG. 1;
FIG. 4 is a left side elevational view of the sonar eyeglasses
of FIG. 1;
FIG. 5 is a right side elevational view of the sonar eyeglasses
of FIG. 1;
FIG. 6 is a bottom plan view of the sonar eyeglasses of FIG.
1; and,
FIG. 7 is a top plan view of the sonar eyeglasses of FIG. 1.
The broken lines in FIGS. 1-7 showing an ON/OFF switch,
a particular lens configuration and a battery compartment
pull are for illustrative purposes only and form no part of the
claimed invention.

1 Claim, 6 Drawing Sheets



US D770,558 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D671,590	S	*	11/2012	Klinar		D16/309	
D672,804	S	*	12/2012	Carlow		D16/325	
D681,092	S	*	4/2013	Sogabe		D16/309	
D681,096	S	*	4/2013	Slosar		D16/321	
D681,097	S	*	4/2013	Slosar		D16/321	
D685,839	S	*	7/2013	Pearson		D16/312	
D688,294	S	*	8/2013	Roy		D16/309	
D688,295	S	*	8/2013	Sheldon		D16/309	
D688,296	S	*	8/2013	Pearson		D16/312	
D700,928	S	*	3/2014	Lavoie		D16/309	
8,803,699	B2		8/2014	Foshee et al.			
D716,364	S	*	10/2014	Chow		D16/300	
D716,365	S	*	10/2014	Yamano		D16/300	
D716,807	S	*	11/2014	Yeom		D14/372	
D725,695	S	*	3/2015	Garfias		D16/313	
D729,307	S	*	5/2015	Noordzij		D16/340	
D733,211	S	*	6/2015	Mehin		D16/315	
D733,791	S	*	7/2015	Yang		D16/315	
D735,795	S	*	8/2015	McGinn		D16/320	
D748,715	S	*	2/2016	Li		D16/309	
D751,552	S	*	3/2016	Osterhout		D14/372	
D752,679	S	*	3/2016	Smith		D16/311	
D755,883	S	*	5/2016	Yang		D16/315	
D757,007	S	*	5/2016	Cazalet		D14/372	
D757,154	S	*	5/2016	Muftic		D16/300	
D757,155	S	*	5/2016	Noordzij		D16/310	
2012/0062357	A1		3/2012	Slamka			
2015/0248024	A1	*	9/2015	Chen		G02C 11/04	351/158

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7