

United States Patent [19]

Talonn et al.

[11] Patent Number: Des. 313,470

[45] Date of Patent: ** Jan. 1, 1991

- [54] SAFETY SYRINGE
- [75] Inventors: Daniel A. Talonn, University City;
Alan B. Ranford, Creve Coeur, both
of Mo.
- [73] Assignee: Sherwood Medical Company, St.
Louis, Mo.
- [**] Term: 14 Years
- [21] Appl. No.: 422,374
- [22] Filed: Oct. 16, 1989

Related U.S. Application Data

- [63] Continuation-in-part of Ser. No. 364,939, Jun. 9, 1989,
which is a continuation-in-part of Ser. No. 212,528,
Jun. 28, 1988.
- [52] U.S. Cl. D24/24
- [58] Field of Search D24/24, 25, 14;
604/192-199, 187, 263

References Cited

U.S. PATENT DOCUMENTS

2,571,653	10/1951	Bastien	128/218
3,253,592	5/1966	Pechmann	D24/24 X
4,356,822	11/1982	Winstead-Hall	128/215
4,425,120	1/1984	Sampson et al.	604/198
4,573,976	3/1986	Sampson et al.	604/198
4,631,057	12/1986	Mitchell	604/198
4,655,751	4/1987	Harbaugh	604/198
4,666,435	5/1987	Braginetz	604/198
4,681,567	7/1987	Masters et al.	604/198
4,693,708	9/1987	Wanderer et al.	604/198

4,723,943	2/1988	Spencer	604/198
4,737,144	4/1988	Choksi	604/198
4,737,149	4/1988	Gillilan	D24/25 X
4,743,233	5/1988	Schneider	604/192
4,747,837	5/1988	Hauck	604/198
4,842,587	6/1989	Poncy	604/198
4,874,383	10/1989	McNaughton	604/198

Primary Examiner—A. Hugo Word
Assistant Examiner—Stella M. Reid
Attorney, Agent, or Firm—Andrew J. Beck;
Montgomery W. Smith; Richard D. Allison

[57] CLAIM

The ornamental design for a safety syringe, as shown
and described.

DESCRIPTION

FIG. 1 is a perspective view of a safety syringe, showing our new design, with the shield portion in the retracted position;

FIG. 2 is a side elevational view thereof;

FIG. 3 is an end elevational view thereof, taken from the left of FIG. 2;


FIG. 4 is a side elevational view thereof, with the needle sheath removed;

FIG. 5 is an end elevational view thereof, taken from the left of FIG. 4;

FIG. 6 is a side elevational view thereof, with the shield in the extended position;

FIG. 7 is a perspective view thereof, with the shield in the extended position; and

FIG. 8 is an end elevational view thereof, taken from the right of FIG. 2.









Fig. 2.

Fig. 3.






Fig. 4.




Fig. 5.




Fig. 7.




Fig. 6.