

US00D337116S

United States Patent [19]

Hattori

D. 299,337

D. 299,643

D. 306,725

D. 318,053

D. 327,265

2,586,644

4,039,765 8/1977

2/1952

Patent Number: Des. 337,116 [11] [45] Date of Patent: ** Jul. 6, 1993

[54]	COMBINED HEADPHONE AND MICROPHONE			
[75]	Inventor:	Naofumi Hattori, Tokyo, Japan		
[73]	Assignee:	Sony Corporation, Tokyo, Japan		
[**]	Term:	14 Years		
[21]	Appl. No.:	815,369		
[22]	Filed:	Dec. 31, 1991		
[30]	Foreign Application Priority Data			
		P] Japan 3-24605		
[52]	U.S. Cl	D14/206		
[58]	Field of Sea	arch D14/204-206,		
	D14/22	23; 181/129; 379/430, 444; 381/25, 68,		
		158, 183, 187		
[56]		References Cited		

U.S. PATENT DOCUMENTS

4,654,883 3/1987 Iwata 379/430

1/1989 Wiegel D14/206

1/1989 Kubota D14/223

3/1990 Tanaka D14/206

7/1991 Ludeke et al. D14/206

6/1992 Jasey D14/205

Gilbert D14/206

Tichy et al. 379/430

4,754,484	6/1988	Larkin et al	381/187
5,003,589	3/1991	Chen	381/183

OTHER PUBLICATIONS

Telephony Jan 26, 1987 p. 63 headphone, top. Danavov brochure, Dec. 8, 1982, front cover, headset,

Primary Examiner—Bernard Ansher Assistant Examiner-Sandra Morris Attorney, Agent, or Firm-Lewis H. Eslinger; Jay H. Maioli

CLAIM [57]

The ornamental design for a combined headphone and microphone, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a combined headphone and microphone showing my new design;

FIG. 2 is a right-side elevational view thereof;

FIG. 3 is a left-side elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a perspective view thereof; and,

FIG. 7 is a perspective view thereof, with the microphone in a use position, the broken line showing is for illustrative purposes and forms no part of the claimed design.





FIG. 1



F1G. 4




FIG. 2





FIG. 5



F1G. 7

