



US00D428405S

United States Patent [19]
Obata

[11] **Patent Number: Des. 428,405**
[45] **Date of Patent: ** Jul. 18, 2000**

[54] **VOICE RECORDER**

D. 346,602 5/1994 Robertson D14/299
D. 385,274 10/1997 Shimobayashi D14/165 X
D. 399,843 10/1998 Masamitsu D14/165 X

[75] Inventor: **Shinichi Obata**, Tokyo, Japan

[73] Assignee: **Sony Corporation**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/085,080**

[22] Filed: **Mar. 16, 1998**

[30] **Foreign Application Priority Data**

Sep. 16, 1997 [JP] Japan 9-67873

[51] **LOC (7) Cl.** **14-01**

[52] **U.S. Cl.** **D14/167**

[58] **Field of Search** D14/137, 154,
D14/155, 160-162, 164-165, 167, 168,
188, 192, 195, 197, 299; 455/344, 350,
351

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 317,765 6/1991 Nomizu et al. D14/165
D. 336,344 6/1993 Ellermeier D14/154

OTHER PUBLICATIONS

Catalog "87", p. 122, Sony (Nov. 1997).

Primary Examiner—Nanda Bondade
Attorney, Agent, or Firm—Rader, Fishman & Grauer


[57] **CLAIM**

The ornamental design for a voice recorder, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a voice recorder showing my new design;
FIG. 2 is a reduced top plan view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right side elevational view thereof; and,
FIG. 7 is a rear elevational view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6