
and 111-163 (residues 1-10, 104-110 and 164-166, were not involved in building of this crystal structure since they were not shown in the electron density map); chain B consisted of residues 11-103 and 110-163 (residues 1-10, 104-109, and 164-166, were not involved in building of this crystal structure since they were not shown in the electron density map). In the crystal structure of each monomer, it was observed that the Cys29 and Cys139 formed an intramolecular disulfide bond; the intramolecular disulfide bond from Cys1 and Cys99 was not shown because Cys1 was not involved in building of this crystal structure. Besides, since the density of the side chains were not shown, residues 30-33, 47-49 of chain A and residues 30- 33, 48-50 of chain B were mainly constructed as Ala or Gly. The structures of the two monomers were roughly the same and were linked by non-crystallographic symmetry (from B to A, polar angles Omega, Phi, Kappa were 170.64, 94.56, 118.35, respectively; tx, ty, tz were -1.061, -0.225, 0.155 respectively.). The two monomers were superimposed and compared; apart from the regional flexibility of a few loops on the molecular surface, most of the residues superimposed completely. The distribution of the RMSD of all the C α associated with the amino acid residues are shown in Figure 8c; 127 residues (13-30, 34-44, 53-101, 115-163) had a RMSD of 0.64 Å for all C α . The difference in the local structure might be a result of the comparatively large flexibility of this protein and the differences in the environment where the crystal stacked.

Structure of a single molecule

[0178] Each monomer was made up of six α -helices (A, C, C', D, E, F) and one 310 helix (B), which were connected to each other by the connecting peptides between them; the fold of the monomer structure belonged to the helical cytokines (Fig. 9). The amino-acid residues which corresponded to the six α -helices (A, C, C', D, E, F) were 13-20, 50-68, 70-76, 79-100, 114-133, and 138-160, respectively. Residues 40-43 corresponded to the 310 helix (B). The distribution and organization of these secondary structures are shown clearly in Figure 9. The corresponding relationship between the secondary structures and the amino acid sequence is shown in Figure 10.

Example 11

The three Dimensional Structure of rSIFN-co and IFN- α 2b

[0179] Based on their receptors, IFN can broadly be divided into two types: type I and type II. Type I can further be sub-divided into α , β , ω , etc. IFN- α in turn, contains approximately fifteen different sub-types; the different IFN- α subtypes have sequence homologies of above 80% yet they exhibit diversity in their functions. rSIFN-co is considered to be an unnatural and artificially designed protein. To date, there are only six 3-D structures of type I IFNs (Table 5) and their sequence homology can be seen in the aligned sequences shown in Figure 11.

[0180] From the comparative analysis shown in Table 5 and Figure 11, the crystal structure of IFN- α 2b showed the highest similarity to that of rSIFN-co (Fig. 12). It was found, by comparing their sequences, that rSIFN-co had one more Asp (D) than IFN- α 2b at residue 45; and, by comparing their 3D structures, rSIFN-co differed markedly from IFN- α 2b with respect to the conformation of the AB loop (residues 25-33) and the BC loop (residues 44 -52). The crystal structure of IFN- α 2b had been determined at a resolution of 2.9 Å; however, except for the C α , the coordinates of all other atoms were absent in the Protein Data Bank (PDB code: 1RH2) such that structural comparison between rSIFN-co and IFN- α 2b was carried out only at the C α level. The overall RMSD of all the C α of the two molecules was 1.577Å; but in the AB loop and BC loop, the RMSD was 3.63Å and 2.9 Å, which were 2.5 times and 2 times that of the total average, respectively. Besides, rSIFN-co contained two molecules in the asymmetric unit of its crystal structure while IFN- α 2b had six protein molecules, composed of 3 dimers, in its asymmetric unit. Obviously, the dimeric organization of rSIFN-co was distinctly different from IFN- α 2b (Fig. 13).

Table 5					
The determined structures of IFNs					
Protein name	Source	Method	Resolution (Å)	PDB code	Identify of rSIFN-co
rSIFN-co	Synthesis	X-ray	2.6	This invention	
IFN- α 2b	Human	X-ray	2.9	1RH2 (Only C α)	89%
IFN- α 2a	Human	NMR		1ITF	88%
IFN- γ	Human	X-ray	2.1	1B5L	54%
IFN- β	Human	X-ray	2.2	1AU1	30%
IFN- β	Mouse	X-ray	2.2	1RMI	23%

[0181] It is known that IFN, as a cytokine, first binds with specific receptors on the cell membrane to activate several signal transduction pathways that will generate biological effects in the body, such as antivirus and antitumor effects. rSIFN-co is a type of IFN- α . Since its receptor on the cell membrane is made up of IFNAR1 and IFNAR2, a 3D model of receptor binding with IFN- α was constructed (Fig. 15a). A series of molecular biology experiments were conducted based on this model and the results suggested that IFN- α -like proteins interacted with IFNAR1 and IFNAR2 in a sandwich structure (Fig. 15a), i.e., sides A, B and F interacted with IFNAR2, and the opposite sides C, D, and E interacted with IFNAR1. Meanwhile, site-directed mutagenesis revealed that the AB loop, which interacted with IFNAR2, was the main constituent of the active site of IFN- α -like proteins (Fig. 15). Structural comparison showed that the structure of this important region was distinctly different between rSIFN-co and IFN- α 2b (Fig. 12, Table 6). Structural differences in this important region may trigger different physiological or pharmacological effects as a result of changes in the binding characteristics with receptors.

[0182] Apparently, although the molecular skeleton of rSIFN-co was similar to that of IFN- $\alpha 2b$, they differed markedly in the structure of their active sites. Therefore, judging from the local structure closely related to the pharmacological activities of the molecules, it was found that rSIFN-co was a new type of IFN different from IFN- $\alpha 2b$, and their structural differences had led to distinctly different biological and pharmacological characteristics. Based on the differences in the specific key region of its three dimension structure, rSIFN-co might produce unique physiological and pharmacological effects.

TABLE 6
Root-Mean-Square Deviation (RMSD) of C α between AB Loop and BC Loop of rSIFN-co and IFN- $\alpha 2b$ (unit: Å)

Residue number of AB Loop	RMSD (Å)	Residue number of BC Loop	RMSD (Å)
25	3.291	44	1.164
26	4.779	45	1.383
27	5.090	46	2.735
28	3.588	47	2.709
29	2.567	48	5.018
30	2.437	49	4.140
31	3.526	50	3.809
32	4.820	51	2.970
33	2.756	52	0.881
Average RMSD of AB Loop	3.63	Average RMSD of BC Loop	2.90
RMSD of all C α atoms		1.60	

Table 7

Atomic coordinates of rSIFN-co

```
CRYST1  77.920  77.920 125.935  90.00  90.00 120.00 P 31 2 1
ATOM      1  CB  ASN A 11      -36.673  14.399 -31.951  1.00 79.36      A
```

ATOM	2	CG	ASN	A	11	-37.660	14.647	-33.090	1.00	81.91	A
ATOM	3	OD1	ASN	A	11	-37.274	14.829	-34.245	1.00	85.24	A
ATOM	4	ND2	ASN	A	11	-38.947	14.622	-32.764	1.00	82.54	A
ATOM	5	C	ASN	A	11	-34.980	16.273	-31.802	1.00	76.68	A
ATOM	6	O	ASN	A	11	-34.061	16.507	-31.007	1.00	76.57	A
ATOM	7	N	ASN	A	11	-34.283	13.985	-31.533	1.00	78.32	A
ATOM	8	CA	ASN	A	11	-35.239	14.843	-32.283	1.00	77.86	A
ATOM	9	N	ARG	A	12	-35.760	17.226	-32.307	1.00	74.41	A
ATOM	10	CA	ARG	A	12	-35.635	18.622	-31.899	1.00	69.90	A
ATOM	11	CB	ARG	A	12	-35.404	19.525	-33.115	1.00	72.01	A
ATOM	12	CG	ARG	A	12	-34.052	19.300	-33.792	1.00	77.29	A
ATOM	13	CD	ARG	A	12	-33.757	20.318	-34.894	1.00	79.77	A
ATOM	14	NE	ARG	A	12	-32.967	21.461	-34.430	1.00	83.05	A
ATOM	15	CZ	ARG	A	12	-31.669	21.635	-34.679	1.00	84.53	A
ATOM	16	NH1	ARG	A	12	-30.994	20.740	-35.390	1.00	85.41	A
ATOM	17	NH2	ARG	A	12	-31.049	22.721	-34.235	1.00	84.48	A
ATOM	18	C	ARG	A	12	-36.917	19.021	-31.174	1.00	65.99	A
ATOM	19	O	ARG	A	12	-37.334	20.177	-31.210	1.00	65.41	A
ATOM	20	N	ARG	A	13	-37.530	18.037	-30.521	1.00	61.78	A
ATOM	21	CA	ARG	A	13	-38.757	18.209	-29.750	1.00	58.49	A
ATOM	22	CB	ARG	A	13	-39.049	16.937	-28.963	1.00	61.57	A
ATOM	23	CG	ARG	A	13	-40.120	16.061	-29.535	1.00	66.89	A
ATOM	24	CD	ARG	A	13	-40.996	15.577	-28.414	1.00	69.61	A
ATOM	25	NE	ARG	A	13	-42.336	16.134	-28.518	1.00	72.80	A
ATOM	26	CZ	ARG	A	13	-43.253	16.035	-27.562	1.00	75.39	A
ATOM	27	NH1	ARG	A	13	-42.964	15.403	-26.425	1.00	74.38	A
ATOM	28	NH2	ARG	A	13	-44.462	16.555	-27.748	1.00	76.67	A
ATOM	29	C	ARG	A	13	-38.720	19.378	-28.767	1.00	54.28	A
ATOM	30	O	ARG	A	13	-39.709	20.098	-28.625	1.00	54.11	A
ATOM	31	N	ALA	A	14	-37.597	19.555	-28.075	1.00	48.77	A
ATOM	32	CA	ALA	A	14	-37.481	20.645	-27.116	1.00	45.39	A
ATOM	33	CB	ALA	A	14	-36.082	20.689	-26.526	1.00	44.44	A
ATOM	34	C	ALA	A	14	-37.816	21.984	-27.762	1.00	43.36	A
ATOM	35	O	ALA	A	14	-38.656	22.723	-27.262	1.00	42.76	A
ATOM	36	N	LEU	A	15	-37.169	22.287	-28.879	1.00	40.93	A
ATOM	37	CA	LEU	A	15	-37.402	23.542	-29.568	1.00	39.71	A
ATOM	38	CB	LEU	A	15	-36.364	23.730	-30.669	1.00	39.82	A
ATOM	39	CG	LEU	A	15	-34.952	23.714	-30.072	1.00	40.23	A
ATOM	40	CD1	LEU	A	15	-33.913	23.928	-31.151	1.00	39.64	A
ATOM	41	CD2	LEU	A	15	-34.850	24.800	-29.005	1.00	40.94	A
ATOM	42	C	LEU	A	15	-38.802	23.667	-30.130	1.00	40.00	A

ATOM	43	O	LEU	A	15	-39.372	24.751	-30.100	1.00	39.95	A
ATOM	44	N	ILE	A	16	-39.361	22.572	-30.638	1.00	40.32	A
ATOM	45	CA	ILE	A	16	-40.730	22.601	-31.179	1.00	40.64	A
ATOM	46	CB	ILE	A	16	-41.213	21.189	-31.637	1.00	43.33	A
ATOM	47	CG2	ILE	A	16	-42.605	21.283	-32.231	1.00	41.37	A
ATOM	48	CG1	ILE	A	16	-40.257	20.590	-32.673	1.00	44.72	A
ATOM	49	CD1	ILE	A	16	-40.190	21.342	-33.941	1.00	46.03	A
ATOM	50	C	ILE	A	16	-41.682	23.087	-30.080	1.00	41.12	A
ATOM	51	O	ILE	A	16	-42.425	24.051	-30.271	1.00	41.43	A
ATOM	52	N	LEU	A	17	-41.662	22.411	-28.930	1.00	40.37	A
ATOM	53	CA	LEU	A	17	-42.516	22.794	-27.812	1.00	41.00	A
ATOM	54	CB	LEU	A	17	-42.303	21.837	-26.640	1.00	42.66	A
ATOM	55	CG	LEU	A	17	-42.835	20.411	-26.850	1.00	43.03	A
ATOM	56	CD1	LEU	A	17	-42.045	19.434	-25.983	1.00	39.82	A
ATOM	57	CD2	LEU	A	17	-44.328	20.368	-26.526	1.00	40.26	A
ATOM	58	C	LEU	A	17	-42.257	24.233	-27.359	1.00	40.48	A
ATOM	59	O	LEU	A	17	-43.187	25.022	-27.212	1.00	39.35	A
ATOM	60	N	LEU	A	18	-40.986	24.574	-27.161	1.00	40.86	A
ATOM	61	CA	LEU	A	18	-40.594	25.909	-26.718	1.00	40.17	A
ATOM	62	CB	LEU	A	18	-39.073	25.973	-26.597	1.00	40.05	A
ATOM	63	CG	LEU	A	18	-38.378	26.953	-25.641	1.00	42.40	A
ATOM	64	CD1	LEU	A	18	-37.548	27.948	-26.430	1.00	42.15	A
ATOM	65	CD2	LEU	A	18	-39.393	27.657	-24.767	1.00	43.03	A
ATOM	66	C	LEU	A	18	-41.094	26.966	-27.698	1.00	40.88	A
ATOM	67	O	LEU	A	18	-41.230	28.137	-27.345	1.00	39.41	A
ATOM	68	N	ALA	A	19	-41.373	26.539	-28.929	1.00	41.87	A
ATOM	69	CA	ALA	A	19	-41.861	27.432	-29.975	1.00	44.08	A
ATOM	70	CB	ALA	A	19	-41.536	26.866	-31.358	1.00	42.64	A
ATOM	71	C	ALA	A	19	-43.359	27.594	-29.830	1.00	46.35	A
ATOM	72	O	ALA	A	19	-43.905	28.665	-30.090	1.00	47.47	A
ATOM	73	N	GLN	A	20	-44.017	26.517	-29.417	1.00	48.12	A
ATOM	74	CA	GLN	A	20	-45.462	26.519	-29.224	1.00	50.49	A
ATOM	75	CB	GLN	A	20	-45.986	25.075	-29.111	1.00	51.83	A
ATOM	76	CG	GLN	A	20	-45.540	24.097	-30.195	1.00	53.52	A
ATOM	77	CD	GLN	A	20	-46.151	22.712	-29.999	1.00	55.01	A
ATOM	78	OE1	GLN	A	20	-45.806	21.745	-30.693	1.00	52.54	A
ATOM	79	NE2	GLN	A	20	-47.069	22.614	-29.046	1.00	56.71	A
ATOM	80	C	GLN	A	20	-45.855	27.284	-27.941	1.00	51.19	A
ATOM	81	O	GLN	A	20	-47.024	27.634	-27.745	1.00	51.17	A
ATOM	82	N	MET	A	21	-44.874	27.541	-27.080	1.00	49.97	A
ATOM	83	CA	MET	A	21	-45.110	28.204	-25.802	1.00	48.63	A

ATOM	84	CB	MET	A	21	-44.002	27.808	-24.822	1.00	46.02	A
ATOM	85	CG	MET	A	21	-44.097	26.374	-24.330	1.00	43.96	A
ATOM	86	SD	MET	A	21	-42.595	25.764	-23.516	1.00	47.28	A
ATOM	87	CE	MET	A	21	-42.353	27.001	-22.206	1.00	42.84	A
ATOM	88	C	MET	A	21	-45.272	29.723	-25.809	1.00	49.74	A
ATOM	89	O	MET	A	21	-45.696	30.303	-24.807	1.00	49.63	A
ATOM	90	N	ALA	A	22	-44.950	30.375	-26.922	1.00	51.41	A
ATOM	91	CA	ALA	A	22	-45.075	31.828	-26.978	1.00	53.11	A
ATOM	92	CB	ALA	A	22	-44.641	32.362	-28.341	1.00	52.27	A
ATOM	93	C	ALA	A	22	-46.517	32.196	-26.716	1.00	53.84	A
ATOM	94	O	ALA	A	22	-47.428	31.552	-27.227	1.00	52.97	A
ATOM	95	N	ARG	A	23	-46.719	33.225	-25.904	1.00	56.56	A
ATOM	96	CA	ARG	A	23	-48.064	33.683	-25.581	1.00	59.73	A
ATOM	97	CB	ARG	A	23	-48.367	33.484	-24.094	1.00	60.59	A
ATOM	98	CG	ARG	A	23	-48.309	32.059	-23.604	1.00	62.22	A
ATOM	99	CD	ARG	A	23	-48.845	31.998	-22.183	1.00	66.26	A
ATOM	100	NE	ARG	A	23	-50.250	32.397	-22.143	1.00	70.17	A
ATOM	101	CZ	ARG	A	23	-50.744	33.339	-21.345	1.00	71.62	A
ATOM	102	NH1	ARG	A	23	-49.946	33.985	-20.504	1.00	71.69	A
ATOM	103	NH2	ARG	A	23	-52.035	33.652	-21.405	1.00	72.49	A
ATOM	104	C	ARG	A	23	-48.242	35.158	-25.921	1.00	61.02	A
ATOM	105	O	ARG	A	23	-49.334	35.584	-26.284	1.00	62.43	A
ATOM	106	N	ALA	A	24	-47.171	35.937	-25.799	1.00	61.98	A
ATOM	107	CA	ALA	A	24	-47.236	37.366	-26.080	1.00	63.61	A
ATOM	108	CB	ALA	A	24	-46.139	38.093	-25.319	1.00	62.75	A
ATOM	109	C	ALA	A	24	-47.139	37.676	-27.570	1.00	65.56	A
ATOM	110	O	ALA	A	24	-46.450	36.983	-28.322	1.00	65.76	A
ATOM	111	N	SER	A	25	-47.848	38.724	-27.984	1.00	67.91	A
ATOM	112	CA	SER	A	25	-47.865	39.157	-29.373	1.00	69.93	A
ATOM	113	CB	SER	A	25	-49.175	39.887	-29.698	1.00	71.12	A
ATOM	114	OG	SER	A	25	-50.227	38.952	-29.909	1.00	72.49	A
ATOM	115	C	SER	A	25	-46.663	40.064	-29.610	1.00	71.13	A
ATOM	116	O	SER	A	25	-46.236	40.806	-28.726	1.00	71.22	A
ATOM	117	N	PRO	A	26	-46.109	40.027	-30.825	1.00	71.97	A
ATOM	118	CD	PRO	A	26	-46.787	39.560	-32.046	1.00	72.50	A
ATOM	119	CA	PRO	A	26	-44.938	40.842	-31.165	1.00	73.26	A
ATOM	120	CB	PRO	A	26	-44.887	40.767	-32.702	1.00	73.01	A
ATOM	121	CG	PRO	A	26	-45.664	39.526	-33.023	1.00	72.89	A
ATOM	122	C	PRO	A	26	-45.008	42.284	-30.673	1.00	74.39	A
ATOM	123	O	PRO	A	26	-43.979	42.872	-30.322	1.00	74.28	A
ATOM	124	N	PHE	A	27	-46.212	42.856	-30.653	1.00	75.25	A

ATOM	125	CA	PHE	A	27	-46.375	44.245	-30.222	1.00	75.22	A
ATOM	126	CB	PHE	A	27	-47.502	44.910	-30.995	1.00	75.78	A
ATOM	127	CG	PHE	A	27	-47.305	44.909	-32.463	1.00	77.48	A
ATOM	128	CD1	PHE	A	27	-47.573	43.765	-33.204	1.00	79.44	A
ATOM	129	CD2	PHE	A	27	-46.788	46.029	-33.106	1.00	77.96	A
ATOM	130	CE1	PHE	A	27	-47.347	43.738	-34.579	1.00	80.53	A
ATOM	131	CE2	PHE	A	27	-46.557	46.022	-34.472	1.00	79.57	A
ATOM	132	CZ	PHE	A	27	-46.826	44.870	-35.215	1.00	80.89	A
ATOM	133	C	PHE	A	27	-46.635	44.449	-28.737	1.00	74.52	A
ATOM	134	O	PHE	A	27	-46.415	45.540	-28.218	1.00	74.03	A
ATOM	135	N	ALA	A	28	-47.097	43.411	-28.052	1.00	74.01	A
ATOM	136	CA	ALA	A	28	-47.394	43.532	-26.637	1.00	73.15	A
ATOM	137	CB	ALA	A	28	-47.812	42.175	-26.080	1.00	73.48	A
ATOM	138	C	ALA	A	28	-46.241	44.112	-25.822	1.00	73.09	A
ATOM	139	O	ALA	A	28	-46.460	44.586	-24.707	1.00	74.58	A
ATOM	140	N	CYS	A	29	-45.030	44.090	-26.383	1.00	72.82	A
ATOM	141	CA	CYS	A	29	-43.820	44.598	-25.713	1.00	73.33	A
ATOM	142	C	CYS	A	29	-42.968	45.450	-26.659	1.00	74.96	A
ATOM	143	O	CYS	A	29	-43.340	45.648	-27.812	1.00	75.82	A
ATOM	144	CB	CYS	A	29	-42.967	43.432	-25.217	1.00	71.43	A
ATOM	145	SG	CYS	A	29	-43.896	42.126	-24.366	1.00	69.57	A
ATOM	146	N	GLY	A	30	-41.814	45.931	-26.192	1.00	76.71	A
ATOM	147	CA	GLY	A	30	-40.990	46.756	-27.065	1.00	79.56	A
ATOM	148	C	GLY	A	30	-39.496	46.977	-26.848	1.00	81.04	A
ATOM	149	O	GLY	A	30	-38.987	47.036	-25.725	1.00	80.04	A
ATOM	150	N	GLY	A	31	-38.800	47.111	-27.976	1.00	83.09	A
ATOM	151	CA	GLY	A	31	-37.365	47.369	-27.994	1.00	86.03	A
ATOM	152	C	GLY	A	31	-36.448	46.384	-27.283	1.00	86.91	A
ATOM	153	O	GLY	A	31	-36.097	45.330	-27.822	1.00	87.85	A
ATOM	154	N	GLY	A	32	-36.030	46.767	-26.078	1.00	86.34	A
ATOM	155	CA	GLY	A	32	-35.161	45.949	-25.244	1.00	85.69	A
ATOM	156	C	GLY	A	32	-34.216	44.887	-25.810	1.00	84.42	A
ATOM	157	O	GLY	A	32	-34.386	43.694	-25.541	1.00	84.88	A
ATOM	158	N	GLY	A	33	-33.200	45.298	-26.562	1.00	82.49	A
ATOM	159	CA	GLY	A	33	-32.247	44.327	-27.076	1.00	81.23	A
ATOM	160	C	GLY	A	33	-31.315	43.958	-25.929	1.00	80.18	A
ATOM	161	O	GLY	A	33	-30.199	44.473	-25.846	1.00	79.67	A
ATOM	162	N	HIS	A	34	-31.768	43.066	-25.048	1.00	79.01	A
ATOM	163	CA	HIS	A	34	-30.981	42.654	-23.881	1.00	76.91	A
ATOM	164	CB	HIS	A	34	-31.932	42.245	-22.742	1.00	76.85	A
ATOM	165	CG	HIS	A	34	-31.313	42.323	-21.381	1.00	76.31	A

ATOM	166	CD2	HIS	A	34	-31.596	43.113	-20.319	1.00	76.73	A
ATOM	167	ND1	HIS	A	34	-30.249	41.534	-20.995	1.00	76.92	A
ATOM	168	CE1	HIS	A	34	-29.905	41.835	-19.756	1.00	76.89	A
ATOM	169	NE2	HIS	A	34	-30.707	42.791	-19.322	1.00	77.36	A
ATOM	170	C	HIS	A	34	-29.992	41.525	-24.168	1.00	74.89	A
ATOM	171	O	HIS	A	34	-30.383	40.450	-24.635	1.00	75.01	A
ATOM	172	N	ASP	A	35	-28.716	41.783	-23.869	1.00	71.97	A
ATOM	173	CA	ASP	A	35	-27.631	40.823	-24.089	1.00	69.11	A
ATOM	174	CB	ASP	A	35	-26.366	41.561	-24.542	1.00	71.02	A
ATOM	175	CG	ASP	A	35	-25.270	40.617	-25.018	1.00	73.48	A
ATOM	176	OD1	ASP	A	35	-25.490	39.904	-26.022	1.00	76.44	A
ATOM	177	OD2	ASP	A	35	-24.183	40.591	-24.398	1.00	74.76	A
ATOM	178	C	ASP	A	35	-27.318	40.010	-22.837	1.00	66.06	A
ATOM	179	O	ASP	A	35	-26.862	40.554	-21.830	1.00	66.03	A
ATOM	180	N	PHE	A	36	-27.558	38.705	-22.900	1.00	61.83	A
ATOM	181	CA	PHE	A	36	-27.282	37.853	-21.757	1.00	57.75	A
ATOM	182	CB	PHE	A	36	-28.283	36.698	-21.674	1.00	57.18	A
ATOM	183	CG	PHE	A	36	-29.696	37.146	-21.442	1.00	56.02	A
ATOM	184	CD1	PHE	A	36	-30.556	37.357	-22.505	1.00	55.11	A
ATOM	185	CD2	PHE	A	36	-30.148	37.415	-20.159	1.00	56.96	A
ATOM	186	CE1	PHE	A	36	-31.847	37.827	-22.296	1.00	56.30	A
ATOM	187	CE2	PHE	A	36	-31.441	37.889	-19.939	1.00	56.70	A
ATOM	188	CZ	PHE	A	36	-32.289	38.097	-21.010	1.00	56.38	A
ATOM	189	C	PHE	A	36	-25.870	37.326	-21.835	1.00	55.62	A
ATOM	190	O	PHE	A	36	-25.367	36.747	-20.882	1.00	55.22	A
ATOM	191	N	GLY	A	37	-25.233	37.534	-22.982	1.00	53.97	A
ATOM	192	CA	GLY	A	37	-23.859	37.103	-23.163	1.00	52.66	A
ATOM	193	C	GLY	A	37	-23.589	35.614	-23.171	1.00	52.31	A
ATOM	194	O	GLY	A	37	-22.627	35.140	-22.572	1.00	52.88	A
ATOM	195	N	PHE	A	38	-24.439	34.868	-23.856	1.00	52.34	A
ATOM	196	CA	PHE	A	38	-24.272	33.428	-23.960	1.00	53.26	A
ATOM	197	CB	PHE	A	38	-25.329	32.873	-24.925	1.00	50.67	A
ATOM	198	CG	PHE	A	38	-25.161	31.424	-25.244	1.00	48.53	A
ATOM	199	CD1	PHE	A	38	-25.352	30.457	-24.264	1.00	47.04	A
ATOM	200	CD2	PHE	A	38	-24.793	31.023	-26.529	1.00	47.77	A
ATOM	201	CE1	PHE	A	38	-25.177	29.110	-24.559	1.00	47.91	A
ATOM	202	CE2	PHE	A	38	-24.615	29.676	-26.834	1.00	46.88	A
ATOM	203	CZ	PHE	A	38	-24.806	28.719	-25.850	1.00	48.21	A
ATOM	204	C	PHE	A	38	-22.863	33.114	-24.478	1.00	54.82	A
ATOM	205	O	PHE	A	38	-22.481	33.579	-25.547	1.00	55.48	A
ATOM	206	N	PRO	A	39	-22.071	32.327	-23.724	1.00	56.41	A

ATOM	207	CD	PRO	A	39	-22.373	31.704	-22.422	1.00	56.33	A
ATOM	208	CA	PRO	A	39	-20.711	31.982	-24.158	1.00	57.36	A
ATOM	209	CB	PRO	A	39	-20.084	31.414	-22.889	1.00	55.84	A
ATOM	210	CG	PRO	A	39	-21.234	30.702	-22.266	1.00	56.06	A
ATOM	211	C	PRO	A	39	-20.705	30.974	-25.318	1.00	59.32	A
ATOM	212	O	PRO	A	39	-20.292	29.824	-25.153	1.00	59.38	A
ATOM	213	N	GLN	A	40	-21.159	31.428	-26.487	1.00	61.42	A
ATOM	214	CA	GLN	A	40	-21.235	30.616	-27.710	1.00	63.86	A
ATOM	215	CB	GLN	A	40	-21.539	31.520	-28.911	1.00	65.01	A
ATOM	216	CG	GLN	A	40	-21.996	30.776	-30.148	1.00	67.78	A
ATOM	217	CD	GLN	A	40	-22.372	31.713	-31.297	1.00	70.50	A
ATOM	218	OE1	GLN	A	40	-22.885	32.818	-31.079	1.00	70.05	A
ATOM	219	NE2	GLN	A	40	-22.135	31.262	-32.528	1.00	69.96	A
ATOM	220	C	GLN	A	40	-19.979	29.797	-28.011	1.00	64.05	A
ATOM	221	O	GLN	A	40	-20.064	28.709	-28.577	1.00	62.19	A
ATOM	222	N	GLU	A	41	-18.821	30.329	-27.630	1.00	66.08	A
ATOM	223	CA	GLU	A	41	-17.537	29.667	-27.854	1.00	68.16	A
ATOM	224	CB	GLU	A	41	-16.405	30.478	-27.216	1.00	68.78	A
ATOM	225	CG	GLU	A	41	-16.575	31.993	-27.302	1.00	71.65	A
ATOM	226	CD	GLU	A	41	-17.599	32.538	-26.309	1.00	71.91	A
ATOM	227	OE1	GLU	A	41	-17.436	32.289	-25.095	1.00	70.55	A
ATOM	228	OE2	GLU	A	41	-18.558	33.220	-26.742	1.00	72.43	A
ATOM	229	C	GLU	A	41	-17.514	28.249	-27.276	1.00	69.40	A
ATOM	230	O	GLU	A	41	-16.971	27.327	-27.884	1.00	70.02	A
ATOM	231	N	GLU	A	42	-18.107	28.081	-26.098	1.00	70.37	A
ATOM	232	CA	GLU	A	42	-18.134	26.784	-25.437	1.00	70.92	A
ATOM	233	CB	GLU	A	42	-18.816	26.907	-24.073	1.00	70.33	A
ATOM	234	CG	GLU	A	42	-18.096	27.839	-23.108	1.00	70.66	A
ATOM	235	CD	GLU	A	42	-16.674	27.387	-22.810	1.00	71.66	A
ATOM	236	OE1	GLU	A	42	-15.901	28.192	-22.245	1.00	71.99	A
ATOM	237	OE2	GLU	A	42	-16.329	26.228	-23.134	1.00	70.35	A
ATOM	238	C	GLU	A	42	-18.817	25.703	-26.263	1.00	72.31	A
ATOM	239	O	GLU	A	42	-18.658	24.515	-25.982	1.00	71.27	A
ATOM	240	N	PHE	A	43	-19.565	26.115	-27.285	1.00	74.43	A
ATOM	241	CA	PHE	A	43	-20.279	25.169	-28.142	1.00	77.01	A
ATOM	242	CB	PHE	A	43	-21.801	25.343	-27.982	1.00	73.77	A
ATOM	243	CG	PHE	A	43	-22.266	25.393	-26.551	1.00	70.14	A
ATOM	244	CD1	PHE	A	43	-22.212	26.580	-25.829	1.00	69.12	A
ATOM	245	CD2	PHE	A	43	-22.728	24.249	-25.916	1.00	69.47	A
ATOM	246	CE1	PHE	A	43	-22.608	26.627	-24.498	1.00	66.90	A
ATOM	247	CE2	PHE	A	43	-23.126	24.287	-24.579	1.00	68.62	A

ATOM	248	CZ	PHE	A	43	-23.065	25.480	-23.873	1.00	67.55	A
ATOM	249	C	PHE	A	43	-19.904	25.329	-29.620	1.00	80.52	A
ATOM	250	O	PHE	A	43	-19.615	24.350	-30.312	1.00	80.71	A
ATOM	251	N	GLY	A	44	-19.917	26.571	-30.093	1.00	84.43	A
ATOM	252	CA	GLY	A	44	-19.594	26.849	-31.483	1.00	87.53	A
ATOM	253	C	GLY	A	44	-18.109	26.912	-31.796	1.00	89.96	A
ATOM	254	O	GLY	A	44	-17.397	27.829	-31.367	1.00	89.88	A
ATOM	255	N	GLY	A	45	-17.642	25.933	-32.564	1.00	91.49	A
ATOM	256	CA	GLY	A	45	-16.243	25.889	-32.936	1.00	93.11	A
ATOM	257	C	GLY	A	45	-15.734	24.468	-33.038	1.00	94.05	A
ATOM	258	O	GLY	A	45	-16.213	23.577	-32.333	1.00	93.98	A
ATOM	259	N	GLY	A	46	-14.767	24.255	-33.925	1.00	94.77	A
ATOM	260	CA	GLY	A	46	-14.195	22.935	-34.098	1.00	95.42	A
ATOM	261	C	GLY	A	46	-13.231	22.606	-32.972	1.00	95.90	A
ATOM	262	O	GLY	A	46	-12.194	21.976	-33.199	1.00	96.10	A
ATOM	263	N	GLY	A	47	-13.570	23.040	-31.759	1.00	95.61	A
ATOM	264	CA	GLY	A	47	-12.726	22.778	-30.606	1.00	95.48	A
ATOM	265	C	GLY	A	47	-12.428	21.298	-30.455	1.00	95.42	A
ATOM	266	O	GLY	A	47	-11.319	20.921	-30.073	1.00	95.45	A
ATOM	267	N	GLY	A	48	-13.425	20.466	-30.760	1.00	94.95	A
ATOM	268	CA	GLY	A	48	-13.272	19.023	-30.674	1.00	93.55	A
ATOM	269	C	GLY	A	48	-12.943	18.541	-29.279	1.00	93.16	A
ATOM	270	O	GLY	A	48	-12.016	19.041	-28.649	1.00	94.44	A
ATOM	271	N	ALA	A	49	-13.705	17.566	-28.796	1.00	91.77	A
ATOM	272	CA	ALA	A	49	-13.507	17.000	-27.463	1.00	90.57	A
ATOM	273	CB	ALA	A	49	-13.219	18.103	-26.449	1.00	90.50	A
ATOM	274	C	ALA	A	49	-14.771	16.245	-27.069	1.00	89.91	A
ATOM	275	O	ALA	A	49	-15.801	16.855	-26.774	1.00	90.84	A
ATOM	276	N	GLY	A	50	-14.690	14.919	-27.068	1.00	88.13	A
ATOM	277	CA	GLY	A	50	-15.844	14.113	-26.727	1.00	86.16	A
ATOM	278	C	GLY	A	50	-16.495	14.504	-25.416	1.00	85.07	A
ATOM	279	O	GLY	A	50	-17.671	14.870	-25.387	1.00	84.82	A
ATOM	280	N	ALA	A	51	-15.721	14.442	-24.335	1.00	83.62	A
ATOM	281	CA	ALA	A	51	-16.211	14.753	-22.992	1.00	81.83	A
ATOM	282	CB	ALA	A	51	-15.276	14.138	-21.955	1.00	82.10	A
ATOM	283	C	ALA	A	51	-16.424	16.235	-22.685	1.00	79.92	A
ATOM	284	O	ALA	A	51	-17.409	16.602	-22.049	1.00	79.80	A
ATOM	285	N	ALA	A	52	-15.504	17.088	-23.115	1.00	77.79	A
ATOM	286	CA	ALA	A	52	-15.655	18.511	-22.852	1.00	76.55	A
ATOM	287	CB	ALA	A	52	-14.469	19.286	-23.424	1.00	76.24	A
ATOM	288	C	ALA	A	52	-16.965	19.027	-23.450	1.00	75.56	A

ATOM	289	O	ALA	A	52	-17.473	20.072	-23.037	1.00	76.89	A
ATOM	290	N	ALA	A	53	-17.510	18.288	-24.416	1.00	72.47	A
ATOM	291	CA	ALA	A	53	-18.756	18.677	-25.080	1.00	68.45	A
ATOM	292	CB	ALA	A	53	-18.737	18.220	-26.532	1.00	69.53	A
ATOM	293	C	ALA	A	53	-19.980	18.108	-24.374	1.00	64.99	A
ATOM	294	O	ALA	A	53	-21.033	18.738	-24.329	1.00	63.06	A
ATOM	295	N	ILE	A	54	-19.838	16.903	-23.841	1.00	62.13	A
ATOM	296	CA	ILE	A	54	-20.926	16.269	-23.119	1.00	59.68	A
ATOM	297	CB	ILE	A	54	-20.601	14.793	-22.815	1.00	59.54	A
ATOM	298	CG2	ILE	A	54	-21.606	14.224	-21.820	1.00	60.50	A
ATOM	299	CG1	ILE	A	54	-20.611	13.993	-24.117	1.00	59.64	A
ATOM	300	CD1	ILE	A	54	-20.368	12.518	-23.930	1.00	59.00	A
ATOM	301	C	ILE	A	54	-21.164	17.028	-21.813	1.00	57.90	A
ATOM	302	O	ILE	A	54	-22.290	17.095	-21.327	1.00	57.31	A
ATOM	303	N	SER	A	55	-20.097	17.601	-21.259	1.00	55.70	A
ATOM	304	CA	SER	A	55	-20.184	18.370	-20.023	1.00	54.92	A
ATOM	305	CB	SER	A	55	-18.793	18.751	-19.519	1.00	55.15	A
ATOM	306	OG	SER	A	55	-18.065	17.604	-19.145	1.00	57.20	A
ATOM	307	C	SER	A	55	-20.984	19.640	-20.247	1.00	53.44	A
ATOM	308	O	SER	A	55	-22.026	19.837	-19.627	1.00	55.68	A
ATOM	309	N	VAL	A	56	-20.494	20.502	-21.127	1.00	50.22	A
ATOM	310	CA	VAL	A	56	-21.178	21.752	-21.415	1.00	50.34	A
ATOM	311	CB	VAL	A	56	-20.418	22.574	-22.478	1.00	50.53	A
ATOM	312	CG1	VAL	A	56	-19.161	23.152	-21.878	1.00	50.53	A
ATOM	313	CG2	VAL	A	56	-20.078	21.697	-23.668	1.00	51.00	A
ATOM	314	C	VAL	A	56	-22.610	21.528	-21.894	1.00	49.62	A
ATOM	315	O	VAL	A	56	-23.516	22.293	-21.567	1.00	49.30	A
ATOM	316	N	LEU	A	57	-22.812	20.475	-22.673	1.00	49.64	A
ATOM	317	CA	LEU	A	57	-24.136	20.154	-23.190	1.00	49.65	A
ATOM	318	CB	LEU	A	57	-24.032	18.974	-24.152	1.00	51.00	A
ATOM	319	CG	LEU	A	57	-25.034	18.931	-25.301	1.00	52.21	A
ATOM	320	CD1	LEU	A	57	-25.250	20.322	-25.881	1.00	52.24	A
ATOM	321	CD2	LEU	A	57	-24.488	17.992	-26.361	1.00	54.20	A
ATOM	322	C	LEU	A	57	-25.054	19.800	-22.027	1.00	47.55	A
ATOM	323	O	LEU	A	57	-26.140	20.356	-21.870	1.00	46.60	A
ATOM	324	N	HIS	A	58	-24.592	18.862	-21.216	1.00	46.31	A
ATOM	325	CA	HIS	A	58	-25.319	18.415	-20.043	1.00	45.33	A
ATOM	326	CB	HIS	A	58	-24.482	17.375	-19.301	1.00	46.40	A
ATOM	327	CG	HIS	A	58	-25.242	16.619	-18.263	1.00	46.64	A
ATOM	328	CD2	HIS	A	58	-25.757	15.368	-18.275	1.00	46.79	A
ATOM	329	ND1	HIS	A	58	-25.582	17.164	-17.044	1.00	46.24	A

ATOM	330	CE1	HIS	A	58	-26.275	16.280	-16.352	1.00	48.22	A
ATOM	331	NE2	HIS	A	58	-26.397	15.180	-17.076	1.00	46.23	A
ATOM	332	C	HIS	A	58	-25.649	19.590	-19.118	1.00	43.94	A
ATOM	333	O	HIS	A	58	-26.783	19.724	-18.663	1.00	42.85	A
ATOM	334	N	GLU	A	59	-24.664	20.442	-18.847	1.00	41.52	A
ATOM	335	CA	GLU	A	59	-24.896	21.585	-17.979	1.00	41.77	A
ATOM	336	CB	GLU	A	59	-23.600	22.326	-17.702	1.00	43.24	A
ATOM	337	CG	GLU	A	59	-23.694	23.232	-16.489	1.00	47.79	A
ATOM	338	CD	GLU	A	59	-24.197	22.493	-15.249	1.00	49.54	A
ATOM	339	OE1	GLU	A	59	-23.853	21.304	-15.074	1.00	49.34	A
ATOM	340	OE2	GLU	A	59	-24.928	23.107	-14.442	1.00	52.72	A
ATOM	341	C	GLU	A	59	-25.882	22.536	-18.619	1.00	41.87	A
ATOM	342	O	GLU	A	59	-26.719	23.135	-17.942	1.00	41.28	A
ATOM	343	N	MET	A	60	-25.770	22.677	-19.935	1.00	42.94	A
ATOM	344	CA	MET	A	60	-26.662	23.542	-20.692	1.00	42.22	A
ATOM	345	CB	MET	A	60	-26.290	23.512	-22.165	1.00	43.31	A
ATOM	346	CG	MET	A	60	-27.230	24.305	-23.017	1.00	45.06	A
ATOM	347	SD	MET	A	60	-27.202	26.008	-22.511	1.00	51.70	A
ATOM	348	CE	MET	A	60	-27.674	26.784	-24.033	1.00	51.65	A
ATOM	349	C	MET	A	60	-28.096	23.052	-20.545	1.00	42.26	A
ATOM	350	O	MET	A	60	-29.039	23.839	-20.450	1.00	40.80	A
ATOM	351	N	ILE	A	61	-28.245	21.733	-20.534	1.00	40.98	A
ATOM	352	CA	ILE	A	61	-29.548	21.123	-20.418	1.00	40.78	A
ATOM	353	CB	ILE	A	61	-29.504	19.681	-20.995	1.00	42.85	A
ATOM	354	CG2	ILE	A	61	-30.790	18.936	-20.694	1.00	41.14	A
ATOM	355	CG1	ILE	A	61	-29.312	19.763	-22.518	1.00	42.64	A
ATOM	356	CD1	ILE	A	61	-29.143	18.421	-23.214	1.00	43.13	A
ATOM	357	C	ILE	A	61	-30.060	21.159	-18.984	1.00	39.56	A
ATOM	358	O	ILE	A	61	-31.195	21.558	-18.744	1.00	39.81	A
ATOM	359	N	GLN	A	62	-29.224	20.781	-18.026	1.00	39.29	A
ATOM	360	CA	GLN	A	62	-29.639	20.793	-16.627	1.00	38.51	A
ATOM	361	CB	GLN	A	62	-28.488	20.338	-15.726	1.00	39.26	A
ATOM	362	CG	GLN	A	62	-28.827	20.246	-14.242	1.00	39.53	A
ATOM	363	CD	GLN	A	62	-30.002	19.321	-13.941	1.00	40.52	A
ATOM	364	OE1	GLN	A	62	-31.042	19.758	-13.438	1.00	39.54	A
ATOM	365	NE2	GLN	A	62	-29.840	18.040	-14.248	1.00	39.51	A
ATOM	366	C	GLN	A	62	-30.102	22.189	-16.221	1.00	38.93	A
ATOM	367	O	GLN	A	62	-31.106	22.348	-15.522	1.00	37.04	A
ATOM	368	N	GLN	A	63	-29.383	23.204	-16.683	1.00	39.52	A
ATOM	369	CA	GLN	A	63	-29.741	24.578	-16.353	1.00	40.38	A
ATOM	370	CB	GLN	A	63	-28.644	25.543	-16.797	1.00	41.37	A

ATOM	371	CG	GLN	A	63	-27.350	25.361	-16.049	1.00	42.32	A
ATOM	372	CD	GLN	A	63	-27.523	25.576	-14.563	1.00	46.04	A
ATOM	373	OE1	GLN	A	63	-26.881	24.907	-13.753	1.00	47.35	A
ATOM	374	NE2	GLN	A	63	-28.386	26.526	-14.192	1.00	46.16	A
ATOM	375	C	GLN	A	63	-31.062	25.006	-16.957	1.00	40.51	A
ATOM	376	O	GLN	A	63	-31.837	25.685	-16.286	1.00	43.32	A
ATOM	377	N	THR	A	64	-31.313	24.625	-18.215	1.00	39.04	A
ATOM	378	CA	THR	A	64	-32.564	24.972	-18.904	1.00	37.15	A
ATOM	379	CB	THR	A	64	-32.539	24.536	-20.398	1.00	36.84	A
ATOM	380	OG1	THR	A	64	-31.493	25.233	-21.084	1.00	35.39	A
ATOM	381	CG2	THR	A	64	-33.872	24.834	-21.077	1.00	32.91	A
ATOM	382	C	THR	A	64	-33.714	24.265	-18.181	1.00	37.88	A
ATOM	383	O	THR	A	64	-34.827	24.791	-18.061	1.00	37.95	A
ATOM	384	N	PHE	A	65	-33.438	23.061	-17.700	1.00	37.24	A
ATOM	385	CA	PHE	A	65	-34.435	22.326	-16.951	1.00	37.39	A
ATOM	386	CB	PHE	A	65	-33.934	20.930	-16.625	1.00	37.39	A
ATOM	387	CG	PHE	A	65	-34.874	20.159	-15.749	1.00	40.42	A
ATOM	388	CD1	PHE	A	65	-35.967	19.503	-16.292	1.00	39.82	A
ATOM	389	CD2	PHE	A	65	-34.706	20.155	-14.370	1.00	40.52	A
ATOM	390	CE1	PHE	A	65	-36.871	18.861	-15.485	1.00	40.75	A
ATOM	391	CE2	PHE	A	65	-35.611	19.511	-13.556	1.00	40.34	A
ATOM	392	CZ	PHE	A	65	-36.697	18.867	-14.115	1.00	40.24	A
ATOM	393	C	PHE	A	65	-34.756	23.070	-15.639	1.00	36.83	A
ATOM	394	O	PHE	A	65	-35.918	23.289	-15.317	1.00	37.76	A
ATOM	395	N	ASN	A	66	-33.730	23.450	-14.880	1.00	35.91	A
ATOM	396	CA	ASN	A	66	-33.950	24.177	-13.633	1.00	34.39	A
ATOM	397	CB	ASN	A	66	-32.631	24.485	-12.935	1.00	32.13	A
ATOM	398	CG	ASN	A	66	-31.851	23.238	-12.606	1.00	34.28	A
ATOM	399	OD1	ASN	A	66	-32.418	22.153	-12.512	1.00	37.35	A
ATOM	400	ND2	ASN	A	66	-30.545	23.380	-12.424	1.00	33.10	A
ATOM	401	C	ASN	A	66	-34.678	25.481	-13.900	1.00	34.39	A
ATOM	402	O	ASN	A	66	-35.582	25.851	-13.163	1.00	35.59	A
ATOM	403	N	LEU	A	67	-34.299	26.172	-14.963	1.00	34.07	A
ATOM	404	CA	LEU	A	67	-34.937	27.440	-15.292	1.00	34.52	A
ATOM	405	CB	LEU	A	67	-34.189	28.135	-16.434	1.00	31.74	A
ATOM	406	CG	LEU	A	67	-34.902	29.382	-16.972	1.00	32.77	A
ATOM	407	CD1	LEU	A	67	-34.922	30.487	-15.907	1.00	29.39	A
ATOM	408	CD2	LEU	A	67	-34.216	29.848	-18.259	1.00	31.96	A
ATOM	409	C	LEU	A	67	-36.417	27.335	-15.655	1.00	34.13	A
ATOM	410	O	LEU	A	67	-37.185	28.238	-15.362	1.00	35.27	A
ATOM	411	N	PHE	A	68	-36.824	26.236	-16.280	1.00	36.35	A

ATOM	412	CA	PHE	A	68	-38.218	26.081	-16.690	1.00	37.11	A
ATOM	413	CB	PHE	A	68	-38.284	25.620	-18.150	1.00	33.91	A
ATOM	414	CG	PHE	A	68	-38.023	26.708	-19.133	1.00	31.92	A
ATOM	415	CD1	PHE	A	68	-36.724	26.985	-19.563	1.00	33.37	A
ATOM	416	CD2	PHE	A	68	-39.071	27.494	-19.607	1.00	30.01	A
ATOM	417	CE1	PHE	A	68	-36.469	28.045	-20.466	1.00	31.57	A
ATOM	418	CE2	PHE	A	68	-38.835	28.553	-20.504	1.00	30.12	A
ATOM	419	CZ	PHE	A	68	-37.534	28.830	-20.932	1.00	28.79	A
ATOM	420	C	PHE	A	68	-39.128	25.186	-15.845	1.00	39.17	A
ATOM	421	O	PHE	A	68	-40.318	25.067	-16.131	1.00	39.72	A
ATOM	422	N	SER	A	69	-38.592	24.558	-14.806	1.00	41.24	A
ATOM	423	CA	SER	A	69	-39.424	23.709	-13.969	1.00	41.35	A
ATOM	424	CB	SER	A	69	-38.721	22.398	-13.704	1.00	39.74	A
ATOM	425	OG	SER	A	69	-37.509	22.664	-13.042	1.00	40.54	A
ATOM	426	C	SER	A	69	-39.790	24.355	-12.635	1.00	42.76	A
ATOM	427	O	SER	A	69	-40.328	23.687	-11.772	1.00	45.46	A
ATOM	428	N	THR	A	70	-39.508	25.642	-12.459	1.00	44.33	A
ATOM	429	CA	THR	A	70	-39.839	26.316	-11.201	1.00	47.21	A
ATOM	430	CB	THR	A	70	-39.038	27.630	-10.990	1.00	47.32	A
ATOM	431	OG1	THR	A	70	-39.366	28.565	-12.031	1.00	49.98	A
ATOM	432	CG2	THR	A	70	-37.547	27.364	-10.977	1.00	45.16	A
ATOM	433	C	THR	A	70	41.307	26.709	-11.179	1.00	50.70	A
ATOM	434	O	THR	A	70	-42.001	26.617	-12.195	1.00	50.43	A
ATOM	435	N	ARG	A	71	-41.777	27.164	-10.018	1.00	53.44	A
ATOM	436	CA	ARG	A	71	-43.164	27.594	-9.908	1.00	55.27	A
ATOM	437	CB	ARG	A	71	-43.576	27.847	-8.449	1.00	57.92	A
ATOM	438	CG	ARG	A	71	-43.186	26.760	-7.454	1.00	61.59	A
ATOM	439	CD	ARG	A	71	-41.834	27.104	-6.805	1.00	64.19	A
ATOM	440	NE	ARG	A	71	-40.663	26.474	-7.420	1.00	58.72	A
ATOM	441	CZ	ARG	A	71	-39.469	27.046	-7.453	1.00	55.24	A
ATOM	442	NH1	ARG	A	71	-39.304	28.250	-6.929	1.00	52.89	A
ATOM	443	NH2	ARG	A	71	-38.435	26.399	-7.964	1.00	55.93	A
ATOM	444	C	ARG	A	71	-43.298	28.891	-10.697	1.00	53.94	A
ATOM	445	O	ARG	A	71	-44.382	29.232	-11.171	1.00	53.96	A
ATOM	446	N	ASP	A	72	-42.196	29.619	-10.832	1.00	52.47	A
ATOM	447	CA	ASP	A	72	-42.232	30.857	-11.588	1.00	53.16	A
ATOM	448	CB	ASP	A	72	-40.896	31.592	-11.491	1.00	55.60	A
ATOM	449	CG	ASP	A	72	-40.517	31.929	-10.069	1.00	56.39	A
ATOM	450	OD1	ASP	A	72	-39.627	31.244	-9.517	1.00	57.77	A
ATOM	451	OD2	ASP	A	72	-41.114	32.874	-9.510	1.00	56.32	A
ATOM	452	C	ASP	A	72	-42.524	30.523	-13.050	1.00	52.84	A

ATOM	453	O	ASP	A	72	-43.402	31.114	-13.672	1.00	51.84	A
ATOM	454	N	SER	A	73	-41.780	29.569	-13.592	1.00	51.97	A
ATOM	455	CA	SER	A	73	-41.980	29.169	-14.971	1.00	52.26	A
ATOM	456	CB	SER	A	73	-40.981	28.062	-15.347	1.00	51.52	A
ATOM	457	OG	SER	A	73	-41.246	27.525	-16.629	1.00	48.35	A
ATOM	458	C	SER	A	73	-43.416	28.674	-15.134	1.00	53.10	A
ATOM	459	O	SER	A	73	-44.097	29.008	-16.107	1.00	54.40	A
ATOM	460	N	SER	A	74	-43.882	27.893	-14.165	1.00	53.63	A
ATOM	461	CA	SER	A	74	-45.231	27.342	-14.222	1.00	53.33	A
ATOM	462	CB	SER	A	74	-45.484	26.414	-13.041	1.00	51.87	A
ATOM	463	OG	SER	A	74	-45.620	25.076	-13.494	1.00	53.40	A
ATOM	464	C	SER	A	74	-46.320	28.389	-14.274	1.00	52.78	A
ATOM	465	O	SER	A	74	-47.411	28.125	-14.771	1.00	54.19	A
ATOM	466	N	ALA	A	75	-46.021	29.579	-13.770	1.00	51.42	A
ATOM	467	CA	ALA	A	75	-46.990	30.662	-13.755	1.00	50.95	A
ATOM	468	CB	ALA	A	75	-46.727	31.573	-12.556	1.00	48.85	A
ATOM	469	C	ALA	A	75	-46.927	31.473	-15.041	1.00	50.90	A
ATOM	470	O	ALA	A	75	-47.774	32.319	-15.292	1.00	52.54	A
ATOM	471	N	ALA	A	76	-45.923	31.213	-15.860	1.00	49.86	A
ATOM	472	CA	ALA	A	76	-45.769	31.969	-17.080	1.00	49.41	A
ATOM	473	CB	ALA	A	76	-44.334	32.491	-17.168	1.00	50.92	A
ATOM	474	C	ALA	A	76	-46.122	31.192	-18.341	1.00	49.59	A
ATOM	475	O	ALA	A	76	-46.417	31.794	-19.378	1.00	50.18	A
ATOM	476	N	TRP	A	77	-46.111	29.866	-18.259	1.00	47.56	A
ATOM	477	CA	TRP	A	77	-46.387	29.063	-19.438	1.00	46.48	A
ATOM	478	CB	TRP	A	77	-45.110	28.355	-19.877	1.00	44.34	A
ATOM	479	CG	TRP	A	77	-43.913	29.259	-19.895	1.00	42.62	A
ATOM	480	CD2	TRP	A	77	-43.655	30.325	-20.813	1.00	40.67	A
ATOM	481	CE2	TRP	A	77	-42.422	30.902	-20.448	1.00	40.13	A
ATOM	482	CE3	TRP	A	77	-44.344	30.847	-21.914	1.00	42.24	A
ATOM	483	CD1	TRP	A	77	-42.860	29.232	-19.036	1.00	40.98	A
ATOM	484	NE1	TRP	A	77	-41.958	30.213	-19.360	1.00	41.31	A
ATOM	485	CZ2	TRP	A	77	-41.857	31.981	-21.140	1.00	41.93	A
ATOM	486	CZ3	TRP	A	77	-43.780	31.927	-22.612	1.00	42.72	A
ATOM	487	CH2	TRP	A	77	-42.548	32.479	-22.218	1.00	40.65	A
ATOM	488	C	TRP	A	77	-47.499	28.044	-19.317	1.00	47.54	A
ATOM	489	O	TRP	A	77	-47.927	27.687	-18.228	1.00	47.95	A
ATOM	490	N	ASP	A	78	-47.964	27.578	-20.467	1.00	50.28	A
ATOM	491	CA	ASP	A	78	-49.024	26.590	-20.526	1.00	52.24	A
ATOM	492	CB	ASP	A	78	-49.376	26.310	-21.986	1.00	53.78	A
ATOM	493	CG	ASP	A	78	-50.539	25.368	-22.128	1.00	55.91	A

ATOM	494	OD1	ASP	A	78	-50.307	24.144	-22.238	1.00	57.57	A
ATOM	495	OD2	ASP	A	78	-51.689	25.857	-22.115	1.00	57.70	A
ATOM	496	C	ASP	A	78	-48.591	25.309	-19.815	1.00	53.52	A
ATOM	497	O	ASP	A	78	-47.633	24.638	-20.217	1.00	53.27	A
ATOM	498	N	ALA	A	79	-49.304	24.978	-18.746	1.00	54.38	A
ATOM	499	CA	ALA	A	79	-48.983	23.797	-17.961	1.00	54.80	A
ATOM	500	CB	ALA	A	79	-50.123	23.488	-16.991	1.00	54.45	A
ATOM	501	C	ALA	A	79	-48.692	22.594	-18.843	1.00	54.31	A
ATOM	502	O	ALA	A	79	-47.633	21.994	-18.747	1.00	55.97	A
ATOM	503	N	SER	A	80	-49.619	22.255	-19.722	1.00	54.29	A
ATOM	504	CA	SER	A	80	-49.438	21.096	-20.588	1.00	54.78	A
ATOM	505	CB	SER	A	80	-50.677	20.900	-21.471	1.00	56.80	A
ATOM	506	OG	SER	A	80	-50.573	19.708	-22.235	1.00	60.99	A
ATOM	507	C	SER	A	80	-48.184	21.198	-21.453	1.00	53.08	A
ATOM	508	O	SER	A	80	-47.441	20.225	-21.602	1.00	52.66	A
ATOM	509	N	LEU	A	81	-47.956	22.372	-22.030	1.00	51.48	A
ATOM	510	CA	LEU	A	81	-46.781	22.579	-22.858	1.00	50.28	A
ATOM	511	CB	LEU	A	81	-46.848	23.939	-23.567	1.00	50.13	A
ATOM	512	CG	LEU	A	81	-47.794	24.078	-24.770	1.00	52.07	A
ATOM	513	CD1	LEU	A	81	-47.823	25.523	-25.274	1.00	50.96	A
ATOM	514	CD2	LEU	A	81	-47.338	23.143	-25.881	1.00	51.96	A
ATOM	515	C	LEU	A	81	-45.533	22.495	-21.981	1.00	49.31	A
ATOM	516	O	LEU	A	81	-44.655	21.673	-22.231	1.00	49.33	A
ATOM	517	N	LEU	A	82	-45.473	23.319	-20.936	1.00	47.57	A
ATOM	518	CA	LEU	A	82	-44.323	23.330	-20.033	1.00	45.33	A
ATOM	519	CB	LEU	A	82	-44.636	24.117	-18.770	1.00	46.40	A
ATOM	520	CG	LEU	A	82	-43.611	25.158	-18.335	1.00	45.80	A
ATOM	521	CD1	LEU	A	82	-43.773	25.372	-16.834	1.00	43.68	A
ATOM	522	CD2	LEU	A	82	-42.207	24.705	-18.670	1.00	43.36	A
ATOM	523	C	LEU	A	82	-43.864	21.945	-19.618	1.00	43.50	A
ATOM	524	O	LEU	A	82	-42.689	21.626	-19.728	1.00	43.15	A
ATOM	525	N	ALA	A	83	-44.785	21.114	-19.146	1.00	43.10	A
ATOM	526	CA	ALA	A	83	-44.405	19.775	-18.706	1.00	43.00	A
ATOM	527	CB	ALA	A	83	-45.606	19.052	-18.090	1.00	43.77	A
ATOM	528	C	ALA	A	83	-43.791	18.937	-19.826	1.00	42.10	A
ATOM	529	O	ALA	A	83	-42.857	18.179	-19.591	1.00	41.05	A
ATOM	530	N	LYS	A	84	-44.295	19.052	-21.049	1.00	42.19	A
ATOM	531	CA	LYS	A	84	-43.688	18.251	-22.101	1.00	42.91	A
ATOM	532	CB	LYS	A	84	-44.509	18.300	-23.373	1.00	44.87	A
ATOM	533	CG	LYS	A	84	-45.866	17.660	-23.231	1.00	48.00	A
ATOM	534	CD	LYS	A	84	-46.263	16.952	-24.500	1.00	49.01	A

ATOM	535	CE	LYS	A	84	-47.734	17.105	-24.720	1.00	51.13	A
ATOM	536	NZ	LYS	A	84	-48.023	18.541	-24.942	1.00	52.74	A
ATOM	537	C	LYS	A	84	-42.285	18.763	-22.359	1.00	43.12	A
ATOM	538	O	LYS	A	84	-41.347	17.987	-22.527	1.00	44.29	A
ATOM	539	N	PHE	A	85	-42.144	20.081	-22.363	1.00	42.32	A
ATOM	540	CA	PHE	A	85	-40.852	20.704	-22.571	1.00	42.58	A
ATOM	541	CB	PHE	A	85	-40.964	22.222	-22.450	1.00	43.25	A
ATOM	542	CG	PHE	A	85	-39.681	22.944	-22.734	1.00	42.84	A
ATOM	543	CD1	PHE	A	85	-39.076	22.817	-23.982	1.00	43.39	A
ATOM	544	CD2	PHE	A	85	-39.084	23.734	-21.768	1.00	42.83	A
ATOM	545	CE1	PHE	A	85	-37.897	23.528	-24.265	1.00	42.40	A
ATOM	546	CE2	PHE	A	85	-37.904	24.417	-22.043	1.00	43.37	A
ATOM	547	CZ	PHE	A	85	-37.312	24.313	-23.295	1.00	42.70	A
ATOM	548	C	PHE	A	85	-39.813	20.206	-21.572	1.00	44.30	A
ATOM	549	O	PHE	A	85	-38.835	19.562	-21.964	1.00	45.07	A
ATOM	550	N	TYR	A	86	-40.014	20.482	-20.282	1.00	43.21	A
ATOM	551	CA	TYR	A	86	-39.018	20.055	-19.319	1.00	44.18	A
ATOM	552	CB	TYR	A	86	-39.208	20.748	-17.948	1.00	45.30	A
ATOM	553	CG	TYR	A	86	-40.455	20.448	-17.144	1.00	44.10	A
ATOM	554	CD1	TYR	A	86	-41.328	21.474	-16.797	1.00	43.43	A
ATOM	555	CE1	TYR	A	86	-42.432	21.239	-15.988	1.00	45.72	A
ATOM	556	CD2	TYR	A	86	-40.720	19.163	-16.662	1.00	43.84	A
ATOM	557	CE2	TYR	A	86	-41.828	18.915	-15.846	1.00	46.21	A
ATOM	558	CZ	TYR	A	86	-42.678	19.963	-15.513	1.00	47.37	A
ATOM	559	OH	TYR	A	86	-43.764	19.756	-14.691	1.00	49.38	A
ATOM	560	C	TYR	A	86	-38.862	18.549	-19.164	1.00	44.37	A
ATOM	561	O	TYR	A	86	-37.848	18.080	-18.656	1.00	44.46	A
ATOM	562	N	THR	A	87	-39.846	17.785	-19.621	1.00	44.44	A
ATOM	563	CA	THR	A	87	-39.752	16.330	-19.537	1.00	43.78	A
ATOM	564	CB	THR	A	87	-41.129	15.644	-19.751	1.00	43.93	A
ATOM	565	OG1	THR	A	87	-42.035	16.055	-18.722	1.00	42.91	A
ATOM	566	CG2	THR	A	87	-40.986	14.130	-19.712	1.00	40.48	A
ATOM	567	C	THR	A	87	-38.813	15.905	-20.654	1.00	43.41	A
ATOM	568	O	THR	A	87	-38.040	14.962	-20.509	1.00	42.95	A
ATOM	569	N	GLU	A	88	-38.898	16.620	-21.774	1.00	43.70	A
ATOM	570	CA	GLU	A	88	-38.057	16.359	-22.932	1.00	42.33	A
ATOM	571	CB	GLU	A	88	-38.503	17.245	-24.098	1.00	43.68	A
ATOM	572	CG	GLU	A	88	-37.754	17.014	-25.394	1.00	48.37	A
ATOM	573	CD	GLU	A	88	-37.718	15.546	-25.822	1.00	51.49	A
ATOM	574	OE1	GLU	A	88	-38.767	14.864	-25.751	1.00	51.50	A
ATOM	575	OE2	GLU	A	88	-36.634	15.083	-26.242	1.00	52.60	A

ATOM	576	C	GLU	A	88	-36.616	16.664	-22.541	1.00	40.76	A
ATOM	577	O	GLU	A	88	-35.695	15.921	-22.878	1.00	40.05	A
ATOM	578	N	LEU	A	89	-36.428	17.756	-21.809	1.00	39.65	A
ATOM	579	CA	LEU	A	89	-35.096	18.127	-21.373	1.00	40.05	A
ATOM	580	CB	LEU	A	89	-35.128	19.464	-20.619	1.00	39.26	A
ATOM	581	CG	LEU	A	89	-35.580	20.688	-21.432	1.00	39.90	A
ATOM	582	CD1	LEU	A	89	-35.594	21.916	-20.546	1.00	41.45	A
ATOM	583	CD2	LEU	A	89	-34.647	20.917	-22.599	1.00	37.56	A
ATOM	584	C	LEU	A	89	-34.555	17.030	-20.481	1.00	40.50	A
ATOM	585	O	LEU	A	89	-33.394	16.638	-20.598	1.00	39.83	A
ATOM	586	N	TYR	A	90	-35.412	16.520	-19.598	1.00	42.46	A
ATOM	587	CA	TYR	A	90	-35.020	15.465	-18.674	1.00	43.11	A
ATOM	588	CB	TYR	A	90	-36.154	15.134	-17.711	1.00	45.71	A
ATOM	589	CG	TYR	A	90	35.682	14.361	-16.502	1.00	49.69	A
ATOM	590	CD1	TYR	A	90	-35.034	15.013	-15.447	1.00	50.12	A
ATOM	591	CE1	TYR	A	90	-34.535	14.307	-14.365	1.00	52.01	A
ATOM	592	CD2	TYR	A	90	-35.820	12.974	-16.435	1.00	50.69	A
ATOM	593	CE2	TYR	A	90	-35.326	12.256	-15.349	1.00	53.04	A
ATOM	594	CZ	TYR	A	90	-34.680	12.929	-14.321	1.00	53.92	A
ATOM	595	OH	TYR	A	90	-34.161	12.227	-13.256	1.00	56.71	A
ATOM	596	C	TYR	A	90	-34.643	14.217	-19.446	1.00	43.97	A
ATOM	597	O	TYR	A	90	-33.682	13.534	-19.106	1.00	44.98	A
ATOM	598	N	GLN	A	91	-35.406	13.915	-20.489	1.00	45.76	A
ATOM	599	CA	GLN	A	91	-35.116	12.748	-21.300	1.00	48.45	A
ATOM	600	CB	GLN	A	91	-36.126	12.616	-22.440	1.00	51.91	A
ATOM	601	CG	GLN	A	91	-36.964	11.363	-22.371	1.00	56.69	A
ATOM	602	CD	GLN	A	91	-36.141	10.178	-21.917	1.00	61.59	A
ATOM	603	OE1	GLN	A	91	-36.223	9.756	-20.760	1.00	63.01	A
ATOM	604	NE2	GLN	A	91	-35.322	9.648	-22.816	1.00	61.97	A
ATOM	605	C	GLN	A	91	-33.719	12.909	-21.880	1.00	48.95	A
ATOM	606	O	GLN	A	91	-32.906	11.984	-21.826	1.00	48.74	A
ATOM	607	N	GLN	A	92	-33.451	14.098	-22.419	1.00	48.30	A
ATOM	608	CA	GLN	A	92	-32.166	14.403	-23.030	1.00	49.20	A
ATOM	609	CB	GLN	A	92	-32.204	15.800	-23.666	1.00	49.21	A
ATOM	610	CG	GLN	A	92	-32.906	15.825	-25.020	1.00	50.13	A
ATOM	611	CD	GLN	A	92	-33.021	17.215	-25.621	1.00	51.05	A
ATOM	612	OE1	GLN	A	92	-32.087	18.010	-25.566	1.00	53.57	A
ATOM	613	NE2	GLN	A	92	-34.166	17.505	-26.214	1.00	52.77	A
ATOM	614	C	GLN	A	92	-30.998	14.279	-22.061	1.00	49.71	A
ATOM	615	O	GLN	A	92	-29.895	13.902	-22.462	1.00	50.06	A
ATOM	616	N	LEU	A	93	-31.223	14.602	-20.790	1.00	48.85	A

ATOM	617	CA	LEU	A	93	-30.148	14.463	-19.820	1.00	49.45	A
ATOM	618	CB	LEU	A	93	-30.545	15.025	-18.454	1.00	47.86	A
ATOM	619	CG	LEU	A	93	-30.469	16.530	-18.237	1.00	45.97	A
ATOM	620	CD1	LEU	A	93	-30.980	16.854	-16.851	1.00	45.24	A
ATOM	621	CD2	LEU	A	93	-29.042	16.997	-18.410	1.00	45.80	A
ATOM	622	C	LEU	A	93	-29.883	12.974	-19.679	1.00	51.53	A
ATOM	623	O	LEU	A	93	-28.730	12.531	-19.661	1.00	49.61	A
ATOM	624	N	ALA	A	94	-30.974	12.212	-19.585	1.00	54.03	A
ATOM	625	CA	ALA	A	94	-30.902	10.766	-19.439	1.00	56.50	A
ATOM	626	CB	ALA	A	94	-32.306	10.177	-19.305	1.00	55.64	A
ATOM	627	C	ALA	A	94	-30.161	10.139	-20.618	1.00	58.27	A
ATOM	628	O	ALA	A	94	-29.383	9.208	-20.431	1.00	60.16	A
ATOM	629	N	ASP	A	95	-30.382	10.654	-21.826	1.00	59.89	A
ATOM	630	CA	ASP	A	95	-29.696	10.115	-22.998	1.00	60.86	A
ATOM	631	CB	ASP	A	95	-30.293	10.665	-24.295	1.00	61.06	A
ATOM	632	CG	ASP	A	95	-31.745	10.259	-24.489	1.00	64.37	A
ATOM	633	OD1	ASP	A	95	-32.123	9.156	-24.038	1.00	65.54	A
ATOM	634	OD2	ASP	A	95	-32.513	11.034	-25.101	1.00	65.80	A
ATOM	635	C	ASP	A	95	-28.208	10.424	-22.960	1.00	62.01	A
ATOM	636	O	ASP	A	95	-27.396	9.594	-23.349	1.00	62.85	A
ATOM	637	N	LEU	A	96	-27.840	11.612	-22.492	1.00	63.44	A
ATOM	638	CA	LEU	A	96	-26.429	11.968	-22.434	1.00	65.26	A
ATOM	639	CB	LEU	A	96	-26.250	13.437	-22.063	1.00	64.67	A
ATOM	640	CG	LEU	A	96	-26.228	14.431	-23.223	1.00	64.38	A
ATOM	641	CD1	LEU	A	96	-25.876	15.815	-22.699	1.00	63.39	A
ATOM	642	CD2	LEU	A	96	-25.213	13.978	-24.256	1.00	62.74	A
ATOM	643	C	LEU	A	96	-25.665	11.115	-21.444	1.00	67.97	A
ATOM	644	O	LEU	A	96	-24.520	10.735	-21.693	1.00	68.62	A
ATOM	645	N	GLU	A	97	-26.300	10.811	-20.321	1.00	70.13	A
ATOM	646	CA	GLU	A	97	-25.657	10.017	-19.291	1.00	72.55	A
ATOM	647	CB	GLU	A	97	-26.488	10.075	-18.019	1.00	71.72	A
ATOM	648	CG	GLU	A	97	-26.985	11.485	-17.769	1.00	74.81	A
ATOM	649	CD	GLU	A	97	-27.241	11.799	-16.314	1.00	75.51	A
ATOM	650	OE1	GLU	A	97	-27.747	12.905	-16.036	1.00	74.77	A
ATOM	651	OE2	GLU	A	97	-26.931	10.953	-15.451	1.00	77.73	A
ATOM	652	C	GLU	A	97	-25.450	8.588	-19.762	1.00	74.96	A
ATOM	653	O	GLU	A	97	-24.468	7.943	-19.390	1.00	76.46	A
ATOM	654	N	ALA	A	98	-26.366	8.089	-20.586	1.00	76.86	A
ATOM	655	CA	ALA	A	98	-26.223	6.737	-21.115	1.00	78.82	A
ATOM	656	CB	ALA	A	98	-27.433	6.366	-21.954	1.00	77.13	A
ATOM	657	C	ALA	A	98	-24.965	6.775	-21.980	1.00	81.25	A

ATOM	658	O	ALA	A	98	-24.070	5.941	-21.838	1.00	81.55	A
ATOM	659	N	CYS	A	99	-24.907	7.778	-22.854	1.00	83.47	A
ATOM	660	CA	CYS	A	99	-23.786	7.987	-23.759	1.00	85.46	A
ATOM	661	CB	CYS	A	99	-23.981	9.310	-24.517	1.00	86.41	A
ATOM	662	SG	CYS	A	99	-22.959	9.545	-26.007	1.00	89.76	A
ATOM	663	C	CYS	A	99	-22.462	8.000	-22.988	1.00	86.47	A
ATOM	664	O	CYS	A	99	-21.478	7.415	-23.436	1.00	87.19	A
ATOM	665	N	VAL	A	100	-22.438	8.659	-21.832	1.00	87.06	A
ATOM	666	CA	VAL	A	100	-21.221	8.718	-21.018	1.00	88.28	A
ATOM	667	CB	VAL	A	100	-21.364	9.721	-19.840	1.00	87.74	A
ATOM	668	CG1	VAL	A	100	-20.109	9.704	-18.980	1.00	87.01	A
ATOM	669	CG2	VAL	A	100	-21.603	11.118	-20.371	1.00	87.68	A
ATOM	670	C	VAL	A	100	-20.878	7.339	-20.442	1.00	89.50	A
ATOM	671	O	VAL	A	100	-19.728	6.899	-20.506	1.00	89.46	A
ATOM	672	N	ALA	A	101	-21.881	6.666	-19.880	1.00	90.52	A
ATOM	673	CA	ALA	A	101	-21.696	5.340	-19.294	1.00	91.37	A
ATOM	674	CB	ALA	A	101	-22.924	4.958	-18.477	1.00	90.68	A
ATOM	675	C	ALA	A	101	-21.448	4.305	-20.390	1.00	92.11	A
ATOM	676	O	ALA	A	101	-22.144	3.290	-20.483	1.00	92.02	A
ATOM	677	N	GLY	A	102	-20.445	4.572	-21.218	1.00	92.66	A
ATOM	678	CA	GLY	A	102	-20.117	3.672	-22.303	1.00	93.77	A
ATOM	679	C	GLY	A	102	-19.599	4.456	-23.490	1.00	94.37	A
ATOM	680	O	GLY	A	102	-20.320	4.666	-24.467	1.00	94.30	A
ATOM	681	N	GLY	A	103	-18.345	4.893	-23.399	1.00	94.78	A
ATOM	682	CA	GLY	A	103	-17.741	5.662	-24.472	1.00	94.59	A
ATOM	683	C	GLY	A	103	-17.097	6.930	-23.948	1.00	94.45	A
ATOM	684	O	GLY	A	103	-17.324	7.326	-22.804	1.00	94.32	A
ATOM	685	N	ALA	A	111	-11.108	13.549	-17.360	1.00	90.11	A
ATOM	686	CA	ALA	A	111	-11.032	14.851	-16.699	1.00	90.12	A
ATOM	687	CB	ALA	A	111	-9.569	15.220	-16.438	1.00	89.81	A
ATOM	688	C	ALA	A	111	-11.713	15.942	-17.530	1.00	89.66	A
ATOM	689	O	ALA	A	111	-12.411	15.650	-18.506	1.00	90.16	A
ATOM	690	N	GLY	A	112	-11.509	17.197	-17.136	1.00	88.41	A
ATOM	691	CA	GLY	A	112	-12.108	18.312	-17.853	1.00	86.60	A
ATOM	692	C	GLY	A	112	-11.712	19.656	-17.267	1.00	85.50	A
ATOM	693	O	GLY	A	112	-10.617	19.797	-16.709	1.00	86.67	A
ATOM	694	N	ASN	A	113	-12.590	20.650	-17.400	1.00	82.82	A
ATOM	695	CA	ASN	A	113	-12.309	21.975	-16.860	1.00	79.24	A
ATOM	696	CB	ASN	A	113	-11.567	22.843	-17.893	1.00	81.82	A
ATOM	697	CG	ASN	A	113	-12.359	23.059	-19.177	1.00	83.86	A
ATOM	698	OD1	ASN	A	113	-12.808	22.103	-19.818	1.00	85.28	A

ATOM	699	ND2	ASN	A	113	-12.518	24.324	-19.569	1.00	83.13	A
ATOM	700	C	ASN	A	113	-13.551	22.693	-16.339	1.00	75.65	A
ATOM	701	O	ASN	A	113	-14.603	22.722	-16.985	1.00	74.61	A
ATOM	702	N	ALA	A	114	-13.397	23.272	-15.152	1.00	71.33	A
ATOM	703	CA	ALA	A	114	-14.456	23.986	-14.447	1.00	66.25	A
ATOM	704	CB	ALA	A	114	-14.016	24.237	-13.002	1.00	65.33	A
ATOM	705	C	ALA	A	114	-14.901	25.299	-15.078	1.00	61.91	A
ATOM	706	O	ALA	A	114	-16.020	25.746	-14.859	1.00	60.64	A
ATOM	707	N	ASP	A	115	-14.037	25.924	-15.858	1.00	58.78	A
ATOM	708	CA	ASP	A	115	-14.404	27.197	-16.444	1.00	57.63	A
ATOM	709	CB	ASP	A	115	-13.170	27.864	-17.050	1.00	58.76	A
ATOM	710	CG	ASP	A	115	-12.240	28.440	-15.977	1.00	60.80	A
ATOM	711	OD1	ASP	A	115	-12.644	29.410	-15.283	1.00	58.59	A
ATOM	712	OD2	ASP	A	115	-11.114	27.911	-15.822	1.00	60.92	A
ATOM	713	C	ASP	A	115	-15.553	27.143	-17.441	1.00	56.69	A
ATOM	714	O	ASP	A	115	-16.446	27.994	-17.395	1.00	55.98	A
ATOM	715	N	SER	A	116	-15.547	26.154	-18.332	1.00	54.36	A
ATOM	716	CA	SER	A	116	-16.629	26.025	-19.305	1.00	51.56	A
ATOM	717	CB	SER	A	116	-16.464	24.749	-20.132	1.00	51.85	A
ATOM	718	OG	SER	A	116	-15.262	24.765	-20.875	1.00	52.43	A
ATOM	719	C	SER	A	116	-17.957	25.964	-18.549	1.00	50.12	A
ATOM	720	O	SER	A	116	-18.876	26.747	-18.798	1.00	48.52	A
ATOM	721	N	ILE	A	117	-18.035	25.028	-17.612	1.00	48.20	A
ATOM	722	CA	ILE	A	117	-19.234	24.839	-16.809	1.00	47.04	A
ATOM	723	CB	ILE	A	117	-19.056	23.654	-15.843	1.00	45.89	A
ATOM	724	CG2	ILE	A	117	-20.128	23.680	-14.771	1.00	41.04	A
ATOM	725	CG1	ILE	A	117	-19.086	22.351	-16.645	1.00	44.74	A
ATOM	726	CD1	ILE	A	117	-18.727	21.139	-15.847	1.00	47.83	A
ATOM	727	C	ILE	A	117	-19.577	26.093	-16.029	1.00	47.34	A
ATOM	728	O	ILE	A	117	-20.747	26.363	-15.755	1.00	47.25	A
ATOM	729	N	LEU	A	118	-18.549	26.857	-15.676	1.00	47.11	A
ATOM	730	CA	LEU	A	118	-18.743	28.095	-14.941	1.00	46.33	A
ATOM	731	CB	LEU	A	118	-17.391	28.640	-14.481	1.00	46.21	A
ATOM	732	CG	LEU	A	118	-17.207	29.082	-13.023	1.00	47.56	A
ATOM	733	CD1	LEU	A	118	-17.864	28.110	-12.045	1.00	45.29	A
ATOM	734	CD2	LEU	A	118	-15.717	29.169	-12.742	1.00	46.63	A
ATOM	735	C	LEU	A	118	-19.419	29.071	-15.894	1.00	45.37	A
ATOM	736	O	LEU	A	118	-20.361	29.770	-15.522	1.00	45.75	A
ATOM	737	N	ALA	A	119	-18.947	29.095	-17.135	1.00	43.53	A
ATOM	738	CA	ALA	A	119	-19.515	29.980	-18.145	1.00	44.02	A
ATOM	739	CB	ALA	A	119	-18.835	29.746	-19.483	1.00	43.57	A

ATOM	740	C	ALA	A	119	-21.022	29.760	-18.282	1.00	44.16	A
ATOM	741	O	ALA	A	119	-21.802	30.707	-18.185	1.00	43.43	A
ATOM	742	N	VAL	A	120	-21.420	28.506	-18.504	1.00	43.64	A
ATOM	743	CA	VAL	A	120	-22.826	28.157	-18.653	1.00	41.82	A
ATOM	744	CB	VAL	A	120	-23.023	26.629	-18.940	1.00	41.05	A
ATOM	745	CG1	VAL	A	120	-24.488	26.335	-19.229	1.00	38.92	A
ATOM	746	CG2	VAL	A	120	-22.176	26.185	-20.109	1.00	35.59	A
ATOM	747	C	VAL	A	120	-23.582	28.530	-17.378	1.00	42.89	A
ATOM	748	O	VAL	A	120	-24.632	29.168	-17.443	1.00	43.59	A
ATOM	749	N	LYS	A	121	-23.050	28.148	-16.218	1.00	43.62	A
ATOM	750	CA	LYS	A	121	-23.713	28.470	-14.950	1.00	43.47	A
ATOM	751	CB	LYS	A	121	-22.938	27.909	-13.757	1.00	42.82	A
ATOM	752	CG	LYS	A	121	-23.098	26.405	-13.565	1.00	42.66	A
ATOM	753	CD	LYS	A	121	-22.183	25.886	-12.463	1.00	44.00	A
ATOM	754	CE	LYS	A	121	-22.464	24.418	-12.136	1.00	45.31	A
ATOM	755	NZ	LYS	A	121	-23.826	24.200	-11.551	1.00	43.66	A
ATOM	756	C	LYS	A	121	-23.892	29.963	-14.773	1.00	43.91	A
ATOM	757	O	LYS	A	121	-24.932	30.404	-14.305	1.00	45.66	A
ATOM	758	N	LYS	A	122	-22.889	30.746	-15.156	1.00	45.29	A
ATOM	759	CA	LYS	A	122	-22.979	32.200	-15.028	1.00	45.49	A
ATOM	760	CB	LYS	A	122	-21.584	32.824	-15.117	1.00	46.13	A
ATOM	761	CG	LYS	A	122	-20.822	32.741	-13.784	1.00	49.15	A
ATOM	762	CD	LYS	A	122	-19.309	32.760	-13.945	1.00	52.08	A
ATOM	763	CE	LYS	A	122	-18.822	33.994	-14.692	1.00	54.97	A
ATOM	764	NZ	LYS	A	122	-17.332	33.997	-14.825	1.00	58.31	A
ATOM	765	C	LYS	A	122	-23.930	32.815	-16.051	1.00	44.74	A
ATOM	766	O	LYS	A	122	-24.576	33.819	-15.774	1.00	44.79	A
ATOM	767	N	TYR	A	123	-24.035	32.201	-17.226	1.00	43.85	A
ATOM	768	CA	TYR	A	123	-24.959	32.687	-18.249	1.00	41.73	A
ATOM	769	CB	TYR	A	123	-24.823	31.864	-19.534	1.00	43.00	A
ATOM	770	CG	TYR	A	123	-26.012	31.914	-20.483	1.00	43.26	A
ATOM	771	CD1	TYR	A	123	-26.334	33.079	-21.181	1.00	42.96	A
ATOM	772	CE1	TYR	A	123	-27.375	33.096	-22.120	1.00	43.17	A
ATOM	773	CD2	TYR	A	123	-26.768	30.761	-20.739	1.00	44.34	A
ATOM	774	CE2	TYR	A	123	-27.808	30.764	-21.676	1.00	43.97	A
ATOM	775	CZ	TYR	A	123	-28.100	31.934	-22.361	1.00	43.84	A
ATOM	776	OH	TYR	A	123	-29.106	31.942	-23.289	1.00	43.65	A
ATOM	777	C	TYR	A	123	-26.374	32.558	-17.718	1.00	40.54	A
ATOM	778	O	TYR	A	123	-27.180	33.464	-17.886	1.00	40.80	A
ATOM	779	N	PHE	A	124	-26.667	31.429	-17.076	1.00	40.17	A
ATOM	780	CA	PHE	A	124	-27.993	31.187	-16.520	1.00	42.42	A

ATOM	781	CB	PHE	A	124	-28.188	29.688	-16.247	1.00	41.69	A
ATOM	782	CG	PHE	A	124	-28.617	28.909	-17.462	1.00	42.10	A
ATOM	783	CD1	PHE	A	124	-29.922	29.007	-17.939	1.00	42.51	A
ATOM	784	CD2	PHE	A	124	-27.708	28.120	-18.165	1.00	40.74	A
ATOM	785	CE1	PHE	A	124	-30.317	28.332	-19.106	1.00	41.41	A
ATOM	786	CE2	PHE	A	124	-28.095	27.445	-19.329	1.00	41.37	A
ATOM	787	CZ	PHE	A	124	-29.400	27.554	-19.797	1.00	39.97	A
ATOM	788	C	PHE	A	124	-28.242	32.023	-15.264	1.00	43.39	A
ATOM	789	O	PHE	A	124	-29.378	32.322	-14.922	1.00	42.59	A
ATOM	790	N	GLN	A	125	-27.179	32.421	-14.587	1.00	45.23	A
ATOM	791	CA	GLN	A	125	-27.343	33.251	-13.415	1.00	48.87	A
ATOM	792	CB	GLN	A	125	-25.980	33.479	-12.749	1.00	52.70	A
ATOM	793	CG	GLN	A	125	-26.006	34.131	-11.371	1.00	53.89	A
ATOM	794	CD	GLN	A	125	-26.959	33.442	-10.402	1.00	58.25	A
ATOM	795	OE1	GLN	A	125	-27.117	32.216	-10.422	1.00	58.23	A
ATOM	796	NE2	GLN	A	125	-27.590	34.233	-9.534	1.00	58.44	A
ATOM	797	C	GLN	A	125	-27.942	34.565	-13.920	1.00	49.60	A
ATOM	798	O	GLN	A	125	-28.921	35.070	-13.366	1.00	50.24	A
ATOM	799	N	ARG	A	126	-27.361	35.119	-14.979	1.00	50.02	A
ATOM	800	CA	ARG	A	126	-27.883	36.362	-15.537	1.00	51.12	A
ATOM	801	CB	ARG	A	126	-27.070	36.766	-16.753	1.00	50.74	A
ATOM	802	CG	ARG	A	126	-25.703	37.248	-16.397	1.00	51.91	A
ATOM	803	CD	ARG	A	126	-24.873	37.578	-17.655	1.00	53.15	A
ATOM	804	NE	ARG	A	126	-23.567	36.942	-17.591	1.00	56.26	A
ATOM	805	CZ	ARG	A	126	-23.143	36.070	-18.500	1.00	56.88	A
ATOM	806	NH1	ARG	A	126	-21.926	35.525	-18.418	1.00	61.63	A
ATOM	807	NH2	ARG	A	126	-23.950	35.718	-19.488	1.00	57.30	A
ATOM	808	C	ARG	A	126	-29.365	36.270	-15.891	1.00	51.99	A
ATOM	809	O	ARG	A	126	-30.141	37.168	-15.542	1.00	53.15	A
ATOM	810	N	ILE	A	127	-29.758	35.181	-16.554	1.00	51.87	A
ATOM	811	CA	ILE	A	127	-31.152	34.972	-16.914	1.00	50.67	A
ATOM	812	CB	ILE	A	127	-31.403	33.556	-17.498	1.00	49.15	A
ATOM	813	CG2	ILE	A	127	-32.888	33.373	-17.759	1.00	45.24	A
ATOM	814	CG1	ILE	A	127	-30.611	33.343	-18.790	1.00	49.62	A
ATOM	815	CD1	ILE	A	127	-31.121	34.119	-19.945	1.00	50.32	A
ATOM	816	C	ILE	A	127	-31.992	35.089	-15.644	1.00	51.30	A
ATOM	817	O	ILE	A	127	-32.917	35.891	-15.579	1.00	50.89	A
ATOM	818	N	THR	A	128	-31.669	34.274	-14.644	1.00	52.07	A
ATOM	819	CA	THR	A	128	-32.412	34.277	-13.391	1.00	55.06	A
ATOM	820	CB	THR	A	128	-31.762	33.325	-12.358	1.00	54.18	A
ATOM	821	OG1	THR	A	128	-32.194	31.987	-12.618	1.00	55.56	A

ATOM	822	CG2	THR	A	128	-32.163	33.691	-10.943	1.00	56.16	A
ATOM	823	C	THR	A	128	-32.517	35.679	-12.811	1.00	56.81	A
ATOM	824	O	THR	A	128	-33.602	36.128	-12.445	1.00	56.02	A
ATOM	825	N	LEU	A	129	-31.383	36.370	-12.754	1.00	59.30	A
ATOM	826	CA	LEU	A	129	-31.321	37.718	-12.212	1.00	60.85	A
ATOM	827	CB	LEU	A	129	-29.863	38.176	-12.166	1.00	63.37	A
ATOM	828	CG	LEU	A	129	-29.428	39.036	-10.972	1.00	67.01	A
ATOM	829	CD1	LEU	A	129	-27.937	38.819	-10.757	1.00	67.40	A
ATOM	830	CD2	LEU	A	129	-29.758	40.522	-11.184	1.00	65.11	A
ATOM	831	C	LEU	A	129	-32.158	38.693	-13.037	1.00	61.24	A
ATOM	832	O	LEU	A	129	-32.768	39.610	-12.491	1.00	62.01	A
ATOM	833	N	TYR	A	130	-32.181	38.497	-14.351	1.00	60.00	A
ATOM	834	CA	TYR	A	130	-32.953	39.357	-15.243	1.00	58.99	A
ATOM	835	CB	TYR	A	130	-32.663	38.993	-16.701	1.00	58.50	A
ATOM	836	CG	TYR	A	130	-33.584	39.637	-17.715	1.00	57.74	A
ATOM	837	CD1	TYR	A	130	-33.439	40.974	-18.074	1.00	58.05	A
ATOM	838	CE1	TYR	A	130	-34.279	41.560	-19.020	1.00	58.22	A
ATOM	839	CD2	TYR	A	130	-34.594	38.901	-18.327	1.00	58.06	A
ATOM	840	CE2	TYR	A	130	-35.437	39.478	-19.272	1.00	57.76	A
ATOM	841	CZ	TYR	A	130	-35.274	40.805	-19.613	1.00	58.23	A
ATOM	842	OH	TYR	A	130	-36.113	41.378	-20.540	1.00	58.83	A
ATOM	843	C	TYR	A	130	-34.434	39.166	-14.957	1.00	59.31	A
ATOM	844	O	TYR	A	130	-35.183	40.134	-14.814	1.00	59.29	A
ATOM	845	N	LEU	A	131	-34.844	37.904	-14.875	1.00	58.83	A
ATOM	846	CA	LEU	A	131	-36.233	37.558	-14.617	1.00	58.58	A
ATOM	847	CB	LEU	A	131	-36.390	36.037	-14.555	1.00	55.68	A
ATOM	848	CG	LEU	A	131	-36.422	35.361	-15.922	1.00	53.74	A
ATOM	849	CD1	LEU	A	131	-36.318	33.863	-15.755	1.00	54.07	A
ATOM	850	CD2	LEU	A	131	-37.699	35.742	-16.649	1.00	52.53	A
ATOM	851	C	LEU	A	131	-36.740	38.193	-13.330	1.00	59.15	A
ATOM	852	O	LEU	A	131	-37.811	38.807	-13.304	1.00	57.39	A
ATOM	853	N	THR	A	132	-35.966	38.041	-12.262	1.00	60.31	A
ATOM	854	CA	THR	A	132	-36.342	38.608	-10.982	1.00	61.04	A
ATOM	855	CB	THR	A	132	-35.474	38.034	-9.826	1.00	61.40	A
ATOM	856	OG1	THR	A	132	-35.587	38.887	-8.680	1.00	64.65	A
ATOM	857	CG2	THR	A	132	-34.026	37.929	-10.227	1.00	59.77	A
ATOM	858	C	THR	A	132	-36.212	40.125	-11.044	1.00	61.41	A
ATOM	859	O	THR	A	132	-37.112	40.853	-10.624	1.00	61.07	A
ATOM	860	N	GLY	A	133	-35.102	40.598	-11.597	1.00	62.03	A
ATOM	861	CA	GLY	A	133	-34.891	42.029	-11.705	1.00	62.46	A
ATOM	862	C	GLY	A	133	-35.929	42.684	-12.592	1.00	62.83	A

ATOM	863	O	GLY A 133	-36.032	43.905	-12.634	1.00	63.96	A
ATOM	864	N	LYS A 134	-36.708	41.869	-13.295	1.00	62.98	A
ATOM	865	CA	LYS A 134	-37.729	42.375	-14.205	1.00	62.76	A
ATOM	866	CB	LYS A 134	-37.523	41.775	-15.595	1.00	63.31	A
ATOM	867	CG	LYS A 134	-37.830	42.712	-16.742	1.00	63.91	A
ATOM	868	CD	LYS A 134	-36.734	43.744	-16.932	1.00	64.03	A
ATOM	869	CE	LYS A 134	-37.008	44.589	-18.172	1.00	65.71	A
ATOM	870	NZ	LYS A 134	-35.986	45.656	-18.394	1.00	66.60	A
ATOM	871	C	LYS A 134	-39.122	42.026	-13.694	1.00	62.52	A
ATOM	872	O	LYS A 134	-40.118	42.159	-14.408	1.00	61.64	A
ATOM	873	N	ALA A 135	-39.175	41.558	-12.454	1.00	62.91	A
ATOM	874	CA	ALA A 135	-40.433	41.207	-11.809	1.00	62.68	A
ATOM	875	CB	ALA A 135	-41.307	42.469	-11.671	1.00	63.48	A
ATOM	876	C	ALA A 135	-41.221	40.096	-12.501	1.00	61.65	A
ATOM	877	O	ALA A 135	-42.444	40.041	-12.385	1.00	61.18	A
ATOM	878	N	TYR A 136	-40.525	39.215	-13.213	1.00	60.39	A
ATOM	879	CA	TYR A 136	-41.166	38.091	-13.908	1.00	60.51	A
ATOM	880	CB	TYR A 136	-41.622	37.024	-12.899	1.00	60.08	A
ATOM	881	CG	TYR A 136	-40.547	36.596	-11.924	1.00	62.10	A
ATOM	882	CD1	TYR A 136	-40.241	37.378	-10.807	1.00	62.66	A
ATOM	883	CE1	TYR A 136	-39.227	37.007	-9.919	1.00	63.23	A
ATOM	884	CD2	TYR A 136	-39.811	35.424	-12.131	1.00	62.49	A
ATOM	885	CE2	TYR A 136	-38.792	35.044	-11.249	1.00	64.05	A
ATOM	886	CZ	TYR A 136	-38.507	35.844	-10.146	1.00	63.71	A
ATOM	887	OH	TYR A 136	-37.495	35.495	-9.280	1.00	63.34	A
ATOM	888	C	TYR A 136	-42.359	38.479	-14.785	1.00	60.49	A
ATOM	889	O	TYR A 136	-43.334	37.731	-14.882	1.00	60.06	A
ATOM	890	N	SER A 137	-42.289	39.641	-15.425	1.00	61.06	A
ATOM	891	CA	SER A 137	-43.383	40.088	-16.284	1.00	61.14	A
ATOM	892	CB	SER A 137	-43.205	41.557	-16.650	1.00	60.90	A
ATOM	893	OG	SER A 137	-42.133	41.713	-17.559	1.00	63.48	A
ATOM	894	C	SER A 137	-43.432	39.257	-17.563	1.00	61.21	A
ATOM	895	O	SER A 137	-42.414	38.718	-18.004	1.00	59.84	A
ATOM	896	N	PRO A 138	-44.624	39.150	-18.178	1.00	61.71	A
ATOM	897	CD	PRO A 138	-45.906	39.727	-17.725	1.00	60.80	A
ATOM	898	CA	PRO A 138	-44.819	38.384	-19.414	1.00	60.13	A
ATOM	899	CB	PRO A 138	-46.238	38.773	-19.831	1.00	59.80	A
ATOM	900	CG	PRO A 138	-46.929	38.932	-18.523	1.00	58.23	A
ATOM	901	C	PRO A 138	-43.783	38.661	-20.506	1.00	59.03	A
ATOM	902	O	PRO A 138	-43.361	37.737	-21.199	1.00	59.70	A
ATOM	903	N	CYS A 139	-43.382	39.922	-20.659	1.00	57.95	A

ATOM	904	CA	CYS	A	139	-42.392	40.296	-21.666	1.00	58.35	A
ATOM	905	C	CYS	A	139	-41.024	39.758	-21.311	1.00	57.19	A
ATOM	906	O	CYS	A	139	-40.267	39.329	-22.185	1.00	57.07	A
ATOM	907	CB	CYS	A	139	-42.280	41.813	-21.798	1.00	60.88	A
ATOM	908	SG	CYS	A	139	-43.778	42.639	-22.404	1.00	68.54	A
ATOM	909	N	ALA	A	140	-40.701	39.807	-20.022	1.00	55.95	A
ATOM	910	CA	ALA	A	140	-39.420	39.318	-19.537	1.00	53.50	A
ATOM	911	CB	ALA	A	140	-39.307	39.547	-18.039	1.00	51.95	A
ATOM	912	C	ALA	A	140	-39.311	37.831	-19.857	1.00	52.02	A
ATOM	913	O	ALA	A	140	-38.249	37.350	-20.237	1.00	52.56	A
ATOM	914	N	TRP	A	141	-40.418	37.111	-19.714	1.00	50.19	A
ATOM	915	CA	TRP	A	141	-40.429	35.685	-19.990	1.00	49.75	A
ATOM	916	CB	TRP	A	141	-41.662	35.034	-19.365	1.00	48.78	A
ATOM	917	CG	TRP	A	141	-41.411	34.516	-17.981	1.00	49.84	A
ATOM	918	CD2	TRP	A	141	-40.564	33.415	-17.616	1.00	48.87	A
ATOM	919	CE2	TRP	A	141	-40.649	33.274	-16.212	1.00	48.13	A
ATOM	920	CE3	TRP	A	141	-39.744	32.534	-18.340	1.00	46.28	A
ATOM	921	CD1	TRP	A	141	-41.953	34.984	-16.814	1.00	47.90	A
ATOM	922	NE1	TRP	A	141	-41.501	34.243	-15.754	1.00	47.02	A
ATOM	923	CZ2	TRP	A	141	-39.944	32.281	-15.514	1.00	46.41	A
ATOM	924	CZ3	TRP	A	141	-39.042	31.544	-17.644	1.00	44.50	A
ATOM	925	CH2	TRP	A	141	-39.150	31.428	-16.246	1.00	46.31	A
ATOM	926	C	TRP	A	141	-40.373	35.394	-21.487	1.00	49.99	A
ATOM	927	O	TRP	A	141	-39.865	34.356	-21.908	1.00	49.91	A
ATOM	928	N	GLU	A	142	-40.902	36.314	-22.285	1.00	49.68	A
ATOM	929	CA	GLU	A	142	-40.885	36.176	-23.734	1.00	49.54	A
ATOM	930	CB	GLU	A	142	-41.879	37.161	-24.359	1.00	51.93	A
ATOM	931	CG	GLU	A	142	-42.054	37.014	-25.862	1.00	55.37	A
ATOM	932	CD	GLU	A	142	-42.079	35.566	-26.315	1.00	58.44	A
ATOM	933	OE1	GLU	A	142	-42.804	34.747	-25.698	1.00	59.65	A
ATOM	934	OE2	GLU	A	142	-41.371	35.252	-27.296	1.00	58.89	A
ATOM	935	C	GLU	A	142	-39.457	36.445	-24.235	1.00	48.12	A
ATOM	936	O	GLU	A	142	-38.990	35.830	-25.195	1.00	46.88	A
ATOM	937	N	VAL	A	143	-38.766	37.363	-23.569	1.00	46.47	A
ATOM	938	CA	VAL	A	143	-37.387	37.685	-23.918	1.00	46.26	A
ATOM	939	CB	VAL	A	143	-36.925	38.990	-23.219	1.00	46.29	A
ATOM	940	CG1	VAL	A	143	-35.505	39.327	-23.605	1.00	43.99	A
ATOM	941	CG2	VAL	A	143	-37.855	40.124	-23.594	1.00	48.07	A
ATOM	942	C	VAL	A	143	-36.471	36.532	-23.490	1.00	45.08	A
ATOM	943	O	VAL	A	143	-35.421	36.312	-24.087	1.00	46.32	A
ATOM	944	N	VAL	A	144	-36.861	35.800	-22.451	1.00	42.03	A

ATOM	945	CA	VAL	A	144	-36.051	34.680	-22.010	1.00	40.59	A
ATOM	946	CB	VAL	A	144	-36.331	34.343	-20.517	1.00	39.36	A
ATOM	947	CG1	VAL	A	144	-35.716	32.999	-20.144	1.00	38.27	A
ATOM	948	CG2	VAL	A	144	-35.722	35.421	-19.626	1.00	37.69	A
ATOM	949	C	VAL	A	144	-36.328	33.472	-22.916	1.00	41.36	A
ATOM	950	O	VAL	A	144	-35.419	32.715	-23.262	1.00	39.87	A
ATOM	951	N	ARG	A	145	-37.584	33.304	-23.311	1.00	42.03	A
ATOM	952	CA	ARG	A	145	-37.954	32.200	-24.178	1.00	43.63	A
ATOM	953	CB	ARG	A	145	-39.458	32.238	-24.485	1.00	43.53	A
ATOM	954	CG	ARG	A	145	-40.010	30.975	-25.172	1.00	44.12	A
ATOM	955	CD	ARG	A	145	-41.466	31.179	-25.671	1.00	47.31	A
ATOM	956	NE	ARG	A	145	-41.546	32.147	-26.772	1.00	49.05	A
ATOM	957	CZ	ARG	A	145	-41.087	31.924	-28.005	1.00	47.86	A
ATOM	958	NH1	ARG	A	145	-40.526	30.765	-28.323	1.00	47.20	A
ATOM	959	NH2	ARG	A	145	-41.141	32.882	-28.910	1.00	48.43	A
ATOM	960	C	ARG	A	145	-37.144	32.333	-25.474	1.00	44.89	A
ATOM	961	O	ARG	A	145	-36.551	31.367	-25.952	1.00	44.68	A
ATOM	962	N	ALA	A	146	-37.098	33.542	-26.024	1.00	45.26	A
ATOM	963	CA	ALA	A	146	-36.366	33.786	-27.267	1.00	44.68	A
ATOM	964	CB	ALA	A	146	-36.639	35.199	-27.766	1.00	41.89	A
ATOM	965	C	ALA	A	146	-34.865	33.564	-27.115	1.00	44.62	A
ATOM	966	O	ALA	A	146	-34.214	33.063	-28.028	1.00	45.73	A
ATOM	967	N	GLU	A	147	-34.319	33.940	-25.963	1.00	43.92	A
ATOM	968	CA	GLU	A	147	-32.894	33.772	-25.697	1.00	42.58	A
ATOM	969	CB	GLU	A	147	-32.512	34.500	-24.403	1.00	40.40	A
ATOM	970	CG	GLU	A	147	-31.124	34.186	-23.878	1.00	40.78	A
ATOM	971	CD	GLU	A	147	-30.021	34.667	-24.802	1.00	44.78	A
ATOM	972	OE1	GLU	A	147	-30.039	35.853	-25.201	1.00	46.12	A
ATOM	973	OE2	GLU	A	147	-29.125	33.862	-25.128	1.00	46.08	A
ATOM	974	C	GLU	A	147	-32.526	32.288	-25.600	1.00	42.73	A
ATOM	975	O	GLU	A	147	-31.490	31.871	-26.130	1.00	41.47	A
ATOM	976	N	ILE	A	148	-33.367	31.497	-24.929	1.00	41.27	A
ATOM	977	CA	ILE	A	148	-33.103	30.066	-24.794	1.00	42.00	A
ATOM	978	CB	ILE	A	148	-34.031	29.409	-23.715	1.00	42.87	A
ATOM	979	CG2	ILE	A	148	-34.159	27.894	-23.939	1.00	41.81	A
ATOM	980	CG1	ILE	A	148	-33.423	29.613	-22.331	1.00	42.77	A
ATOM	981	CD1	ILE	A	148	-33.158	31.046	-21.993	1.00	47.88	A
ATOM	982	C	ILE	A	148	-33.284	29.382	-26.148	1.00	42.52	A
ATOM	983	O	ILE	A	148	-32.521	28.489	-26.510	1.00	40.95	A
ATOM	984	N	MET	A	149	-34.297	29.820	-26.890	1.00	43.15	A
ATOM	985	CA	MET	A	149	-34.594	29.288	-28.210	1.00	43.66	A

ATOM	986	CB	MET	A	149	-35.738	30.082	-28.840	1.00	45.34	A
ATOM	987	CG	MET	A	149	-36.136	29.660	-30.241	1.00	47.78	A
ATOM	988	SD	MET	A	149	-37.331	28.311	-30.248	1.00	53.42	A
ATOM	989	CE	MET	A	149	-36.351	27.036	-30.894	1.00	52.10	A
ATOM	990	C	MET	A	149	-33.342	29.456	-29.052	1.00	45.41	A
ATOM	991	O	MET	A	149	-32.924	28.543	-29.776	1.00	46.37	A
ATOM	992	N	ARG	A	150	-32.733	30.629	-28.945	1.00	45.61	A
ATOM	993	CA	ARG	A	150	-31.540	30.895	-29.709	1.00	47.17	A
ATOM	994	CB	ARG	A	150	-31.254	32.389	-29.720	1.00	48.49	A
ATOM	995	CG	ARG	A	150	-30.191	32.777	-30.712	1.00	53.95	A
ATOM	996	CD	ARG	A	150	-29.717	34.199	-30.516	1.00	59.85	A
ATOM	997	NE	ARG	A	150	-28.745	34.560	-31.546	1.00	66.19	A
ATOM	998	CZ	ARG	A	150	-27.975	35.644	-31.513	1.00	69.41	A
ATOM	999	NH1	ARG	A	150	-28.053	36.493	-30.488	1.00	70.95	A
ATOM	1000	NH2	ARG	A	150	-27.129	35.882	-32.510	1.00	69.33	A
ATOM	1001	C	ARG	A	150	-30.334	30.126	-29.161	1.00	48.23	A
ATOM	1002	O	ARG	A	150	-29.612	29.473	-29.923	1.00	48.56	A
ATOM	1003	N	SER	A	151	-30.122	30.177	-27.847	1.00	47.72	A
ATOM	1004	CA	SER	A	151	-28.973	29.492	-27.258	1.00	48.57	A
ATOM	1005	CB	SER	A	151	-28.714	29.993	-25.837	1.00	48.92	A
ATOM	1006	OG	SER	A	151	-29.880	29.900	-25.045	1.00	54.27	A
ATOM	1007	C	SER	A	151	-29.090	27.979	-27.253	1.00	48.50	A
ATOM	1008	O	SER	A	151	-28.113	27.278	-27.517	1.00	46.55	A
ATOM	1009	N	PHE	A	152	-30.277	27.468	-26.953	1.00	49.05	A
ATOM	1010	CA	PHE	A	152	-30.463	26.024	-26.938	1.00	50.72	A
ATOM	1011	CB	PHE	A	152	-31.808	25.667	-26.301	1.00	48.90	A
ATOM	1012	CG	PHE	A	152	-31.872	24.270	-25.772	1.00	47.92	A
ATOM	1013	CD1	PHE	A	152	-31.364	23.970	-24.514	1.00	48.09	A
ATOM	1014	CD2	PHE	A	152	-32.430	23.246	-26.535	1.00	48.59	A
ATOM	1015	CE1	PHE	A	152	-31.406	22.667	-24.010	1.00	47.02	A
ATOM	1016	CE2	PHE	A	152	-32.480	21.938	-26.047	1.00	49.53	A
ATOM	1017	CZ	PHE	A	152	-31.964	21.649	-24.775	1.00	48.38	A
ATOM	1018	C	PHE	A	152	-30.376	25.492	-28.387	1.00	52.04	A
ATOM	1019	O	PHE	A	152	-30.086	24.319	-28.612	1.00	51.28	A
ATOM	1020	N	ALA	A	153	-30.628	26.359	-29.366	1.00	53.53	A
ATOM	1021	CA	ALA	A	153	-30.521	25.960	-30.771	1.00	55.59	A
ATOM	1022	CB	ALA	A	153	-31.077	27.049	-31.698	1.00	53.76	A
ATOM	1023	C	ALA	A	153	-29.040	25.729	-31.060	1.00	55.66	A
ATOM	1024	O	ALA	A	153	-28.665	24.692	-31.599	1.00	55.80	A
ATOM	1025	N	LEU	A	154	-28.205	26.699	-30.696	1.00	57.44	A
ATOM	1026	CA	LEU	A	154	-26.756	26.584	-30.891	1.00	60.09	A

ATOM	1027	CB	LEU	A	154	-26.045	27.854	-30.407	1.00	57.36	A
ATOM	1028	CG	LEU	A	154	-26.306	29.106	-31.239	1.00	56.81	A
ATOM	1029	CD1	LEU	A	154	-25.681	30.305	-30.566	1.00	54.66	A
ATOM	1030	CD2	LEU	A	154	-25.746	28.915	-32.642	1.00	54.86	A
ATOM	1031	C	LEU	A	154	-26.212	25.376	-30.122	1.00	61.78	A
ATOM	1032	O	LEU	A	154	-25.251	24.730	-30.550	1.00	62.63	A
ATOM	1033	N	SER	A	155	-26.840	25.084	-28.986	1.00	62.76	A
ATOM	1034	CA	SER	A	155	-26.446	23.966	-28.146	1.00	63.82	A
ATOM	1035	CB	SER	A	155	-27.144	24.065	-26.797	1.00	63.60	A
ATOM	1036	OG	SER	A	155	-26.966	22.869	-26.066	1.00	65.69	A
ATOM	1037	C	SER	A	155	-26.779	22.627	-28.798	1.00	65.21	A
ATOM	1038	O	SER	A	155	-25.974	21.697	-28.767	1.00	65.58	A
ATOM	1039	N	THR	A	156	-27.976	22.531	-29.371	1.00	66.30	A
ATOM	1040	CA	THR	A	156	-28.422	21.319	-30.050	1.00	67.72	A
ATOM	1041	CB	THR	A	156	-29.893	21.452	-30.519	1.00	67.52	A
ATOM	1042	OG1	THR	A	156	-30.765	21.393	-29.386	1.00	69.40	A
ATOM	1043	CG2	THR	A	156	-30.262	20.339	-31.479	1.00	68.25	A
ATOM	1044	C	THR	A	156	-27.535	21.032	-31.267	1.00	69.26	A
ATOM	1045	O	THR	A	156	-27.422	19.885	-31.693	1.00	69.59	A
ATOM	1046	N	ASN	A	157	-26.915	22.076	-31.822	1.00	70.20	A
ATOM	1047	CA	ASN	A	157	-26.031	21.928	-32.979	1.00	70.93	A
ATOM	1048	CB	ASN	A	157	-25.561	23.295	-33.490	1.00	71.29	A
ATOM	1049	CG	ASN	A	157	-26.661	24.082	-34.186	1.00	71.77	A
ATOM	1050	OD1	ASN	A	157	-27.846	23.776	-34.054	1.00	71.35	A
ATOM	1051	ND2	ASN	A	157	-26.268	25.116	-34.924	1.00	72.68	A
ATOM	1052	C	ASN	A	157	-24.818	21.117	-32.560	1.00	72.23	A
ATOM	1053	O	ASN	A	157	-24.347	20.254	-33.302	1.00	73.06	A
ATOM	1054	N	LEU	A	158	-24.309	21.409	-31.367	1.00	73.17	A
ATOM	1055	CA	LEU	A	158	-23.152	20.701	-30.836	1.00	73.49	A
ATOM	1056	CB	LEU	A	158	-22.680	21.363	-29.539	1.00	73.26	A
ATOM	1057	CG	LEU	A	158	-21.264	21.080	-29.018	1.00	74.00	A
ATOM	1058	CD1	LEU	A	158	-21.085	21.764	-27.673	1.00	73.67	A
ATOM	1059	CD2	LEU	A	158	-21.025	19.591	-28.866	1.00	74.47	A
ATOM	1060	C	LEU	A	158	-23.601	19.270	-30.561	1.00	73.89	A
ATOM	1061	O	LEU	A	158	-22.823	18.328	-30.663	1.00	72.76	A
ATOM	1062	N	GLN	A	159	-24.875	19.120	-30.220	1.00	75.65	A
ATOM	1063	CA	GLN	A	159	-25.439	17.811	-29.926	1.00	78.32	A
ATOM	1064	CB	GLN	A	159	-26.861	17.972	-29.374	1.00	79.21	A
ATOM	1065	CG	GLN	A	159	-27.392	16.753	-28.635	1.00	80.98	A
ATOM	1066	CD	GLN	A	159	-28.629	17.063	-27.811	1.00	81.67	A
ATOM	1067	OE1	GLN	A	159	-29.666	17.463	-28.347	1.00	82.31	A

ATOM	1068	NE2	GLN	A	159	-28.522	16.883	-26.499	1.00	80.98	A
ATOM	1069	C	GLN	A	159	-25.446	16.967	-31.198	1.00	79.66	A
ATOM	1070	O	GLN	A	159	-25.157	15.769	-31.165	1.00	79.48	A
ATOM	1071	N	GLY	A	160	-25.776	17.605	-32.320	1.00	81.34	A
ATOM	1072	CA	GLY	A	160	-25.793	16.909	-33.592	1.00	81.32	A
ATOM	1073	C	GLY	A	160	-24.383	16.471	-33.944	1.00	82.28	A
ATOM	1074	O	GLY	A	160	-24.160	15.338	-34.363	1.00	82.91	A
ATOM	1075	N	ALA	A	161	-23.420	17.369	-33.756	1.00	82.27	A
ATOM	1076	CA	ALA	A	161	-22.023	17.071	-34.057	1.00	82.68	A
ATOM	1077	CB	ALA	A	161	-21.197	18.371	-34.048	1.00	82.24	A
ATOM	1078	C	ALA	A	161	-21.435	16.061	-33.067	1.00	82.41	A
ATOM	1079	O	ALA	A	161	-20.248	15.738	-33.117	1.00	82.19	A
ATOM	1080	N	LEU	A	162	-22.274	15.560	-32.171	1.00	82.59	A
ATOM	1081	CA	LEU	A	162	-21.833	14.600	-31.169	1.00	82.81	A
ATOM	1082	CB	LEU	A	162	-22.266	15.075	-29.776	1.00	81.71	A
ATOM	1083	CG	LEU	A	162	-22.133	14.141	-28.573	1.00	80.63	A
ATOM	1084	CD1	LEU	A	162	-21.690	14.939	-27.359	1.00	80.31	A
ATOM	1085	CD2	LEU	A	162	-23.463	13.447	-28.309	1.00	79.59	A
ATOM	1086	C	LEU	A	162	-22.379	13.206	-31.450	1.00	83.84	A
ATOM	1087	O	LEU	A	162	-21.694	12.207	-31.222	1.00	83.86	A
ATOM	1088	N	GLY	A	163	-23.606	13.142	-31.958	1.00	84.78	A
ATOM	1089	CA	GLY	A	163	-24.212	11.855	-32.255	1.00	85.12	A
ATOM	1090	C	GLY	A	163	-23.963	11.378	-33.671	1.00	85.32	A
ATOM	1091	O	GLY	A	163	-24.939	10.958	-34.330	1.00	85.87	A
ATOM	1092	OXT	GLY	A	163	-22.795	11.408	-34.121	1.00	84.75	A
ATOM	1093	CB	ASN	B	11	-36.003	31.054	-49.710	1.00	85.15	B
ATOM	1094	CG	ASN	B	11	-35.553	29.922	-50.640	1.00	85.60	B
ATOM	1095	OD1	ASN	B	11	-34.661	29.139	-50.297	1.00	84.41	B
ATOM	1096	ND2	ASN	B	11	-36.172	29.834	-51.818	1.00	84.86	B
ATOM	1097	C	ASN	B	11	-38.419	31.748	-49.975	1.00	83.40	B
ATOM	1098	O	ASN	B	11	-38.848	32.106	-48.869	1.00	83.24	B
ATOM	1099	N	ASN	B	11	-36.612	33.443	-50.017	1.00	85.25	B
ATOM	1100	CA	ASN	B	11	-36.970	32.041	-50.393	1.00	84.75	B
ATOM	1101	N	ARG	B	12	-39.176	31.116	-50.871	1.00	80.64	B
ATOM	1102	CA	ARG	B	12	-40.566	30.781	-50.583	1.00	75.89	B
ATOM	1103	CB	ARG	B	12	-41.494	31.295	-51.681	1.00	76.32	B
ATOM	1104	CG	ARG	B	12	-42.957	31.189	-51.303	1.00	77.28	B
ATOM	1105	CD	ARG	B	12	-43.165	31.751	-49.908	1.00	77.55	B
ATOM	1106	NE	ARG	B	12	-44.512	32.270	-49.718	1.00	78.19	B
ATOM	1107	CZ	ARG	B	12	-44.864	33.064	-48.715	1.00	77.18	B
ATOM	1108	NH1	ARG	B	12	-43.962	33.426	-47.813	1.00	76.35	B

ATOM	1109	NH2	ARG	B	12	-46.113	33.503	-48.622	1.00	76.77	B
ATOM	1110	C	ARG	B	12	-40.747	29.286	-50.453	1.00	72.00	B
ATOM	1111	O	ARG	B	12	-41.679	28.718	-51.024	1.00	69.87	B
ATOM	1112	N	ARG	B	13	-39.860	28.652	-49.694	1.00	68.53	B
ATOM	1113	CA	ARG	B	13	-39.940	27.215	-49.514	1.00	66.86	B
ATOM	1114	CB	ARG	B	13	-38.635	26.669	-48.944	1.00	69.00	B
ATOM	1115	CG	ARG	B	13	-38.279	27.157	-47.572	1.00	72.00	B
ATOM	1116	CD	ARG	B	13	-37.016	26.456	-47.145	1.00	75.81	B
ATOM	1117	NE	ARG	B	13	-37.112	25.019	-47.396	1.00	78.98	B
ATOM	1118	CZ	ARG	B	13	-36.088	24.176	-47.307	1.00	80.56	B
ATOM	1119	NH1	ARG	B	13	-34.886	24.632	-46.971	1.00	82.00	B
ATOM	1120	NH2	ARG	B	13	-36.263	22.882	-47.557	1.00	78.63	B
ATOM	1121	C	ARG	B	13	-41.110	26.828	-48.628	1.00	63.21	B
ATOM	1122	O	ARG	B	13	-41.297	25.660	-48.296	1.00	63.10	B
ATOM	1123	N	ALA	B	14	-41.906	27.819	-48.256	1.00	58.81	B
ATOM	1124	CA	ALA	B	14	-43.068	27.565	-47.439	1.00	56.19	B
ATOM	1125	CB	ALA	B	14	-43.667	28.874	-46.988	1.00	57.98	B
ATOM	1126	C	ALA	B	14	-44.066	26.779	-48.288	1.00	54.53	B
ATOM	1127	O	ALA	B	14	-44.438	25.651	-47.958	1.00	53.40	B
ATOM	1128	N	LEU	B	15	-44.490	27.379	-49.393	1.00	53.25	B
ATOM	1129	CA	LEU	B	15	-45.437	26.730	-50.287	1.00	51.60	B
ATOM	1130	CB	LEU	B	15	-45.868	27.717	-51.376	1.00	53.42	B
ATOM	1131	CG	LEU	B	15	-46.780	28.860	-50.918	1.00	54.05	B
ATOM	1132	CD1	LEU	B	15	-46.739	30.011	-51.905	1.00	53.59	B
ATOM	1133	CD2	LEU	B	15	-48.192	28.335	-50.780	1.00	55.07	B
ATOM	1134	C	LEU	B	15	-44.836	25.465	-50.911	1.00	49.98	B
ATOM	1135	O	LEU	B	15	-45.538	24.473	-51.136	1.00	49.36	B
ATOM	1136	N	ILE	B	16	-43.535	25.491	-51.178	1.00	46.77	B
ATOM	1137	CA	ILE	B	16	-42.883	24.334	-51.765	1.00	45.58	B
ATOM	1138	CB	ILE	B	16	-41.435	24.679	-52.164	1.00	45.17	B
ATOM	1139	CG2	ILE	B	16	-40.607	23.420	-52.375	1.00	42.57	B
ATOM	1140	CG1	ILE	B	16	-41.466	25.512	-53.448	1.00	44.62	B
ATOM	1141	CD1	ILE	B	16	-40.094	25.930	-53.945	1.00	47.42	B
ATOM	1142	C	ILE	B	16	-42.926	23.097	-50.863	1.00	46.11	B
ATOM	1143	O	ILE	B	16	-43.308	22.013	-51.309	1.00	45.20	B
ATOM	1144	N	LEU	B	17	-42.548	23.246	-49.596	1.00	46.19	B
ATOM	1145	CA	LEU	B	17	-42.584	22.105	-48.676	1.00	45.40	B
ATOM	1146	CB	LEU	B	17	-42.067	22.519	-47.303	1.00	43.77	B
ATOM	1147	CG	LEU	B	17	-40.618	22.983	-47.397	1.00	43.17	B
ATOM	1148	CD1	LEU	B	17	-40.256	23.847	-46.210	1.00	42.11	B
ATOM	1149	CD2	LEU	B	17	-39.723	21.774	-47.522	1.00	42.21	B

ATOM	1150	C	LEU	B	17	-44.007	21.566	-48.567	1.00	45.21	B
ATOM	1151	O	LEU	B	17	-44.219	20.354	-48.575	1.00	45.78	B
ATOM	1152	N	LEU	B	18	-44.983	22.464	-48.466	1.00	44.38	B
ATOM	1153	CA	LEU	B	18	-46.373	22.046	-48.391	1.00	44.44	B
ATOM	1154	CB	LEU	B	18	-47.291	23.257	-48.262	1.00	43.44	B
ATOM	1155	CG	LEU	B	18	-47.574	23.721	-46.831	1.00	43.94	B
ATOM	1156	CD1	LEU	B	18	-48.104	25.149	-46.842	1.00	42.55	B
ATOM	1157	CD2	LEU	B	18	-48.565	22.761	-46.172	1.00	40.40	B
ATOM	1158	C	LEU	B	18	-46.713	21.278	-49.654	1.00	46.61	B
ATOM	1159	O	LEU	B	18	-47.504	20.332	-49.628	1.00	47.62	B
ATOM	1160	N	ALA	B	19	-46.107	21.692	-50.764	1.00	47.27	B
ATOM	1161	CA	ALA	B	19	-46.326	21.043	-52.053	1.00	47.65	B
ATOM	1162	CB	ALA	B	19	-45.762	21.912	-53.174	1.00	47.43	B
ATOM	1163	C	ALA	B	19	-45.679	19.659	-52.087	1.00	48.06	B
ATOM	1164	O	ALA	B	19	-46.257	18.715	-52.620	1.00	47.48	B
ATOM	1165	N	GLN	B	20	-44.474	19.553	-51.526	1.00	49.52	B
ATOM	1166	CA	GLN	B	20	-43.742	18.286	-51.482	1.00	50.43	B
ATOM	1167	CB	GLN	B	20	-42.266	18.521	-51.141	1.00	50.28	B
ATOM	1168	CG	GLN	B	20	-41.409	19.164	-52.227	1.00	48.64	B
ATOM	1169	CD	GLN	B	20	-40.000	19.484	-51.738	1.00	49.87	B
ATOM	1170	OE1	GLN	B	20	-39.518	18.888	-50.778	1.00	51.73	B
ATOM	1171	NE2	GLN	B	20	-39.333	20.418	-52.403	1.00	49.40	B
ATOM	1172	C	GLN	B	20	-44.352	17.371	-50.428	1.00	51.95	B
ATOM	1173	O	GLN	B	20	-44.020	16.199	-50.350	1.00	52.62	B
ATOM	1174	N	MET	B	21	-45.249	17.915	-49.618	1.00	54.15	B
ATOM	1175	CA	MET	B	21	-45.892	17.138	-48.568	1.00	56.60	B
ATOM	1176	CB	MET	B	21	-46.325	18.064	-47.420	1.00	56.38	B
ATOM	1177	CG	MET	B	21	-45.231	18.357	-46.394	1.00	57.01	B
ATOM	1178	SD	MET	B	21	-45.690	19.612	-45.174	1.00	57.20	B
ATOM	1179	CE	MET	B	21	-47.211	18.885	-44.499	1.00	57.95	B
ATOM	1180	C	MET	B	21	-47.090	16.327	-49.056	1.00	58.24	B
ATOM	1181	O	MET	B	21	-47.551	15.424	-48.363	1.00	58.12	B
ATOM	1182	N	ALA	B	22	-47.600	16.645	-50.243	1.00	61.09	B
ATOM	1183	CA	ALA	B	22	-48.754	15.922	-50.773	1.00	62.96	B
ATOM	1184	CB	ALA	B	22	-49.151	16.468	-52.145	1.00	61.96	B
ATOM	1185	C	ALA	B	22	-48.415	14.446	-50.872	1.00	64.38	B
ATOM	1186	O	ALA	B	22	-47.323	14.086	-51.300	1.00	64.43	B
ATOM	1187	N	ARG	B	23	-49.352	13.596	-50.463	1.00	67.27	B
ATOM	1188	CA	ARG	B	23	-49.132	12.158	-50.508	1.00	70.44	B
ATOM	1189	CB	ARG	B	23	-48.613	11.669	-49.152	1.00	71.01	B
ATOM	1190	CG	ARG	B	23	-49.450	12.102	-47.968	1.00	72.18	B

ATOM	1191	CD	ARG	B	23	-48.731	11.815	-46.667	1.00	73.33	B
ATOM	1192	NE	ARG	B	23	-48.552	10.385	-46.450	1.00	76.38	B
ATOM	1193	CZ	ARG	B	23	-47.854	9.860	-45.445	1.00	78.19	B
ATOM	1194	NH1	ARG	B	23	-47.256	10.649	-44.553	1.00	77.51	B
ATOM	1195	NH2	ARG	B	23	-47.760	8.538	-45.329	1.00	77.90	B
ATOM	1196	C	ARG	B	23	-50.362	11.354	-50.923	1.00	72.04	B
ATOM	1197	O	ARG	B	23	-50.280	10.139	-51.102	1.00	73.43	B
ATOM	1198	N	ALA	B	24	-51.500	12.023	-51.077	1.00	73.32	B
ATOM	1199	CA	ALA	B	24	-52.721	11.340	-51.489	1.00	75.11	B
ATOM	1200	CB	ALA	B	24	-53.947	12.016	-50.872	1.00	72.05	B
ATOM	1201	C	ALA	B	24	-52.817	11.370	-53.011	1.00	77.82	B
ATOM	1202	O	ALA	B	24	-52.334	12.309	-53.653	1.00	78.81	B
ATOM	1203	N	SER	B	25	-53.429	10.339	-53.588	1.00	79.74	B
ATOM	1204	CA	SER	B	25	-53.599	10.261	-55.033	1.00	82.06	B
ATOM	1205	CB	SER	B	25	-53.912	8.827	-55.442	1.00	82.21	B
ATOM	1206	OG	SER	B	25	-55.044	8.348	-54.737	1.00	83.63	B
ATOM	1207	C	SER	B	25	-54.746	11.178	-55.459	1.00	84.39	B
ATOM	1208	O	SER	B	25	-55.633	11.492	-54.657	1.00	84.68	B
ATOM	1209	N	PRO	B	26	-54.749	11.614	-56.730	1.00	85.80	B
ATOM	1210	CD	PRO	B	26	-53.769	11.287	-57.779	1.00	85.92	B
ATOM	1211	CA	PRO	B	26	-55.793	12.500	-57.254	1.00	87.16	B
ATOM	1212	CB	PRO	B	26	-55.212	12.950	-58.588	1.00	86.58	B
ATOM	1213	CG	PRO	B	26	-54.482	11.736	-59.038	1.00	86.26	B
ATOM	1214	C	PRO	B	26	-57.166	11.837	-57.407	1.00	88.81	B
ATOM	1215	O	PRO	B	26	-58.139	12.487	-57.795	1.00	89.06	B
ATOM	1216	N	PHE	B	27	-57.242	10.544	-57.108	1.00	89.93	B
ATOM	1217	CA	PHE	B	27	-58.507	9.823	-57.207	1.00	91.46	B
ATOM	1218	CB	PHE	B	27	-58.359	8.550	-58.053	1.00	91.94	B
ATOM	1219	CG	PHE	B	27	-57.967	8.801	-59.482	1.00	91.42	B
ATOM	1220	CD1	PHE	B	27	-56.659	9.137	-59.811	1.00	91.14	B
ATOM	1221	CD2	PHE	B	27	-58.909	8.695	-60.498	1.00	90.75	B
ATOM	1222	CE1	PHE	B	27	-56.294	9.361	-61.131	1.00	91.14	B
ATOM	1223	CE2	PHE	B	27	-58.555	8.917	-61.820	1.00	91.00	B
ATOM	1224	CZ	PHE	B	27	-57.245	9.252	-62.139	1.00	91.47	B
ATOM	1225	C	PHE	B	27	-58.989	9.426	-55.820	1.00	92.32	B
ATOM	1226	O	PHE	B	27	-60.192	9.267	-55.599	1.00	93.11	B
ATOM	1227	N	ALA	B	28	-58.035	9.269	-54.900	1.00	92.92	B
ATOM	1228	CA	ALA	B	28	-58.295	8.864	-53.516	1.00	92.18	B
ATOM	1229	CB	ALA	B	28	-56.996	8.915	-52.706	1.00	91.40	B
ATOM	1230	C	ALA	B	28	-59.387	9.649	-52.790	1.00	91.90	B
ATOM	1231	O	ALA	B	28	-60.199	9.057	-52.074	1.00	91.57	B

ATOM	1232	N	CYS	B	29	-59.416	10.969	-52.963	1.00	91.32	B
ATOM	1233	CA	CYS	B	29	-60.433	11.772	-52.288	1.00	91.47	B
ATOM	1234	C	CYS	B	29	-61.450	12.374	-53.243	1.00	92.66	B
ATOM	1235	O	CYS	B	29	-61.088	12.992	-54.245	1.00	92.45	B
ATOM	1236	CB	CYS	B	29	-59.780	12.887	-51.463	1.00	89.53	B
ATOM	1237	SG	CYS	B	29	-58.531	12.280	-50.282	1.00	86.39	B
ATOM	1238	N	GLY	B	30	-62.727	12.178	-52.926	1.00	93.98	B
ATOM	1239	CA	GLY	B	30	-63.784	12.716	-53.758	1.00	95.70	B
ATOM	1240	C	GLY	B	30	-63.862	14.212	-53.543	1.00	96.95	B
ATOM	1241	O	GLY	B	30	-63.276	14.727	-52.592	1.00	97.62	B
ATOM	1242	N	GLY	B	31	-64.577	14.908	-54.420	1.00	97.39	B
ATOM	1243	CA	GLY	B	31	-64.707	16.349	-54.296	1.00	97.58	B
ATOM	1244	C	GLY	B	31	-65.411	16.803	-53.027	1.00	97.64	B
ATOM	1245	O	GLY	B	31	-66.503	17.375	-53.083	1.00	98.81	B
ATOM	1246	N	GLY	B	32	-64.787	16.546	-51.880	1.00	96.79	B
ATOM	1247	CA	GLY	B	32	-65.360	16.951	-50.609	1.00	94.95	B
ATOM	1248	C	GLY	B	32	-64.893	18.350	-50.254	1.00	93.64	B
ATOM	1249	O	GLY	B	32	-64.396	18.597	-49.150	1.00	93.49	B
ATOM	1250	N	GLY	B	33	-65.052	19.265	-51.207	1.00	92.18	B
ATOM	1251	CA	GLY	B	33	-64.646	20.645	-51.009	1.00	89.82	B
ATOM	1252	C	GLY	B	33	-65.345	21.318	-49.846	1.00	88.28	B
ATOM	1253	O	GLY	B	33	-66.577	21.331	-49.762	1.00	88.34	B
ATOM	1254	N	HIS	B	34	-64.544	21.878	-48.943	1.00	85.84	B
ATOM	1255	CA	HIS	B	34	-65.053	22.571	-47.762	1.00	82.36	B
ATOM	1256	CB	HIS	B	34	-64.630	21.808	-46.496	1.00	80.60	B
ATOM	1257	CG	HIS	B	34	-65.146	22.398	-45.220	1.00	78.05	B
ATOM	1258	CD2	HIS	B	34	-65.986	21.899	-44.281	1.00	76.62	B
ATOM	1259	ND1	HIS	B	34	-64.766	23.644	-44.763	1.00	77.24	B
ATOM	1260	CE1	HIS	B	34	-65.346	23.883	-43.603	1.00	75.05	B
ATOM	1261	NE2	HIS	B	34	-66.092	22.838	-43.287	1.00	75.00	B
ATOM	1262	C	HIS	B	34	-64.472	23.983	-47.764	1.00	80.50	B
ATOM	1263	O	HIS	B	34	-63.349	24.198	-48.226	1.00	81.27	B
ATOM	1264	N	ASP	B	35	-65.246	24.947	-47.278	1.00	77.74	B
ATOM	1265	CA	ASP	B	35	-64.787	26.330	-47.225	1.00	75.78	B
ATOM	1266	CB	ASP	B	35	-65.795	27.264	-47.895	1.00	76.50	B
ATOM	1267	CG	ASP	B	35	-65.703	28.687	-47.371	1.00	77.21	B
ATOM	1268	OD1	ASP	B	35	-64.578	29.227	-47.288	1.00	77.48	B
ATOM	1269	OD2	ASP	B	35	-66.759	29.266	-47.040	1.00	77.57	B
ATOM	1270	C	ASP	B	35	-64.579	26.767	-45.784	1.00	73.69	B
ATOM	1271	O	ASP	B	35	-65.486	26.653	-44.956	1.00	74.03	B
ATOM	1272	N	PHE	B	36	-63.390	27.282	-45.484	1.00	69.71	B

ATOM	1273	CA	PHE	B	36	-63.097	27.707	-44.125	1.00	65.47	B
ATOM	1274	CB	PHE	B	36	-61.694	27.260	-43.724	1.00	63.29	B
ATOM	1275	CG	PHE	B	36	-61.484	25.780	-43.842	1.00	61.40	B
ATOM	1276	CD1	PHE	B	36	-61.068	25.218	-45.040	1.00	60.82	B
ATOM	1277	CD2	PHE	B	36	-61.722	24.942	-42.762	1.00	59.30	B
ATOM	1278	CE1	PHE	B	36	-60.896	23.840	-45.157	1.00	59.96	B
ATOM	1279	CE2	PHE	B	36	-61.554	23.568	-42.873	1.00	58.76	B
ATOM	1280	CZ	PHE	B	36	-61.139	23.018	-44.071	1.00	57.07	B
ATOM	1281	C	PHE	B	36	-63.254	29.195	-43.882	1.00	63.46	B
ATOM	1282	O	PHE	B	36	-62.813	29.701	-42.860	1.00	63.36	B
ATOM	1283	N	GLY	B	37	-63.892	29.889	-44.816	1.00	61.85	B
ATOM	1284	CA	GLY	B	37	-64.105	31.317	-44.657	1.00	60.22	B
ATOM	1285	C	GLY	B	37	-62.860	32.105	-44.299	1.00	59.45	B
ATOM	1286	O	GLY	B	37	-62.897	32.984	-43.436	1.00	59.52	B
ATOM	1287	N	PHE	B	38	-61.757	31.785	-44.965	1.00	58.21	B
ATOM	1288	CA	PHE	B	38	-60.496	32.467	-44.735	1.00	57.09	B
ATOM	1289	CB	PHE	B	38	-59.465	32.035	-45.776	1.00	55.16	B
ATOM	1290	CG	PHE	B	38	-58.169	32.774	-45.684	1.00	52.52	B
ATOM	1291	CD1	PHE	B	38	-57.409	32.728	-44.523	1.00	51.16	B
ATOM	1292	CD2	PHE	B	38	-57.704	33.517	-46.760	1.00	52.45	B
ATOM	1293	CE1	PHE	B	38	-56.201	33.414	-44.433	1.00	50.89	B
ATOM	1294	CE2	PHE	B	38	-56.492	34.207	-46.681	1.00	52.43	B
ATOM	1295	CZ	PHE	B	38	-55.741	34.152	-45.511	1.00	51.93	B
ATOM	1296	C	PHE	B	38	-60.729	33.958	-44.844	1.00	57.08	B
ATOM	1297	O	PHE	B	38	-61.224	34.434	-45.853	1.00	56.69	B
ATOM	1298	N	PRO	B	39	-60.369	34.716	-43.802	1.00	58.27	B
ATOM	1299	CD	PRO	B	39	-59.687	34.259	-42.581	1.00	58.11	B
ATOM	1300	CA	PRO	B	39	-60.542	36.168	-43.776	1.00	60.08	B
ATOM	1301	CB	PRO	B	39	-60.253	36.511	-42.323	1.00	59.19	B
ATOM	1302	CG	PRO	B	39	-59.163	35.556	-41.999	1.00	58.94	B
ATOM	1303	C	PRO	B	39	-59.596	36.875	-44.742	1.00	62.95	B
ATOM	1304	O	PRO	B	39	-58.544	37.387	-44.344	1.00	63.46	B
ATOM	1305	N	GLN	B	40	-59.982	36.908	-46.014	1.00	65.02	B
ATOM	1306	CA	GLN	B	40	-59.163	37.545	-47.031	1.00	66.34	B
ATOM	1307	CB	GLN	B	40	-59.705	37.224	-48.412	1.00	66.89	B
ATOM	1308	CG	GLN	B	40	-58.720	37.527	-49.510	1.00	69.39	B
ATOM	1309	CD	GLN	B	40	-59.274	37.201	-50.872	1.00	71.14	B
ATOM	1310	OE1	GLN	B	40	-59.732	36.084	-51.121	1.00	71.05	B
ATOM	1311	NE2	GLN	B	40	-59.235	38.174	-51.769	1.00	72.52	B
ATOM	1312	C	GLN	B	40	-59.085	39.056	-46.856	1.00	67.85	B
ATOM	1313	O	GLN	B	40	-58.107	39.678	-47.260	1.00	67.07	B

ATOM	1314	N	GLU	B	41	-60.110	39.643	-46.248	1.00	70.00	B
ATOM	1315	CA	GLU	B	41	-60.135	41.085	-46.029	1.00	73.07	B
ATOM	1316	CB	GLU	B	41	-61.390	41.506	-45.255	1.00	73.73	B
ATOM	1317	CG	GLU	B	41	-62.623	40.648	-45.473	1.00	75.45	B
ATOM	1318	CD	GLU	B	41	-62.636	39.399	-44.604	1.00	76.40	B
ATOM	1319	OE1	GLU	B	41	-62.528	39.534	-43.363	1.00	75.97	B
ATOM	1320	OE2	GLU	B	41	-62.764	38.285	-45.162	1.00	76.54	B
ATOM	1321	C	GLU	B	41	-58.914	41.562	-45.241	1.00	74.88	B
ATOM	1322	O	GLU	B	41	-58.437	42.675	-45.439	1.00	75.45	B
ATOM	1323	N	GLU	B	42	-58.414	40.722	-44.342	1.00	76.27	B
ATOM	1324	CA	GLU	B	42	-57.272	41.091	-43.515	1.00	76.77	B
ATOM	1325	CB	GLU	B	42	-57.154	40.118	-42.341	1.00	77.03	B
ATOM	1326	CG	GLU	B	42	-58.484	39.812	-41.670	1.00	76.96	B
ATOM	1327	CD	GLU	B	42	-59.135	41.036	-41.062	1.00	77.01	B
ATOM	1328	OE1	GLU	B	42	-60.354	40.980	-40.783	1.00	76.54	B
ATOM	1329	OE2	GLU	B	42	-58.428	42.047	-40.855	1.00	77.00	B
ATOM	1330	C	GLU	B	42	-55.953	41.136	-44.276	1.00	77.34	B
ATOM	1331	O	GLU	B	42	-54.978	41.721	-43.797	1.00	76.70	B
ATOM	1332	N	PHE	B	43	-55.927	40.523	-45.460	1.00	78.79	B
ATOM	1333	CA	PHE	B	43	-54.716	40.481	-46.282	1.00	79.57	B
ATOM	1334	CB	PHE	B	43	-54.354	39.030	-46.614	1.00	76.30	B
ATOM	1335	CG	PHE	B	43	-54.174	38.158	-45.407	1.00	73.38	B
ATOM	1336	CD1	PHE	B	43	-55.259	37.518	-44.827	1.00	72.32	B
ATOM	1337	CD2	PHE	B	43	-52.918	37.982	-44.846	1.00	72.34	B
ATOM	1338	CE1	PHE	B	43	-55.093	36.716	-43.708	1.00	71.63	B
ATOM	1339	CE2	PHE	B	43	-52.743	37.182	-43.727	1.00	71.80	B
ATOM	1340	CZ	PHE	B	43	-53.832	36.547	-43.158	1.00	71.86	B
ATOM	1341	C	PHE	B	43	-54.830	41.274	-47.584	1.00	81.78	B
ATOM	1342	O	PHE	B	43	-54.032	42.171	-47.855	1.00	82.37	B
ATOM	1343	N	GLY	B	44	-55.825	40.932	-48.391	1.00	84.35	B
ATOM	1344	CA	GLY	B	44	-56.013	41.619	-49.654	1.00	86.86	B
ATOM	1345	C	GLY	B	44	-56.880	42.859	-49.557	1.00	88.99	B
ATOM	1346	O	GLY	B	44	-58.085	42.785	-49.304	1.00	88.66	B
ATOM	1347	N	GLY	B	45	-56.259	44.011	-49.766	1.00	90.98	B
ATOM	1348	CA	GLY	B	45	-56.995	45.256	-49.708	1.00	93.31	B
ATOM	1349	C	GLY	B	45	-56.073	46.453	-49.679	1.00	95.02	B
ATOM	1350	O	GLY	B	45	-54.874	46.323	-49.413	1.00	95.65	B
ATOM	1351	N	GLY	B	46	-56.633	47.624	-49.967	1.00	95.75	B
ATOM	1352	CA	GLY	B	46	-55.846	48.839	-49.947	1.00	96.64	B
ATOM	1353	C	GLY	B	46	-55.513	49.204	-48.513	1.00	97.19	B
ATOM	1354	O	GLY	B	46	-55.188	50.354	-48.212	1.00	97.50	B

ATOM	1355	N	GLY	B	47	-55.602	48.218	-47.623	1.00	97.06	B
ATOM	1356	CA	GLY	B	47	-55.307	48.454	-46.223	1.00	97.22	B
ATOM	1357	C	GLY	B	47	-54.088	49.337	-46.029	1.00	97.43	B
ATOM	1358	O	GLY	B	47	-54.193	50.430	-45.463	1.00	97.59	B
ATOM	1359	N	GLY	B	48	-52.935	48.868	-46.508	1.00	96.90	B
ATOM	1360	CA	GLY	B	48	-51.700	49.623	-46.371	1.00	95.31	B
ATOM	1361	C	GLY	B	48	-51.429	50.049	-44.937	1.00	94.30	B
ATOM	1362	O	GLY	B	48	-51.772	51.165	-44.541	1.00	94.67	B
ATOM	1363	N	ALA	B	49	-50.817	49.163	-44.155	1.00	92.52	B
ATOM	1364	CA	ALA	B	49	-50.508	49.455	-42.756	1.00	90.44	B
ATOM	1365	CB	ALA	B	49	-51.795	49.488	-41.929	1.00	90.39	B
ATOM	1366	C	ALA	B	49	-49.536	48.424	-42.182	1.00	88.31	B
ATOM	1367	O	ALA	B	49	-49.944	47.366	-41.697	1.00	87.77	B
ATOM	1368	N	GLY	B	50	-48.249	48.753	-42.241	1.00	85.76	B
ATOM	1369	CA	GLY	B	50	-47.214	47.865	-41.742	1.00	82.69	B
ATOM	1370	C	GLY	B	50	-47.476	47.214	-40.396	1.00	80.16	B
ATOM	1371	O	GLY	B	50	-46.976	46.125	-40.130	1.00	80.60	B
ATOM	1372	N	ALA	B	51	-48.256	47.867	-39.543	1.00	77.39	B
ATOM	1373	CA	ALA	B	51	-48.548	47.319	-38.223	1.00	74.09	B
ATOM	1374	CB	ALA	B	51	-48.967	48.433	-37.273	1.00	74.25	B
ATOM	1375	C	ALA	B	51	-49.631	46.252	-38.287	1.00	71.65	B
ATOM	1376	O	ALA	B	51	-49.622	45.307	-37.499	1.00	70.67	B
ATOM	1377	N	ALA	B	52	-50.568	46.412	-39.220	1.00	68.72	B
ATOM	1378	CA	ALA	B	52	-51.652	45.450	-39.392	1.00	65.82	B
ATOM	1379	CB	ALA	B	52	-52.784	46.066	-40.204	1.00	65.58	B
ATOM	1380	C	ALA	B	52	-51.102	44.226	-40.111	1.00	63.64	B
ATOM	1381	O	ALA	B	52	-51.346	43.086	-39.713	1.00	63.09	B
ATOM	1382	N	ALA	B	53	-50.351	44.472	-41.175	1.00	60.70	B
ATOM	1383	CA	ALA	B	53	-49.758	43.390	-41.942	1.00	58.62	B
ATOM	1384	CB	ALA	B	53	-48.812	43.959	-42.994	1.00	57.63	B
ATOM	1385	C	ALA	B	53	-49.003	42.443	-41.014	1.00	56.79	B
ATOM	1386	O	ALA	B	53	-49.350	41.271	-40.897	1.00	56.46	B
ATOM	1387	N	ILE	B	54	-47.977	42.971	-40.350	1.00	55.35	B
ATOM	1388	CA	ILE	B	54	-47.139	42.197	-39.440	1.00	53.78	B
ATOM	1389	CB	ILE	B	54	-46.178	43.100	-38.678	1.00	53.66	B
ATOM	1390	CG2	ILE	B	54	-45.360	42.267	-37.708	1.00	53.50	B
ATOM	1391	CG1	ILE	B	54	-45.275	43.848	-39.665	1.00	54.89	B
ATOM	1392	CD1	ILE	B	54	-44.430	44.947	-39.029	1.00	53.54	B
ATOM	1393	C	ILE	B	54	-47.913	41.393	-38.412	1.00	53.50	B
ATOM	1394	O	ILE	B	54	-47.529	40.280	-38.074	1.00	53.63	B
ATOM	1395	N	SER	B	55	-48.999	41.965	-37.916	1.00	53.54	B

ATOM	1396	CA	SER	B	55	-49.820	41.306	-36.922	1.00	53.69	B
ATOM	1397	CB	SER	B	55	-50.764	42.312	-36.277	1.00	55.26	B
ATOM	1398	OG	SER	B	55	-50.023	43.376	-35.708	1.00	58.90	B
ATOM	1399	C	SER	B	55	-50.615	40.161	-37.515	1.00	52.96	B
ATOM	1400	O	SER	B	55	-50.797	39.142	-36.867	1.00	54.85	B
ATOM	1401	N	VAL	B	56	-51.098	40.307	-38.738	1.00	51.44	B
ATOM	1402	CA	VAL	B	56	-51.849	39.210	-39.318	1.00	51.64	B
ATOM	1403	CB	VAL	B	56	-52.798	39.692	-40.431	1.00	51.99	B
ATOM	1404	CG1	VAL	B	56	-53.812	40.643	-39.846	1.00	50.15	B
ATOM	1405	CG2	VAL	B	56	-52.020	40.360	-41.536	1.00	51.94	B
ATOM	1406	C	VAL	B	56	-50.924	38.115	-39.849	1.00	51.00	B
ATOM	1407	O	VAL	B	56	-51.165	36.937	-39.613	1.00	50.59	B
ATOM	1408	N	LEU	B	57	-49.867	38.489	-40.560	1.00	50.84	B
ATOM	1409	CA	LEU	B	57	-48.943	37.479	-41.061	1.00	51.20	B
ATOM	1410	CB	LEU	B	57	-47.755	38.107	-41.798	1.00	51.55	B
ATOM	1411	CG	LEU	B	57	-47.820	38.373	-43.304	1.00	52.66	B
ATOM	1412	CD1	LEU	B	57	-48.796	37.400	-43.946	1.00	52.07	B
ATOM	1413	CD2	LEU	B	57	-48.221	39.805	-43.569	1.00	52.06	B
ATOM	1414	C	LEU	B	57	-48.410	36.699	-39.871	1.00	50.92	B
ATOM	1415	O	LEU	B	57	-48.392	35.462	-39.879	1.00	51.14	B
ATOM	1416	N	HIS	B	58	-47.983	37.427	-38.841	1.00	48.84	B
ATOM	1417	CA	HIS	B	58	-47.433	36.786	-37.649	1.00	48.56	B
ATOM	1418	CB	HIS	B	58	-47.033	37.837	-36.593	1.00	45.06	B
ATOM	1419	CG	HIS	B	58	-46.150	37.292	-35.510	1.00	41.60	B
ATOM	1420	CD2	HIS	B	58	-44.811	37.390	-35.322	1.00	40.97	B
ATOM	1421	ND1	HIS	B	58	-46.620	36.470	-34.511	1.00	41.10	B
ATOM	1422	CE1	HIS	B	58	-45.605	36.077	-33.754	1.00	39.76	B
ATOM	1423	NE2	HIS	B	58	-44.500	36.619	-34.225	1.00	38.18	B
ATOM	1424	C	HIS	B	58	-48.405	35.769	-37.035	1.00	47.89	B
ATOM	1425	O	HIS	B	58	-48.000	34.667	-36.652	1.00	47.61	B
ATOM	1426	N	GLU	B	59	-49.682	36.125	-36.955	1.00	44.67	B
ATOM	1427	CA	GLU	B	59	-50.649	35.215	-36.376	1.00	44.65	B
ATOM	1428	CB	GLU	B	59	-51.992	35.911	-36.156	1.00	45.09	B
ATOM	1429	CG	GLU	B	59	-52.996	35.078	-35.377	1.00	46.22	B
ATOM	1430	CD	GLU	B	59	-52.491	34.750	-33.994	1.00	48.75	B
ATOM	1431	OE1	GLU	B	59	-51.714	35.571	-33.474	1.00	50.15	B
ATOM	1432	OE2	GLU	B	59	-52.860	33.696	-33.422	1.00	48.92	B
ATOM	1433	C	GLU	B	59	-50.857	33.998	-37.257	1.00	44.41	B
ATOM	1434	O	GLU	B	59	-51.033	32.892	-36.757	1.00	44.67	B
ATOM	1435	N	MET	B	60	-50.842	34.196	-38.571	1.00	44.37	B
ATOM	1436	CA	MET	B	60	-51.055	33.079	-39.471	1.00	45.11	B

ATOM	1437	CB	MET	B	60	-51.331	33.559	-40.897	1.00	48.89	B
ATOM	1438	CG	MET	B	60	-51.721	32.415	-41.821	1.00	53.44	B
ATOM	1439	SD	MET	B	60	-51.754	32.856	-43.555	1.00	61.98	B
ATOM	1440	CE	MET	B	60	-50.021	33.361	-43.846	1.00	58.01	B
ATOM	1441	C	MET	B	60	-49.864	32.128	-39.465	1.00	43.04	B
ATOM	1442	O	MET	B	60	-50.039	30.909	-39.449	1.00	40.32	B
ATOM	1443	N	ILE	B	61	-48.655	32.671	-39.481	1.00	40.71	B
ATOM	1444	CA	ILE	B	61	-47.500	31.802	-39.457	1.00	42.41	B
ATOM	1445	CB	ILE	B	61	-46.170	32.608	-39.520	1.00	43.92	B
ATOM	1446	CG2	ILE	B	61	-44.975	31.667	-39.434	1.00	44.05	B
ATOM	1447	CG1	ILE	B	61	-46.094	33.395	-40.823	1.00	41.85	B
ATOM	1448	CD1	ILE	B	61	-46.283	32.551	-42.028	1.00	45.99	B
ATOM	1449	C	ILE	B	61	-47.557	30.991	-38.153	1.00	43.11	B
ATOM	1450	O	ILE	B	61	-47.413	29.762	-38.158	1.00	43.91	B
ATOM	1451	N	GLN	B	62	-47.795	31.690	-37.049	1.00	42.04	B
ATOM	1452	CA	GLN	B	62	-47.863	31.082	-35.726	1.00	43.22	B
ATOM	1453	CB	GLN	B	62	-48.229	32.140	-34.685	1.00	46.41	B
ATOM	1454	CG	GLN	B	62	-48.049	31.713	-33.245	1.00	46.91	B
ATOM	1455	CD	GLN	B	62	-46.596	31.663	-32.837	1.00	52.53	B
ATOM	1456	OE1	GLN	B	62	-45.904	30.665	-33.070	1.00	55.84	B
ATOM	1457	NE2	GLN	B	62	-46.113	32.748	-32.228	1.00	54.09	B
ATOM	1458	C	GLN	B	62	-48.880	29.960	-35.663	1.00	43.47	B
ATOM	1459	O	GLN	B	62	-48.587	28.870	-35.152	1.00	44.07	B
ATOM	1460	N	GLN	B	63	-50.083	30.228	-36.163	1.00	42.32	B
ATOM	1461	CA	GLN	B	63	-51.140	29.221	-36.158	1.00	43.14	B
ATOM	1462	CB	GLN	B	63	-52.456	29.812	-36.653	1.00	43.36	B
ATOM	1463	CG	GLN	B	63	-53.088	30.810	-35.702	1.00	45.90	B
ATOM	1464	CD	GLN	B	63	-53.432	30.220	-34.339	1.00	44.57	B
ATOM	1465	OE1	GLN	B	63	-53.643	30.956	-33.386	1.00	44.63	B
ATOM	1466	NE2	GLN	B	63	-53.497	28.896	-34.250	1.00	44.30	B
ATOM	1467	C	GLN	B	63	-50.796	28.018	-37.017	1.00	43.72	B
ATOM	1468	O	GLN	B	63	-51.089	26.880	-36.649	1.00	44.40	B
ATOM	1469	N	THR	B	64	-50.177	28.277	-38.164	1.00	42.86	B
ATOM	1470	CA	THR	B	64	-49.811	27.211	-39.073	1.00	42.63	B
ATOM	1471	CB	THR	B	64	-49.271	27.777	-40.409	1.00	42.59	B
ATOM	1472	OG1	THR	B	64	-50.275	28.599	-41.012	1.00	40.41	B
ATOM	1473	CG2	THR	B	64	-48.910	26.649	-41.368	1.00	39.23	B
ATOM	1474	C	THR	B	64	-48.762	26.343	-38.405	1.00	43.08	B
ATOM	1475	O	THR	B	64	-48.801	25.118	-38.509	1.00	45.34	B
ATOM	1476	N	PHE	B	65	-47.820	26.980	-37.724	1.00	41.85	B
ATOM	1477	CA	PHE	B	65	-46.781	26.245	-37.026	1.00	41.65	B

ATOM	1478	CB	PHE	B	65	-45.890	27.210	-36.231	1.00	39.65	B
ATOM	1479	CG	PHE	B	65	-44.753	26.533	-35.514	1.00	37.50	B
ATOM	1480	CD1	PHE	B	65	-43.503	26.448	-36.095	1.00	38.07	B
ATOM	1481	CD2	PHE	B	65	-44.952	25.931	-34.285	1.00	38.71	B
ATOM	1482	CE1	PHE	B	65	-42.463	25.766	-35.473	1.00	38.97	B
ATOM	1483	CE2	PHE	B	65	-43.927	25.247	-33.651	1.00	40.75	B
ATOM	1484	CZ	PHE	B	65	-42.674	25.163	-34.252	1.00	41.00	B
ATOM	1485	C	PHE	B	65	-47.459	25.268	-36.062	1.00	42.95	B
ATOM	1486	O	PHE	B	65	-47.199	24.067	-36.077	1.00	41.78	B
ATOM	1487	N	ASN	B	66	-48.346	25.797	-35.228	1.00	44.10	B
ATOM	1488	CA	ASN	B	66	-49.036	24.976	-34.244	1.00	45.15	B
ATOM	1489	CB	ASN	B	66	-50.014	25.836	-33.444	1.00	45.22	B
ATOM	1490	CG	ASN	B	66	-49.309	26.882	-32.588	1.00	45.60	B
ATOM	1491	OD1	ASN	B	66	-49.917	27.866	-32.179	1.00	47.81	B
ATOM	1492	ND2	ASN	B	66	-48.026	26.667	-32.310	1.00	45.74	B
ATOM	1493	C	ASN	B	66	-49.758	23.802	-34.874	1.00	45.93	B
ATOM	1494	O	ASN	B	66	-49.592	22.661	-34.443	1.00	46.70	B
ATOM	1495	N	LEU	B	67	-50.545	24.087	-35.906	1.00	46.78	B
ATOM	1496	CA	LEU	B	67	-51.314	23.072	-36.614	1.00	45.25	B
ATOM	1497	CB	LEU	B	67	-52.027	23.708	-37.802	1.00	44.17	B
ATOM	1498	CG	LEU	B	67	-52.943	22.848	-38.673	1.00	44.83	B
ATOM	1499	CD1	LEU	B	67	-54.221	22.524	-37.908	1.00	43.33	B
ATOM	1500	CD2	LEU	B	67	-53.269	23.609	-39.950	1.00	43.75	B
ATOM	1501	C	LEU	B	67	-50.465	21.914	-37.109	1.00	46.02	B
ATOM	1502	O	LEU	B	67	-50.888	20.763	-37.037	1.00	47.59	B
ATOM	1503	N	PHE	B	68	-49.270	22.209	-37.606	1.00	45.93	B
ATOM	1504	CA	PHE	B	68	-48.407	21.165	-38.142	1.00	48.01	B
ATOM	1505	CB	PHE	B	68	-47.690	21.674	-39.400	1.00	47.07	B
ATOM	1506	CG	PHE	B	68	-48.573	21.725	-40.623	1.00	47.28	B
ATOM	1507	CD1	PHE	B	68	-49.374	22.834	-40.879	1.00	47.40	B
ATOM	1508	CD2	PHE	B	68	-48.629	20.643	-41.497	1.00	45.54	B
ATOM	1509	CE1	PHE	B	68	-50.217	22.863	-41.985	1.00	45.20	B
ATOM	1510	CE2	PHE	B	68	-49.463	20.660	-42.598	1.00	45.58	B
ATOM	1511	CZ	PHE	B	68	-50.261	21.772	-42.843	1.00	45.21	B
ATOM	1512	C	PHE	B	68	-47.385	20.564	-37.174	1.00	50.56	B
ATOM	1513	O	PHE	B	68	-46.660	19.625	-37.519	1.00	50.22	B
ATOM	1514	N	SER	B	69	-47.333	21.093	-35.959	1.00	52.03	B
ATOM	1515	CA	SER	B	69	-46.397	20.592	-34.963	1.00	51.91	B
ATOM	1516	CB	SER	B	69	-45.844	21.762	-34.145	1.00	50.79	B
ATOM	1517	OG	SER	B	69	-46.861	22.698	-33.850	1.00	50.68	B
ATOM	1518	C	SER	B	69	-47.098	19.559	-34.071	1.00	52.49	B

ATOM	1519	O	SER	B	69	-46.471	18.877	-33.263	1.00	51.65	B
ATOM	1520	N	THR	B	70	-48.406	19.437	-34.256	1.00	53.35	B
ATOM	1521	CA	THR	B	70	-49.220	18.485	-33.519	1.00	54.95	B
ATOM	1522	CB	THR	B	70	-50.715	18.667	-33.892	1.00	54.32	B
ATOM	1523	OG1	THR	B	70	-51.292	19.672	-33.051	1.00	53.43	B
ATOM	1524	CG2	THR	B	70	-51.491	17.378	-33.749	1.00	53.28	B
ATOM	1525	C	THR	B	70	-48.816	17.024	-33.764	1.00	57.60	B
ATOM	1526	O	THR	B	70	-48.196	16.683	-34.775	1.00	56.59	B
ATOM	1527	N	ARG	B	71	-49.183	16.177	-32.806	1.00	60.45	B
ATOM	1528	CA	ARG	B	71	-48.931	14.739	-32.839	1.00	63.09	B
ATOM	1529	CB	ARG	B	71	-49.445	14.131	-31.527	1.00	66.17	B
ATOM	1530	CG	ARG	B	71	-50.748	14.806	-31.033	1.00	71.66	B
ATOM	1531	CD	ARG	B	71	-50.651	15.471	-29.626	1.00	74.28	B
ATOM	1532	NE	ARG	B	71	-49.626	16.519	-29.495	1.00	75.60	B
ATOM	1533	CZ	ARG	B	71	-48.406	16.325	-28.982	1.00	76.64	B
ATOM	1534	NH1	ARG	B	71	-48.039	15.122	-28.548	1.00	76.04	B
ATOM	1535	NH2	ARG	B	71	-47.551	17.338	-28.891	1.00	75.84	B
ATOM	1536	C	ARG	B	71	-49.654	14.119	-34.046	1.00	62.93	B
ATOM	1537	O	ARG	B	71	-49.156	13.186	-34.684	1.00	62.66	B
ATOM	1538	N	ASP	B	72	-50.834	14.654	-34.344	1.00	62.27	B
ATOM	1539	CA	ASP	B	72	-51.642	14.201	-35.465	1.00	61.32	B
ATOM	1540	CB	ASP	B	72	-53.017	14.844	-35.398	1.00	63.05	B
ATOM	1541	CG	ASP	B	72	-53.745	14.517	-34.121	1.00	65.14	B
ATOM	1542	OD1	ASP	B	72	-54.164	13.350	-33.973	1.00	66.97	B
ATOM	1543	OD2	ASP	B	72	-53.894	15.425	-33.270	1.00	65.14	B
ATOM	1544	C	ASP	B	72	-50.973	14.600	-36.768	1.00	60.42	B
ATOM	1545	O	ASP	B	72	-51.034	13.882	-37.762	1.00	61.00	B
ATOM	1546	N	SER	B	73	-50.341	15.762	-36.758	1.00	59.06	B
ATOM	1547	CA	SER	B	73	-49.657	16.238	-37.938	1.00	58.72	B
ATOM	1548	CB	SER	B	73	-49.126	17.654	-37.704	1.00	57.83	B
ATOM	1549	OG	SER	B	73	-48.578	18.194	-38.892	1.00	58.48	B
ATOM	1550	C	SER	B	73	-48.509	15.281	-38.262	1.00	58.75	B
ATOM	1551	O	SER	B	73	-48.355	14.859	-39.408	1.00	58.86	B
ATOM	1552	N	SER	B	74	-47.718	14.927	-37.250	1.00	57.50	B
ATOM	1553	CA	SER	B	74	-46.582	14.026	-37.443	1.00	56.83	B
ATOM	1554	CB	SER	B	74	-45.849	13.794	-36.127	1.00	55.68	B
ATOM	1555	OG	SER	B	74	-45.131	14.949	-35.737	1.00	59.88	B
ATOM	1556	C	SER	B	74	-47.000	12.686	-38.020	1.00	55.92	B
ATOM	1557	O	SER	B	74	-46.286	12.097	-38.837	1.00	54.81	B
ATOM	1558	N	ALA	B	75	-48.154	12.201	-37.583	1.00	54.52	B
ATOM	1559	CA	ALA	B	75	-48.658	10.929	-38.069	1.00	54.44	B

ATOM	1560	CB	ALA	B	75	-49.870	10.520	-37.268	1.00	53.67	B
ATOM	1561	C	ALA	B	75	-49.029	11.043	-39.540	1.00	54.05	B
ATOM	1562	O	ALA	B	75	-48.835	10.114	-40.323	1.00	53.83	B
ATOM	1563	N	ALA	B	76	-49.542	12.211	-39.905	1.00	53.41	B
ATOM	1564	CA	ALA	B	76	-49.996	12.477	-41.255	1.00	52.31	B
ATOM	1565	CB	ALA	B	76	-51.042	13.580	-41.208	1.00	52.11	B
ATOM	1566	C	ALA	B	76	-48.946	12.810	-42.315	1.00	52.55	B
ATOM	1567	O	ALA	B	76	-49.114	12.443	-43.477	1.00	52.41	B
ATOM	1568	N	TRP	B	77	-47.862	13.481	-41.941	1.00	51.98	B
ATOM	1569	CA	TRP	B	77	-46.879	13.868	-42.947	1.00	51.34	B
ATOM	1570	CB	TRP	B	77	-46.887	15.391	-43.126	1.00	50.88	B
ATOM	1571	CG	TRP	B	77	-48.248	15.994	-43.099	1.00	52.09	B
ATOM	1572	CD2	TRP	B	77	-49.187	16.052	-44.178	1.00	53.10	B
ATOM	1573	CE2	TRP	B	77	-50.347	16.691	-43.689	1.00	53.99	B
ATOM	1574	CE3	TRP	B	77	-49.163	15.624	-45.512	1.00	52.69	B
ATOM	1575	CD1	TRP	B	77	-48.858	16.579	-42.032	1.00	53.81	B
ATOM	1576	NE1	TRP	B	77	-50.119	17.002	-42.375	1.00	54.33	B
ATOM	1577	CZ2	TRP	B	77	-51.476	16.916	-44.490	1.00	54.45	B
ATOM	1578	CZ3	TRP	B	77	-50.287	15.845	-46.309	1.00	50.90	B
ATOM	1579	CH2	TRP	B	77	-51.427	16.486	-45.794	1.00	51.54	B
ATOM	1580	C	TRP	B	77	-45.450	13.425	-42.722	1.00	50.67	B
ATOM	1581	O	TRP	B	77	-45.053	13.094	-41.620	1.00	49.80	B
ATOM	1582	N	ASP	B	78	-44.672	13.436	-43.796	1.00	52.39	B
ATOM	1583	CA	ASP	B	78	-43.278	13.064	-43.711	1.00	53.40	B
ATOM	1584	CB	ASP	B	78	-42.578	13.257	-45.050	1.00	55.50	B
ATOM	1585	CG	ASP	B	78	-41.104	12.936	-44.966	1.00	59.62	B
ATOM	1586	OD1	ASP	B	78	-40.273	13.875	-45.018	1.00	62.42	B
ATOM	1587	OD2	ASP	B	78	-40.777	11.738	-44.820	1.00	59.99	B
ATOM	1588	C	ASP	B	78	-42.602	13.933	-42.663	1.00	53.04	B
ATOM	1589	O	ASP	B	78	-42.706	15.160	-42.700	1.00	53.12	B
ATOM	1590	N	ALA	B	79	-41.901	13.287	-41.738	1.00	52.08	B
ATOM	1591	CA	ALA	B	79	41.220	13.983	-40.662	1.00	52.01	B
ATOM	1592	CB	ALA	B	79	-40.643	12.968	-39.675	1.00	50.85	B
ATOM	1593	C	ALA	B	79	-40.128	14.917	-41.179	1.00	51.80	B
ATOM	1594	O	ALA	B	79	-40.008	16.050	-40.723	1.00	52.56	B
ATOM	1595	N	SER	B	80	-39.341	14.453	-42.138	1.00	51.82	B
ATOM	1596	CA	SER	B	80	-38.273	15.277	-42.687	1.00	51.59	B
ATOM	1597	CB	SER	B	80	-37.511	14.507	-43.764	1.00	53.55	B
ATOM	1598	OG	SER	B	80	-36.317	15.188	-44.120	1.00	57.70	B
ATOM	1599	C	SER	B	80	-38.818	16.577	-43.280	1.00	50.52	B
ATOM	1600	O	SER	B	80	-38.223	17.649	-43.113	1.00	51.02	B

ATOM	1601	N	LEU	B	81	-39.937	16.487	-43.990	1.00	47.40	B
ATOM	1602	CA	LEU	B	81	-40.521	17.684	-44.574	1.00	46.68	B
ATOM	1603	CB	LEU	B	81	-41.665	17.327	-45.531	1.00	44.63	B
ATOM	1604	CG	LEU	B	81	-41.253	16.605	-46.824	1.00	43.12	B
ATOM	1605	CD1	LEU	B	81	-42.433	16.565	-47.792	1.00	40.61	B
ATOM	1606	CD2	LEU	B	81	-40.080	17.329	-47.467	1.00	38.50	B
ATOM	1607	C	LEU	B	81	-41.021	18.607	-43.464	1.00	47.01	B
ATOM	1608	O	LEU	B	81	-40.806	19.823	-43.507	1.00	46.43	B
ATOM	1609	N	LEU	B	82	-41.668	18.019	-42.462	1.00	45.79	B
ATOM	1610	CA	LEU	B	82	-42.184	18.790	-41.344	1.00	44.38	B
ATOM	1611	CB	LEU	B	82	-42.915	17.881	-40.355	1.00	43.65	B
ATOM	1612	CG	LEU	B	82	-44.350	17.506	-40.712	1.00	42.39	B
ATOM	1613	CD1	LEU	B	82	-44.969	16.779	-39.542	1.00	41.48	B
ATOM	1614	CD2	LEU	B	82	-45.148	18.764	-41.040	1.00	40.02	B
ATOM	1615	C	LEU	B	82	-41.106	19.579	-40.608	1.00	43.60	B
ATOM	1616	O	LEU	B	82	-41.306	20.748	-40.294	1.00	43.44	B
ATOM	1617	N	ALA	B	83	-39.968	18.958	-40.326	1.00	41.84	B
ATOM	1618	CA	ALA	B	83	-38.920	19.686	-39.617	1.00	42.47	B
ATOM	1619	CB	ALA	B	83	-37.732	18.749	-39.241	1.00	42.87	B
ATOM	1620	C	ALA	B	83	-38.442	20.857	-40.466	1.00	40.93	B
ATOM	1621	O	ALA	B	83	-38.074	21.898	-39.930	1.00	41.51	B
ATOM	1622	N	LYS	B	84	-38.458	20.693	-41.785	1.00	39.80	B
ATOM	1623	CA	LYS	B	84	-38.041	21.770	-42.680	1.00	40.20	B
ATOM	1624	CB	LYS	B	84	-37.916	21.257	-44.121	1.00	42.21	B
ATOM	1625	CG	LYS	B	84	-36.919	20.117	-44.326	1.00	44.38	B
ATOM	1626	CD	LYS	B	84	-36.542	20.019	-45.799	1.00	45.90	B
ATOM	1627	CE	LYS	B	84	-35.545	18.920	-46.068	1.00	45.47	B
ATOM	1628	NZ	LYS	B	84	-36.209	17.606	-45.922	1.00	49.90	B
ATOM	1629	C	LYS	B	84	-39.076	22.902	-42.631	1.00	39.06	B
ATOM	1630	O	LYS	B	84	-38.743	24.087	-42.678	1.00	39.36	B
ATOM	1631	N	PHE	B	85	-40.338	22.512	-42.539	1.00	37.58	B
ATOM	1632	CA	PHE	B	85	-41.449	23.442	-42.475	1.00	38.00	B
ATOM	1633	CB	PHE	B	85	-42.749	22.644	-42.492	1.00	38.99	B
ATOM	1634	CG	PHE	B	85	-43.959	23.458	-42.811	1.00	39.63	B
ATOM	1635	CD1	PHE	B	85	-43.942	24.366	-43.866	1.00	38.44	B
ATOM	1636	CD2	PHE	B	85	-45.137	23.276	-42.099	1.00	38.81	B
ATOM	1637	CE1	PHE	B	85	-45.076	25.079	-44.211	1.00	39.59	B
ATOM	1638	CE2	PHE	B	85	-46.288	23.986	-42.439	1.00	41.20	B
ATOM	1639	CZ	PHE	B	85	-46.255	24.891	-43.501	1.00	41.17	B
ATOM	1640	C	PHE	B	85	-41.387	24.331	-41.223	1.00	38.99	B
ATOM	1641	O	PHE	B	85	-41.419	25.557	-41.334	1.00	39.44	B

ATOM	1642	N	TYR	B	86	-41.299	23.709	-40.044	1.00	38.21	B
ATOM	1643	CA	TYR	B	86	-41.217	24.435	-38.769	1.00	37.40	B
ATOM	1644	CB	TYR	B	86	-40.998	23.493	-37.574	1.00	35.90	B
ATOM	1645	CG	TYR	B	86	-41.920	22.311	-37.450	1.00	33.12	B
ATOM	1646	CD1	TYR	B	86	-43.276	22.428	-37.721	1.00	32.96	B
ATOM	1647	CE1	TYR	B	86	-44.138	21.343	-37.563	1.00	35.08	B
ATOM	1648	CD2	TYR	B	86	-41.435	21.077	-37.019	1.00	30.36	B
ATOM	1649	CE2	TYR	B	86	-42.276	19.992	-36.861	1.00	30.76	B
ATOM	1650	CZ	TYR	B	86	-43.628	20.133	-37.129	1.00	34.57	B
ATOM	1651	OH	TYR	B	86	-44.491	19.085	-36.932	1.00	37.86	B
ATOM	1652	C	TYR	B	86	-40.044	25.403	-38.776	1.00	38.65	B
ATOM	1653	O	TYR	B	86	-40.156	26.527	-38.300	1.00	40.78	B
ATOM	1654	N	THR	B	87	-38.905	24.948	-39.289	1.00	38.79	B
ATOM	1655	CA	THR	B	87	-37.712	25.778	-39.347	1.00	38.38	B
ATOM	1656	CB	THR	B	87	-36.538	25.026	-39.984	1.00	35.81	B
ATOM	1657	OG1	THR	B	87	-36.316	23.803	-39.276	1.00	35.27	B
ATOM	1658	CG2	THR	B	87	-35.280	25.870	-39.946	1.00	28.02	B
ATOM	1659	C	THR	B	87	-37.976	27.029	-40.165	1.00	40.34	B
ATOM	1660	O	THR	B	87	-37.600	28.136	-39.768	1.00	42.58	B
ATOM	1661	N	GLU	B	88	-38.629	26.849	-41.308	1.00	41.62	B
ATOM	1662	CA	GLU	B	88	-38.948	27.962	-42.196	1.00	41.56	B
ATOM	1663	CB	GLU	B	88	-39.541	27.428	-43.498	1.00	41.09	B
ATOM	1664	CG	GLU	B	88	-39.850	28.487	-44.526	1.00	43.87	B
ATOM	1665	CD	GLU	B	88	-38.622	29.295	-44.906	1.00	47.13	B
ATOM	1666	OE1	GLU	B	88	-37.542	28.689	-45.046	1.00	48.15	B
ATOM	1667	OE2	GLU	B	88	-38.728	30.528	-45.078	1.00	48.87	B
ATOM	1668	C	GLU	B	88	-39.941	28.907	-41.523	1.00	41.37	B
ATOM	1669	O	GLU	B	88	-39.719	30.120	-41.441	1.00	42.84	B
ATOM	1670	N	LEU	B	89	-41.037	28.342	-41.032	1.00	39.06	B
ATOM	1671	CA	LEU	B	89	-42.049	29.144	-40.380	1.00	38.27	B
ATOM	1672	CB	LEU	B	89	-43.214	28.255	-39.938	1.00	34.88	B
ATOM	1673	CG	LEU	B	89	-43.971	27.575	-41.087	1.00	32.56	B
ATOM	1674	CD1	LEU	B	89	-45.074	26.700	-40.540	1.00	29.69	B
ATOM	1675	CD2	LEU	B	89	-44.519	28.629	-42.014	1.00	29.86	B
ATOM	1676	C	LEU	B	89	-41.475	29.923	-39.199	1.00	39.22	B
ATOM	1677	O	LEU	B	89	-41.707	31.125	-39.070	1.00	38.24	B
ATOM	1678	N	TYR	B	90	-40.703	29.257	-38.351	1.00	39.74	B
ATOM	1679	CA	TYR	B	90	-40.153	29.951	-37.214	1.00	41.05	B
ATOM	1680	CB	TYR	B	90	-39.453	28.987	-36.256	1.00	43.39	B
ATOM	1681	CG	TYR	B	90	-39.363	29.572	-34.863	1.00	45.73	B
ATOM	1682	CD1	TYR	B	90	-40.479	29.577	-34.019	1.00	44.72	B

ATOM	1683	CE1	TYR	B	90	-40.446	30.218	-32.789	1.00	46.68	B
ATOM	1684	CD2	TYR	B	90	-38.203	30.219	-34.429	1.00	45.13	B
ATOM	1685	CE2	TYR	B	90	-38.160	30.863	-33.193	1.00	46.07	B
ATOM	1686	CZ	TYR	B	90	-39.287	30.863	-32.379	1.00	46.81	B
ATOM	1687	OH	TYR	B	90	-39.272	31.538	-31.177	1.00	46.41	B
ATOM	1688	C	TYR	B	90	-39.193	31.047	-37.639	1.00	42.36	B
ATOM	1689	O	TYR	B	90	-39.092	32.086	-36.986	1.00	43.93	B
ATOM	1690	N	GLN	B	91	-38.487	30.831	-38.738	1.00	43.52	B
ATOM	1691	CA	GLN	B	91	-37.557	31.844	-39.217	1.00	45.08	B
ATOM	1692	CB	GLN	B	91	-36.684	31.262	-40.330	1.00	44.47	B
ATOM	1693	CG	GLN	B	91	-35.262	31.826	-40.377	1.00	48.72	B
ATOM	1694	CD	GLN	B	91	-34.471	31.656	-39.068	1.00	49.14	B
ATOM	1695	OE1	GLN	B	91	-34.568	30.634	-38.385	1.00	49.61	B
ATOM	1696	NE2	GLN	B	91	-33.669	32.660	-38.735	1.00	49.34	B
ATOM	1697	C	GLN	B	91	-38.382	33.040	-39.721	1.00	45.99	B
ATOM	1698	O	GLN	B	91	-38.042	34.204	-39.472	1.00	44.12	B
ATOM	1699	N	GLN	B	92	-39.482	32.753	-40.412	1.00	45.91	B
ATOM	1700	CA	GLN	B	92	-40.340	33.821	-40.904	1.00	47.21	B
ATOM	1701	CB	GLN	B	92	-41.514	33.244	-41.698	1.00	47.99	B
ATOM	1702	CG	GLN	B	92	-41.191	32.841	-43.123	1.00	51.32	B
ATOM	1703	CD	GLN	B	92	-42.447	32.523	-43.905	1.00	55.62	B
ATOM	1704	OE1	GLN	B	92	-43.411	33.290	-43.885	1.00	57.55	B
ATOM	1705	NE2	GLN	B	92	-42.448	31.390	-44.602	1.00	56.89	B
ATOM	1706	C	GLN	B	92	-40.873	34.654	-39.733	1.00	47.67	B
ATOM	1707	O	GLN	B	92	-41.157	35.838	-39.880	1.00	48.06	B
ATOM	1708	N	LEU	B	93	-41.011	34.017	-38.575	1.00	48.22	B
ATOM	1709	CA	LEU	B	93	-41.502	34.663	-37.366	1.00	46.33	B
ATOM	1710	CB	LEU	B	93	-41.793	33.606	-36.312	1.00	44.07	B
ATOM	1711	CG	LEU	B	93	-43.211	33.418	-35.790	1.00	42.19	B
ATOM	1712	CD1	LEU	B	93	-44.271	33.719	-36.855	1.00	40.20	B
ATOM	1713	CD2	LEU	B	93	-43.303	31.992	-35.296	1.00	38.45	B
ATOM	1714	C	LEU	B	93	-40.454	35.629	-36.848	1.00	47.84	B
ATOM	1715	O	LEU	B	93	-40.772	36.740	-36.439	1.00	47.68	B
ATOM	1716	N	ASN	B	94	-39.196	35.201	-36.857	1.00	49.68	B
ATOM	1717	CA	ASN	B	94	-38.118	36.067	-36.396	1.00	50.86	B
ATOM	1718	CB	ASN	B	94	-36.797	35.295	-36.302	1.00	49.93	B
ATOM	1719	CG	ASN	B	94	-36.741	34.372	-35.097	1.00	49.12	B
ATOM	1720	OD1	ASN	B	94	-37.613	34.402	-34.228	1.00	48.85	B
ATOM	1721	ND2	ASN	B	94	-35.699	33.555	-35.035	1.00	50.25	B
ATOM	1722	C	ASN	B	94	-37.957	37.256	-37.339	1.00	52.00	B
ATOM	1723	O	ASN	B	94	-37.673	38.362	-36.902	1.00	52.28	B

ATOM	1724	N	ASP	B	95	-38.144	37.038	-38.635	1.00	54.31	B
ATOM	1725	CA	ASP	B	95	-38.016	38.147	-39.574	1.00	55.94	B
ATOM	1726	CB	ASP	B	95	-38.055	37.651	-41.021	1.00	56.73	B
ATOM	1727	CG	ASP	B	95	-36.892	36.737	-41.344	1.00	59.74	B
ATOM	1728	OD1	ASP	B	95	-35.823	36.923	-40.721	1.00	60.29	B
ATOM	1729	OD2	ASP	B	95	-37.037	35.844	-42.216	1.00	60.62	B
ATOM	1730	C	ASP	B	95	-39.114	39.167	-39.340	1.00	55.97	B
ATOM	1731	O	ASP	B	95	-38.849	40.357	-39.328	1.00	55.88	B
ATOM	1732	N	LEU	B	96	-40.343	38.701	-39.145	1.00	57.37	B
ATOM	1733	CA	LEU	B	96	-41.460	39.602	-38.898	1.00	59.48	B
ATOM	1734	CB	LEU	B	96	-42.762	38.813	-38.735	1.00	57.57	B
ATOM	1735	CG	LEU	B	96	-43.302	38.114	-39.984	1.00	56.36	B
ATOM	1736	CD1	LEU	B	96	-44.553	37.313	-39.654	1.00	53.91	B
ATOM	1737	CD2	LEU	B	96	-43.607	39.163	-41.034	1.00	57.46	B
ATOM	1738	C	LEU	B	96	-41.201	40.436	-37.644	1.00	62.45	B
ATOM	1739	O	LEU	B	96	-41.511	41.628	-37.601	1.00	62.77	B
ATOM	1740	N	GLU	B	97	-40.628	39.812	-36.622	1.00	65.05	B
ATOM	1741	CA	GLU	B	97	-40.338	40.528	-35.392	1.00	68.23	B
ATOM	1742	CB	GLU	B	97	-39.952	39.540	-34.277	1.00	68.89	B
ATOM	1743	CG	GLU	B	97	-41.097	38.626	-33.830	1.00	71.87	B
ATOM	1744	CD	GLU	B	97	-40.668	37.539	-32.849	1.00	73.15	B
ATOM	1745	OE1	GLU	B	97	-40.181	37.886	-31.756	1.00	76.25	B
ATOM	1746	OE2	GLU	B	97	-40.820	36.337	-33.164	1.00	72.83	B
ATOM	1747	C	GLU	B	97	-39.214	41.532	-35.651	1.00	70.40	B
ATOM	1748	O	GLU	B	97	-39.135	42.571	-34.998	1.00	71.54	B
ATOM	1749	N	ALA	B	98	-38.349	41.229	-36.614	1.00	73.00	B
ATOM	1750	CA	ALA	B	98	-37.248	42.128	-36.952	1.00	75.20	B
ATOM	1751	CB	ALA	B	98	-36.322	41.474	-37.970	1.00	75.82	B
ATOM	1752	C	ALA	B	98	-37.808	43.423	-37.523	1.00	76.99	B
ATOM	1753	O	ALA	B	98	-37.160	44.467	-37.448	1.00	77.06	B
ATOM	1754	N	CYS	B	99	-39.015	43.337	-38.088	1.00	79.24	B
ATOM	1755	CA	CYS	B	99	-39.711	44.478	-38.691	1.00	81.14	B
ATOM	1756	CB	CYS	B	99	-40.765	44.002	-39.695	1.00	81.56	B
ATOM	1757	SG	CYS	B	99	-40.126	43.247	-41.210	1.00	84.65	B
ATOM	1758	C	CYS	B	99	-40.397	45.359	-37.658	1.00	82.14	B
ATOM	1759	O	CYS	B	99	-40.290	46.582	-37.715	1.00	82.34	B
ATOM	1760	N	VAL	B	100	-41.116	44.740	-36.725	1.00	83.70	B
ATOM	1761	CA	VAL	B	100	-41.814	45.493	-35.684	1.00	85.68	B
ATOM	1762	CB	VAL	B	100	-42.619	44.556	-34.740	1.00	85.07	B
ATOM	1763	CG1	VAL	B	100	-41.688	43.602	-34.020	1.00	84.36	B
ATOM	1764	CG2	VAL	B	100	-43.405	45.381	-33.741	1.00	85.62	B

ATOM	1765	C	VAL B 100	-40.801	46.287	-34.863	1.00	87.06	B
ATOM	1766	O	VAL B 100	-41.162	47.202	-34.115	1.00	87.20	B
ATOM	1767	N	ALA B 101	-39.529	45.927	-35.023	1.00	88.22	B
ATOM	1768	CA	ALA B 101	-38.434	46.582	-34.323	1.00	89.09	B
ATOM	1769	CB	ALA B 101	-37.497	45.533	-33.730	1.00	88.54	B
ATOM	1770	C	ALA B 101	-37.666	47.498	-35.276	1.00	89.84	B
ATOM	1771	O	ALA B 101	-37.324	48.626	-34.925	1.00	90.61	B
ATOM	1772	N	GLY B 102	-37.401	47.010	-36.484	1.00	90.46	B
ATOM	1773	CA	GLY B 102	-36.678	47.808	-37.457	1.00	91.07	B
ATOM	1774	C	GLY B 102	-37.577	48.761	-38.223	1.00	92.05	B
ATOM	1775	O	GLY B 102	-37.266	49.135	-39.351	1.00	92.33	B
ATOM	1776	N	GLY B 103	-38.692	49.157	-37.612	1.00	92.84	B
ATOM	1777	CA	GLY B 103	-39.616	50.069	-38.266	1.00	92.74	B
ATOM	1778	C	GLY B 103	-40.887	50.291	-37.465	1.00	92.62	B
ATOM	1779	O	GLY B 103	-41.047	51.321	-36.807	1.00	92.47	B
ATOM	1780	N	ALA B 111	-51.414	47.696	-31.869	1.00	93.96	B
ATOM	1781	CA	ALA B 111	-51.666	47.368	-33.267	1.00	93.85	B
ATOM	1782	CB	ALA B 111	-51.378	45.889	-33.516	1.00	92.71	B
ATOM	1783	C	ALA B 111	-53.105	47.697	-33.661	1.00	93.95	B
ATOM	1784	O	ALA B 111	-53.906	46.792	-33.916	1.00	94.29	B
ATOM	1785	N	GLY B 112	-53.424	48.993	-33.708	1.00	92.98	B
ATOM	1786	CA	GLY B 112	-54.760	49.429	-34.080	1.00	91.20	B
ATOM	1787	C	GLY B 112	-55.854	48.615	-33.416	1.00	90.66	B
ATOM	1788	O	GLY B 112	-56.271	48.924	-32.298	1.00	91.11	B
ATOM	1789	N	ASN B 113	-56.328	47.575	-34.101	1.00	88.98	B
ATOM	1790	CA	ASN B 113	-57.368	46.715	-33.546	1.00	86.63	B
ATOM	1791	CB	ASN B 113	-58.702	46.922	-34.275	1.00	88.02	B
ATOM	1792	CG	ASN B 113	-58.597	46.693	-35.770	1.00	88.87	B
ATOM	1793	OD1	ASN B 113	-57.973	45.729	-36.226	1.00	88.93	B
ATOM	1794	ND2	ASN B 113	-59.225	47.573	-36.545	1.00	89.31	B
ATOM	1795	C	ASN B 113	-56.988	45.237	-33.586	1.00	84.10	B
ATOM	1796	O	ASN B 113	-56.396	44.750	-34.559	1.00	82.68	B
ATOM	1797	N	ALA B 114	-57.333	44.538	-32.507	1.00	80.69	B
ATOM	1798	CA	ALA B 114	-57.053	43.117	-32.365	1.00	77.04	B
ATOM	1799	CB	ALA B 114	-57.060	42.734	-30.885	1.00	74.97	B
ATOM	1800	C	ALA B 114	-58.094	42.307	-33.129	1.00	75.04	B
ATOM	1801	O	ALA B 114	-58.167	41.092	-32.987	1.00	75.09	B
ATOM	1802	N	ASP B 115	-58.898	42.993	-33.935	1.00	73.04	B
ATOM	1803	CA	ASP B 115	-59.940	42.354	-34.739	1.00	71.39	B
ATOM	1804	CB	ASP B 115	-60.755	43.408	-35.493	1.00	75.02	B
ATOM	1805	CG	ASP B 115	-61.440	44.387	-34.573	1.00	77.51	B

ATOM	1806	OD1	ASP	B	115	-61.719	45.520	-35.022	1.00	77.99	B
ATOM	1807	OD2	ASP	B	115	-61.707	44.019	-33.408	1.00	80.45	B
ATOM	1808	C	ASP	B	115	-59.318	41.429	-35.766	1.00	68.05	B
ATOM	1809	O	ASP	B	115	-59.626	40.245	-35.834	1.00	67.22	B
ATOM	1810	N	SER	B	116	-58.451	42.002	-36.585	1.00	65.47	B
ATOM	1811	CA	SER	B	116	-57.775	41.259	-37.628	1.00	62.95	B
ATOM	1812	CB	SER	B	116	-56.707	42.137	-38.277	1.00	63.58	B
ATOM	1813	OG	SER	B	116	-57.268	43.350	-38.753	1.00	63.46	B
ATOM	1814	C	SER	B	116	-57.140	39.998	-37.062	1.00	61.42	B
ATOM	1815	O	SER	B	116	-57.296	38.917	-37.626	1.00	62.05	B
ATOM	1816	N	ILE	B	117	-56.430	40.137	-35.946	1.00	58.31	B
ATOM	1817	CA	ILE	B	117	-55.772	38.999	-35.313	1.00	54.83	B
ATOM	1818	CB	ILE	B	117	-54.966	39.423	-34.076	1.00	53.03	B
ATOM	1819	CG2	ILE	B	117	-54.366	38.202	-33.414	1.00	51.47	B
ATOM	1820	CG1	ILE	B	117	-53.871	40.404	-34.477	1.00	52.17	B
ATOM	1821	CD1	ILE	B	117	-53.280	41.161	-33.307	1.00	50.94	B
ATOM	1822	C	ILE	B	117	-56.772	37.944	-34.870	1.00	54.11	B
ATOM	1823	O	ILE	B	117	-56.565	36.761	-35.091	1.00	56.60	B
ATOM	1824	N	LEU	B	118	-57.854	38.370	-34.235	1.00	52.88	B
ATOM	1825	CA	LEU	B	118	-58.862	37.430	-33.766	1.00	50.60	B
ATOM	1826	CB	LEU	B	118	-59.955	38.167	-32.984	1.00	51.65	B
ATOM	1827	CG	LEU	B	118	-61.046	37.271	-32.391	1.00	54.03	B
ATOM	1828	CD1	LEU	B	118	-60.591	36.760	-31.040	1.00	54.61	B
ATOM	1829	CD2	LEU	B	118	-62.343	38.044	-32.249	1.00	53.11	B
ATOM	1830	C	LEU	B	118	-59.470	36.716	-34.966	1.00	49.21	B
ATOM	1831	O	LEU	B	118	-59.797	35.534	-34.900	1.00	47.90	B
ATOM	1832	N	ALA	B	119	-59.611	37.436	-36.072	1.00	48.72	B
ATOM	1833	CA	ALA	B	119	-60.183	36.852	-37.278	1.00	49.24	B
ATOM	1834	CB	ALA	B	119	-60.323	37.916	-38.343	1.00	48.04	B
ATOM	1835	C	ALA	B	119	-59.339	35.674	-37.793	1.00	50.65	B
ATOM	1836	O	ALA	B	119	-59.884	34.667	-38.270	1.00	51.27	B
ATOM	1837	N	VAL	B	120	-58.016	35.795	-37.691	1.00	49.50	B
ATOM	1838	CA	VAL	B	120	-57.130	34.727	-38.130	1.00	50.37	B
ATOM	1839	CB	VAL	B	120	-55.657	35.188	-38.178	1.00	49.79	B
ATOM	1840	CG1	VAL	B	120	-54.746	33.979	-38.348	1.00	47.60	B
ATOM	1841	CG2	VAL	B	120	-55.455	36.190	-39.315	1.00	47.48	B
ATOM	1842	C	VAL	B	120	-57.235	33.546	-37.170	1.00	52.26	B
ATOM	1843	O	VAL	B	120	-57.177	32.377	-37.582	1.00	51.97	B
ATOM	1844	N	LYS	B	121	-57.382	33.855	-35.883	1.00	53.62	B
ATOM	1845	CA	LYS	B	121	-57.501	32.811	-34.875	1.00	54.59	B
ATOM	1846	CB	LYS	B	121	-57.508	33.413	-33.475	1.00	54.64	B

ATOM	1847	CG	LYS B 121	-56.148	33.911	-33.017	1.00	58.06	B
ATOM	1848	CD	LYS B 121	-56.232	34.584	-31.650	1.00	60.35	B
ATOM	1849	CE	LYS B 121	-54.864	35.021	-31.140	1.00	60.35	B
ATOM	1850	NZ	LYS B 121	-53.990	33.861	-30.842	1.00	61.51	B
ATOM	1851	C	LYS B 121	-58.769	32.005	-35.108	1.00	55.58	B
ATOM	1852	O	LYS B 121	-58.744	30.780	-35.065	1.00	55.57	B
ATOM	1853	N	LYS B 122	-59.876	32.689	-35.378	1.00	56.77	B
ATOM	1854	CA	LYS B 122	-61.140	31.997	-35.618	1.00	58.18	B
ATOM	1855	CB	LYS B 122	-62.275	33.014	-35.811	1.00	60.88	B
ATOM	1856	CG	LYS B 122	-62.628	33.807	-34.545	1.00	63.85	B
ATOM	1857	CD	LYS B 122	-63.785	34.770	-34.784	1.00	67.04	B
ATOM	1858	CE	LYS B 122	-65.079	34.020	-35.089	1.00	70.23	B
ATOM	1859	NZ	LYS B 122	-66.260	34.925	-35.259	1.00	71.84	B
ATOM	1860	C	LYS B 122	-61.036	31.078	-36.835	1.00	57.34	B
ATOM	1861	O	LYS B 122	-61.588	29.975	-36.846	1.00	57.39	B
ATOM	1862	N	TYR B 123	-60.316	31.540	-37.852	1.00	55.98	B
ATOM	1863	CA	TYR B 123	-60.117	30.774	-39.080	1.00	54.34	B
ATOM	1864	CB	TYR B 123	-59.252	31.593	-40.050	1.00	54.18	B
ATOM	1865	CG	TYR B 123	-58.689	30.830	-41.226	1.00	53.30	B
ATOM	1866	CD1	TYR B 123	-59.524	30.175	-42.130	1.00	53.39	B
ATOM	1867	CE1	TYR B 123	-59.001	29.474	-43.217	1.00	53.48	B
ATOM	1868	CD2	TYR B 123	-57.315	30.767	-41.436	1.00	53.09	B
ATOM	1869	CE2	TYR B 123	-56.781	30.069	-42.518	1.00	53.78	B
ATOM	1870	CZ	TYR B 123	-57.627	29.426	-43.404	1.00	53.93	B
ATOM	1871	OH	TYR B 123	-57.097	28.736	-44.471	1.00	52.16	B
ATOM	1872	C	TYR B 123	-59.458	29.430	-38.773	1.00	53.07	B
ATOM	1873	O	TYR B 123	-59.994	28.369	-39.100	1.00	51.67	B
ATOM	1874	N	PHE B 124	-58.296	29.487	-38.133	1.00	52.86	B
ATOM	1875	CA	PHE B 124	-57.555	28.283	-37.775	1.00	53.45	B
ATOM	1876	CB	PHE B 124	-56.200	28.665	-37.186	1.00	50.18	B
ATOM	1877	CG	PHE B 124	-55.177	29.018	-38.228	1.00	48.40	B
ATOM	1878	CD1	PHE B 124	-54.460	28.019	-38.880	1.00	43.87	B
ATOM	1879	CD2	PHE B 124	-54.958	30.345	-38.590	1.00	46.73	B
ATOM	1880	CE1	PHE B 124	-53.553	28.327	-39.865	1.00	41.12	B
ATOM	1881	CE2	PHE B 124	-54.040	30.659	-39.587	1.00	44.49	B
ATOM	1882	CZ	PHE B 124	-53.338	29.641	-40.223	1.00	41.38	B
ATOM	1883	C	PHE B 124	-58.336	27.440	-36.796	1.00	55.05	B
ATOM	1884	O	PHE B 124	-58.134	26.234	-36.695	1.00	54.37	B
ATOM	1885	N	GLN B 125	-59.238	28.094	-36.076	1.00	59.25	B
ATOM	1886	CA	GLN B 125	-60.081	27.421	-35.106	1.00	60.57	B
ATOM	1887	CB	GLN B 125	-60.883	28.445	-34.307	1.00	64.50	B

ATOM	1888	CG	GLN	B	125	-61.759	27.839	-33.227	1.00	70.78	B
ATOM	1889	CD	GLN	B	125	-60.960	27.038	-32.212	1.00	74.51	B
ATOM	1890	OE1	GLN	B	125	-60.071	27.575	-31.540	1.00	76.71	B
ATOM	1891	NE2	GLN	B	125	-61.272	25.744	-32.095	1.00	75.37	B
ATOM	1892	C	GLN	B	125	-61.014	26.525	-35.894	1.00	59.74	B
ATOM	1893	O	GLN	B	125	-61.124	25.336	-35.608	1.00	60.48	B
ATOM	1894	N	ARG	B	126	-61.672	27.096	-36.901	1.00	58.55	B
ATOM	1895	CA	ARG	B	126	-62.591	26.332	-37.740	1.00	58.45	B
ATOM	1896	CB	ARG	B	126	-63.192	27.230	-38.819	1.00	58.22	B
ATOM	1897	CG	ARG	B	126	-64.322	28.135	-38.334	1.00	56.82	B
ATOM	1898	CD	ARG	B	126	-64.632	29.227	-39.348	1.00	55.96	B
ATOM	1899	NE	ARG	B	126	-64.100	30.523	-38.925	1.00	56.75	B
ATOM	1900	CZ	ARG	B	126	-63.490	31.379	-39.738	1.00	57.05	B
ATOM	1901	NH1	ARG	B	126	-63.333	31.072	-41.013	1.00	56.86	B
ATOM	1902	NH2	ARG	B	126	-63.039	32.541	-39.282	1.00	57.49	B
ATOM	1903	C	ARG	B	126	-61.874	25.151	-38.384	1.00	59.08	B
ATOM	1904	O	ARG	B	126	-62.406	24.043	-38.425	1.00	58.89	B
ATOM	1905	N	ILE	B	127	-60.667	25.396	-38.888	1.00	59.70	B
ATOM	1906	CA	ILE	B	127	-59.862	24.351	-39.514	1.00	59.95	B
ATOM	1907	CB	ILE	B	127	-58.472	24.891	-39.914	1.00	59.73	B
ATOM	1908	CG2	ILE	B	127	-57.508	23.745	-40.190	1.00	57.13	B
ATOM	1909	CG1	ILE	B	127	-58.609	25.809	-41.126	1.00	60.37	B
ATOM	1910	CD1	ILE	B	127	-57.338	26.563	-41.468	1.00	62.06	B
ATOM	1911	C	ILE	B	127	-59.675	23.199	-38.538	1.00	60.89	B
ATOM	1912	O	ILE	B	127	-59.904	22.041	-38.884	1.00	60.80	B
ATOM	1913	N	THR	B	128	-59.264	23.543	-37.319	1.00	61.84	B
ATOM	1914	CA	THR	B	128	-59.012	22.583	-36.241	1.00	63.43	B
ATOM	1915	CB	THR	B	128	-58.598	23.320	-34.940	1.00	64.67	B
ATOM	1916	OG1	THR	B	128	-57.481	24.172	-35.212	1.00	67.07	B
ATOM	1917	CG2	THR	B	128	-58.204	22.331	-33.853	1.00	65.28	B
ATOM	1918	C	THR	B	128	-60.209	21.690	-35.918	1.00	63.22	B
ATOM	1919	O	THR	B	128	-60.045	20.515	-35.585	1.00	61.95	B
ATOM	1920	N	LEU	B	129	-61.407	22.256	-36.008	1.00	64.24	B
ATOM	1921	CA	LEU	B	129	-62.630	21.524	-35.716	1.00	66.29	B
ATOM	1922	CB	LEU	B	129	-63.771	22.505	-35.454	1.00	66.59	B
ATOM	1923	CG	LEU	B	129	-64.722	22.138	-34.313	1.00	67.84	B
ATOM	1924	CD1	LEU	B	129	-65.736	23.255	-34.140	1.00	67.06	B
ATOM	1925	CD2	LEU	B	129	-65.409	20.796	-34.595	1.00	67.62	B
ATOM	1926	C	LEU	B	129	-62.986	20.619	-36.886	1.00	68.37	B
ATOM	1927	O	LEU	B	129	-63.672	19.613	-36.720	1.00	70.05	B
ATOM	1928	N	TYR	B	130	-62.530	20.994	-38.077	1.00	69.17	B

ATOM	1929	CA	TYR B 130	-62.780	20.208	-39.273	1.00	68.74	B
ATOM	1930	CB	TYR B 130	-62.296	20.973	-40.507	1.00	69.94	B
ATOM	1931	CG	TYR B 130	-62.397	20.200	-41.803	1.00	71.43	B
ATOM	1932	CD1	TYR B 130	-63.627	19.990	-42.425	1.00	71.95	B
ATOM	1933	CE1	TYR B 130	-63.719	19.273	-43.624	1.00	72.25	B
ATOM	1934	CD2	TYR B 130	-61.258	19.671	-42.409	1.00	72.21	B
ATOM	1935	CE2	TYR B 130	-61.340	18.950	-43.607	1.00	72.56	B
ATOM	1936	CZ	TYR B 130	-62.571	18.756	-44.207	1.00	72.07	B
ATOM	1937	OH	TYR B 130	-62.649	18.044	-45.383	1.00	71.77	B
ATOM	1938	C	TYR B 130	-61.996	18.911	-39.115	1.00	69.00	B
ATOM	1939	O	TYR B 130	-62.556	17.821	-39.175	1.00	68.44	B
ATOM	1940	N	LEU B 131	-60.691	19.044	-38.896	1.00	68.64	B
ATOM	1941	CA	LEU B 131	-59.821	17.890	-38.724	1.00	68.04	B
ATOM	1942	CB	LEU B 131	-58.422	18.345	-38.310	1.00	66.02	B
ATOM	1943	CG	LEU B 131	-57.471	18.856	-39.391	1.00	65.04	B
ATOM	1944	CD1	LEU B 131	-56.264	19.481	-38.719	1.00	63.94	B
ATOM	1945	CD2	LEU B 131	-57.043	17.716	-40.313	1.00	63.38	B
ATOM	1946	C	LEU B 131	-60.347	16.891	-37.698	1.00	68.93	B
ATOM	1947	O	LEU B 131	-60.523	15.714	-38.006	1.00	68.61	B
ATOM	1948	N	THR B 132	-60.594	17.363	-36.478	1.00	70.61	B
ATOM	1949	CA	THR B 132	-61.083	16.495	-35.406	1.00	71.92	B
ATOM	1950	CB	THR B 132	-60.841	17.131	-34.008	1.00	71.89	B
ATOM	1951	OG1	THR B 132	-61.250	16.214	-32.987	1.00	70.43	B
ATOM	1952	CG2	THR B 132	-61.623	18.429	-33.860	1.00	72.59	B
ATOM	1953	C	THR B 132	-62.565	16.161	-35.562	1.00	72.74	B
ATOM	1954	O	THR B 132	-63.170	15.549	-34.683	1.00	73.16	B
ATOM	1955	N	GLY B 133	-63.141	16.576	-36.687	1.00	73.71	B
ATOM	1956	CA	GLY B 133	-64.539	16.301	-36.968	1.00	73.91	B
ATOM	1957	C	GLY B 133	-64.582	15.208	-38.019	1.00	74.32	B
ATOM	1958	O	GLY B 133	-65.606	14.556	-38.236	1.00	74.32	B
ATOM	1959	N	LYS B 134	-63.442	15.015	-38.676	1.00	74.07	B
ATOM	1960	CA	LYS B 134	-63.296	14.001	-39.708	1.00	73.57	B
ATOM	1961	CB	LYS B 134	-62.847	14.629	-41.028	1.00	72.93	B
ATOM	1962	CG	LYS B 134	-63.976	14.926	-42.004	1.00	73.33	B
ATOM	1963	CD	LYS B 134	-64.905	16.035	-41.525	1.00	74.01	B
ATOM	1964	CE	LYS B 134	-65.972	16.349	-42.583	1.00	74.15	B
ATOM	1965	NZ	LYS B 134	-66.745	17.600	-42.317	1.00	72.79	B
ATOM	1966	C	LYS B 134	-62.282	12.962	-39.262	1.00	73.93	B
ATOM	1967	O	LYS B 134	-61.676	12.278	-40.082	1.00	72.76	B
ATOM	1968	N	LYS B 135	-62.093	12.867	-37.951	1.00	75.07	B
ATOM	1969	CA	LYS B 135	-61.184	11.890	-37.367	1.00	76.77	B

ATOM	1970	CB	LYS B 135	-61.808	10.496	-37.485	1.00	77.37	B
ATOM	1971	CG	LYS B 135	-63.245	10.428	-36.990	1.00	78.83	B
ATOM	1972	CD	LYS B 135	-63.856	9.057	-37.231	1.00	81.28	B
ATOM	1973	CE	LYS B 135	-63.278	8.000	-36.295	1.00	83.54	B
ATOM	1974	NZ	LYS B 135	-63.708	8.200	-34.876	1.00	84.34	B
ATOM	1975	C	LYS B 135	-59.773	11.878	-37.967	1.00	77.31	B
ATOM	1976	O	LYS B 135	-59.174	10.815	-38.135	1.00	78.04	B
ATOM	1977	N	TYR B 136	-59.246	13.056	-38.283	1.00	77.23	B
ATOM	1978	CA	TYR B 136	-57.902	13.181	-38.845	1.00	76.63	B
ATOM	1979	CB	TYR B 136	-56.861	12.989	-37.748	1.00	78.09	B
ATOM	1980	CG	TYR B 136	-57.053	13.907	-36.564	1.00	82.10	B
ATOM	1981	CD1	TYR B 136	-58.076	13.685	-35.638	1.00	83.03	B
ATOM	1982	CE1	TYR B 136	-58.244	14.522	-34.529	1.00	84.37	B
ATOM	1983	CD2	TYR B 136	-56.204	14.992	-36.359	1.00	83.46	B
ATOM	1984	CE2	TYR B 136	-56.362	15.837	-35.255	1.00	85.30	B
ATOM	1985	CZ	TYR B 136	-57.382	15.596	-34.341	1.00	85.81	B
ATOM	1986	OH	TYR B 136	-57.524	16.419	-33.237	1.00	85.88	B
ATOM	1987	C	TYR B 136	-57.615	12.202	-39.980	1.00	75.70	B
ATOM	1988	O	TYR B 136	-56.528	11.625	-40.057	1.00	74.43	B
ATOM	1989	N	SER B 137	-58.592	12.039	-40.867	1.00	75.24	B
ATOM	1990	CA	SER B 137	-58.477	11.131	-42.001	1.00	74.25	B
ATOM	1991	CB	SER B 137	-59.860	10.845	-42.580	1.00	73.68	B
ATOM	1992	OG	SER B 137	-60.451	12.033	-43.072	1.00	73.31	B
ATOM	1993	C	SER B 137	-57.578	11.668	-43.106	1.00	74.57	B
ATOM	1994	O	SER B 137	-57.476	12.880	-43.312	1.00	73.85	B
ATOM	1995	N	PRO B 138	-56.921	10.758	-43.842	1.00	74.56	B
ATOM	1996	CD	PRO B 138	-56.984	9.296	-43.668	1.00	74.19	B
ATOM	1997	CA	PRO B 138	-56.021	11.103	-44.940	1.00	74.13	B
ATOM	1998	CB	PRO B 138	-55.832	9.771	-45.643	1.00	73.66	B
ATOM	1999	CG	PRO B 138	-55.810	8.822	-44.486	1.00	73.91	B
ATOM	2000	C	PRO B 138	-56.579	12.177	-45.859	1.00	74.15	B
ATOM	2001	O	PRO B 138	-55.832	13.016	-46.362	1.00	74.48	B
ATOM	2002	N	CYS B 139	-57.887	12.156	-46.081	1.00	74.19	B
ATOM	2003	CA	CYS B 139	-58.488	13.163	-46.943	1.00	75.46	B
ATOM	2004	C	CYS B 139	-58.702	14.457	-46.178	1.00	74.04	B
ATOM	2005	O	CYS B 139	-58.472	15.545	-46.705	1.00	73.77	B
ATOM	2006	CB	CYS B 139	-59.814	12.665	-47.538	1.00	79.16	B
ATOM	2007	SG	CYS B 139	-59.600	11.373	-48.809	1.00	82.68	B
ATOM	2008	N	ALA B 140	-59.136	14.342	-44.930	1.00	72.55	B
ATOM	2009	CA	ALA B 140	-59.346	15.529	-44.115	1.00	71.12	B
ATOM	2010	CB	ALA B 140	-59.704	15.128	-42.704	1.00	71.98	B

ATOM	2011	C	ALA B 140	-58.063	16.364	-44.117	1.00	70.40	B
ATOM	2012	O	ALA B 140	-58.104	17.576	-44.354	1.00	70.21	B
ATOM	2013	N	TRP B 141	-56.929	15.706	-43.862	1.00	68.06	B
ATOM	2014	CA	TRP B 141	-55.630	16.379	-43.839	1.00	66.09	B
ATOM	2015	CB	TRP B 141	-54.511	15.405	-43.429	1.00	65.31	B
ATOM	2016	CG	TRP B 141	-54.188	15.447	-41.954	1.00	64.66	B
ATOM	2017	CD2	TRP B 141	-53.698	16.570	-41.215	1.00	63.91	B
ATOM	2018	CE2	TRP B 141	-53.587	16.171	-39.868	1.00	63.61	B
ATOM	2019	CE3	TRP B 141	-53.333	17.879	-41.564	1.00	63.30	B
ATOM	2020	CD1	TRP B 141	-54.351	14.438	-41.046	1.00	64.31	B
ATOM	2021	NE1	TRP B 141	-53.995	14.864	-39.793	1.00	63.47	B
ATOM	2022	CZ2	TRP B 141	-53.140	17.031	-38.864	1.00	63.01	B
ATOM	2023	CZ3	TRP B 141	-52.887	18.735	-40.566	1.00	63.15	B
ATOM	2024	CH2	TRP B 141	-52.792	18.305	-39.231	1.00	62.58	B
ATOM	2025	C	TRP B 141	-55.293	16.999	-45.190	1.00	65.08	B
ATOM	2026	O	TRP B 141	-54.775	18.118	-45.263	1.00	64.05	B
ATOM	2027	N	GLU B 142	-55.592	16.268	-46.259	1.00	63.17	B
ATOM	2028	CA	GLU B 142	-55.324	16.750	-47.603	1.00	60.88	B
ATOM	2029	CB	GLU B 142	-55.801	15.725	-48.635	1.00	59.86	B
ATOM	2030	CG	GLU B 142	-55.595	16.126	-50.094	1.00	58.69	B
ATOM	2031	CD	GLU B 142	-54.176	16.583	-50.414	1.00	57.82	B
ATOM	2032	OE1	GLU B 142	-53.198	15.912	-50.004	1.00	58.06	B
ATOM	2033	OE2	GLU B 142	-54.045	17.617	-51.096	1.00	54.99	B
ATOM	2034	C	GLU B 142	-56.005	18.092	-47.825	1.00	60.14	B
ATOM	2035	O	GLU B 142	-55.367	19.042	-48.265	1.00	61.06	B
ATOM	2036	N	VAL B 143	-57.288	18.184	-47.505	1.00	58.83	B
ATOM	2037	CA	VAL B 143	-58.006	19.437	-47.692	1.00	60.46	B
ATOM	2038	CB	VAL B 143	-59.473	19.312	-47.217	1.00	63.38	B
ATOM	2039	CG1	VAL B 143	-60.189	20.652	-47.353	1.00	64.93	B
ATOM	2040	CG2	VAL B 143	-60.194	18.259	-48.044	1.00	62.82	B
ATOM	2041	C	VAL B 143	-57.324	20.584	-46.937	1.00	60.05	B
ATOM	2042	O	VAL B 143	-57.199	21.703	-47.453	1.00	60.09	B
ATOM	2043	N	VAL B 144	-56.881	20.301	-45.716	1.00	58.84	B
ATOM	2044	CA	VAL B 144	-56.207	21.307	-44.905	1.00	56.80	B
ATOM	2045	CB	VAL B 144	-55.901	20.779	-43.475	1.00	56.37	B
ATOM	2046	CG1	VAL B 144	-54.933	21.720	-42.756	1.00	53.83	B
ATOM	2047	CG2	VAL B 144	-57.195	20.655	-42.688	1.00	53.78	B
ATOM	2048	C	VAL B 144	-54.907	21.723	-45.570	1.00	55.71	B
ATOM	2049	O	VAL B 144	-54.580	22.907	-45.619	1.00	56.30	B
ATOM	2050	N	ARG B 145	-54.166	20.748	-46.083	1.00	54.57	B
ATOM	2051	CA	ARG B 145	-52.904	21.039	-46.746	1.00	53.98	B

ATOM	2052	CB	ARG B 145	-52.290	19.755	-47.301	1.00	54.48	B
ATOM	2053	CG	ARG B 145	-50.776	19.805	-47.398	1.00	57.53	B
ATOM	2054	CD	ARG B 145	-50.189	18.656	-48.226	1.00	59.32	B
ATOM	2055	NE	ARG B 145	-50.007	19.028	-49.627	1.00	60.85	B
ATOM	2056	CZ	ARG B 145	-51.000	19.146	-50.497	1.00	61.21	B
ATOM	2057	NH1	ARG B 145	-52.245	18.912	-50.113	1.00	63.40	B
ATOM	2058	NH2	ARG B 145	-50.750	19.516	-51.741	1.00	61.96	B
ATOM	2059	C	ARG B 145	-53.163	22.034	-47.884	1.00	53.44	B
ATOM	2060	O	ARG B 145	-52.508	23.072	-47.982	1.00	51.98	B
ATOM	2061	N	ALA B 146	-54.141	21.724	-48.729	1.00	52.37	B
ATOM	2062	CA	ALA B 146	-54.474	22.596	-49.844	1.00	52.73	B
ATOM	2063	CB	ALA B 146	-55.476	21.927	-50.752	1.00	53.23	B
ATOM	2064	C	ALA B 146	-55.013	23.937	-49.375	1.00	52.70	B
ATOM	2065	O	ALA B 146	-54.678	24.964	-49.964	1.00	53.35	B
ATOM	2066	N	GLU B 147	-55.841	23.937	-48.328	1.00	52.05	B
ATOM	2067	CA	GLU B 147	-56.401	25.191	-47.799	1.00	51.29	B
ATOM	2068	CB	GLU B 147	-57.351	24.913	-46.626	1.00	52.80	B
ATOM	2069	CG	GLU B 147	-57.846	26.161	-45.865	1.00	56.59	B
ATOM	2070	CD	GLU B 147	-58.780	27.066	-46.685	1.00	60.42	B
ATOM	2071	OE1	GLU B 147	-59.760	26.554	-47.274	1.00	63.21	B
ATOM	2072	OE2	GLU B 147	-58.546	28.294	-46.732	1.00	61.56	B
ATOM	2073	C	GLU B 147	-55.295	26.129	-47.325	1.00	50.23	B
ATOM	2074	O	GLU B 147	-55.338	27.332	-47.575	1.00	48.90	B
ATOM	2075	N	ILE B 148	-54.308	25.561	-46.638	1.00	49.88	B
ATOM	2076	CA	ILE B 148	-53.187	26.320	-46.099	1.00	48.21	B
ATOM	2077	CB	ILE B 148	-52.368	25.443	-45.110	1.00	47.14	B
ATOM	2078	CG2	ILE B 148	-51.030	26.118	-44.755	1.00	44.12	B
ATOM	2079	CG1	ILE B 148	-53.223	25.162	-43.870	1.00	44.09	B
ATOM	2080	CD1	ILE B 148	-53.734	26.429	-43.164	1.00	42.93	B
ATOM	2081	C	ILE B 148	-52.292	26.883	-47.196	1.00	48.42	B
ATOM	2082	O	ILE B 148	-51.653	27.925	-47.014	1.00	47.29	B
ATOM	2083	N	MET B 149	-52.243	26.199	-48.335	1.00	49.13	B
ATOM	2084	CA	MET B 149	-51.442	26.686	-49.452	1.00	51.23	B
ATOM	2085	CB	MET B 149	-51.230	25.600	-50.494	1.00	51.00	B
ATOM	2086	CG	MET B 149	-49.910	24.895	-50.350	1.00	53.30	B
ATOM	2087	SD	MET B 149	-49.527	23.955	-51.813	1.00	56.01	B
ATOM	2088	CE	MET B 149	-50.453	22.505	-51.485	1.00	51.85	B
ATOM	2089	C	MET B 149	-52.176	27.855	-50.082	1.00	51.95	B
ATOM	2090	O	MET B 149	-51.568	28.851	-50.492	1.00	52.45	B
ATOM	2091	N	ARG B 150	-53.495	27.724	-50.150	1.00	51.47	B
ATOM	2092	CA	ARG B 150	-54.333	28.767	-50.707	1.00	52.51	B

ATOM	2093	CB	ARG	B	150	-55.790	28.312	-50.658	1.00	55.92	B
ATOM	2094	CG	ARG	B	150	-56.784	29.125	-51.454	1.00	60.87	B
ATOM	2095	CD	ARG	B	150	-58.038	28.271	-51.662	1.00	67.39	B
ATOM	2096	NE	ARG	B	150	-59.207	29.025	-52.117	1.00	73.67	B
ATOM	2097	CZ	ARG	B	150	-59.231	29.827	-53.180	1.00	76.78	B
ATOM	2098	NH1	ARG	B	150	-58.140	30.001	-53.922	1.00	78.58	B
ATOM	2099	NH2	ARG	B	150	-60.351	30.456	-53.506	1.00	77.37	B
ATOM	2100	C	ARG	B	150	-54.109	30.009	-49.851	1.00	51.57	B
ATOM	2101	O	ARG	B	150	-53.689	31.046	-50.355	1.00	52.44	B
ATOM	2102	N	SER	B	151	-54.354	29.887	-48.549	1.00	50.14	B
ATOM	2103	CA	SER	B	151	-54.168	30.999	-47.633	1.00	49.46	B
ATOM	2104	CB	SER	B	151	-54.458	30.559	-46.207	1.00	48.27	B
ATOM	2105	OG	SER	B	151	-55.742	29.986	-46.112	1.00	48.71	B
ATOM	2106	C	SER	B	151	-52.760	31.574	-47.705	1.00	50.79	B
ATOM	2107	O	SER	B	151	-52.584	32.791	-47.687	1.00	50.33	B
ATOM	2108	N	PHE	B	152	-51.749	30.716	-47.778	1.00	52.18	B
ATOM	2109	CA	PHE	B	152	-50.380	31.225	-47.861	1.00	55.34	B
ATOM	2110	CB	PHE	B	152	-49.365	30.087	-47.739	1.00	55.53	B
ATOM	2111	CG	PHE	B	152	-48.768	29.954	-46.366	1.00	54.12	B
ATOM	2112	CD1	PHE	B	152	-49.502	29.406	-45.320	1.00	54.49	B
ATOM	2113	CD2	PHE	B	152	-47.476	30.391	-46.114	1.00	53.65	B
ATOM	2114	CE1	PHE	B	152	-48.954	29.297	-44.039	1.00	53.70	B
ATOM	2115	CE2	PHE	B	152	-46.925	30.286	-44.834	1.00	55.29	B
ATOM	2116	CZ	PHE	B	152	-47.668	29.737	-43.799	1.00	53.15	B
ATOM	2117	C	PHE	B	152	-50.095	32.024	-49.145	1.00	55.94	B
ATOM	2118	O	PHE	B	152	-49.423	33.062	-49.115	1.00	54.62	B
ATOM	2119	N	ALA	B	153	-50.603	31.541	-50.271	1.00	57.38	B
ATOM	2120	CA	ALA	B	153	-50.381	32.238	-51.526	1.00	59.97	B
ATOM	2121	CB	ALA	B	153	-50.910	31.408	-52.700	1.00	59.69	B
ATOM	2122	C	ALA	B	153	-51.083	33.587	-51.460	1.00	61.25	B
ATOM	2123	O	ALA	B	153	-50.514	34.607	-51.841	1.00	62.94	B
ATOM	2124	N	LEU	B	154	-52.312	33.588	-50.953	1.00	62.12	B
ATOM	2125	CA	LEU	B	154	-53.112	34.804	-50.833	1.00	63.13	B
ATOM	2126	CB	LEU	B	154	-54.510	34.437	-50.340	1.00	60.76	B
ATOM	2127	CG	LEU	B	154	-55.360	33.639	-51.331	1.00	59.42	B
ATOM	2128	CD1	LEU	B	154	-56.627	33.136	-50.660	1.00	58.68	B
ATOM	2129	CD2	LEU	B	154	-55.698	34.523	-52.513	1.00	57.64	B
ATOM	2130	C	LEU	B	154	-52.518	35.899	-49.932	1.00	65.86	B
ATOM	2131	O	LEU	B	154	-52.951	37.052	-49.982	1.00	65.99	B
ATOM	2132	N	SER	B	155	-51.525	35.546	-49.121	1.00	68.63	B
ATOM	2133	CA	SER	B	155	-50.899	36.509	-48.219	1.00	71.66	B

ATOM	2134	CB	SER B 155	-50.675	35.871	-46.845	1.00	71.59	B
ATOM	2135	OG	SER B 155	-49.726	34.820	-46.920	1.00	71.04	B
ATOM	2136	C	SER B 155	-49.562	37.032	-48.750	1.00	74.34	B
ATOM	2137	O	SER B 155	-48.873	37.802	-48.071	1.00	74.13	B
ATOM	2138	N	THR B 156	-49.193	36.611	-49.958	1.00	76.74	B
ATOM	2139	CA	THR B 156	-47.930	37.037	-50.556	1.00	78.25	B
ATOM	2140	CB	THR B 156	-47.659	36.302	-51.909	1.00	78.41	B
ATOM	2141	OG1	THR B 156	-48.703	36.602	-52.847	1.00	78.59	B
ATOM	2142	CG2	THR B 156	-47.600	34.791	-51.697	1.00	77.83	B
ATOM	2143	C	THR B 156	-47.930	38.547	-50.784	1.00	78.96	B
ATOM	2144	O	THR B 156	-46.955	39.233	-50.479	1.00	77.97	B
ATOM	2145	N	ASN B 157	-49.035	39.062	-51.313	1.00	80.60	B
ATOM	2146	CA	ASN B 157	-49.146	40.489	-51.576	1.00	82.39	B
ATOM	2147	CB	ASN B 157	-50.574	40.847	-52.011	1.00	83.54	B
ATOM	2148	CG	ASN B 157	-50.923	40.286	-53.382	1.00	85.98	B
ATOM	2149	OD1	ASN B 157	-50.166	40.449	-54.344	1.00	86.88	B
ATOM	2150	ND2	ASN B 157	-52.075	39.628	-53.481	1.00	87.40	B
ATOM	2151	C	ASN B 157	-48.752	41.307	-50.351	1.00	82.41	B
ATOM	2152	O	ASN B 157	-48.015	42.290	-50.459	1.00	83.08	B
ATOM	2153	N	LEU B 158	-49.234	40.889	-49.185	1.00	81.77	B
ATOM	2154	CA	LEU B 158	-48.936	41.585	-47.941	1.00	80.56	B
ATOM	2155	CB	LEU B 158	-49.732	40.974	-46.785	1.00	80.09	B
ATOM	2156	CG	LEU B 158	-50.412	41.950	-45.821	1.00	79.10	B
ATOM	2157	CD1	LEU B 158	-51.452	42.765	-46.569	1.00	79.09	B
ATOM	2158	CD2	LEU B 158	-51.078	41.183	-44.702	1.00	79.49	B
ATOM	2159	C	LEU B 158	-47.447	41.501	-47.647	1.00	80.15	B
ATOM	2160	O	LEU B 158	-46.772	42.520	-47.568	1.00	80.43	B
ATOM	2161	N	GLN B 159	-46.935	40.286	-47.494	1.00	80.14	B
ATOM	2162	CA	GLN B 159	-45.519	40.095	-47.210	1.00	81.12	B
ATOM	2163	CB	GLN B 159	-45.171	38.603	-47.275	1.00	81.69	B
ATOM	2164	CG	GLN B 159	-45.683	37.807	-46.067	1.00	83.74	B
ATOM	2165	CD	GLN B 159	-45.782	36.306	-46.320	1.00	84.02	B
ATOM	2166	OE1	GLN B 159	-46.586	35.853	-47.141	1.00	84.95	B
ATOM	2167	NE2	GLN B 159	-44.969	35.531	-45.611	1.00	81.86	B
ATOM	2168	C	GLN B 159	-44.662	40.899	-48.189	1.00	81.34	B
ATOM	2169	O	GLN B 159	-43.627	41.459	-47.813	1.00	80.91	B
ATOM	2170	N	GLY B 160	-45.115	40.973	-49.438	1.00	81.50	B
ATOM	2171	CA	GLY B 160	-44.389	41.716	-50.453	1.00	82.03	B
ATOM	2172	C	GLY B 160	-44.444	43.224	-50.261	1.00	82.52	B
ATOM	2173	O	GLY B 160	-43.401	43.875	-50.197	1.00	83.21	B
ATOM	2174	N	ALA B 161	-45.652	43.783	-50.174	1.00	82.63	B

ATOM	2175	CA	ALA B 161	-45.832	45.225	-49.989	1.00	82.61	B
ATOM	2176	CB	ALA B 161	-47.318	45.575	-49.991	1.00	81.89	B
ATOM	2177	C	ALA B 161	-45.193	45.672	-48.681	1.00	82.81	B
ATOM	2178	O	ALA B 161	-44.989	46.865	-48.444	1.00	82.18	B
ATOM	2179	N	LEU B 162	-44.892	44.691	-47.836	1.00	83.61	B
ATOM	2180	CA	LEU B 162	-44.262	44.918	-46.542	1.00	83.73	B
ATOM	2181	CB	LEU B 162	-44.569	43.741	-45.608	1.00	81.75	B
ATOM	2182	CG	LEU B 162	-44.375	43.877	-44.097	1.00	80.23	B
ATOM	2183	CD1	LEU B 162	-44.889	42.617	-43.433	1.00	79.72	B
ATOM	2184	CD2	LEU B 162	-42.912	44.096	-43.755	1.00	80.03	B
ATOM	2185	C	LEU B 162	-42.760	45.014	-46.802	1.00	84.64	B
ATOM	2186	O	LEU B 162	-42.053	45.804	-46.167	1.00	84.99	B
ATOM	2187	N	GLY B 163	-42.288	44.206	-47.752	1.00	84.65	B
ATOM	2188	CA	GLY B 163	-40.881	44.207	-48.107	1.00	84.77	B
ATOM	2189	C	GLY B 163	-40.469	45.480	-48.828	1.00	85.10	B
ATOM	2190	O	GLY B 163	-39.592	46.201	-48.300	1.00	84.53	B
ATOM	2191	OXT	GLY B 163	-41.021	45.762	-49.918	1.00	84.32	B
ATOM	2192	S	CXS \$1001	-37.007	7.286	-12.909	1.00	89.60	\$
ATOM	2193	O1	CXS \$1001	-37.722	7.642	-11.758	1.00	90.92	\$
ATOM	2194	O2	CXS \$1001	-37.206	7.283	-14.330	1.00	90.52	\$
ATOM	2195	O3	CXS \$1001	-35.476	7.404	-12.678	1.00	90.21	\$
ATOM	2196	C1	CXS \$1001	-36.878	9.113	-13.140	1.00	86.35	\$
ATOM	2197	C2	CXS \$1001	-38.280	9.714	-13.449	1.00	82.21	\$
ATOM	2198	C3	CXS \$1001	-38.308	11.211	-13.660	1.00	78.87	\$
ATOM	2199	N	CXS \$1001	-39.730	11.610	-13.907	1.00	74.83	\$
ATOM	2200	C4	CXS \$1001	-39.806	13.069	-14.118	1.00	72.04	\$
ATOM	2201	C5	CXS \$1001	-38.946	13.813	-13.094	1.00	71.28	\$
ATOM	2202	C6	CXS \$1001	-38.989	15.336	-13.308	1.00	70.38	\$
ATOM	2203	C7	CXS \$1001	-38.608	15.704	-14.767	1.00	70.92	\$
ATOM	2204	C8	CXS \$1001	-39.501	14.945	-15.785	1.00	69.52	\$
ATOM	2205	C9	CXS \$1001	-39.379	13.417	-15.567	1.00	71.02	\$
ATOM	2206	S	CXS \$1002	-33.172	31.213	-33.664	1.00	59.12	\$
ATOM	2207	O1	CXS \$1002	-33.303	31.719	-34.982	1.00	61.00	\$
ATOM	2208	O2	CXS \$1002	-31.915	30.813	-33.130	1.00	59.84	\$
ATOM	2209	O3	CXS \$1002	-33.679	32.294	-32.738	1.00	61.33	\$
ATOM	2210	C1	CXS \$1002	-34.407	29.954	-33.375	1.00	56.21	\$
ATOM	2211	C2	CXS \$1002	-34.146	28.753	-34.253	1.00	51.82	\$
ATOM	2212	C3	CXS \$1002	-35.236	27.757	-33.951	1.00	52.23	\$
ATOM	2213	N	CXS \$1002	-35.098	26.561	-34.782	1.00	53.07	\$
ATOM	2214	C4	CXS \$1002	-36.180	25.616	-34.422	1.00	50.12	\$
ATOM	2215	C5	CXS \$1002	-37.574	26.289	-34.439	1.00	47.85	\$

ATOM	2216	C6	CXS	\$1002	-38.645	25.266	-34.045	1.00	47.93	\$
ATOM	2217	C7	CXS	\$1002	-38.644	24.095	-35.046	1.00	49.65	\$
ATOM	2218	C8	CXS	\$1002	-37.263	23.410	-35.077	1.00	49.27	\$
ATOM	2219	C9	CXS	\$1002	-36.157	24.435	-35.413	1.00	50.51	\$
ATOM	2220	O	HOH	S 1	-55.089	30.721	-29.788	1.00	42.32	S
ATOM	2221	O	HOH	S 2	-51.354	16.117	-54.214	1.00	66.49	S
ATOM	2222	O	HOH	S 3	-35.292	43.228	-45.412	1.00	70.66	S
ATOM	2223	O	HOH	S 6	-36.194	33.341	-31.023	1.00	62.49	S
ATOM	2224	O	HOH	S 8	-42.460	34.031	-31.211	1.00	52.51	S
ATOM	2225	O	HOH	S 11	-51.117	14.500	-24.316	1.00	63.19	S
ATOM	2226	O	HOH	S 13	-34.186	35.241	-31.749	1.00	69.73	S
ATOM	2227	O	HOH	S 14	-46.886	23.354	-15.063	1.00	62.91	S
ATOM	2228	O	HOH	S 15	-67.379	16.745	-38.051	1.00	74.92	S
ATOM	2229	O	HOH	S 16	-48.149	52.600	-41.809	1.00	65.55	S
ATOM	2230	O	HOH	S 20	-37.533	46.814	-44.158	1.00	63.62	S
ATOM	2231	O	HOH	S 23	-26.090	20.564	-40.954	1.00	64.92	S
ATOM	2232	O	HOH	S 33	-66.641	27.143	-35.990	1.00	64.70	S
ATOM	2233	O	HOH	S 34	-34.278	43.389	-42.980	1.00	66.36	S
ATOM	2234	O	HOH	S 35	-40.575	14.233	-23.786	1.00	68.23	S
ATOM	2235	O	HOH	S 36	-26.941	28.813	-12.491	1.00	61.13	S
ATOM	2236	O	HOH	S 37	-30.827	27.593	-14.316	1.00	59.11	S
ATOM	2237	O	HOH	S 39	-44.040	36.979	-30.178	1.00	56.62	S
ATOM	2238	O	HOH	S 40	-33.347	44.688	-11.256	1.00	77.43	S
ATOM	2239	O	HOH	S 42	-64.966	36.711	-39.384	1.00	64.46	S
ATOM	2240	O	HOH	S 43	-14.994	28.360	-34.554	1.00	79.56	S
ATOM	2241	O	HOH	S 45	-58.115	31.298	-30.300	1.00	73.59	S
ATOM	2242	O	HOH	S 46	-36.924	25.549	-50.937	1.00	62.92	S
ATOM	2243	O	HOH	S 49	-20.930	37.291	-14.901	1.00	62.70	S
ATOM	2244	O	HOH	S 55	-35.088	9.503	-41.169	1.00	56.66	S
ATOM	2245	O	HOH	S 58	-45.523	36.927	-10.019	1.00	53.41	S
ATOM	2246	O	HOH	S 60	-24.940	43.426	-34.908	1.00	64.11	S
ATOM	2247	O	HOH	S 61	-43.094	16.769	-33.268	1.00	88.80	S
ATOM	2248	O	HOH	S 64	-52.392	52.632	-34.025	1.00	92.27	S
ATOM	2249	O	HOH	S 66	-14.474	29.522	-20.678	1.00	73.76	S
ATOM	2250	O	HOH	S 67	-61.923	12.568	-56.894	1.00	71.78	S
ATOM	2251	O	HOH	S 68	-17.930	11.026	-27.010	1.00	57.62	S
ATOM	2252	O	HOH	S 69	-26.009	23.821	-38.215	1.00	56.83	S
ATOM	2253	O	HOH	S 70	-34.979	17.848	-41.915	1.00	57.66	S
ATOM	2254	O	HOH	S 73	-53.375	25.113	-34.332	1.00	67.17	S
ATOM	2255	O	HOH	S 78	-3.369	14.903	-39.536	1.00	76.47	S
ATOM	2256	O	HOH	S 79	-49.809	52.012	-53.024	1.00	74.16	S

ATOM	2257	0	HOH	S	80	-52.873	32.569	-23.870	1.00	59.72	S
ATOM	2258	0	HOH	S	81	-69.907	24.040	-37.219	1.00	59.30	S
ATOM	2259	0	HOH	S	82	-42.669	56.555	-30.390	1.00	65.30	S
ATOM	2260	0	HOH	S	85	-29.842	34.315	-33.948	1.00	62.56	S
ATOM	2261	0	HOH	S	96	-54.795	49.118	-60.472	1.00	72.94	S
ATOM	2262	0	HOH	S	100	-16.120	34.824	-29.084	1.00	73.72	S
ATOM	2263	0	HOH	S	103	-41.801	10.188	-41.652	1.00	59.23	S
ATOM	2264	0	HOH	S	108	-72.826	20.167	-44.484	1.00	75.51	S
ATOM	2265	0	HOH	S	111	-31.210	25.257	-37.321	1.00	71.53	S
ATOM	2266	0	HOH	S	113	-35.456	11.432	-29.314	1.00	64.29	S
ATOM	2267	0	HOH	S	114	-14.615	14.030	-42.236	1.00	64.98	S
ATOM	2268	0	HOH	S	116	-30.150	46.628	-35.936	1.00	67.88	S
ATOM	2269	0	HOH	S	117	-33.711	52.716	-21.422	1.00	75.50	S
ATOM	2270	0	HOH	S	122	-42.524	31.582	-56.165	1.00	60.35	S
ATOM	2271	0	HOH	S	124	-57.788	19.390	-20.057	1.00	80.05	S
ATOM	2272	0	HOH	S	127	-8.352	21.156	-33.703	1.00	72.60	S
ATOM	2273	0	HOH	S	131	-65.658	4.703	-48.301	1.00	67.75	S
ATOM	2274	0	HOH	S	136	-31.961	29.091	-37.073	1.00	65.98	S
ATOM	2275	0	HOH	S	144	-32.295	17.761	-36.053	1.00	61.82	S
ATOM	2276	0	HOH	S	145	-16.099	20.782	-27.246	1.00	62.57	S
ATOM	2277	0	HOH	S	152	-40.098	47.171	-61.867	1.00	70.18	S
ATOM	2278	0	HOH	S	153	-16.949	16.723	-30.701	1.00	72.82	S
ATOM	2279	0	HOH	S	154	-49.102	54.760	-44.857	1.00	74.87	S
ATOM	2280	0	HOH	S	155	-33.241	36.181	-28.893	1.00	53.26	S
ATOM	2281	0	HOH	S	157	-28.846	4.566	-28.970	1.00	65.48	S
ATOM	2282	0	HOH	S	159	-18.078	6.979	-32.388	1.00	62.25	S
ATOM	2283	0	HOH	S	160	-49.927	12.224	-25.999	1.00	83.57	S
ATOM	2284	0	HOH	S	161	-35.384	38.748	-45.921	1.00	78.38	S
ATOM	2285	0	HOH	S	164	-19.431	9.631	-42.561	1.00	83.75	S
ATOM	2286	0	HOH	S	165	-24.757	7.452	-28.428	1.00	62.83	S
ATOM	2287	0	HOH	S	166	-26.095	40.110	-19.029	1.00	71.51	S
ATOM	2288	0	HOH	S	167	-33.517	28.875	-11.950	1.00	65.15	S
ATOM	2289	0	HOH	S	169	-23.559	26.637	-34.978	1.00	69.82	S
ATOM	2290	0	HOH	S	171	-35.911	32.089	-11.426	1.00	70.81	S
ATOM	2291	0	HOH	S	173	-29.541	39.675	-27.861	1.00	73.58	S
ATOM	2292	0	HOH	S	174	-42.366	9.773	-12.564	1.00	75.10	S
ATOM	2293	0	HOH	S	179	-37.615	36.321	-6.575	1.00	60.84	S
ATOM	2294	0	HOH	S	185	-37.396	54.966	-35.497	1.00	66.51	S
ATOM	2295	0	HOH	S	186	-34.811	40.197	-42.025	1.00	78.57	S
ATOM	2296	0	HOH	S	189	-41.472	38.031	-56.357	1.00	76.56	S
ATOM	2297	0	HOH	S	193	-31.145	43.929	-38.718	1.00	64.82	S

ATOM	2298	0	HOH S 197	-44.621	37.091	-53.919	1.00	74.57	S
ATOM	2299	0	HOH S 200	-26.601	47.858	-27.412	1.00	73.60	S
ATOM	2300	0	HOH S 204	-34.070	22.759	-42.394	1.00	64.86	S
ATOM	2301	0	HOH S 206	-56.104	23.451	-54.858	1.00	63.95	S
ATOM	2302	0	HOH S 207	-42.623	14.939	-36.850	1.00	58.12	S
ATOM	2303	0	HOH S 215	-57.916	20.611	-53.534	1.00	65.65	S
ATOM	2304	0	HOH S 217	-68.703	19.492	-32.308	1.00	66.71	S
ATOM	2305	0	HOH S 218	-34.288	47.462	-17.190	1.00	87.83	S
ATOM	2306	0	HOH S 219	-47.023	49.480	-49.463	1.00	80.36	S
ATOM	2307	0	HOH S 221	-36.167	35.091	-46.526	1.00	82.36	S
ATOM	2308	0	HOH S 229	-5.120	14.056	-34.382	1.00	80.88	S
ATOM	2309	0	HOH S 234	-61.102	28.009	-56.501	1.00	73.87	S
ATOM	2310	0	HOH S 236	-50.038	53.208	-31.379	1.00	80.66	S
ATOM	2311	0	HOH S 238	-63.210	5.594	-33.656	1.00	73.31	S
ATOM	2312	0	HOH S 239	-18.979	25.474	-40.262	1.00	65.13	S
ATOM	2313	0	HOH S 241	-9.247	22.473	-40.473	1.00	62.01	S
ATOM	2314	0	HOH S 242	-23.581	0.874	-22.639	1.00	79.48	S
ATOM	2315	0	HOH S 244	-37.921	9.795	-41.267	1.00	71.07	S
ATOM	2316	0	HOH S 245	-68.213	16.294	-47.338	1.00	66.37	S
ATOM	2317	0	HOH S 259	-54.297	15.702	-29.864	1.00	69.25	S
ATOM	2318	0	HOH S 260	-53.332	29.741	-10.004	1.00	79.52	S
ATOM	2319	0	HOH S 261	-58.281	47.179	-58.668	1.00	71.63	S
ATOM	2320	0	HOH S 262	-61.633	19.952	-25.923	1.00	74.21	S
ATOM	2321	0	HOH S 264	-59.854	24.019	-57.410	1.00	84.87	S
ATOM	2322	0	HOH S 265	-34.910	13.726	-35.043	1.00	75.92	S
ATOM	2323	0	HOH S 266	-65.206	-1.041	-22.378	1.00	67.71	S
ATOM	2324	0	HOH S 267	-30.825	12.386	-15.339	1.00	53.22	S
ATOM	2325	0	HOH S 268	-23.141	25.046	-40.085	1.00	77.62	S
ATOM	2326	0	HOH S 273	-64.261	24.028	-29.410	1.00	61.30	S
ATOM	2327	0	HOH S 281	-45.175	18.432	-30.051	1.00	88.80	S
ATOM	2328	0	HOH S 285	-44.514	56.451	-43.099	1.00	73.84	S
ATOM	2329	0	HOH S 298	-41.747	37.900	-7.567	1.00	67.96	S
ATOM	2330	0	HOH S 301	-51.187	22.922	-27.202	1.00	59.87	S
ATOM	2331	0	HOH S 308	-56.697	51.798	-45.311	1.00	76.39	S
ATOM	2332	0	HOH S 310	-30.921	48.271	-19.130	1.00	67.15	S
ATOM	2333	0	HOH S 315	-26.247	3.171	-24.345	1.00	70.11	S
ATOM	2334	0	HOH S 317	-7.989	11.928	-10.219	1.00	69.93	S
ATOM	2335	0	HOH S 323	-67.469	1.840	-28.352	1.00	73.34	S
ATOM	2336	0	HOH S 327	-1.519	7.683	-30.620	1.00	68.63	S
ATOM	2337	0	HOH S 330	-13.341	11.540	-27.689	1.00	66.95	S
ATOM	2338	0	HOH S 334	-31.782	46.438	-31.042	1.00	84.75	S

ATOM	2339	0	HOH S 337	-14.963	25.917	-41.978	1.00	64.34	S
ATOM	2340	0	HOH S 341	-55.975	23.392	-31.423	1.00	74.05	S
ATOM	2341	0	HOH S 347	-30.795	46.682	-44.519	1.00	85.03	S
ATOM	2342	0	HOH S 348	-40.398	44.400	-17.941	1.00	78.54	S
ATOM	2343	0	HOH S 351	-63.588	34.580	-53.000	1.00	64.83	S
ATOM	2344	0	HOH S 352	-52.859	26.925	-10.393	1.00	76.36	S
ATOM	2345	0	HOH S 360	-66.994	13.614	-58.601	1.00	80.08	S
ATOM	2346	0	HOH S 362	-6.728	7.392	-14.487	1.00	66.11	S
ATOM	2347	0	HOH S 363	-45.315	52.345	-44.599	1.00	70.94	S
ATOM	2348	0	HOH S 364	-27.723	55.681	-25.949	1.00	80.92	S
ATOM	2349	0	HOH S 365	-0.192	8.761	-14.858	1.00	65.43	S
ATOM	2350	0	HOH S 366	-33.943	48.435	-9.023	1.00	73.21	S
ATOM	2351	0	HOH S 369	-23.185	39.615	-20.816	1.00	75.14	S
ATOM	2352	0	HOH S 371	-47.369	8.811	-24.333	1.00	90.58	S
ATOM	2353	0	HOH S 378	-72.215	16.093	-37.276	1.00	79.02	S
ATOM	2354	0	HOH S 382	-62.101	39.118	-53.345	1.00	91.47	S
ATOM	2355	0	HOH S 399	-5.346	7.993	-18.480	1.00	82.98	S
ATOM	2356	0	HOH S 404	-48.898	52.763	-34.937	1.00	79.67	S
ATOM	2357	0	HOH S 408	-58.332	50.605	-57.798	1.00	73.84	S
ATOM	2358	0	HOH S 414	-16.594	33.677	-18.292	1.00	67.72	S
ATOM	2359	0	HOH S 421	-14.075	7.273	-31.446	1.00	75.74	S
ATOM	2360	0	HOH S 425	-52.456	25.670	-30.099	1.00	68.36	S
ATOM	2361	0	HOH S 429	-34.829	54.773	-17.284	1.00	73.77	S
ATOM	2362	0	HOH S 438	-25.176	29.403	-40.958	1.00	77.48	S
ATOM	2363	0	HOH S 444	-42.956	49.806	-10.829	1.00	87.00	S
ATOM	2364	0	HOH S 458	-70.377	23.808	-46.086	1.00	78.30	S
ATOM	2365	0	HOH S 476	-33.612	35.694	-43.631	1.00	66.61	S
ATOM	2366	0	HOH S 488	-43.909	38.988	-59.269	1.00	90.04	S
ATOM	2367	0	HOH S 490	-55.112	12.025	-28.305	1.00	69.08	S
ATOM	2368	0	HOH S 497	-52.018	36.590	-59.300	1.00	73.00	S
ATOM	2369	0	HOH S 498	-67.080	8.456	-47.025	1.00	77.54	S
ATOM	2370	0	HOH S 501	-33.375	45.638	-46.606	1.00	67.04	S
ATOM	2371	0	HOH S 504	-17.519	40.287	-29.824	1.00	75.48	S
ATOM	2372	0	HOH S 508	-38.469	54.630	-22.566	1.00	81.92	S
ATOM	2373	0	HOH S 548	-7.619	13.490	-18.323	1.00	80.70	S
ATOM	2374	0	HOH S 562	-52.127	9.380	-31.442	1.00	93.77	S
ATOM	2375	0	HOH S 574	-71.476	15.001	-51.047	1.00	83.08	S
ATOM	2376	0	HOH S 581	-35.133	54.715	-54.265	1.00	79.21	S
ATOM	2377	0	HOH S 598	-38.686	54.511	-51.645	1.00	83.16	S

END

CLAIMS

What is claimed is:

1. A crystalline recombinant interferon comprising the amino acid sequence of SEQ ID NO: 1, wherein the space group of this crystal is $P3_121$, and the unit cell parameters of the crystal are $a=b=77.92 \text{ \AA}$, $c=125.935 \text{ \AA}$, $\alpha=\beta=90^\circ$, $\gamma=120^\circ$, with a variability of at most 5% in all cell parameter.
2. The crystalline recombinant interferon of claim 1, wherein said crystal contains two molecules in an asymmetric unit.
3. The crystalline recombinant interferon of any one of claims 1-2, wherein the crystal further comprises covalently or non-covalently bound metal ions.
4. The crystalline recombinant interferon of any one of claims 1-3, wherein said crystalline recombinant interferon is encoded by the nucleotide sequence comprising SEQ ID NO: 2.
5. A composition comprising the crystalline recombinant interferon of any one of claims 1-4 and a pharmaceutically acceptable carrier.
6. Use of the crystalline recombinant interferon of any one of claims 1-4, or the composition of claim 5 in the preparation of a medicament for treating viral diseases and/or tumors.
7. The use of claim 6, wherein said viral diseases include: hepatitis A, hepatitis B, hepatitis C, other types of hepatitis, viral infections caused by Epstein-Barr virus, human immunodeficiency virus (HIV), Ebola virus, severe acute respiratory syndrome (SARS) virus, influenza virus, cytomegalovirus, herpes simplex virus, or other types of herpes virus, papovavirus, pox virus, picornavirus, adenovirus, rhinovirus, human T-cell leukemia viruses type I, human T-cell leukemia viruses type II, or human T-cell leukemia virus type III.

8. The use of claim 6, wherein said tumor is cancerous.
9. The use of claim 6, wherein said tumor is solid tumor.
10. The use of claim 6, wherein said tumors include: skin cancer, basal cell carcinoma and malignant melanoma, renal cell carcinoma, liver cancer, thyroid cancer, nasopharyngeal cancer, solid tumors, prostate cancer, stomach/abdominal cancer, esophageal cancer, rectal cancer, pancreatic cancer, breast cancer, ovarian cancer, superficial bladder cancer, hemangioma, epidermoid cancer, cervical cancer, non-small cell lung cancer, small cell lung cancer, glial stromal tumors, leukemia, acute leukemia, chronic leukemia, chronic myelogenous leukemia, hairy cell leukemia, lymphadenoma, multiple myeloma, polycythemia, or Kaposi's sarcoma.
11. A crystalline recombinant interferon of any one of claims 1-4, or the composition of claim 5 for use in treating a viral disease and/or tumor.
12. The crystal or the composition for use of claim 11, wherein said viral disease is: hepatitis A, hepatitis B, hepatitis C, other types of hepatitis, viral infections caused by Epstein-Barr virus, human immunodeficiency virus (HIV), Ebola virus, severe acute respiratory syndrome (SARS) virus, influenza virus, cytomegalovirus, herpes simplex virus, or other types of herpes virus, papovavirus, pox virus, picornavirus, adenovirus, rhinovirus, human T-cell leukemia viruses type I, human T-cell leukemia viruses type II, or human T-cell leukemia virus type III.
13. The crystal or the composition for use of claim 11, wherein said tumor is cancerous.
14. The crystal or the composition for use of claim 11, wherein said tumor is a solid tumor.
15. The crystal or the composition for use of claim 11, wherein said tumor is: skin cancer, basal cell carcinoma and malignant melanoma, renal cell carcinoma, liver cancer, thyroid cancer, nasopharyngeal cancer, solid tumors, prostate cancer,

stomach/abdominal cancer, esophageal cancer, rectal cancer, pancreatic cancer, breast cancer, ovarian cancer, superficial bladder cancer, hemangioma, epidermoid cancer, cervical cancer, non-small cell lung cancer, small cell lung cancer, glial stromal tumors, leukemia, acute leukemia, chronic leukemia, chronic myelogenous leukemia, hairy cell leukemia, lymphadenoma, multiple myeloma, polycythemia, or Kaposi's sarcoma.




Figure 1




Figure 2




Figure 3

4/16






Figure 4

PROCHECK

Ramachandran Plot rSIFN-co



Plot statistics

Residues in most favoured regions [A, B, L]	240	90.6%
Residues in additional allowed regions [a, b, l, p]	24	9.1%
Residues in generously allowed regions [~a, ~b, ~l, ~p]	1	0.4%
Residues in disallowed regions	0	0.0%
Number of non-glycine and non-proline residues	265	100.0%
Number of end-residues (excl. Gly and Pro)	127	
Number of glycine residues	18	
Number of proline residues	6	
Total number of residues	416	

Based on an analysis of 118 structures of resolution of at least 2.0 Angstroms and R-factor no greater than 20%, a good quality model would be expected to have over 90% in the most favoured regions.

Figure 5




Figure 6




Figure 7




Figure 8




Figure 9

10/16




Figure 10

	1	10	20	30	40	50	60
rSIFN-co	...CDLPQTHSLG	NRRALILL	AQMRRIS	PFSC	LKDRHDFG	FPQEEFDGN	QFQKAQAISVLHEMIQQTENL
IFN-a2b	...CDLPQTHSLG	SRRTLML	LLAQMRRI	SLFSC	LKDRHDFG	FPQEEF.GNQ	FQKAETIPVLHEMIQQIFNL
IFN-a2a	...CDLPQTHSLG	SRRTLML	LLAQMRRI	SLFSC	LKDRHDFG	FPQEEF.GNQ	FQKAETIPVLHEMIQQIFNL
IFN-tau	...CYLSRKLMLD	AREN	LKLLDRMNRL	SPHSC	LQDRKDFGL	PQEMVEG	QQLQKDAQAPVLYEMLQQSFNL
hIFN-beta	MSYNLLGFLQ	RSNFCQ	QKLLWQLN	GRLEY.	CLKDRMNFDI	PPEIKQLQQ	FQKEDAAITTYEMLQNIFAI
mIFN-beta	IN YKQL	QLQERTN	IRKCE	ELLEQL	NGKIN...	LTYRADFK	IPMENT..EKMOKSYTAFALQEMLQNVFLV

	70	80	90	100	110	120	130
rSIFN-co	FSTKDSSAAW	DESLL	EKFYTELY	QQLND	LEACMIQ	EVGVEET	PLMNVDSILAVKKYFQIRITLYLTERKKYS
IFN-a2b	FSTKDSSAAW	DETLL	DKFYTELY	QQLND	LEACMIQ	GVGVTTET	PLMNEDSILAVRKYFQIRITLYLTERKKYS
IFN-a2a	FSTKDSSAAW	DETLL	DKFYTELY	QQLND	LEACMIQ	GVGVTTET	PLMKEDSILAVRKYFQIRITLYLTERKKYS
IFN-tau	FYTEHSSAAW	DTTLL	EQLCTGL	QQLDHL	DTCRGQVM	GEEDS	ELGNMDPIVTVKKYFQGIYDYLQEKGY
hIFN-beta	FRQDSSSTG	WNETIV	ENLLANVY	HQINHL	KTVL	EEKLEKEDF	TRGKLMSSSLHLKRYYGRIHLHYLKKEYS
mIFN-beta	FRNNFSSSTG	WNETIV	RLLD	DELHQ	QTVFL	KTVL	EEKLEKEDFTRGKLMSSSLHLKRYYGRIHLHYLKKEYS

	140	150	160
rSIFN-co	PCAWEVVRAEIMRSFSLSTNLQ	ERLRKE	
IFN-a2b	PCAWEVVRAEIMRSFSLSTNLQ	ESLRKE	
IFN-a2a	PCAWEVVRAEIMRSFSLSTNLQ	ESLRKE	
IFN-tau	DCAWEIVRVEMMRALTVSTTLQ	KRLTKMGGDLNSP	
hIFN-beta	HCANTIVRVEILRNIFYFINRLT	GYLRN	
mIFN-beta	SYAWMVVRAEIFRNFLIIRRLTR	NFQN	

Figure 11




Figure 12




Figure 13




Figure 14




Figure 15

16/16




Figure 16