

#### US00D405965S

Des. 405,965

# United States Patent [19]

COMBINED HOOK AND MULTIPLE

## Cardenas

[54]

[45] Date of Patent: \*\*Feb. 23, 1999

**Patent Number:** 

## 

# [56] References Cited

### U.S. PATENT DOCUMENTS

143, 146, 153, 161

D. 193,919	10/1962	Meyer et al
D. 321,795	11/1991	Winston .
D. 343,113	1/1994	Brooks .
D. 395,555	6/1998	Ursitti .
2,941,672		Lathrop .
5,515,981	5/1996	Gregory et al.
5,584,455	12/1996	Artemi .

Primary Examiner—B. J. Bullock Attorney, Agent, or Firm—Curtis L. Harrington

### [57] CLAIM

[11]

The ornamental design for a combined hook and multiple hanger support, as shown and described.

### DESCRIPTION

FIG. 1 is a front perspective view of the combined hook and multiple hanger support with shown in grasped position and with lower support loops seen in bulging opened position and to the left;

FIG. 2 is a left side view thereof bulges directed at the viewer;

FIG. 3 is a right side view thereof and illustrating stitches;

FIG. 4 is a front view thereof;

FIG. 5 is a rear view thereof;


FIG. 6 is a top view thereof;

FIG. 7 is a bottom view therof; and,

FIG. 8 is a perspective view of a second embodiment of the design of FIG. 1, the only difference being the orientation of the hook to the to the support.

FIGS. 1–5 and 8 are shown broken away to indicate indeterminate length. The broken lines in FIGS. 1–3 and 8 which extend across the support represent stitching while the broken line showing of a hand and portion of an arm in FIGS. 1 and 8 is for illustrative purposes only and forms no part of the claimed design.

# 1 Claim, 4 Drawing Sheets








Fig. 1

Feb. 23, 1999








Fig. 8