



US0D1069986S

(12) **United States Design Patent**
Powers et al.

(10) **Patent No.:** **US D1,069,986 S**

(45) **Date of Patent:** **** Apr. 8, 2025**

(54) **VALVE**

facebook.com/swimways/videos/no-more-hassle-inflating-your-pool-floats-with-swimways-hyper-flate-valve-techno/654146152561581/
(Year: 2022).*

(71) Applicant: **SPIN MASTER, INC.**, Williamsville,
NY (US)

(Continued)

(72) Inventors: **Katie Powers**, New York, NY (US); **C. Latham Gaines**, Nashville, TN (US);
Stephen Graner, New York, NY (US)

Primary Examiner — George J Ulsh

Assistant Examiner — Kathryn Elizabeth Zieno

(74) *Attorney, Agent, or Firm* — Aird & McBurney LP

(73) Assignee: **SPIN MASTER, INC.**, Williamsville,
NY (US)

(57)

CLAIM

The ornamental design for a valve as shown and described.

(**) Term: **15 Years**

(21) Appl. No.: **29/787,865**

(22) Filed: **Jun. 9, 2021**

(51) **LOC (15) Cl.** **23-01**

(52) **U.S. Cl.**

USPC **D23/233**

(58) **Field of Classification Search**

USPC D23/213, 233-241, 244, 245, 246-249,
D23/321, 421; D15/7, 144.2; D24/129;
D8/70

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,083,581 A 1/1992 Jaw
5,119,842 A 6/1992 Jaw

(Continued)

FOREIGN PATENT DOCUMENTS

CN 101158292 A 4/2008
CN 103912360 A 7/2014

(Continued)

OTHER PUBLICATIONS

Swimways, available in facebook.com, announced Feb. 2, 2022
[online], [site visited Dec. 27, 2023], Internet URL: <https://m>.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of the new design for a valve having a lid, with the lid in an open position;

FIG. 2 is a perspective view of the valve with the lid in a closed position;

FIG. 3 is a top plan view thereof, with the lid in the open position;

FIG. 4 is a bottom plan view thereof, with the lid in the open position;

FIG. 5 is a front view thereof, with the lid in the open position;

FIG. 6 is a rear view thereof, with the lid in the open position;

FIG. 7 is a left side view thereof, with the lid in the open position;


FIG. 8 is a right side view thereof, with the lid in the open position; and,

FIG. 9 is a perspective view thereof showing the environment, with the lid in the closed position.

In the drawings, the broken line showing of a flotation device in FIG. 9 is for the purpose of illustrating the environmental structure and forms no part of the claimed design. The dash-dot broken lines represent the bounds of the claim which form no part of the claimed design. All other broken lines are for the purpose of illustrating portions of the valve that form no part of the claimed design.

In the drawings, the broken lines are for the purpose of illustrating portions of the article that form no part of the

(Continued)



claimed design. The dash-dot broken lines represent the bounds of the claim which form no part of the claimed design.

1 Claim, 6 Drawing Sheets

(58) **Field of Classification Search**

CPC F16K 1/00; F16K 3/00; F16K 5/00; F16K 7/00; F16K 11/00; F16K 13/00; F16K 15/00; F16K 17/00; F16K 21/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,343,889 A 9/1994 Jaw
D406,238 S * 3/1999 Voller D23/233
6,164,314 A * 12/2000 Saputo F16K 15/205
137/232
D492,030 S * 6/2004 Rani D24/129
6,990,994 B2 1/2006 Reeb et al.
7,051,753 B1 * 5/2006 Caires B65D 81/052
137/232
D561,329 S * 2/2008 McMichael D24/129
7,370,653 B2 * 5/2008 Payne B29C 45/1676
128/207.14
7,455,086 B1 * 11/2008 Elze B65B 39/02
141/37
8,181,664 B2 5/2012 Tsai
D679,589 S * 4/2013 Hauth D9/446
8,584,695 B2 11/2013 Lau
8,978,693 B2 3/2015 Frayne
D759,234 S * 6/2016 Bertinetti D24/127
9,505,334 B2 * 11/2016 Maness B60P 7/065
9,618,130 B1 * 4/2017 Nguyen B65D 31/147
D830,548 S * 10/2018 Kemp D24/129
10,151,396 B2 * 12/2018 Nguyen B65D 31/147
D849,195 S * 5/2019 Matsushita D23/233
D851,213 S * 6/2019 Matsushita D23/233
10,641,403 B2 * 5/2020 Maxfield F16K 31/52425
D905,829 S * 12/2020 Zhang D23/260
11,454,331 B2 * 9/2022 Correll F16K 27/08
D970,691 S * 11/2022 Xie D23/233
11,543,042 B2 * 1/2023 Gaines F16K 15/148
D1,017,657 S 3/2024 Skradski
D1,039,113 S * 8/2024 Powers D23/233
2006/0108556 A1 * 5/2006 Rose F16K 15/20
251/149.8

2008/0223449 A1 * 9/2008 Culp F16K 15/205
137/232
2009/0139582 A1 * 6/2009 Franta F16K 15/202
137/232
2010/0180971 A1 7/2010 Hatton
2011/0272609 A1 11/2011 Tsai
2014/0209184 A1 7/2014 Frayne
2016/0166079 A1 6/2016 Tsai
2016/0223095 A1 8/2016 Sando et al.
2017/0241557 A1 8/2017 Xia et al.
2019/0056038 A1 2/2019 Dupré et al.
2019/0093773 A1 * 3/2019 Liu F16K 15/202
2019/0184408 A1 * 6/2019 Tsai F16K 15/202
2020/0056711 A1 * 2/2020 Huang F16K 15/205
2022/0125213 A1 * 4/2022 Ocegueda Gallaga
F16K 15/202
2024/0044414 A1 * 2/2024 Gaines F16K 15/148

FOREIGN PATENT DOCUMENTS

CN 204647478 U 9/2015
CN 105164454 A 12/2015
CN 205978669 U 2/2017
CN 107101024 A 8/2017
CN 210043597 U 2/2020
DE 202015106699 U1 12/2015
DE 102017110437 A1 11/2018
EM 008576870-0001 * 6/2021
EP 0373818 A2 6/1990
WO 2015051394 A1 4/2015
WO 2019140544 A1 7/2019

OTHER PUBLICATIONS

AU Patent Application No. 2021203682, Examination Report, IP Australia Jul. 22, 2021.
EU Patent Application No. 21177749.5, European Report, European Patent Office Nov. 5, 2021.
PCT/US2021/035801, International Search Report and Written Opinion, ISA/US Commissioner for Patents, Sep. 10, 2021.
English translation of CN210043597U.
English translation of WO2019140544.
EP21177749.5, Examination Report, May 30, 2022, European Patent Office.
U.S. Appl. No. 29/787,862—Notice of Allowance dated Mar. 22, 2024.
U.S. Appl. No. 29/787,862—Office Action dated Jan. 4, 2024.
CN 2021106473494—Search Report and Examiner’s Report with English translation dated Dec. 23, 2024.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9