



(51) International Patent Classification:
A61F 13/15 (2006.01)

(21) International Application Number:
PCT/US2011/045315

(22) International Filing Date:
26 July 2011 (26.07.2011)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
61/368,252 27 July 2010 (27.07.2010) US

(71) Applicant (for all designated States except US): **THE PROCTER & GAMBLE COMPANY** [US/US]; One Procter & Gamble Plaza, Cincinnati, Ohio 45202 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **MASON, Beth, Goldman** [US/US]; 5766 Brookstone Drive, Cincinnati, Ohio 45230 (US). **DOBRIN, George, Christopher** [US/US]; 4407 Hyacinth Drive, Mason, Ohio 45040 (US). **WALTHER, Rachael, Eden** [US/US]; 11963 US Highway 42, Union, Kentucky 41091 (US).

(74) Common Representative: **THE PROCTER & GAMBLE COMPANY**; c/o Eileen L. Hughett, Global Patent

Services, 299 East Sixth Street, Sycamore Building, 4th Floor, Cincinnati, Ohio 45202 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: ABSORBENT ARTICLES BEARING GRAPHICS VISUALLY COORDINATED TO CLOTHING




Fig. 1A

(57) Abstract: In one aspect, the invention relates generally to absorbent articles having graphics disposed upon them. The graphics are visually coordinated to clothing. The clothing may be an article and/or a line of clothing.

ABSORBENT ARTICLES BEARING GRAPHICS VISUALLY COORDINATED TO CLOTHING

5 FIELD OF THE INVENTION

In one aspect, the invention relates generally to absorbent articles having graphics disposed upon them. The graphics are visually coordinated to clothing. The clothing may be an article of clothing and/or a line of clothing.

10 BACKGROUND OF THE INVENTION

Absorbent articles are used commonly. In many cases, e.g. diapers, the purchaser of the absorbent article is not the end user of the article. Many factors influence the purchaser's decision to purchase particular absorbent articles, non-limiting examples of which include: price and product performance, e.g. absorbency, ease of fastening/refastening, tactile feel against the skin, etc. The aesthetics of an absorbent article have become an increasingly important factor in driving purchase decision-making. Many purchasers prefer to have colors, patterns, and/or other designs employed by the absorbent article. This creates a need to provide desirable graphics without having an unacceptably negative impact on other decision factors, such as price and absorbency.

20 Although absorbent articles bearing graphics are known, these graphics are not designed to be visually coordinated to a particular article of clothing or to a particular line of clothing. Purchasers increasingly prefer absorbent articles with graphics, and it is believed that some purchasers would prefer absorbent articles with graphics that have a similar appearance to particular articles of clothing and/or lines of clothing. It is known for an absorbent article to bear a graphic that generically looks like a "type of clothing", e.g. blue jeans; however, it is not known to coordinate the graphics on an absorbent article to the graphics on actual articles of clothing, e.g. a particularly patterned and/or colored outfit that is sold as a clothing item, or a series of related clothing items that constitute a line of clothing, e.g. the Jane Doe collection, sold by a particular retailer. Accordingly, there is a need for such absorbent articles.

30

SUMMARY OF THE INVENTION

In one aspect, the invention relates generally to absorbent articles having graphics disposed upon them. The graphics are visually coordinated to clothing. The clothing may be an article of clothing and/or a line of clothing.

5 It is an object of this invention to provide an absorbent article bearing at least one graphic, wherein at least one visual characteristic of the at least one graphic is visually coordinated to at least one visual characteristic of an article of clothing and/or a line of clothing. It is an object of this invention to provide an absorbent article bearing at least one graphic, wherein at least one visual characteristic of the at least one graphic is visually coordinated to at
10 least one visual characteristic of a line of clothing. It is an object of this invention to provide an absorbent article bearing at least one graphic, wherein at least one visual characteristic of the at least one graphic is visually coordinated to at least one visual characteristic of a particular article of clothing, i.e. not a type of clothing or a genre of clothing. These and other objects, features, and advantages of the invention will become more apparent upon reading the following
15 specification in conjunction with the accompanying drawing figures.

BRIEF DESCRIPTION OF DRAWINGS

FIG. 1A is a flowchart of a method of printing graphics on absorbent articles suitable for use with the present invention.

20 FIG. 1B is a flowchart of a method of printing graphics on absorbent articles suitable for use with the present invention.

FIG. 2 is an illustration of three axes (respectively for the L^* , a^* , and b^* value of a given color) used with the CIELAB color scale.

FIG. 3 is a perspective view of a design embodied in an article of clothing.

25 FIG. 4 is a perspective view of a design created using design software, inspired by a creator who views the graphics embodied in an article of clothing.

FIG. 5 is a perspective view of a graphic printed on a diaper that is inspired by the design shown in either of Figs. 3 or 4.

FIG. 6 is a perspective view of a design embodied in an article of clothing.

30 FIGS. 7A and 7B are perspective views of graphics printed on diapers that are inspired by the design shown in Fig. 6.

FIG. 8 is a perspective view of a design embodied in an article of clothing.

FIGS. 9A and 9B are perspective views of graphics printed on diapers that are inspired by the design shown in Fig. 8.

DETAILED DESCRIPTION OF THE INVENTION

5 In one aspect, the invention is intended primarily for use with absorbent articles. As used herein, the term "absorbent article" refers to devices which absorb and contain body exudates, and, more specifically, refers to devices which are placed against or in proximity to the body of the wearer to absorb and contain the various exudates discharged from the body. As used herein, the term "diaper" refers to an absorbent article generally worn by infants and incontinent persons
10 that is worn about the lower torso of the wearer. It should be understood, however, that the invention is also applicable to other absorbent articles such as incontinence briefs, incontinence undergarments, incontinence pads, diaper holders and liners, feminine hygiene garments, feminine hygiene pads, feminine hygiene pantliners, tampons, and the like. As used herein, the term "disposable" refers to absorbent articles that generally are not intended to be laundered or
15 otherwise restored or reused as absorbent articles, i.e. they are intended to be discarded after a single use, and preferably, to be recycled, composted, or otherwise disposed of in an environmentally compatible manner. In an embodiment, the absorbent articles for which the invention is primarily intended for use, are disposable absorbent articles.

 Absorbent articles may typically comprise a topsheet having a bodyfacing surface and a
20 garment facing surface, a backsheet having a bodyfacing surface and a garment facing surface, and an absorbent core disposed between the garment facing surface of the topsheet and the bodyfacing surface of the backsheet. In an embodiment, the graphics created by the method disclosed herein are disposed upon the bodyfacing surface of the topsheet. In another embodiment, the graphics are disposed upon the garment facing surface of the topsheet. In
25 another embodiment, the graphics are disposed upon the garment facing surface of the backsheet. In yet another embodiment, the graphics are disposed upon both the bodyfacing surface of the topsheet and the garment facing surface of the backsheet. Other absorbent articles, e.g. catamenial tampons, may typically comprise a compressed absorbent core disposed within an overwrap substantially covering the exterior surface of the compressed absorbent core, the
30 overwrap having a core facing surface and a bodyfacing surface. In an embodiment, the graphics created by the method disclosed herein are disposed upon the core facing surface of the overwrap. In another embodiment, the graphics are disposed upon the bodyfacing surface of the overwrap. In yet another embodiment, the graphics are disposed upon both the core facing

surface of the overwrap and the bodyfacing surface of the overwrap. In an embodiment, the overwrap comprises a non-woven material.

In an embodiment, the invention provides an absorbent article bearing at least one graphic, wherein at least one visual characteristic of the at least one graphic is visually
5 coordinated to at least one visual characteristic of an article of clothing and/or a line of clothing. The graphic and the clothing each has at least a first, and preferably additional visual characteristics, wherein the visual characteristics of the graphic are matched the corresponding visual characteristics of the clothing. In other embodiments, there are at least 2, preferably at least 3, visual characteristics that are matched. In yet other embodiments, there are at least 4,
10 preferably at least 5, visual characteristics that are matched. In still other embodiments, there are at least 6, preferably at least 7, visual characteristics that are matched. In yet other embodiments, there are at least 8, preferably at least 9, visual characteristics that are matched.

In an embodiment, an absorbent article appears visually coordinated to an article of clothing, and/or a line of clothing, to a consumer. An absorbent article will be visually
15 coordinated when one or more its visual characteristics are matched with the corresponding visual characteristics of the article of clothing, and/or line of clothing. These visual characteristics may be visible patterns of color. The color of these patterns can be described by the value of the hue, saturation, and luminosity. This color will be determined from the visible spectral and angular distribution of light coming from an object. The patterns can be described by
20 their location, extent, shape, and orientation. These patterns may have smaller patterns contained within them. The pattern may be the result of the non-uniform chemical composition of the element like the printing of a pattern of a dye or from the texture of the element like the embossing of a pattern. The pattern will be determined from the visible spatial, spectral and angular distribution of light coming from an object.

25 As used herein, the term "visual characteristic" is intended to mean a visible, distinguishing or recognizable feature or attribute of a visible aspect of one or more elements of an absorbent article and/or an article of clothing, and/or a line of clothing. Non-limiting examples of visual characteristics are color, texture, pattern, form, and the like.

As used herein, the term "visible" is intended to mean attribute of feature which is
30 visually perceived by an individual user or consumer. Generally for a consumer or user, the attribute should be visible in the range of about 0.25 feet (0.075 meters) to about 3 feet (0.91 meters). For a non-consumer or non-user, generally for an attribute to be visible, the distance will typically be greater than about 3 feet (0.91 meters). As used herein, "perceived" or "perception"

is the ability to recognize an attribute or feature when the visual angle that the attribute or feature subtends is greater than about 5 minutes of visual arc and less than about 45 minutes of visual arc as determined by the following equation: Minutes of visual arc = $3438 * (\text{length of the object} / \text{distance from object})$; wherein the length of the object = size of the object measured perpendicular to the line of sight, the distance from object = distance from the front of the eye to the object along the line of sight, and a minute of visual arc is $1/60^{\text{th}}$ of 1 degree.

As used herein, the term "color" is intended to mean an individual's perception of the spectral composition of visible light coming from a portion of an object. Color characteristics include hue, saturation and luminosity. Each is a separate color characteristic. Hue is the attribute of a color which allows it to be classified as a given color. Saturation, which is sometimes referred to as vividness, is the intensity of the color. Saturation is the degree of freedom from gray. Luminosity, sometimes referred to as value, is the degree of lightness (paleness) or darkness in a color. For example, a blue with white added is a pale color, e.g. baby blue and blue with black added is a dark color, e.g. navy blue. A measurement of hue, saturation and luminosity are described in more detail below.

As used herein, the term "form" is used to describe an individual's perception of the spatial variation of visible light due to the bulk shape and structure of a portion of an object in three dimensions. Stated another way, form is shape and structure of an item which distinguishes it from its surrounding which causes a spatially discontinuous change in light that is transmitted through or reflected from an item.

As used herein, the term "texture" is used to describe the individual's perception of the spatial variation of visible light due to surface structure of a portion of an object in two dimensions. Textures can be visual effects generated by surface roughness and visual illusion created by mere color or pattern. Texture may be the result of the natural characteristics of a given material as a result of the material formation process. Textures may also be imparted to a material using techniques known to those skilled in the art including, for example, printing, embossing, bonding, aperturing and the like.

As used herein, the term "pattern" is used to describe the individual's perception of spatial variation of visible light due to contrasts in spatial variation of light due to the color, form, and texture of a portion of an object incorporated into the object by the manufactory of the elements. This contrast creates various visual distinct regions or lines sometimes referred to as "figures" within its surrounding sometimes referred to as "ground." Patterns can be formed by combinations of contrasting color, form, and texture relative to its surroundings. An element can

have more than one pattern, but each pattern would be distinguishable, recognizable, and separate from the other patterns on the element. Pattern is also a term used to describe the observer's perception of combined effect of more than one color, form, or texture within a portion of an observer's field of view. Patterns may have a "length", "extent", "shape", "position" and
5 "orientation". Each is a pattern characteristic within the scope of the present invention. Length is the perceived distance along the major axis of the pattern. The "major axis" is the axis of the longest symmetry. The extent of the pattern is the area of the pattern. Shape is simply the shape of the pattern. Position is the location of the pattern relative to its surroundings. And orientation is position of the major axis of the pattern relative to its surroundings.

10 As used herein, the term "match" or "matched" is used to describe the way or degree two items visually fit together. For example, two items are considered matched if some aspects of one of the items are identical to similar aspects of another item. In one form of match, two items resemble each other are said to match.

As used herein, the term "coordinate" or "coordination" is used to describe how two
15 components or elements of the absorbent article and the article of clothing, and/or line of clothing visually belong together. Visual characteristics are said to coordinate if one aspect of the visual characteristic is the same or falls within limits described with this specification. Visual characteristics are also said to coordinate if they match. Components or elements are considered to be coordinated if they match. Graphics are considered to be coordinated if they match. An
20 absorbent article and an article of clothing are considered to be coordinated if they match. An absorbent article and a line of clothing are considered to be coordinated if they match. Colors may be coordinated if they have a hue, luminosity or saturation that match within limits described below.

As used herein, the term "nonwoven fabric or web" means a web having a structure of
25 individual fibers or threads which are interlaid, but not in a regular or identifiable manner as in a knitted or woven fabric. The term also includes individual filaments and strands, yarns or tows as well as foams and films that have been fibrillated, apertured, or otherwise treated to impart fabric-like properties. Nonwoven fabrics or webs have been formed from many processes such as for example, meltblowing processes, spunbonding processes, airlaying processes and bonded
30 carded web processes. The basis weight of nonwoven fabrics is usually expressed in ounces of material per square yard (osy) or grams per square meter (gsm) and the fiber diameters useful are usually expressed in microns.

Coordination may be achieved using certain combinations of visual characteristics which unite or harmonize the appearance of an absorbent article with an article of clothing and/or a line of clothing. Coordination may be achieved by matching visual characteristics of the absorbent article and clothing components. As described above, visual characteristics are features or characteristics that are discernible by sight during the normal use of the product. Examples of different types of visual characteristics, which may be employed in the present invention include, without limitation, color, form, texture, pattern, transmittance/opacity, gloss, and sheen, among others.

Of the visual characteristics, color is a characteristic that is simple to quantify. Colors have some basic characteristics, including hue, saturation, and luminosity. Each of these terms is described above. A given color may be varied by changing the saturation and luminosity. Saturation is changed by adding a neutral color, black, white, or gray. Luminosity may be changed by adding a brightener to a given color. In the present invention, if two colors have the same hue, whether or not they are different in saturation or luminosity, the two colors are considered coordinated. Likewise, if two colors have the same saturation or the same luminosity, the colors are considered to be coordinated. Colors which have the same hue, saturation and luminosity are considered matched. Color may be imparted by any means known to those skilled in the art, including, for example, printing, dyeing, pigmenting and the like.

Form may be accomplished by techniques known to those skilled in the art. Form can be construed on the simplest scale as shape. Shape may be imparted to the components by known methods such as cutting and the like. By using the term "shape" in this context, it is intended that the outline, edges and the like have a shape in addition to a linear outline. Generally, shapes are considered the same if the aspects of one shape are proportional to another shape. For example, in the case of a triangle, if all the angles are identical in two different triangles, but the sides are different in length, the two triangles are considered to be coordinated since they have the same proportions relative to each other. Stated another way, shapes are considered to be coordinated if the shapes are the same or are proportional to each other.

Textures can be visual effects generated by rough surfaces, and or differences in the surface characteristics, or visual illusions created by mere color or pattern. Texture may be the result of the natural characteristics of a given material as a result of the material formation process. Textures may also be imparted to a material using known techniques known to those skilled in the art including, for example, printing, embossing, bonding, aperturing and the like.

One or more objects, one or more geometric and non-geometric shapes and/or one or more colors having some relationship with one another may achieve patterns. Patterns may be random or repeating. Repeating patterns will typically have objects, shapes, and/or colors in a given frequency or spacing. Patterns can be achieved by repeating a single object, or shape or can
5 be achieved by repeating multiple objects or shapes. Repeating or alternating two or more colors with a given frequency may also create patterns. Patterns may be formed by using techniques including, for example, printing, embossing, bonding, aperturing and the like.

Any known printing method may be used so long as a pattern or a texture can be imparted to the surface being printed. Non-limiting examples of suitable methods for use with the present
10 invention are disclosed in commonly assigned, co-pending US Serial No. XX/XXX,XXX, entitled "Method of Printing Fabric-Inspired Designs on Absorbent Articles", filed on 27 July, 2010, and having Attorney Docket No. 11825P. Such methods for printing are described briefly in Figs. 1A and 1B.

Embossing may be accomplished, for example, by passing a material between a heated or
15 non-heated anvil roll and a heated or non-heated embossing roll, with the embossing roll containing a pattern. Other techniques for imparting patterns or texture include, for example, aperturing, creating layers, orientation of materials, bonding patterns and the like. Texture can also be created by selection of materials having the same or similar visual characteristic, beyond color, and patterns imposed on the material.

20 In an embodiment, the invention provides an absorbent article bearing at least one graphic, wherein at least one visual characteristic of the at least one graphic is visually coordinated to at least one visual characteristic of an article of clothing and/or a line of clothing. As an example, a child's dress has a pattern of purple printed flowers thereon and an element of the absorbent article, for example the backsheet of a diaper, may have the same pattern of purple
25 flowers printed thereon. The pattern of flowers is a first visual characteristic and the purple hue of the flowers is a second visual characteristic. As a result, the absorbent article is coordinated with the article of clothing due to the presence of the pattern of purple flowers on both components. Coordination of the product in the present invention is obtained by having one or more visual characteristics that match. While the present specification describes the invention in
30 terms of at least one visual characteristic, this does not mean that there cannot be two or more visual characteristics creating the desired coordination affect. In fact, the more shared visual characteristic there are, the more the items appear to be coordinated. In the present invention, there may be two, three, four, five, six, seven, eight, nine or more visual characteristic which are

coordinated. In one embodiment, there are at least 2, preferably at least 3, more preferably at least 4, visual characteristics that are coordinated.

In an embodiment, a first and second visual characteristic are different in some aspect from each other. It is possible for the visual characteristics to be two different colors, a color and
5 a pattern, a texture and a color, a texture and a pattern, two different patterns, two different textures and the like. If there are three characteristics which are different, then there could be two different colors and a pattern; three different colors; a color, a pattern and a texture; among many other combinations.

In an embodiment, white is generally not considered as a color is used as the coordinating
10 feature if white is a predominate color on the element being coordinated. This is because white is the predominate color of absorbent articles, and thus white does not lend itself as a coordinating color. However, white may be a coordinating color, provided that it is not used as the predominate color on the components or surfaces being coordinated. Stated another way, white may be a coordinating color if it is used as an accent or a non-dominate color. By "non-dominate
15 color" it is intended mean a color which encompasses less than 50%, desirable less than 30%, of the surface area of a surface.

In an embodiment, the first and second visual characteristics may be configured as first and second colors. Each of the first and second colors may be different from one another by having a different hue. One or more colors may also be different by virtue of having a different
20 luminosity and/or saturation/vividness. Saturation/vividness is the intensity of the color from pale to dark. Colors of different hues can be coordinated or match by virtue of having the same luminosity or saturation. For example, pale or pastel colors of different hues tend to blend together or appear that they belong together or are matched due to the fact that the saturation levels are similar. Other factors in color differences include different finishes e.g. gloss/finish
25 verses a matte finish. Matte finishes tend to diffuse or scatter light compared to a gloss finish, which is specular.

Two colors are considered coordinated if they have first and second hues that are the same. Colors of different hues are also considered coordinated if they have a value (luminosity) difference of less than 5% of maximum, alternatively less than 3% of maximum or alternatively
30 less than 1% of maximum. Colors of different hues are also considered coordinated if they have a saturation difference of less than 5% of maximum, alternatively less than 3% of maximum or alternatively less than 2.5% of maximum.

In an embodiment, color matching of visible surfaces is determined by the color of an absorbent article and the corresponding color of the clothing and/or line of clothing having a specified CIELab color space hue difference (ΔH). Characterizing color matching by the hue difference is desirable in that hue difference accounts for and considers all three dimensions within CIELab. While not being limited to this theory, such a three-dimensional measurement is believed to more fully characterize the difference in two colors.

CIELAB is a conventional color model used to describe colors visible to the human eye. Fig. 2 is an illustration of three axes (respectively for the L^* , a^* , and b^* value of a given color) used with the CIELAB color scale. When a color is defined according to the CIELAB color scale, L^* represents lightness (0=black, 100=white), a^* and b^* independently each represent a two color axis, a^* representing a red/green axis (+ a =red, - a =green), while b^* represents a yellow/blue axis (+ b =yellow, - b =blue). The maximum for L^* is 100, which represents a perfect reflecting diffuser, and the minimum for L^* is zero, which represents black. The a^* and b^* axes have no specific numerical limits. The CIELAB color scale is an approximate uniform color scale, wherein the differences between points plotted in the color space correspond to visual differences between the colors plotted. Based on the L^* , a^* , and b^* values for a first color (i.e. L_1 , a_1 , b_1) and a second color (i.e. L_2 , a_2 , b_2), the difference between the colors (i.e. ΔE) can be calculated using the following formula:

$$\Delta E = \sqrt{(\Delta L^*)^2 + (\Delta a^*)^2 + (\Delta b^*)^2}$$

wherein, $\Delta L^* = L_1 - L_2$;
 $\Delta a^* = a_1 - a_2$; and
 $\Delta b^* = b_1 - b_2$.

The $L^*a^*b^*$ values for each zone of color in the graphic may be determined in various ways. For example, the $L^*a^*b^*$ values of the color zones may be determined by using ink with relatively known $L^*a^*b^*$ values. Alternatively, the $L^*a^*b^*$ values in a zone can be determined from the electronic file that is generated when a pattern is created. In such a case, the $L^*a^*b^*$ values may be obtained with a computer equipped with a software that can provide the $L^*a^*b^*$ value of a selected area. A non-limiting example of such software may be Adobe Photoshop®. In another embodiment, the $L^*a^*b^*$ values of various color zones on a graphic can be measured directly from the printed substrate that bears the design inspiring the graphic. A suitable procedure for measuring the $L^*a^*b^*$ values of a color zone is provided below.

In an embodiment, color measurements are performed using a commercial flat bed scanner capable of 4800 dpi, at 16 bit color depth, such as an Epson Perfection V500 Photo

scanner (Epson America, Long Beach, CA). Each scan is calibrated against Pantone standards, and measurements made using Adobe Photoshop CS3 Extended Edition (Adobe Systems, Inc, San Jose, CA). The sample is measured on the printed side of the substrate. For example, if a laminate consist of a nonwoven and a film where the printing is on the film and sandwiched
 5 between the film and nonwoven, the nonwoven is removed before the printing on the film is measured.

The hue difference represents the distance between two points within CIELab color space. The CIELab color space hue difference (ΔH) for a first color (L^*_1, a^*_1, b^*_1) and a second color (L^*_2, a^*_2, b^*_2), is calculated according to the following formula:
 10
$$\Delta H = \sqrt{(\Delta E)^2 - (\Delta C)^2 - (\Delta L^*)^2}$$
. Within said formula, ΔE is the CIELab color space total color difference between the two colors and is calculated as presented above. The ΔC is the CIELab color space chroma difference between the two colors and is calculated by:

$$\Delta C = \sqrt{a^{*2}_2 + b^{*2}_2} - \sqrt{a^{*2}_1 + b^{*2}_1}$$
. The ΔL^* is the difference in L^* values between the two colors and is calculated by: $\Delta L^* = L^*_2 - L^*_1$.

15 In an embodiment, at least two visible surfaces each comprising an imparted color will have a CIELab color space hue difference of ≤ 4 in order to be considered matching. In another embodiment, the difference will be ≤ 3 . In yet another embodiment, the difference will be ≤ 2 . The visible surfaces are analyzed according to the Test Method described below. Upon analysis, the inherent color of an element comprising a visible surface will yield L^* , a^* , and b^*
 20 coordinates. Two elements are selected and the L^* , a^* , and b^* values of the elements are inserted into the formula presented above to result in a hue difference.

Visible surfaces are tested in a dry state and at an ambient humidity of approximately 50% $\pm 2\%$. Reflectance color is measured using the Hunter Lab LabScan XE reflectance spectrophotometer obtained from Hunter Associates Laboratory of Reston, VA. The
 25 spectrophotometer is set to the CIELab color scale and with a D50 illumination. The Observer is set at 10° and the Mode is set at 45/0°. Area View is set to 0.125" and Port Size is set to 0.20" for films; Area View is set to 1.00" and Port Size is set to 1.20" for nonwovens and other materials. The spectrophotometer is calibrated prior to sample analysis utilizing the black and white reference tiles supplied from the vendor with the instrument. Calibration is done according
 30 to the manufacturer's instructions as set forth in LabScan XE User's Manual, Manual Version 1.1, August 2001, A60-1010-862. If cleaning is required of the reference tiles or samples, only tissues that do not contain embossing, lotion, or brighteners should be used (e.g., Puffs® tissue).

Any sample point on the visible surface of the element containing the imparted color to be analyzed should be selected. Typically, sample points are selected so as to be close in perceived color. A single ply of the element is placed over the spectrophotometer's sample port. A single ply, as used within the test method, means that the visible surface of the element is not folded.

Thus, a single ply of a visible surface may include the sampling of a laminate, which itself is comprised of more than one lamina. The sample point comprising the color to be analyzed must be larger than the sample port to ensure accurate measurements. A white tile, as supplied by the manufacturer, is placed behind the visible surface. The L^* , a^* , and b^* values are read and recorded. The visible surface is removed and repositioned so that a minimum of six readings are obtained for the visible surface. If possible (e.g., the size of the imparted color on the element in question does not limit the ability to have six discretely different, non-overlapping sample points), each of the readings is to be performed at a substantially different region on the visible surface so that no two sample points overlap. If the size of the imparted color region requires overlapping of sample points, only six samples should be taken with the sample points selected to minimize overlap between any two sample points. The readings are averaged to yield the reported L^* , a^* , and b^* values for a specified color on a visible surface of an element.

Coordination in the present invention may also contain commonly used color schemes which tend to harmonize or coordinate. That is, the first and second visual color characteristics may be selected to enhance the visual coordination in addition to having at least a first and second color as the first and second visual characteristics. Examples of these color schemes include, for example, monochromatic color, complementary colors, analogous colors, warm and cool colors, neutral colors, color contrast, tetradic color scheme, triad color scheme or other chord color schemes. Monochromatic color scheme uses one base color but varies the color tint, shade and/or tone. Complementary colors are colors which are opposite each other on a color wheel. Analogous colors are colors which are adjacent each other on the color wheel. Warm and cool color schemes use three colors, two of which are warm colors and one is cool color or two cool colors and one warm color. Warm colors are generally associated with fire and the sun, for example, red, yellow and orange and cool colors are generally associated with water the sky and foliage, for example green, blue and violet. Neutral color coordination includes using shades of black, white, gray and beige together. Color contrast scheme include using dark and light colors together. Tetradic is a four color scheme and a triad color scheme is a three color scheme, both of which are known to those skilled in the art. Any of these color schemes may be used in the

present invention to help coordinate and harmonize two or more colors as the visual characteristics in the present invention.

Coordination may be created by providing a theme on the absorbent article that matches the theme embodied in an article of clothing and/or line of clothing. Non-limiting examples of themes include: sporty, outdoors, sophisticated, professional, casual, cute, sassy, feminine (e.g. quilted, paisley, curly cues, polka dots), fresh, seasonal (e.g. spring, summer, fall, winter), patriotic, weather/climatic (e.g. sunny, rainy, snowy), ethnic, soft tones, earth tones, pastels, rock 'n roll, western (e.g. cowboy/cowgirl), animal, plant, food, or industrial.

Two patterns are considered coordinated when they have substantially the same pattern elements, regardless of other factors such as orientation. To gain a better understanding of how patterns are considered to be coordinated within the scope of the present invention, reference is made to Figs. 3 to 5. In Fig. 3, an article of clothing, a child's sleeper, is shown. Certain visual characteristics exhibited on the sleeper include the giraffe spots, the pattern of giraffe spots, and the color (depicted by gray shading). In Fig. 4, a print out of a graphic design file showing the graphic being developed for printing on an absorbent article, is shown. The graphic design file shows giraffe spots as the sleeper, the same pattern of giraffe spots as the sleeper, and the same color (depicted by gray shading) as the sleeper, with the addition of a visual characteristic of four giraffes that appear to be standing or walking. Fig. 5, an absorbent article, a diaper with a graphic printed on it, is shown. The diaper shows giraffe spots as does the sleeper, a portion of the same pattern of giraffe spots as the sleeper, and the same color (depicted by gray shading) as the sleeper, and the additional visual characteristic of giraffes that appear to be standing or walking as does the graphic design file. These several visual characteristics are coordinated, e.g., substantially the same shape, even though they are of different sizes, and the graphic design file and printed diaper share a common visual characteristic that is not shared by the original sleeper. Summarily, referring to Figs. 3 to 5, elements of the clothing article, a sleeper is configured with a shape, the giraffe spots, a pattern, the particular arrangement of giraffe spots, and a certain color of spots, while the absorbent article, a printed diaper, is configured with a coordinated shape of giraffe spots, coordinated pattern of arranged giraffe spots, coordinated color, and a further visual characteristic that is similar to the previous elements, depictions of giraffes. The clothing and the absorbent article are coordinated, even though they are of different sizes and notwithstanding that an additional elements, the giraffes, are also present on the printed diaper. Stated another way, in the present invention, clothing and an absorbent article are considered coordinated if they have the same or similar visual characteristics, whether the visual

characteristics are matched identically or similarly matched. It is further noted that patterns are considered coordinated if there are pattern elements which are the same or similar, even if additional pattern elements are present.

In one embodiment, there are at least two different types of visual characteristics. One particular combination is the use of color and pattern. As set forth above, the more shared visual characteristics there are, the more coordinated the absorbent article and article of clothing and/or line of clothing will appear.

In order to obtain a better understanding of the present invention, attention is directed to Figs. 6, 7A, and 7B. In Fig. 6, an article of clothing, a child's sweater, is shown. Certain visual characteristics exhibited on the sweater include an owl, white as a coordinating color, a flower pattern on the owl's wings, the color of the owl's body (depicted by gray shading), and the owl being embroidered. In Figs. 7A and 7B, diapers with graphics printed on them, are shown. The diapers shows an owl as does the sweater, white as a coordinating color, a substantially similar flower pattern on the owl's wings as the sweater, the same color of the owl's body (depicted by gray shading) as the sweater, the owl having an embroidered appearance, and the additional visual characteristics of a substantially similar flower pattern being printed on the fasteners of the diaper (in Fig. 7A) or of a branch upon which the owl appears to be sitting (in Fig. 7B). These several visual characteristics are coordinated, e.g., substantially the same shape, even though they are of different sizes, and printed diapers have a visual characteristic that is not shared with the original sweater. Summarily, referring to Figs. 6, 7A, and 7B, elements of the clothing article, a sweater, is configured with a animal character (an owl), a coordinating color (white), a pattern (the flower pattern on the owl's wings), the color of the owl's body (depicted by gray shading), and a texture (the owl being embroidered), while the absorbent article (a printed diaper) is configured with a coordinated animal character (an owl), a coordinated coordinating color (white), a coordinated pattern (the flower pattern on the owl's wings), a coordinated color of the owl's body (depicted by gray shading), and a coordinated texture (the owl being embroidered), and further visual characteristic that are similar to the previous elements, substantially similar flower pattern being printed on the fasteners of the diaper (in Fig. 7A) or of a branch upon which the owl appears to be sitting. The clothing and the absorbent article are coordinated, even though they are of different sizes and notwithstanding that an additional elements, the flower pattern and the branch, are also present on the printed diaper.

In order to obtain a better understanding of the present invention, attention is directed to Figs. 8, 9A, and 9B. In Fig. 8, an article of clothing, a child's dress, is shown. Certain visual

characteristics exhibited on the dress include a monkey, a bow on the monkey's ear, the color of the monkey's body, having light colored paws (depicted by gray shading), the monkey being embroidered, and the torso, arms, and legs of the monkey being dotted. In Figs. 9A and 9B, diapers with graphics printed on them, are shown. The diapers show a monkey as does the dress,

5 a bow on the monkey's ear, the color of the monkey's body, having light colored paws (depicted by gray shading), the monkey being embroidered, and the torso, arms, and legs of the monkey being dotted, and the additional visual characteristics of the monkey appearing to be partially inserted into a pocket (in Fig. 9A). These several visual characteristics are coordinated, e.g., substantially the same shape, even though they are of different sizes, and one of the printed

10 diapers has a visual characteristic that is not shared with the original dress, and in fact, both of the printed diapers have a different background color than the original dress. Summarily, referring to Figs. 8, 9A, and 9B, a clothing article, a dress, is configured with an animal character (a monkey), a pattern (bow on the monkey's ear), color (the color of the monkey's body, having light colored paws (depicted by gray shading)), texture (the monkey being embroidered), and

15 another pattern (the torso, arms, and legs of the monkey being dotted), while the absorbent article (a printed diaper) is configured with a coordinated animal character (a monkey), a coordinated pattern (bow on the monkey's ear), a coordinated color (the color of the monkey's body, having light colored paws (depicted by gray shading)), a coordinated texture (the monkey being embroidered), and another coordinated pattern (the torso, arms, and legs of the monkey being

20 dotted)), and further visual characteristic that are similar to the previous elements, the monkey appearing to be partially inserted into a pocket (in Fig. 9A) and both of the printed diapers having a different background color than the original dress (Figs. 9A and 9B). The clothing and the absorbent article are coordinated, even though they are of different sizes and notwithstanding that an additional elements, the pocket and the different background color, are present on the printed

25 diaper.

In various embodiments, the first visual characteristic may be a color and the second visual characteristic may be different colors embodied in an article of clothing and/or a line of clothing, with both of the colors applied to the absorbent article. In another embodiment, the first visual characteristic may be a color, and the second visual characteristic may be an embossment,

30 pattern, or shape (e.g., fastening element). In yet another embodiment, the first visual characteristic may be a first embossment, printing or dyeing pattern and the second visual characteristic may be a second embossment, printing or dyeing pattern.

Embossing is an effective way to impart texture and pattern visual characteristics to an absorbent article. The embossing pattern may be a high density embossing pattern, or a low density embossing pattern, both of which may be registered or non-registered.

Additional examples of visual characteristics include: the location and appearance of
5 tabs, fasteners, borders, junctions of materials, stitching, printing borders, seams, pockets, zippers, zipper flaps, topstitching, embossment, quilting, buttons, bows, ribbons, straps, snaps, belt loops, suspenders, and the like.

In an embodiment, the article of clothing to which the absorbent article is being coordinated, is a stand-alone, or single item of clothing, e.g. being sold by one or more retailers.
10 In another embodiment, the article of clothing is one article in a line of clothing being sold by one or more retailers. In yet another embodiment, the absorbent article is visually coordinated to a whole or portion of a whole clothing line. In such an embodiment, the visual characteristics being coordinated to will be embodied in several of articles of clothing in a line of clothing. Such visual characteristics will be common among at least a few of the articles of clothing in the
15 line, and may be, in the fashion sense, consider the signature elements of the line. In an embodiment, such visual characteristics that are signature elements are not characters from story books, nursery rhymes, television shows, movies, comic books, cartoons, and the like. In another embodiment, such visual characteristics that are signature elements are designed by a fashion designer.

20 The dimensions and values disclosed herein are not to be understood as being strictly limited to the exact numerical values recited. Instead, unless otherwise specified, each such dimension is intended to mean both the recited value and a functionally equivalent range surrounding that value. For example, a dimension disclosed as "40 mm" is intended to mean "about 40 mm."

25 Every document cited herein, including any cross referenced or related patent or application, is hereby incorporated herein by reference in its entirety unless expressly excluded or otherwise limited. The citation of any document is not an admission that it is prior art with respect to any invention disclosed or claimed herein or that it alone, or in any combination with any other reference or references, teaches, suggests or discloses any such invention. Further, to
30 the extent that any meaning or definition of a term in this document conflicts with any meaning or definition of the same term in a document incorporated by reference, the meaning or definition assigned to that term in this document shall govern.

While particular embodiments of the invention have been illustrated and described, it would be obvious to those skilled in the art that various other changes and modifications can be made without departing from the spirit and scope of the invention. It is therefore intended to cover in the appended claims all such changes and modifications that are within the scope of this
5 invention.

CLAIMS

What is claimed is:

1. An absorbent article bearing at least one graphic, wherein at least one visual characteristic of the at least one graphic is visually coordinated to at least one visual characteristic of an article of clothing.
2. An absorbent article bearing at least one graphic, wherein at least one visual characteristic of the at least one graphic is visually coordinated to at least one visual characteristic of a line of clothing.
3. An absorbent article bearing at least one graphic, wherein at least one visual characteristic of the at least one graphic matches at least one visual characteristic of an article of clothing.
4. An absorbent article bearing at least one graphic, wherein at least one visual characteristic of the at least one graphic matches at least one visual characteristic of an article of a line of clothing.

1/10




Fig. 1A

2/10




Fig. 1B

3/10




Fig. 2

4/10




Fig. 3

5/10




Fig. 4

6/10




Fig 5

7/10




Fig. 6

8/10



Fig. 7A




Fig. 7B

9/10




Fig. 8

10/10




Fig. 9B




Fig. 9A

INTERNATIONAL SEARCH REPORT

International application No
PCT/US2011/045315

A. CLASSIFICATION OF SUBJECT MATTER
INV. A61F13/15
ADD.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
A61F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EP0-Internal, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2005/101931 A1 (BRYANT KRISTI [US] ET AL) 12 May 2005 (2005-05-12) paragraphs [0009] - [0011], [0028], [0029]; figure 2 -----	1-4
X	US 2008/108967 A1 (MIZUSHIMA TOMOE [JP] ET AL) 8 May 2008 (2008-05-08) paragraphs [0049] - [0063], [0069] - [0076]; figures 1-26 -----	1-4
X	US 2006/173428 A1 (ACORS DEANNA M [US]) 3 August 2006 (2006-08-03) paragraph [0056] - paragraph [0067]; figures 2-9 -----	1-4
X	EP 1 704 842 A1 (DAIO SEISHI KK [JP]) 27 September 2006 (2006-09-27) paragraphs [0027] - [0044]; figures 3-10 ----- -/--	1-4



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

28 September 2011

Date of mailing of the international search report

13/10/2011

Name and mailing address of the ISA/

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040,
Fax: (+31-70) 340-3016

Authorized officer

Westberg, Erika

INTERNATIONAL SEARCH REPORT

International application No
PCT/US2011/045315

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2009/247979 A1 (SOSALLA PAULA MARY [US] ET AL) 1 October 2009 (2009-10-01) paragraphs [0035] - [0037]; figures 1-5 -----	1-4

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/US2011/045315

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2005101931 A1	12-05-2005	WO 2005046545 A1	26-05-2005
US 2008108967 A1	08-05-2008	CA 2668688 A1	15-05-2008
		CN 101534765 A	16-09-2009
		EP 2079423 A1	22-07-2009
		WO 2008056315 A1	15-05-2008
		JP 2010508116 A	18-03-2010
US 2006173428 A1	03-08-2006	US 2006173429 A1	03-08-2006
EP 1704842 A1	27-09-2006	CN 1901867 A	24-01-2007
		WO 2005067853 A1	28-07-2005
		US 2008234643 A1	25-09-2008
US 2009247979 A1	01-10-2009	WO 2009144589 A1	03-12-2009