



US00PP16053P2

(12) **United States Plant Patent**
Dümmen

(10) **Patent No.:** **US PP16,053 P2**

(45) **Date of Patent:** **Oct. 18, 2005**

(54) **BEGONIA PLANT NAMED 'BBEVA'**

(50) Latin Name: *Begonia*×*hiemalis*
Varietal Denomination: **Bbeva**

(75) Inventor: **Tobias Gunter Dümmen**, Rheinberg
(DE)

(73) Assignee: **Begonia Breeders Association B.V.**,
Aalsmeer (NL)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **10/859,495**

(22) Filed: **Jun. 1, 2004**

(51) **Int. Cl.**⁷ **A01H 5/00**

(52) **U.S. Cl.** **Plt./344**

(58) **Field of Search** **Plt./344, 343**

(56) **References Cited**

U.S. PATENT DOCUMENTS

PP4,127 P * 10/1977 Joachim-Rohde Plt./344
PP10,805 P * 2/1999 Man Plt./344

OTHER PUBLICATIONS

UPOV ROM GTITM Computer Database, GTI Jouve
Retrieval Software 2004/06 Citations for 'Bbeva'.*

* cited by examiner

Primary Examiner—Kent Bell
Assistant Examiner—W. C. Haas
(74) *Attorney, Agent, or Firm*—C. A. Whealy

(57) **ABSTRACT**

A new and distinct cultivar of *Begonia* plant named 'Bbeva',
characterized by its compact, upright and mounded plant
habit; double flowers with yellow orange and orange
bi-colored tepals; and excellent flower longevity.

1 Drawing Sheet

1

Botanical classification: *Begonia*×*hiemalis*.
Cultivar designation: 'Bbeva'.

BACKGROUND OF THE INVENTION

The present Invention relates to a new and distinct culti-
var of *Begonia* plant, botanically known as *Begonia*×
hiemalis, commercially known as *Elatior Begonia*, and
hereinafter referred to by the name 'Bbeva'.

The new *Begonia* was discovered and selected by the
Inventor in a controlled environment in Aalsmeer, The
Netherlands in April, 1999, as a naturally-occurring whole
plant mutation of *Begonia*×*hiemalis* 'Julie', disclosed in
U.S. Plant Pat. No. 10,805. The new *Begonia* was observed
as a single plant in a group of flowering plants of the parent
cultivar.

Asexual reproduction of the new *Begonia* by cuttings in
a controlled environment in Aalsmeer, The Netherlands
since 1999, has shown that the unique features of this new
Begonia are stable and reproduced true to type in successive
generations.

SUMMARY OF THE INVENTION

The cultivar 'Bbeva' has not been observed under all
possible environmental conditions. The phenotype may vary
somewhat with variations in environment such as
temperature, daylength and light intensity, without,
however, any variance in genotype.

The following traits have been repeatedly observed and
are determined to be the unique characteristics of 'Bbeva'.
These characteristics in combination distinguish 'Bbeva' as
a new and distinct *Begonia*:

1. Compact, upright and mounded plant habit.
2. Double flowers with yellow orange and orange
bi-colored tepals.
3. Excellent flower longevity.

2

Plants of the new *Begonia* are most similar to plants of the
parent, the cultivar Julie. Plants of the new '*Begonia*' differ
primarily from plants of the cultivar Julie in flower color as
tepals of plants of the cultivar Bbeva are yellow orange and
orange bi-colored whereas tepals of plants of the cultivar
Julie are yellow and red bi-colored in color.

BRIEF DESCRIPTION OF THE PHOTOGRAPH

The accompanying colored photograph illustrates the
overall appearance of the new *Begonia*, showing the colors
as true as it is reasonably possible to obtain in colored
reproductions of this type. Colors in the photograph may
differ slightly from the color values cited in the detailed
botanical description which accurately describe the colors of
the new *Begonia*. The photograph comprises a side perspec-
tive view of a typical flowering plant of 'Bbeva'.

DETAILED BOTANICAL DESCRIPTION

In the following description, color references are made to
The Royal Horticultural Society Colour Chart, 1995 Edition,
except where general terms of ordinary dictionary signifi-
cance are used. The aforementioned photograph and follow-
ing observations and measurements describe plants grown in
Aalsmeer, The Netherlands during the spring and summer,
and grown under conditions typical of commercial practice
in a glass-covered greenhouse. During the production of the
plants, day and night temperatures ranged from 15 to 20° C.
and light levels were about 18,000 lux. Plants used for the
photograph and the description were grown in 13-cm con-
tainers and were about three months old when the photo-
graph and description were taken.

Botanical classification: *Begonia*×*hiemalis* cultivar Bbeva.
Commercial classification: *Elatior Begonia*.
Parentage: Naturally-occurring whole plant mutation of
Begonia×*hiemalis* cultivar Julie, disclosed in U.S. Plant
Pat. No. 10,805.

Propagation:

Type.—By cuttings.

Time to initiate roots.—About two weeks at temperatures of 20° C.

Time to develop roots.—About five weeks at temperatures of 20° C.

Root description.—Fine, fibrous and well-branched. Plants of the new *Begonia* have not been observed to form tubers.

Plant description:

Plant form and habit.—Compact, upright and mounded plant habit; freely branching with about five or six basal branches per plant. Moderately vigorous. Vegetative shoots are formed at basal nodes and flowering shoots are formed at upper nodes.

Plant height.—About 20 cm.

Plant width.—About 20 to 25 cm.

Leaves.—Arrangement: Alternate, simple. Length: About 9 cm. Width: About 6 to 7 cm. Shape: Ovate; asymmetrical. Apex: Acuminate. Base: Oblique. Margin: Doubly crenate. Texture, upper and lower surfaces: Glabrous, smooth; leathery. Venation pattern: Palmate. Color: Developing and fully expanded leaves, upper surface: Close to 131A. Developing and fully expanded leaves, lower surface: Close to 138B. Venation, upper surface: Close to 137A. Venation, lower surface: Close to 137C. Petiole length: About 4 to 6 cm. Petiole diameter: About 4 mm. Petiole color, upper and lower surfaces: Close to 137A. Stipule quantity: Two per leaf. Stipule size: About 1 cm by 1 cm. Stipule texture, upper and lower surfaces: Smooth, glabrous. Stipule color, upper and lower surfaces: Close to 137C.

Flower description:

Flowering habit.—Double flowers with about 10 to 12 tepals per flower; flowers arranged in axillary cymes. Numerous cymes in flower simultaneously; about 25 to 30 open flowers per plant. Flowers positioned above and beyond the foliage. Flowers not fragrant.

Natural flowering season.—Under natural daylight conditions, plants flower from spring until the fall. Flower initiation and development is induced by

long day/short night conditions. Flowering continuous under photoinductive conditions.

Flower longevity.—Individual flowers last about four to five weeks on the plant.

Flowers.—Shape: Oval; double. Orientation: Flat to cupped. Diameter: About 4 to 5 cm. Depth (height): About 1 cm.

Flower buds.—Length: About 1 to 1.5 cm. Diameter: About 2 cm. Color: Close to 22D.

Tepals.—Arrangement: Rosette. Shape: Obovate to rounded. Apex: Rounded. Base: Obtuse. Margin: Entire. Length: About 2 to 3 cm. Width: About 3 to 4 cm. Texture, upper and lower surfaces: Smooth, glabrous. Color: When opening, upper surface: 21B. When opening, lower surface: 22D. Fully opened, upper surface: 21B; towards the margins, 30C. Fully opened, lower surface: 22D.

Flower bracts.—Quantity: Two per flower. Arrangement: Opposite. Length: About 1 cm. Width: About 1 cm. Shape: Rounded. Apex: Rounded. Base: Cuneate. Margin: Entire. Texture, upper and lower surfaces: Smooth, glabrous. Color, upper and lower surfaces: 146D.

Peduncles.—Angle: About 30 to 45° from vertical. Length: About 4 to 5 cm. Diameter: About 3 to 4 mm. Strength: Strong. Texture: Smooth. Color: Close to 146D.

Pedicels.—Angle: About 30 to 45° from vertical. Length: About 2 to 3 cm. Diameter: About 2 to 3 mm. Strength: Strong. Texture: Smooth. Color: Close to 21B.

Reproductive organs.—Stamens: None observed. Pistils: None observed.

Seed/fruit.—Seed and fruit production has not been observed as reproductive organs are not formed.

Disease/pest resistance: Plants of the new *Begonia* have been observed to be resistant to Powdery Mildew. Plants of the new *Begonia* have not been observed to be resistant to pests and other pathogens common to *Begonia*.

It is claimed:

1. A new and distinct cultivar of *Begonia* plant named 'Bbeva', as illustrated and described.

* * * * *

