

(19) (KR)
(12) (A)

(51) . Int. Cl.7 (11) 2003-0069208
B61B 13/00 (43) 2003 08 25

(21) 10-2003-7009237
(22) 2003 07 10
 2003 07 10
(86) PCT/SE2001/00033 (87) WO 2002/55358
(86) 2001 01 10 (87) 2002 07 18

(71) - 182 61 17

(72) - 182 61 17

(74)

1

(54)

(4)

(8)

(2)

2

(2)

가
2 (7)

(7)

2

가

,
(distance beam)

2

9/58387).
가, (bogie) , (platform)

6 (tandem)
7 /
1 2
가 (主) (2)

1) (3) (2) (1) (3) (2) (1)
 (2) , , , (2') 가
 , , , (5)
 (rack)

(57)

1.

, (3) 가 (2') , , , , , ,
 (8) 가 , (4) 2 (7)
 , 2 (2) (2) (2) , (2') (2) (7)
 가

2.

1 , (7) (2') , , (2')
 (2)

3.

1 , (2) (8) 가

4.

3 , (2) (14) (5)

5.

3 , (8) 가

6.

1 , (2)

7.

1 , 가 (9) 가

8.

7 , , 가


9.


1 , 가 (bogie) 가 (5)
 (13) 가 ,


10.

1


1









4







7

