



HU000034424T2

(19) **HU****MAGYARORSZÁG****Szellemi Tulajdon Nemzeti Hivatala**(11) Lajstromszám: **E 034 424**(13) **T2**

EURÓPAI SZABADALOM SZÖVEGÉNEK FORDÍTÁSA

(21) Magyar ügyszám: **E 10 770041**(22) A bejelentés napja: **2010. 04. 14.**(51) Int. Cl.: **A23J 3/22** (2006.01)**A23L 17/00** (2006.01)

(96) Az európai bejelentés bejelentési száma:

EP 20100770041

(86) A nemzetközi (PCT) bejelentési szám:

PCT/US 10/001111

(97) Az európai bejelentés közzétételi adatai:

EP 2429319 A1 **2010. 11. 04.**

(87) A nemzetközi közzétételi szám:

WO 10126563

(97) Az európai szabadalom megadásának meghirdetési adatai:

EP 2429319 B1 **2017. 06. 07.**

(30) Elsőbbségi adatok:

214698 P**2009. 04. 27.****US**

(73) Jogosult(ak):

Nestec S.A., 1800 Vevey (CH)

(72) Feltaláló(k):

SAYLOCK, Michael, John, Kansas City, MO 64151 (US)

(74) Képviselő:

**Danubia Szabadalmi és Jogi Iroda Kft.,
Budapest**

(54)

Habosított halpótló és eljárás előállítására

Az európai szabadalom ellen, megadásának az Európai Szabadalmi Közlönyben való meghirdetésétől számított kilenc hónapon belül, felszólalást lehet benyújtani az Európai Szabadalmi Hivatalnál. (Európai Szabadalmi Egyezmény 99. cikk(1))

A fordítást a szabadalmas az 1995. évi XXXIII. törvény 84/H. §-a szerint nyújtotta be. A fordítás tartalmi helyességét a Szellemi Tulajdon Nemzeti Hivatala nem vizsgálta.

(19)



(11)

EP 2 429 319 B1

(12)

EUROPEAN PATENT SPECIFICATION

(45) Date of publication and mention
of the grant of the patent:
07.06.2017 Bulletin 2017/23

(51) Int Cl.:
A23J 3/22 ^(2006.01) **A23L 17/00** ^(2016.01)

(21) Application number: **10770041.1**

(86) International application number:
PCT/US2010/001111

(22) Date of filing: **14.04.2010**

(87) International publication number:
WO 2010/126563 (04.11.2010 Gazette 2010/44)

(54) FLAKED FISH ANALOGS AND METHODS FOR MAKING SUCH ANALOGS

GEFLOCKTE FISCHANALOGA UND VERFAHREN ZUR HERSTELLUNG SOLCHER ANALOGA
SUCCÉDANÉS DE MIETTES DE POISSON ET LEURS PROCÉDÉS DE FABRICATION

(84) Designated Contracting States:
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL
PT RO SE SI SK SM TR**

(74) Representative: **Rupp, Christian et al**
Mitscherlich PartmbB
Patent- und Rechtsanwälte
Sonnenstraße 33
80331 München (DE)

(30) Priority: **27.04.2009 US 214698 P**

(43) Date of publication of application:
21.03.2012 Bulletin 2012/12

(56) References cited:
EP-A2- 0 265 740 WO-A1-2004/016097
WO-A1-2008/034063 WO-A1-2008/124629
US-A- 4 579 741 US-A- 5 792 504
US-A- 5 792 504 US-A1- 2007 148 323
US-A1- 2008 254 167 US-A1- 2008 268 103

(73) Proprietor: **Nestec S.A.**
1800 Vevey (CH)

(72) Inventor: **SAYLOCK, Michael, John**
Kansas City, MO 64151 (US)

Note: Within nine months of the publication of the mention of the grant of the European patent in the European Patent Bulletin, any person may give notice to the European Patent Office of opposition to that patent, in accordance with the Implementing Regulations. Notice of opposition shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

EP 2 429 319 B1

Description

BACKGROUND OF THE INVENTION

5 Field of the Invention

[0001] The invention relates generally to food analogs and particularly to fish analogs having a realistic flaked fish-like appearance and texture and methods for making such analogs.

10 Description of Related Art

[0002] Methods for making food analogs are known in the food industry. Typically, to reduce the cost of certain food products, often by replacing all or a portion of real meat with meat substitutes, there has been a demand for meat analogs that resemble chunks or pieces of real meat in appearance, texture, and physical structure. Such products are used as a partial or complete replacement for more expensive real meat chunks in food products such as stews, pot pies, casseroles, canned foods, and pet foods. Chunky meat products are highly desirable in human and pet foods, both for aesthetic quality and consumer appeal. These chunky products provide a more economical product that attempts to simulate real meat chunks in shape, appearance, and texture.

[0003] Early efforts to develop meat analogs include producing such analogs from vegetable protein and/or meat sources using extrusion-expansion techniques or other conventional means. These products are in the form of a uniform, homogeneous mass, but lack the structure, texture, and appearance of real meat chunks. Therefore, these products are not suitable for use in applications in which the use of simulated meat chunks is desired. Later efforts were somewhat more successful. An improvement in meat analogs is disclosed in US4781939. This patent discloses processing a meat emulsion under conditions that produce a layered, non-expanded product in the form of chunks or pieces that simulate real meat chunks in texture, appearance, and consistency. The product is in the form of distinct chunks or pieces having a plurality of juxtaposed, manually separable meat-like layers resembling a fibrous chunk of real meat in appearance, texture, and consistency. A further improvement in meat analog fibrous appearance and texture is described in US6379738. The meat emulsion chunks are suitable for use as a partial or complete replacement for more expensive natural meat chunks in both human and animal foods. They retain their integrity and shape when subjected to commercial canning and sterilization procedures such as those required in the production of canned, high moisture food products, including pet food products. However, while these methods produced somewhat acceptable meat analogs that had the fibrous appearance of pork, beef, and the like, the methods failed to provide fish analogs with an acceptable appearance and texture that mimicked real fish.

[0004] Attempts to produce fish analogs are described in WO2008034063. The patent application discloses a fish analog comprising a mixture of fibrous plant protein and real fish meat. The fibrous texture of the plant protein component is not characteristic of fish and thus not an acceptable simulation of real fish meat. An acceptable simulated fish product when cooked should be easily separated into layers or flakes that are not interconnected by fibrous strands and should have a short, soft and non-elastic bite. Other fish and meat analogs and methods for making such analogs are known in the art. For example, US5188854 discloses a process for producing a seafood analog product comprising the steps of mixing chunks of a natural fish and a binder to coat the surfaces of the chunks with the binder, forming the coated chunks into a desired shape, subjecting the formed, binder-coated chunks to an elevated temperature to raise the internal temperature of the chunks to a predetermined level sufficient to cook the chunks and set the binder, and subjecting the formed and cooked binder coated chunks to pasteurization. US5254352 discloses a fish fillet or fish steak analog containing fish chunks having a gelled surimi paste between adjacent chunks and substantially covering the surfaces of the chunks. US5939129 and US6146684 disclose processes for producing ground fish meat products or their analogues, which uses, as the main raw material, non-salt ground fish meat along with a gel of glucomannan hydrate, or a gel of glucomannan hydrate only. US6736053 discloses an apparatus for automatically producing a paste food product resembling in appearance a crab's leg meat that causes a sensation of a crab's leg meat upon eating. US6908634 discloses transglutaminase-coupled vegetable protein compositions and processes for preparing the compositions, particularly soy fish and meat products and their analogs. US2005008758A1 discloses methods for preparing meat analogues by (a) hydrating a textured vegetable protein to form a hydrated textured vegetable protein; (b) preparing a protein base containing vital wheat gluten, milk-derived protein, and water; and (c) combining the hydrated textured vegetable protein and the protein base. WO04016097A1 discloses a method of manufacturing a texturised proteinaceous meat analogue having a relative water activity of less than about 0.8, comprising proteinaceous materials selected from the group consisting of defatted soy flour, soy meal, soy concentrate, cereal gluten (in vital or starch containing form) and egg white powder, edible binding and cross-linking compounds, and a humectant of glycerol and glucose, and the products thereof. WO04045301A1 discloses a proteinaceous meat analogue consisting of particles of internally texturised, proteinaceous extrudate material dispersed in a gelled matrix composed of ground meat-based and cereal-based

materials; wherein the moisture content of said extrudate and said matrix are different; and wherein the internal texturisation of said extrudate has a fibrous structure. WO2007090916A1 discloses a method for forming myotomes or myosepta in restructured fish products consisting of joining sheets based on surimi or minced fish using an adhesive mixture comprising an aqueous dispersion or a powder mixture containing a binder or an adhesive which uses covalent bonds to join a thermoreversible binder and a white color enhancer.

[0005] US 5,792,504 relates to a process for the production of a formulated emulsion product which has a meat-like appearance, and to products so produced. The process comprises emulsifying a protein source, adding alkaline, rapidly heating and comminuting the emulsion, allowing the heated emulsion to coagulate and form striations; and forming the coagulated emulsion into chunks for providing a formulated emulsion product. A suitable protein source is, for example, the muscular or skeletal meat of mammals, poultry and fish or meat by-products. The temperature applied to the emulsion is, for example, from about 100°C to about 120°C. The formulated emulsion product preferably has a moisture content of about 45% to about 85% by weight, a protein content of about 10% to about 25% by weight, and a fat content of 5% to about 25% by weight.

[0006] US 2007/0148323 relates to meat emulsion products having a meat-like appearance and texture, and to methods of making the same. In an embodiment, the meat emulsion product comprises a body defined by a plurality of fibrous or fiber-like structures and a plurality of distinct colors. The body can comprise at least about 29% protein by weight and less than about 9% fat by weight. In an embodiment, the meat emulsion product comprises approximately 52 to about 56% moisture by weight. The protein can be, for example, poultry, beef, pork, fish and combinations thereof.

[0007] As disclosed in US 2007/0148323, rapidly heating the viscous meat emulsion to a temperature of between about 120°C to about 165°C will result in the protein in the emulsion coagulating to set the emulsion and form a firm emulsion product. At this stage of the process, the emulsion is under a pressure of approximately 40 to about 500 psi. The high temperature, along with increased pressures will provide fiber definition to the product. It has been found that the higher the product temperature and pressure the better the fiber development (linear alignment with smaller long fibers) resulting in a fibrous, stringy texture.

[0008] Unfortunately, known methods for producing fish analogs result in products that do not have a realistic fish-like appearance or texture, mainly due to a fibrous appearance. There is, therefore a need for new fish analogs and methods for making fish analogs that have a realistic fish-like appearance and texture.

SUMMARY OF THE INVENTION

[0009] It is, therefore, an object of the present invention to provide flaked fish analogs that have a realistic fish-like appearance.

[0010] It is another object of the invention to provide flaked fish analogs that have a realistic fish-like texture.

[0011] It is another object of the invention to provide methods for making flaked fish analogs that have a realistic fish-like appearance and texture.

[0012] It is a further object of the invention to provide packages suitable for containing flaked fish analogs and for displaying the appearance and texture of the analogs.

[0013] One or more of these or other objects are achieved using novel flaked fish analogs comprising from about 18 to about 25% protein, from about 3 to about 9% fat, and from about 60 to about 85% moisture, further comprising from 2 to 20% fish skin, wherein the fish skin is coated on the analog. The flaked fish analogs are made by creating a homogeneous dough mixture of proteins, fats, and water; emulsifying the dough mixture at temperatures to from about 135 to about 160°C and pressures of from about 413.7 to about 689.5 KPa (about 60 to about 100 psi); and cooling the emulsion to a temperature to from about 15 to about 40°C and reducing the pressure to atmospheric pressure. Optionally, the flaked fish analogs are packaged in a package that has a transparent window that permits the consumer to view the analog and observe its realistic fish-like appearance.

[0014] Other and further objects, features, and advantages of the present invention will be readily apparent to those skilled in the art.

BRIEF DESCRIPTION OF THE FIGURES

[0015]

FIG. 1 is photograph of a prior art meat analog.

FIG. 2 is photograph of a prior art meat analog.

FIG. 3 is photograph of a flaked fish analog without skin.

FIG. 4 is photograph of a flaked fish analog of the present invention with skin.

FIG. 5 is a schematic of a process for manufacturing a flaked fish analog in an embodiment of the invention.

FIG. 6 is a schematic of a process for manufacturing a flaked fish analog in another embodiment of the invention.

DETAILED DESCRIPTION OF THE INVENTION

Definitions

5 **[0016]** The term "fish analog" means a manufactured food composition designed to imitate real fish.
[0017] The term "animal" means any animal that could benefit from or enjoy the consumption of the fish analogs of the present invention, including various human, avian, bovine, canine, equine, feline, murine, ovine, or porcine animals.
[0018] The term "companion animal" means domesticated animals such as birds, cats, dogs, ferrets, hamsters, mice, gerbils, horses, cows, goats, sheep, donkeys, pigs, and the like.
10 **[0019]** All percentages expressed herein are by weight of the total weight of the composition unless expressed otherwise.
[0020] All ratios expressed herein are on a weight:weight (w/w) basis unless expressed otherwise.
[0021] As used herein, ranges are used herein in shorthand, so as to avoid having to list and describe each and every value within the range. Any appropriate value within the range can be selected, where appropriate, as the upper value,
15 lower value, or the terminus of the range.
[0022] As used herein, the singular form of a word includes the plural, and vice versa, unless the context clearly dictates otherwise. Thus, the references "a", "an", and "the" are generally inclusive of the plurals of the respective terms. For example, reference to "an analog", "a method", or "a food" includes a plurality of such "analog", "methods", or "foods." Similarly, the words "comprise", "comprises", and "comprising" are to be interpreted inclusively rather than
20 exclusively. Likewise the terms "include", "including" and "or" should all be construed to be inclusive, unless such a construction is clearly prohibited from the context. Similarly, the term "examples," particularly when followed by a listing of terms, is merely exemplary and illustrative and should not be deemed to be exclusive or comprehensive.
[0023] The methods and compositions and other advances disclosed here are not limited to particular methodology, protocols, and reagents described herein because, as the skilled artisan will appreciate, they may vary. Further, the
25 terminology used herein is for the purpose of describing particular embodiments only, and is not intended to, and does not, limit the scope of that which is disclosed or claimed.
[0024] Unless defined otherwise, all technical and scientific terms, terms of art, and acronyms used herein have the meanings commonly understood by one of ordinary skill in the art in the field(s) of the invention, or in the field(s) where the term is used. Although any compositions, methods, articles of manufacture, or other means or materials similar or
30 equivalent to those described herein can be used in the practice of the present invention, the preferred compositions, methods, articles of manufacture, or other means or materials are described herein.

The Invention

35 **[0025]** In one aspect, the invention provides flaked fish analogs with fish skin. The analogs comprise from about 18 to about 25% protein, from about 3 to about 9% fat, and from about 60 to about 85% moisture, further comprising from 2 to 20% fish skin, wherein the fish skin is coated on the analog. The flaked fish analogs have a realistic fish-like appearance and texture due to the presence of "flakes" that mimic the flakes of real fish. Known meat analogs, including known fish analogs, have a more fibrous appearance due to different amounts of one or more of protein, fat, and moisture
40 in the composition. Such known fish analogs have at least 25% protein and from 50 to 60% moisture. Analog with these known amounts of protein and moisture have a fibrous appearance that may be desirable for typical non-fish meat analogs but are not desirable for fish analogs. Fish analogs made using known ranges of ingredients do not have a pleasing or realistic fish-like appearance. In contrast, the present invention avoids the fibrous appearance and provides a composition that looks like real fish, i.e., flakes of real fish.
45 **[0026]** The flaked fish analogs comprise from about 18 to about 25% protein, preferably from about 19 to about 24%, most preferably from about 20 to about 24%; from about 3 to about 9% fat, preferably from about 4 to about 8%, most preferably from about 5 to about 7%; and from about 60 to about 85% moisture, preferably from about 60 to about 70%, most preferably from about 62 to about 68%.
[0027] The protein is any suitable protein useful to produce the flaked fish analogs. Preferably, the protein is fish protein, soy protein, soy protein concentrate, soy flour, milk protein, whey protein, plasma protein, egg protein, wheat protein, pea protein, or combinations thereof. Preferably, the protein is fish protein or combinations thereof with other
50 suitable proteins. Most preferably, the protein is fish protein.
[0028] Sources of fish protein include, but are not limited to, white fish, white or light colored fish loins or filets, minced fish, fish paste, whole sources of ocean whitefish, fish heads, racks & tails, and the like.
55 **[0029]** In various embodiments, these fish proteins can be combined with other white or light colored meats such as chicken, turkey, pork, rabbit, and the like, or combinations thereof, to develop a protein mix useful to produce the flaked fish analogs. The amount of a particular protein source will vary depending on the protein source. Selection of such meats and amounts is within the scope of a skilled artisan. For example, the protein used to make the flaked fish analogs

can be a mixture of from about 30 to about 70% fish protein and from about 70 to about 30% chicken protein, preferably about 50% of each. In one embodiment, the protein used to make the flaked fish analogs can be a mixture of from about 30 to about 70% fish protein and from about 70 to about 30% turkey protein, preferably about 50% of each. In another, the protein used to make the flaked fish analogs can be a mixture of from about 40 to about 60% fish protein and from about 60 to about 40% pork protein, preferably about 50% of each.

[0030] The fat is any suitable fat or oil useful to produce the flaked fish analogs. Preferably, the fat is any non-hydrogenated fat or oil of animal or vegetable origin. In various embodiments, the fat is one or more saturated fats, e.g., saturated fats obtained from dairy products such as cream, cheese, butter, and ghee; animal fats such as suet, tallow, lard, and fatty meat; coconut oil; cottonseed oil; palm oil; and fish oil. In various embodiments, the fats are monounsaturated fats, polyunsaturated fats, or combinations thereof. In a preferred embodiment, the fat is fish oil.

[0031] The moisture is moisture that is inherent in the ingredients or that is added to achieve the desired moisture content. Generally, when needed, water is added to achieve the desired moisture content.

[0032] In certain embodiments, the flaked fish analogs further comprise colorants that modify the color of the analogs. In some embodiments, the colorants alter the color of the analogs by making the analogs lighter in color, particularly mimicking the white color of many real fish meats or surimi. In others, the colorants alter the color of the analogs by making the analogs mimic the color of a particular fish meat, e.g., salmon (pink) or tuna (redish). Colorants include, but are not limited to, compounds such as titanium dioxide or iron oxides; natural colorants such as annatto, cochineal, paprika, turmeric and carotenoids; colorants approved by the Federal Food, Drug & Cosmetic (FD&C) Act (FD&C Colorants) for use in food products; or combinations thereof. The amount for a particular colorant will vary depending on the colorant selected. Selection of such amounts is within the scope of a skilled artisan. Typically, the colorants are added in amounts of about 0.05 to about 5% of the composition, preferably from about 0.1 to about 3%, most preferably from about 0.5 to about 2%. In one embodiment, titanium dioxide is added in amounts of from 0.1 to about 2%, preferably from about 0.5 to about 1%.

[0033] The flaked fish analogs further comprise from about 2 to about 20% fish skin, preferably from about 4 to about 16%, most preferably from about 6 to about 12%. The fish skin is added to the analogs to further mimic the appearance of real fish. The fish skin is added to the flaked fish analogs using methods that coat the fish skin on the surface of the flaked fish analogs. The flaked fish analogs comprise from about 18 to about 25% protein, from about 3 to about 9% fat, from about 2 to about 20% fish skin, and from about 60 to about 85% moisture. In one embodiment, the flaked fish analogs comprise from about 18 to about 25% protein, from about 3 to about 9% fat, from about 4 to about 16% fish skin, and from about 60 to about 85% moisture, preferably from about 60 to about 70%, most preferably from about 62 to about 68%.

[0034] The fish skin is any suitable fish skin useful to produce the flaked fish analogs. In various embodiments, the fish skin is from freshwater fish, migratory fish, saltwater fish, or combinations thereof. Preferably, the fish skin is whitefish skin, catfish skin, cod skin, pollock skin, haddock skin, walleye pike skin, trout skin, or combinations thereof.

[0035] The moisture in the flaked fish analogs varies from about 60 to about 85% depending on the amount of protein, fat, and fish skin in the analogs. Generally, when the fish analogs do not have fish skin, which is not subject of the invention, the moisture content varies from about 60 to about 70%, most preferably from about 62 to about 68%. When the fish analogs have added fish skin, as in accordance with the invention, the moisture content is slightly higher and varies from about 65 to about 85%, most preferably from about 68 to about 82%.

[0036] In various embodiments, the flaked fish analogs comprise additional ingredients such as vitamins, minerals, amino acids, nucleic acids, fillers, palatability enhancers, binding agents, flavors, stabilizers, emulsifiers, sweeteners, colorants, buffers, salts, coatings, condiments, preservatives, prebiotics, probiotics, drugs, medicaments, medications, and the like known to skilled artisans. Non-limiting examples of supplementary minerals include calcium, phosphorous, potassium, sodium, iron, chloride, boron, copper, zinc, magnesium, manganese, iodine, selenium, and the like. Non-limiting examples of supplementary vitamins include vitamin A, any of the B vitamins, vitamin C, vitamin D, vitamin E, and vitamin K, including various salts, esters, or other derivatives of the foregoing. Additional dietary supplements may also be included, for example, any form of niacin, pantothenic acid, inulin, folic acid, biotin, amino acids, and the like, as well as salts and derivatives thereof. Stabilizers include substances that tend to increase the shelf life of the composition such as preservatives, synergists and sequestrants, packaging gases, emulsifiers, thickeners, gelling agents, and humectants. Examples of emulsifiers and/or thickening agents include gelatin, cellulose ethers, starch, starch esters, starch ethers, and modified starches. Selection of the ingredients and their amounts is known to skilled artisans. Specific amounts for each additional ingredient will depend on a variety of factors such as the ingredient included in the composition; the species of animal; the animal's age, body weight, general health, sex, and diet; the animal's consumption rate; the purpose for which the food composition is being administered to the animal; and the like. Therefore, the component and ingredient amounts may vary widely and may deviate from the preferred proportions described herein.

[0037] In other embodiments, the flaked fish analogs are formulated to provide "complete and balanced" nutrition for an animal, preferably a companion animal, according to standards established by the Association of American Feed Control Officials (AAFCO). In still other embodiments, the flaked fish analogs are formulated as a snack, treat, toy, chew,

or similar composition. In preferred embodiments, the flaked fish analogs are formulated for felines, particularly as a complete and balanced food.

[0038] Referring to the Figures, FIG. 1 illustrates a prior art meat analog, e.g. EP1231846B1, US6379738, and US6649206. As shown in FIG. 1, the analog has a fibrous texture and, although it has a chunky, meat-like appearance, the analog does not have a fish-like appearance and particularly does not have the flakey appearance of real fish. The fibrous analog is the product of a process wherein one or more of the protein, fat, and moisture content of the product are outside the range used to produce the flaked fish analogs of the present invention.

[0039] FIG. 2 illustrates a prior art meat analog, e.g. EP 1231846B1, US6379738, and US6649206. As shown, the analog has a fibrous, stringy texture and, although it has a stringy, meat-like appearance, the analog does not have a fish-like appearance and particularly does not have the flakey appearance of real fish. The fibrous, stringy analog is the product of a process wherein one or more of the protein, fat, and moisture content of the product are outside the range used to produce the flaked fish analogs of the present invention.

[0040] FIG. 3 illustrates flaked fish analogs without fish skin. As shown, the analogs have a realistic fish-like appearance and texture, particularly a flaked fish-like appearance and texture. The compositions essentially have the appearance of real fish, including the flake characteristics of real fish.

[0041] FIG. 4 illustrates the flaked fish analogs of the present invention with fish skin. As shown, the analogs have a realistic fish-like appearance and texture, particularly a flaked fish-like appearance and texture. The compositions essentially have the appearance of real fish, including the flake characteristics of real fish and the appearance of real fish with fish skin.

[0042] FIG. 5 is a schematic showing a process for producing flaked fish analogs. In one embodiment of the process, frozen white fish surimi or paste is size reduced with an extruder and grinder with plate openings of 6.35 mm in diameter and fed to a paddle mixer via an emulsifier. The temperature is raised to 35°C by direct steam injection to enable proper mixing. Minor dry ingredients such as supplemental binding functional animal or vegetable protein or both, vitamins, minerals, and fibers are added to the mixer followed by the liquid ingredients such as water, oil, and colors. After mixing to obtain a smooth slurry, wheat gluten is added to the slurry in the mixer and mixed until a uniform dough is formed. The moisture of the dough is determined with a microwave heating analyzer. The target range is from about 58 to about 68% and is most preferably in the range of from about 63 to about 66%. The dough is then pumped to a continuous emulsifier. In addition to being emulsified, the pressure on and the temperature of the mass is increased. The temperature fluctuates in a range of from about 137 to about 160°C, preferably from about 148 to about 154°C. The pressure ranges from about 413.7 to about 689.5 KPa (about 60 to about 100 psi), preferably from about 482.6 to about 620.5 KPa (about 70 to about 90 psi). The pressurized meat emulsion is then fed into a heat exchanger with jacketed cooling water (about 5 to 32°C), preferably one that flows in a counter current direction. The set emulsion product that exits the heat exchanger is then cut and diced into suitably sized fish "flakes." The moisture content of the flakes at this point is from about 45 to about 65%, preferably from about 50 to about 60%. The resulting composition has the appearance of flaked fish, e.g., the flaked fish analog shown in FIG. 3. The composition can be stored for use in various products requiring a flaked fish analog that looks like a real fish filet.

[0043] In another preferred embodiment, a whole flaked fish analog is prepared by making a hydrocolloid and minced fish skin slurry and using the slurry to coat the flaked fish analog. To prepare the minced fish skin slurry, frozen or fresh fish skin is ground to produce skin pieces having a size of about 1 to 4 mm on the longest side(s). A uniform hydrocolloid dispersion is prepared by adding a hydrocolloid gum or starch to excess water in a high speed gum dispersing system. The gum dispersion and the minced fish skin are then combined in a cooker-mixer and mixed to form uniform suspension of skin pieces. The flaked fish analog is added to a tumbler/coater and the fish skin slurry is poured onto the analog with continuous tumbling until the skin randomly adheres to the surface of the analog. The resulting composition had the appearance of whole flaked fish, e.g., the flaked fish analog shown in FIG. 4.

[0044] FIG. 6 is a schematic showing a process for producing flaked fish analogs in another embodiment of the invention. This process utilizes fish parts such as scrapfish, racks and tails, or fish heads that have less binding functionality compared to surimi, fish paste, or whole fish. To ensure good texturization or binding, the analogs are supplemented with functional animal muscle protein, vegetable protein, or both. Also in this process, dry supplemental proteins and other dry ingredients are hydrated in a high shear dispersing system before being added to the meat/fish emulsion in the mixer. The remainder of the process and process control parameters are the same as or similar to those described for the process disclosed in FIG. 2.

[0045] In another aspect, the invention provides methods for making flaked fish analogs with fish skin. The methods comprise creating a homogeneous dough mixture of (1) one or more proteins in amounts sufficient to produce a final fish analog containing from about 18 to about 25% protein, preferably from about 19 to about 24%, most preferably from about 20 to about 24%; (2) one or more fats in amounts sufficient to produce a final fish analog containing from about 3 to about 9% fat, preferably from about 5 to about 7%, most preferably from about 4 to about 6%; and (3) water in amounts sufficient to produce a final fish analog containing from about 60 to about 85% moisture; emulsifying the dough mixture while increasing the temperature to from about 135 to about 160°C, preferably from about 140 to about 150°,

most preferably from about 143 to about 149°C, and the pressure to from about 413.7 to about 689.5 KPa (about 60 to about 100 psi), preferably from about 448.2 to about 655.0 KPa (about 65 to about 95 psi), most preferably from about 482.6 to about 620.5 KPa (about 70 to about 90 psi); and cooling the emulsion to a temperature to from about 15 to about 40°C and reducing the pressure to about atmospheric pressure. The methods produce fish analogs that have a realistic fish-like appearance and texture. In particular, the analogs have the appearance of flaked fish that is characteristic of real fish and do not have the fibrous appearance of known meat analogs.

[0046] In one embodiment, the emulsifying and heating steps are accomplished in a heat exchanger. The dough mixture is heated and pressurized inside the heat exchanger. The resulting fish analogs exit the heat exchanger to atmospheric pressure. The analogs are cooled or allowed to cool to the required temperature. In another embodiment, emulsifying and heating steps are accomplished in an extruder. The process conditions in the extruder increase the temperature and pressure to the required levels. If necessary or convenient, the extrusion process can be modified to accomplish the required pressure or additional heat can be added to the process using methods known by skilled artisans, e.g., increasing flow rates, hot water jackets or heating elements. Using extruders is particularly convenient because the fish analogs can exit the extruder and be processed to size or otherwise processed, e.g., packaged or combined with other food ingredients.

[0047] In one embodiment, the protein (typically a fish protein) is cut into suitable pieces (typically about 7 millimeters pieces) and heated slightly (to about 30 to about 40°C). Then, the other ingredients required (e.g., fat) or desired (e.g., colorants) to produce the analog are added to the protein with stirring, typically for about 5 to 10 minutes. The resulting dough mixture is placed in an emulsifier where mechanical energy is used to raise temperature to about 135 to 160°C and pressures of from about 413.7 to about 689.5 KPa (about 60 to about 100 psi), preferably from about 448.2 to about 655.0 KPa (about 65 to about 95 psi), most preferably from about 482.6 to about 620.5 KPa (about 70 to about 90 psi). Subsequently, the pressurized emulsion is fed to a heat exchanger where the temperature is lowered to from about 15 to about 40°C. Then, the set emulsion exits the heat exchanger where it is cut to relatively small pieces, e.g., strips having a size of about 25 mm wide and 8 mm thick, preferably about 20 mm wide and 4 mm thick. The strips can then be cut into pieces that are typical for real fish pieces, e.g., irregular pieces having a longer side of from about 2 to about 20 mm, preferably from about 4 to about 12 mm, most preferably from about 5 to about 10 mm. The resulting fish analog can be used as is or can be further treated to enhance its fish-like appearance by mimicking the appearance of fish skin on the analog.

[0048] The methods for making flaked fish analogs further comprise creating a fish skin gum dispersion by mixing (1) one or more gums in amounts sufficient to comprise from about 0.02 to about 1%, preferably from about 0.05 to about 0.8%, most preferably from 0.1 to about 0.5%, of the fish skin gum dispersion; (2) water in amounts sufficient to comprise from about 90 to about 70%, preferably from about 88 to about 80%, most preferably from 86 to about 82% of the fish skin gum dispersion; and (3) fish skin in amounts sufficient to comprise from about 10 to about 30%, preferably from about 12 to about 20%, most preferably from 14 to about 18%, of the fish skin gum dispersion; and combining the fish skin gum dispersion in amounts sufficient to comprise from about 30 to about 70% of a fish analog having the appearance of fish with skin, preferably from about 60 to about 40%, most preferably about 50%, with a flaked fish analog of the present invention in amounts sufficient to comprise from about 70 to about 30% of a fish analog having the appearance of fish with skin, preferably from about 40 to about 60%, most preferably about 50%. The methods produce a flaked fish analog that has the appearance of real fish with skin.

[0049] The fish skin gum dispersion and flaked fish analog are combined using any suitable method. Preferably, the dispersion and analog are combined by mixing them in a tumbler/coater until the skin pieces adhere to the analog. Generally, this takes from about 1 to about 3 minutes.

[0050] The gums can be any gum suitable for producing fish skin gum dispersions that can be used to produce a flaked fish analog having the appearance of real fish with skin. In various embodiments, the gums are seaweed gums, plant seed gums, plant extract gums, fermentation gums, plant exudate gums, or combinations thereof. In certain embodiments, the gums are agar, alginates, carrageenan, guar, locust bean, psyllium, pectin, xanthan, arabic, or combinations thereof. In a preferred embodiment, the gum is xanthan gum.

[0051] The fish skin can be any fish skin suitable producing fish skin gum dispersions that can be used to produce a flaked fish analog having the appearance of real fish with skin. In various embodiments, the fish skin is from freshwater fish, migratory fish, saltwater fish, or combinations thereof. Preferably, the fish skin is whitefish skin, catfish skin, cod skin, pollock skin, haddock skin, walleye pike skin, trout skin, or combinations thereof.

[0052] Preferably, the fish skin is cut, chopped, minced, or otherwise treated to produce pieces of fish skin that are useful in the present process. Typically, the fish skin is minced to produce fish skin pieces having a size of from about 1 to about 10 millimeters, preferably from about 2 to about 8 millimeters, most preferably from about 2 to 4 millimeters.

[0053] In various aspects, the invention provides products made using the methods and process of the invention as described herein.

[0054] Further disclosed are packages comprising a material suitable for containing a flaked fish analog comprising from about 18 to about 25% protein, from about 3 to about 9% fat, and from about 60 to about 85% moisture and a label

affixed to the package containing a word or words, picture, design, acronym, slogan, phrase, or other device, or combination thereof, that indicates that the contents of the package contains the flaked fish analog. Typically, such device comprises the words "real fish appearance" or "formulated to mimic real fish" or "fish-like product that provides complete and balanced nutrition" or "looks and feels like real fish" or "has the texture of real fish" or an equivalent expression printed on the package. Any package or packaging material suitable for containing a flaked fish analog of the present invention is useful in the invention, e.g., a bag, box, bottle, can, pouch, and the like manufactured from paper, plastic, foil, metal, and the like. In a preferred embodiment, the package contains a flaked fish analog of the present invention, preferably a flaked fish analog prepared for felines.

[0055] As disclosed, the package further comprises a word or words, picture, design, acronym, slogan, phrase, or other device, or combination thereof, that indicates that the flaked fish analog has one or more of (1) an appealing flaked fish-like appearance, (2) an appealing flaked fish-like texture, (3) a nutrient profile that is the same as or similar to real fish, and (4) a formulation that provides "complete and balanced" nutrition for an animal.

[0056] As also disclosed, the package contains a window that permits the flaked fish analog to be viewed, particularly by a person purchasing the packaged product. The package permits an observer, particularly a consumer, to view the analog and observe its appearance. The window can comprise any material that is compatible with the package and the flaked fish analog and that permits the analog to be viewed from outside the package, e.g., is transparent. Typically, the window is a transparent glass or plastic insert that is integrated into the package, e.g., hermetically molded into the package. In a preferred embodiment, the window is a clear, see-thorough section of the packaging material used to create the package.

[0057] Yet further disclosed is a means for communicating information about or instructions for one or more of (1) using a flaked fish analog comprising from about 18 to about 25% protein, from about 3 to about 9% fat, and from about 60 to about 85% moisture as a substitute for real fish, particularly to provide nutrients to animals that prefer fish but do not have access to real fish (e.g., because of limited availability or cost); (2) providing information about the flaked fish analogs, particularly information about their appearance, texture, nutrient content, and the like; and (3) administering the flaked fish analogs to an animal. The means comprises a document, digital storage media, optical storage media, audio presentation, or visual display containing the information or instructions. In certain embodiments, the communication means is a displayed web site, visual display kiosk, brochure, product label, package insert, advertisement, handout, public announcement, audiotape, videotape, DVD, CD-ROM, computer readable chip, computer readable card, computer readable disk, computer memory, or combination thereof containing such information or instructions. Useful information includes one or more of (1) methods and techniques for administering the compositions and (2) contact information for animals or their caregivers to use if they have a question about the invention and its use. Useful instructions include administration amounts and frequency. The communication means is useful for instructing on the benefits of using the present invention.

EXAMPLES

[0058] The invention can be further illustrated by the following examples, although it will be understood that these examples are included merely for purposes of illustration and are not intended to limit the scope of the invention unless otherwise specifically indicated.

Example 1

[0059] A flaked fish analog was made based upon the formulation shown in Table 1. 145 kilograms (kg) of frozen white fish surimi was size reduced with a grinder with plate openings 6.35 mm diameter and fed to a paddle mixer. The temperature was brought up to 35°C by direct steam injection to enable proper mixing. All of the ingredients for the fish meat (Table 1.) except wheat gluten were added to the surimi in the mixer in the sequence: dries, oil, and then water. This mixture was blended for 5 minutes until a homogenous mix was obtained. The wheat gluten (30 kg) was then added to the slurry which was mixed for 5 minutes until uniform dough was formed. The moisture of the dough was determined with a microwave heating analyzer. It was 64.5% and within target range. The dough was then pumped to a continuous emulsifier. In addition to being emulsified, the pressure on and the temperature of the mass increased. The temperature fluctuated in a range 148 to 154°C and the pressure 482.6 to 620.5 KPa (70 to 90 psi). The pressurized emulsion was then fed into a heat exchanger with jacketed cooling water (5 to 32°C) that flowed in a counter current direction. The set emulsion product exited the heat exchanger through knife grids in strips of approximately 20 mm wide and 4 mm thick. The strips were then diced into irregular pieces of longest sides ranging 6.35 to 9.5 mm. The resulting product had real flaked fish muscle appearance, see FIG. 3.

Example 2

[0060] A flaked fish analog having fish skin was made based upon the formulation shown in Table 1 and the flaked fish analog prepared in Example 1. A minced fish skin slurry suitable for use to make a flaked fish analog having fish skin was created as follows. To prepare 250 kg of minced fish skin slurry, 40 kg of frozen blocks of ocean whitefish skin was coarse ground through an extruder and then further size reduced to produce skin pieces 1 to 4 mm on its longest side. A uniform gum dispersion was prepared by adding 500 grams of xanthan gum slowly to 209.5 kg water in a high speed gum dispersing system. The gum dispersion and the minced fish skin were then combined in a cooker-mixer and mixed to produce a fish skin gum dispersion that has a uniform suspension of the skin pieces.

[0061] 100 kg of a flaked fish analog having fish skin was made by combining 50 kg of the flaked fish analog from Example 1 with 50 kg of the fish skin gum dispersion in a tumbler/coater for about 1 to 2 minutes after which the skins adhered to the flaked fish analog. The resulting product had the appearance of real flaked fish with skin pieces, see FIG. 4.

Table 1

Ingredients	Weight (kg)
A. Fish Meat	
White Fish Surimi	145
Wheat Gluten	30
Soy Protein Isolate	5
Fish Oil	10
Cellulose (Powdered)	3.75
Vitamins/Minerals	3
Water	53.25
Batch Total	250
B. Fish Skin Slurry	
Xanthan Gum	0.5
Ocean Whitefish Skin (Minced)	40
Water	209.5
Batch Total	250
A + B. Simulated Fish Composition	
Fish Meat	50
Fish Skin Slurry	50
Batch Total	100

Example 3

[0062] A flaked fish analog was made based upon the formulation shown in Table 2. The analog was produced using the same methodology given in Example 1 with some variations to accommodate a fish source with lower structural functionality. 111.8 kg of frozen oceanwhite scrapfish and 111.8 kg of frozen mechanically deboned chicken were size reduced with an extruder and then ground through a plate with 6.35 mm diameter opening as described in Example 1. The ground fish and chicken were then pumped through a continuous emulsifier where the temperature was also brought up to 35°C due to mechanical heating. This emulsified product was pumped into a paddle dough mixer. At the same time, a slurry of soy protein isolate (26 kg), fish oil (15.6 kg), powdered cellulose (7.8 kg), titanium dioxide (92.08 kg), dried egg white (5.2 kg), salt (5.2 kg), vitamins/minerals premix (6.24 kg), and water (171.08 kg) was made in a high speed/high shear disperser (Breddo Likwifier). The dries and liquids were blended for 5 minutes and a smooth slurry was obtained. This slurry was then added to the fish/chicken emulsion in the dough mixer and mixed for 5 minutes. The wheat gluten (57.2 kg) was then added and mixing continued for a further 5 minutes after which a homogenous dough was formed. From this point, the method used to form fish meat was the same as given in Example 1.

[0063] 480 kg of fish skin slurry was produced as in Example 2 using the formula in Table 2. 100 kg of a flaked fish

analog having skin was produced by adding 48 kg of the skin slurry to 52 kg of the flaked fish analog made using the procedure given in Example 1. The fish skin slurry and flaked fish analog were mixed in a tumbler/coater for about 5 minutes. The skins adhered to the flaked fish analog. The resulting composition had the appearance of real flaked fish with skin pieces.

Table 2

Ingredients	Weight (kg)
A. Fish Meat	
Oceanwhite Scrapfish	111.8
Mechanically Deboned Chicken	111.8
Wheat Gluten	57.2
Soy Protein Isolate	26
Fish Oil	10
Cellulose (Powdered)	7.8
Titanium Dioxide	2.08
Dried Egg White	5.2
Salt	5.2
Vitamins/Minerals	6.24
Water	171.08
Batch Total	520
B. Fish Skin Slurry	
Xanthan Gum	2.16
Ocean Whitefish Skin (Minced)	96
Water	381.84
Batch Total	480
A + B. Simulated Fish Composition	
Fish Meat	52
Fish Skin Slurry	48
Batch Total	100

[0064] In the specification, there have been disclosed typical preferred embodiments of the invention. Although specific terms are employed, they are used in a generic and descriptive sense only and not for purposes of limitation. The scope of the invention is set forth in the claims. Obviously many modifications and variations of the invention are possible in light of the above teachings. It is therefore to be understood that within the scope of the appended claims, the invention may be practiced otherwise than as specifically described.

Claims

1. A flaked fish analog comprising from 18 to 25% protein, from 3 to 9% fat, and from 60 to 85% moisture; further comprising from 2 to 20% fish skin; wherein the fish skin is coated on the analog.
2. The flaked fish analog of claim 1 wherein the protein is fish protein, soy protein, soy protein concentrate, soy flour, milk protein, whey protein, plasma protein, egg protein, wheat protein, pea protein, or combinations thereof.
3. The flaked fish analog of claim 1 wherein the protein is fish protein.

4. The flaked fish analog of claim 1 wherein the protein is a combination of (1) fish protein, soy protein, soy protein concentrate, soy flour, milk protein, whey protein, plasma protein, egg protein, wheat protein, pea protein, or combinations thereof and (2) other white or light colored meats; optionally wherein (i) the other white or light colored meats are chicken, turkey, pork, rabbit, or combinations thereof; or (ii) the flaked fish analog comprises from 30 to 70% fish protein and from 70 to 30% other white or light colored meats.
5. The flaked fish analog of claim 1 wherein the fat or oil is an animal non-hydrogenated fat, animal non-hydrogenated oil, vegetable non-hydrogenated fat, vegetable non-hydrogenated oil, or combinations thereof.
6. The flaked fish analog of claim 1 wherein the fat is monounsaturated fats, polyunsaturated fats, or combinations thereof.
7. The flaked fish analog of claim 1 wherein the fat is fish oil.
8. The flaked fish analog of claim 1 wherein the analog comprises from 60 to 70% moisture.
9. The flaked fish analog of claim 1 wherein the analog comprises from 62 to 68% moisture, preferably from 19 to 24% protein and from 62 to 68% moisture.
10. The flaked fish analog of claim 1 further comprising one or more colorants; optionally wherein (i) the colorants comprise from 0.05 to 5% of the analog; or (ii) the colorants are titanium dioxide, iron oxides; annatto, cochineal, paprika, turmeric, carotenoids, and combinations thereof; or (iii) the colorant is titanium dioxide; optionally wherein the titanium dioxide comprises from 0.1 to 2% of the analog.
11. The flaked fish analog of claim 1 wherein (i) the analog comprises from 65 to 85% moisture; or (ii) the analog comprises from 68 to 82% moisture; or (iii) the fish skin is whitefish skin, catfish skin, cod skin, pollock skin, haddock skin, walleye pike skin, trout skin, or combinations thereof.
12. A method for making a flaked fish analog comprising:
 - creating a homogeneous dough mixture of (1) one or more proteins in amounts sufficient to produce a final fish analog containing from 18 to 25% protein; (2) one or more fats in amounts sufficient to produce a final fish analog containing from 3 to 9% fat; and (3) water in amounts sufficient to produce a final fish analog containing from 60 to 85% moisture;
 - emulsifying the dough mixture while increasing the temperature to from 135 to 160°C and the pressure to from 413.7 to 689.5 KPa (60 to 100 psi); and cooling the emulsion to a temperature to from 15 to 40°C and reducing the pressure to about atmospheric pressure to produce the flaked fish analog.
13. The method of claim 12 further comprising:
 - creating a fish skin gum dispersion by mixing (1) one or more gums in amounts sufficient to comprise from 0.02 to 1 % of the fish skin gum dispersion; (2) water in amounts sufficient to comprise from 90 to 70% of the fish skin gum dispersion; and (3) fish skin in amounts sufficient to comprise from 10 to 30% of the fish skin gum dispersion; and combining the flaked fish analog in amounts sufficient to comprise from 70 to 30% of a fish analog having the appearance of fish with skin with the fish skin gum dispersion in amounts sufficient to comprise from 30 to 70% of a fish analog having the appearance of fish with skin; optionally wherein (i) the gums are seaweed gums, plant seed gums, plant extract gums, fermentation gums, plant exudate gums, or combinations thereof; or (ii) the gums are agar, alginates, carrageenan, guar, locust bean, psyllium, pectin, xanthan, arabic, or combinations thereof; or (iii) the gum is xanthan gum.

Patentansprüche

1. Flockiges Fischanalogon, umfassend von 18 bis 25 % Protein, von 3 bis 9 % Fett und von 60 bis 85 % Feuchtigkeit; ferner umfassend von 2 bis 20 % Fischhaut; wobei das Analogon mit der Fischhaut überzogen ist.
2. Flockiges Fischanalog nach Anspruch 1, wobei das Protein Fischprotein, Sojaprotein, Sojaproteinkonzentrat, So-

jamehl, Milchprotein, Molkeprotein, Plasmaprotein, Eiweißprotein, Weizenprotein, Erbsenprotein oder Kombinationen davon ist.

3. Flockiges Fischanalogon nach Anspruch 1, wobei das Protein Fischprotein ist.

4. Flockiges Fischanalogon nach Anspruch 1, wobei das Protein eine Kombination von (1) Fischprotein, Sojaprotein, Sojaproteinkonzentrat, Sojamehl, Milchprotein, Molkeprotein, Plasmaprotein, Eiweißprotein, Weizenprotein, Erbsenprotein oder Kombinationen davon und (2) anderen weißen oder hellen Fleischarten ist; wobei wahlweise (i) die anderen weißen oder hellen Fleischarten Truthahn, Pute, Schwein, Kaninchen oder Kombinationen davon sind; oder (ii) das flockige Fischanalogon von 30 bis 70 % Fischprotein und von 70 bis 30 % andere weiße oder helle Fleischarten umfasst.

5. Flockiges Fischanalogon nach Anspruch 1, wobei das Fett oder Öl ein nicht gehärtetes Tierfett, nicht gehärtetes Tieröl, nicht gehärtetes Pflanzenfett, nicht gehärtetes Pflanzenöl oder Kombinationen davon ist.

6. Flockiges Fischanalogon nach Anspruch 1, wobei das Fett einfach ungesättigte Fette, mehrfach ungesättigte Fette oder Kombinationen davon ist.

7. Flockiges Fischanalogon nach Anspruch 1, wobei das Fett Fischöl ist.

8. Flockiges Fischanalogon nach Anspruch 1, wobei das Analogon von 60 bis 70 % Feuchtigkeit umfasst.

9. Flockiges Fischanalogon nach Anspruch 1, wobei das Analogon von 62 bis 68 % Feuchtigkeit, vorzugsweise von 19 bis 24 % Protein und von 62 bis 68 % Feuchtigkeit umfasst.

10. Flockiges Fischanalogon nach Anspruch 1, ferner umfassend einen oder mehrere Farbstoffe; wobei wahlweise (i) die Farbstoffe von 0,05 bis 5 % des Analogons umfassen; oder (ii) die Farbstoffe Titandioxid, Eisenoxide; Annatto, Cochenille, Paprika, Gelbwurz, Karotinoide und Kombinationen davon sind; oder (iii) der Farbstoff Titandioxid ist; wahlweise wobei das Titandioxid von 0,1 bis 2 % des Analogons umfasst.

11. Flockiges Fischanalogon nach Anspruch 1, wobei (i) das Analogon von 65 bis 85 % Feuchtigkeit umfasst; oder (ii) das Analogon von 68 bis 82 % Feuchtigkeit umfasst; oder (iii) die Fischhaut Weißfischhaut, Welschhaut, Kabeljauhaut, Seelachshaut, Schellfischhaut, Glasaugenbarschhaut, Forellenhaut oder Kombinationen davon ist.

12. Verfahren zum Herstellen von flockigem Fischanalogon, umfassend:

Erzeugen eines homogenen Teiggemischs aus (1) einem oder mehreren Proteinen in Mengen, die ausreichen, um ein Endfischanalogon herzustellen, das von 18 bis 25 % Protein enthält; (2) einem oder mehreren Fetten in Mengen, die ausreichen, um ein Endfischanalogon herzustellen, das von 3 bis 9 % Fett enthält; und (3) Wasser in Mengen, die ausreichen, um ein Endfischanalogon herzustellen, das von 60 bis 85 % Feuchtigkeit enthält;

Emulgieren des Teiggemischs unter Erhöhung der Temperatur auf von 135 bis 160 °C und des Drucks auf von 413,7 bis 689,5 KPa (60 bis 100 psi);

und Abkühlen der Emulsion auf eine Temperatur von 15 bis 40 °C und Reduzieren des Drucks auf etwa Atmosphärendruck, um das flockige Fischanalogon herzustellen.

13. Verfahren nach Anspruch 12, ferner umfassend:

Erzeugen einer Fischhautgummidispersion durch Mischen von (1) einem oder mehreren Gummis in Mengen, die ausreichen, um von 0,02 bis 1 % der Fischhautgummidispersion auszumachen; (2) Wasser in Mengen, die ausreichen, um von 90 bis 70 % der Fischhautgummidispersion auszumachen; und (3) Fischhaut in Mengen, die ausreichen, um von 10 bis 30 % der Fischhautgummidispersion zu umfassen; und Kombinieren des flockigen Fischanalogons in Mengen, die ausreichen, um von 70 bis 30 % eines Fischanalogons zu umfassen, das das Aussehen von Fisch mit Haut aufweist, mit der Fischhautgummidispersion in Mengen, die ausreichen, um von 30 bis 70 % eines Fischanalogons auszumachen, das das Aussehen von Fisch mit Haut aufweist; wahlweise wobei (i) die Gummi Algengummi, Pflanzensamengummi, Pflanzenextraktgummi, Fermentationsgummi, Pflanzensekretgummi oder Kombinationen davon sind; oder (ii) die Gummi Agar, Alginate, Carrageen, Guar, Johannisbrot, Psyllium, Pektin, Xanthan, Gummi arabicum oder Kombinationen davon sind; oder (iii) das Gummi

Xanthangummi ist.

Revendications

1. Succédané de miettes de poisson comprenant de 18 à 25 % de protéine, de 3 à 9 % de matière grasse et de 60 à 85 % d'humidité ;
comprenant en outre de 2 à 20 % de peau de poisson ;
dans lequel la peau de poisson est revêtue sur le succédané.
2. Succédané de miettes de poisson selon la revendication 1, dans lequel la protéine est une protéine de poisson, une protéine de soja, un concentré de protéine de soja, une farine de soja, une protéine de lait, une protéine de lactosérum, une protéine de plasma, une protéine d'oeuf, une protéine de blé, une protéine de pois ou des combinaisons de celles-ci.
3. Succédané de miettes de poisson selon la revendication 1, dans lequel la protéine est une protéine de poisson.
4. Succédané de miettes de poisson selon la revendication 1, dans lequel la protéine est une combinaison de (1) une protéine de poisson, une protéine de soja, un concentré de protéine de soja, une farine de soja, une protéine de lait, une protéine de lactosérum, une protéine de plasma, une protéine d'oeuf, une protéine de blé, une protéine de pois ou des combinaisons de celles-ci et (2) d'autres viandes blanches ou de couleur claire ; éventuellement dans lequel (i) les autres viandes blanches ou de couleur claire sont du poulet, de la dinde, du porc, du lapin ou des combinaisons de ceux-ci ; ou (ii) le succédané de miettes de poisson comprend de 30 à 70 % de protéine de poisson et de 70 à 30 % d'autres viandes blanches ou de couleur claire.
5. Succédané de miettes de poisson selon la revendication 1, dans lequel la matière grasse ou huile est une matière grasse animale non hydrogénée, une huile animale non hydrogénée, une matière grasse végétale non hydrogénée, une huile végétale non hydrogénée ou des combinaisons de celles-ci.
6. Succédané de miettes de poisson selon la revendication 1, dans lequel la matière grasse se compose de matières grasses mono-insaturées, de matières grasses polyinsaturées ou de combinaisons de celles-ci.
7. Succédané de miettes de poisson selon la revendication 1, dans lequel la matière grasse est de l'huile de poisson.
8. Succédané de miettes de poisson selon la revendication 1, où le succédané comprend de 60 à 70 % d'humidité.
9. Succédané de miettes de poisson selon la revendication 1, où le succédané comprend de 62 à 68 % d'humidité, de préférence de 19 à 24 % de protéine et de 62 à 68 % d'humidité.
10. Succédané de miettes de poisson selon la revendication 1, comprenant en outre un ou plusieurs colorants ; éventuellement dans lequel (i) les colorants constituent de 0,05 à 5 % du succédané ; ou (ii) les colorants sont du dioxyde de titane, des oxydes de fer ; du rocou, de la cochenille, du paprika, du curcuma, des caroténoïdes et des combinaisons de ceux-ci ; ou (iii) le colorant est du dioxyde de titane ; éventuellement dans lequel le dioxyde de titane constitue de 0,1 à 2 % du succédané.
11. Succédané de miettes de poisson selon la revendication 1, où (i) le succédané comprend de 65 à 85 % d'humidité ; ou (ii) le succédané comprend de 68 à 82 % d'humidité ; ou (iii) la peau de poisson est de la peau de corégone, de la peau de poisson-chat, de la peau de morue, de la peau de colin, de la peau d'aiglefin, de la peau de doré jaune, de la peau de truite ou des combinaisons de celles-ci.
12. Procédé de fabrication d'un succédané de miettes de poisson comprenant :

la création d'un mélange de pâte homogène de (1) une ou plusieurs protéines en des quantités suffisantes pour produire un succédané de poisson final contenant de 18 à 25 % de protéine ; (2) une ou plusieurs matières grasses en des quantités suffisantes pour produire un succédané de poisson final contenant de 3 à 9 % de matière grasse ; et (3) de l'eau en des quantités suffisantes pour produire un succédané de poisson final contenant de 60 à 85 % d'humidité ;
l'émulsion du mélange de pâte tout en augmentant la température à une valeur allant de 135 à 160 °C et la

pression à une valeur allant de 413,7 à 689,5 kPa (60 à 100 psi) ;
et le refroidissement de l'émulsion à une température allant de 15 à 40 °C et la réduction de la pression à environ la pression atmosphérique pour produire le succédané de miettes de poisson.

5 **13.** Procédé selon la revendication 12, comprenant en outre:

10 la création d'une dispersion de gomme de peau de poisson en mélangeant (1) une ou plusieurs gommés en des quantités suffisantes pour constituer de 0,02 à 1 % de la dispersion de gomme de peau de poisson ; (2)
15 de l'eau en des quantités suffisantes pour constituer de 90 à 70 % de la dispersion de gomme de peau de poisson ; et (3) de la peau de poisson en des quantités suffisantes pour constituer de 10 à 30 % de la dispersion de gomme de peau de poisson ; et la combinaison du succédané de miettes de poisson en des quantités
20 suffisantes pour constituer de 70 à 30 % d'un succédané de poisson ayant l'apparence de poisson avec peau, avec la dispersion de gomme de peau de poisson en des quantités suffisantes pour constituer de 30 à 70 %
25 d'un succédané de poisson ayant l'apparence de poisson avec peau ; éventuellement dans lequel (i) les gommés sont des gommés d'algues, des gommés de graines de plantes, des gommés d'extrait de plante, des gommés de fermentation, des gommés d'exsudat de plante ou des combinaisons de celles-ci ; ou (ii) les gommés sont
30 de l'agar-agar, des alginates, du carraghénane, du guar, de la caroube, de l'herbe aux puces, de la pectine, du xanthane, arabique, ou des combinaisons de ceux-ci ; ou (iii) la gomme est de la gomme de xanthane.

35

40

45

50

55

FIG. 1




FIG. 2



FIG. 3




FIG. 4






FIG. 5

FIG. 6

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- US 4781939 A [0003]
- US 6379738 B [0003] [0038] [0039]
- WO 2008034063 A [0004]
- US 5188854 A [0004]
- US 5254352 A [0004]
- US 5939129 A [0004]
- US 6146684 A [0004]
- US 6736053 B [0004]
- US 6908634 B [0004]
- US 2005008758 A1 [0004]
- WO 04016097 A1 [0004]
- WO 04045301 A1 [0004]
- WO 2007090916 A1 [0004]
- US 5792504 A [0005]
- US 20070148323 A [0006] [0007]
- EP 1231846 B1 [0038] [0039]
- US 6649206 B [0038] [0039]

HABOSÍTOTT HALPÓTLÓ ÉS ELJÁRÁS ELŐÁLLÍTÁSÁRA

Szabadalmi igénypontok

1. Pelyhesített halpótló, amely 18-25% proteint, 3-9% zsírt és 60-85% nedvességet tartalmaz, továbbá tartalmaz 2-20% halbőrt; ahol a halbőr bevonja a halpótlót.

2. Az 1. igénypont szerinti, pelyhesített halpótló, ahol a fehérje halfehérje, szójafehérje, szójafehérje-koncentrátum, szójaliszt, tejfehérje, savófehérje, plazmafehérje, tojásfehérje, búzafehérje, borsófehérje vagy ezek kombinációi.

3. Az 1. igénypont szerinti, pelyhesített halpótló, ahol a fehérje halfehérje.

4. Az 1. igénypont szerinti, pelyhesített halpótló, ahol a fehérje a következők kombinációja: (1) halfehérje, szójafehérje, szójafehérje-koncentrátum, szójaliszt, tejfehérje, savófehérje, plazmafehérje, tojásfehérje, búzafehérje, borsófehérje vagy ezek kombinációi és (2) egyéb fehér vagy világos színű hús; ahol adott esetben (i) az egyéb fehér vagy világos színű hús a következő: csirke, pulyka, sertés, nyúl vagy ezek kombinációi; vagy (ii) a pelyhesített halpótló tartalmaz 30-70% halfehérjét és 70-30% egyéb fehér vagy világos színű húst.

5. Az 1. igénypont szerinti, pelyhesített halpótló, amelyben a zsír vagy olaj állati, nem hidrogénezett zsír, állati, nem hidrogénezett olaj, növényi, nem hidrogénezett zsír, növényi, nem hidrogénezett olaj vagy ezek kombinációi.

6. Az 1. igénypont szerinti, pelyhesített halpótló, amelyben a zsír egyszeresen telítetlen zsír, többszörösen telítetlen zsír vagy ezek kombinációja.

7. Az 1. igénypont szerinti, pelyhesített halpótló, amelyben a zsír halolaj.

8. Az 1. igénypont szerinti, pelyhesített halpótló, ahol a halpótló 60-70% nedvességet tartalmaz.

9. Az 1. igénypont szerinti, pelyhesített halpótló, ahol a halpótló 62-68% nedvességet tartalmaz, előnyösen 19-24% fehérjét és 62-68% nedvességet tartalmaz.

10. Az 1. igénypont szerinti, pelyhesített halpótló, amely tartalmaz továbbá egy vagy több színezőanyagot; adott esetben ahol a színezőanyagok (i) a halpótló 0,05-5%-át teszik ki; vagy (ii) a színezőanyagok titán-dioxid, vasoxidok, orleánfesték, kosenil, paprika, kurkuma, karotínoidok és ezek kombinációi; vagy (iii) a színezőanyag titán-dioxid; adott esetben ahol a titán-dioxid a halpótló 0,1-2%-át teszi ki.

11. Az 1. igénypont szerinti, pelyhesített halpótló, ahol (i) a halpótló tartalmaz 65-85% nedvességet; vagy (ii) a halpótló tartalmaz 65-82% nedvességet; vagy (iii) a halbőr fehérhúsú hal bőre, harcsa bőre, tőkehal bőre, sárga tőkehal bőre, foltos tőkehal bőre, süllő bőre, csuka bőre, pisztráng bőre vagy ezek kombinációi.

12. Eljárás pelyhesített halpótló előállítására, amely tartalmazza a következőket: a következőkből homogén tésztakeverék létrehozása (1) egy vagy több fehérje olyan mennyiségben, ami elegendő 18-25% fehérjét tartalmazó, végső halpótló előállítására; (2) egy vagy több zsír olyan mennyiségben,



amely elegendő 3-9% zsírt tartalmazó végső halpótló előállítására; és (3) víz, olyan mennyiségben, amely elegendő 60-85% nedvességet tartalmazó végső halpótló előállítására;

a lésztakeverék emulgeálása, miközben fokozzuk a hőmérsékletet 135° 160°C-ra, és a nyomást 413,7 - 689,5 KPa-ra (60-100 psi-re);

és az emulzió lehűtése 15-40 °C hőmérsékletre és a nyomás csökkentése mintegy atmoszférikus nyomásra pelyhesített halpótló előállítására.

13. A 12. igénypont szerinti eljárás, ami tartalmazza továbbá a következőket:

halbőrgumianyag-diszperzió létrehozása azáltal, hogy összekeverjük a következőket: (1) egy vagy több gumianyag olyan mennyiségben, ami elegendő arra, hogy a halbőrgumianyag-diszperzió 0,02-1%-át alkossa; (2) víz, olyan mennyiségben, ami elegendő arra, hogy a halbőrgumianyag-diszperzió 90-70%-át alkossa; és (3) halbőr olyan mennyiségben, ami elegendő arra, hogy a halbőrgumianyag-diszperzió 10-30%-át alkossa; és

a pelyhesített halpótló kombinálása - olyan mennyiségben, ami elegendő arra, hogy halpótló 70-30%-át alkossa, és halbőrös hal megjelenése legyen – a halbőrgumianyag-diszperzióval olyan mennyiségben, ami elegendő arra, hogy bőrös hal megjelenésű halpótló 70-30%-át alkossa; adott esetekben ahol (i) a gumik algagumik, növényi magból nyert gumik, növényi kivonatból nyert gumik, fermentációs gumik, növényi exudátum gumijai vagy ezek kombinációi; vagy (ii) a gumik a következők bármelyike: agar, alginátok, karragén, guar, szentjánoskenyér bab, pszillium, pektin, xantán, arábikum vagy ezek kombinációi; (iii) a gumi xantángomi.