

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
9 September 2005 (09.09.2005)

PCT

(10) International Publication Number
WO 2005/082388 A1

(51) International Patent Classification⁷: **A61K 35/78**,
A61P 11/00

TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA,
ZM, ZW.

(21) International Application Number:
PCT/GB2005/000714

(22) International Filing Date: 25 February 2005 (25.02.2005)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
0404327.9 27 February 2004 (27.02.2004) GB

(71) Applicant (for all designated States except US):
PHYNOVA LIMITED [GB/GB]; The Magdalen Centre,
Oxford Science Park, Oxford OX4 4GA (GB).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **ZHONG, Shouming** [GB/GB]; 11 Rosehill, Oxford OX4 4JP (GB). **YU, Hongwen** [GB/GB]; 51 Normandy Crescent, Oxford OX4 2TQ (GB). **MILLER, Robert** [US/GB]; Old Clock Cottage, Swerford, Oxon OX7 4BQ (GB).

(74) Agent: **STRATAGEM IPM LIMITED**; Fosters Wing,
Anstey Hall, Maris Lane, Trumpington, Cambridge CB2
2LG (GB).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ,

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO,
SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN,
GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted
a patent (Rule 4.17(ii)) for the following designations AE,
AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ,
CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE,
EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS,
JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA,
MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM,
PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY,
TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA,
ZM, ZW, ARIPO patent (BW, GH, GM, KE, LS, MW, MZ,
NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM,
AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT,
BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR,
HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK,
TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
GW, ML, MR, NE, SN, TD, TG)
- as to the applicant's entitlement to claim the priority of the
earlier application (Rule 4.17(iii)) for all designations
- of inventorship (Rule 4.17(iv)) for US only

Published:

- with international search report
- before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: EXTRACTS OF SCUTELLARIA FOR THE TREATMENT OF SARS

(57) Abstract: The present invention relates to pharmaceutical compositions having antiviral activity against Coronavirus, and more particularly against those viruses responsible for Severe Acute Respiratory Syndrome (SARS). In a preferred embodiment it comprises a total standardised extract of a *Scutellariae* spp.



WO 2005/082388 A1

TECHNICAL FIELD OF THE INVENTION

5 The present invention relates to pharmaceutical compositions exhibiting antiviral activity. More particularly it relates to pharmaceutical compositions exhibiting antiviral activity against Coronavirus, and more particularly still against those viruses responsible for Severe Acute Respiratory Syndrome (SARS).

10

BACKGROUND OF THE INVENTION

Recent observations with macaques (R. A. M. Fouchier, A. D. M. E. Osterhaus *et al.* Koch's postulates fulfilled for SARS virus *Nature* 423, 240 (2003).) and with a human
15 cohort (T. Kuiken, A. D. M. E. Osterhaus, *et al.* Newly discovered Coronavirus as the primary cause of severe acute respiratory syndrome. *Lancet* 361, 1 (2003)) provide conclusive evidence that a newly discovered Coronavirus (SARS-CoV) is the primary cause of Severe Acute Respiratory Syndrome (SARS), a form of viral pneumonia with a high mortality rate (~10% globally (World Health Organisation –
20 www.who.int/csr/sars)) that first arose in November 2002 in China.

Therefore, anti-viral agents with activity against SARS-CoV are likely to prove important in treating SARS. The Coronavirus genome consists of a single positive strand of RNA and the entire sequence of the SARS-CoV genome and related variants
25 has been published (P.A. Rota *et al.* Characterization of a novel Coronavirus associated with Severe Acute Respiratory Syndrome, *Science* 300 1394 (2003) and M.A. Marra *et al.* The genome sequence of the SARS-associated Coronavirus, *Science* 300 1399 (2003)) and scrutinized for molecular targets for antiviral therapy. (<http://www.sarsresearch.ca/> - a bioinformatics site providing in depth data and tools
30 to analyze the genomes, genes and proteins of SARS-CoV and related viruses.). Together with the viral polymerase enzyme, the main viral proteinase (3CLpro) appears to represent a key target (K. Anand *et al.* Coronavirus main

proteinase (3CL^{pro}) structure: Basis for design of Anti-SARS drugs. Science 300 1763 (2003))

5 However, a good candidate drug (AG7088) failed to inhibit virus whilst apparently unrelated HIV therapies (Lopinavir, Nelfinavir) were partially active (SCRIP online – www.pjbpubs.co.uk/SCRIP/; Factiva Online – www.factiva.com/news).

10 In addition to known broad spectrum antivirals, e.g., ribavirin (RBV), less obvious inhibitors, e.g. glycyrrhizin, extracted from liquorice (Cinatl, J. *et al.* Glycyrrhizin, an active component of liquorice roots, and replication of SARS-associated Coronavirus. The Lancet, 361, 2045 (2003)) appear to be efficacious against the SARS-CoV.

However, well-founded concerns that an outbreak of SARS may re-occur has added impetus to a search for effective therapies.

15

Thus, there is a need for effective drugs and drug candidates for the treatment of SARS which are in dosage forms acceptable both to Eastern and Western patients.

DEFINITIONS

5 In the specification the following definitions, taken from the U.S. Department of Health and Human Services, Food and Drug Administration, Center for Drug Evaluation and Research (CDER), August 2000 Guidance for Industry, Botanical Drug Products, are intended:

10 **Active Constituent:** The chemical constituent in a botanical raw material, drug substance, or drug product that is responsible for the intended pharmacological activity or therapeutic effect.

Botanical Product; Botanical: A finished, labelled product that contains vegetable matter, which may include plant materials (see below), algae, macroscopic fungi, or combinations of these. Depending in part on its intended use, a botanical product may be a food, drug, medical device, or cosmetic.

Botanical Drug Product; Botanical Drug: A botanical product that is intended for use as a drug; a drug product that is prepared from a botanical drug substance. Botanical drug products are available in a variety of dosage forms, such as solutions (e.g., teas), powders, tablets, capsules, elixirs, and topicals.

Botanical Drug Substance: A drug substance derived from one or more plants, algae, or macroscopic fungi. It is prepared from botanical raw materials by one or more of the following processes: pulverization, decoction, expression, aqueous extraction, ethanolic extraction, or other similar process. It may be available in a variety of physical forms, such as powder, paste, concentrated liquid, juice, gum, syrup, or oil. A botanical drug substance can be made from one or more botanical raw materials (see Single-Herb and Multi-Herb botanical drug substance or product). A botanical drug substance does not include a highly purified or chemically modified substance derived from natural sources.

Botanical Ingredient: A component of a botanical drug substance or product that originates from a botanical raw material.

Botanical Raw Material: Fresh or processed (e.g., cleaned, frozen, dried, or sliced)
5 part of a single species of plant or a fresh or processed alga or macroscopic fungus.

Chromatographic Fingerprint: A chromatographic profile of a botanical raw material or drug substance that is matched qualitatively and quantitatively against that of a reference sample or standard to ensure the identity and quality of a batch and
10 consistency from batch to batch.

Dietary Supplement: [A] product (other than tobacco) intended to supplement the diet that bears or contains one or more of the following dietary ingredients: (A) a vitamin; (B) a mineral; (C) an herb or other botanical; (D) an amino acid; (E) a dietary
15 substance for use by man to supplement the diet by increasing the total dietary intake; or (F) a concentrate, metabolite, constituent, extract, or combination of any ingredient described in clause (A), (B), (C), (D), or (E); (2) means a product that (A) is intended for ingestion in a form described in section 411(c)(1)(B)(i) [of the FD&C Act]; or complies with section 411(c)(1)(B)(ii); is not represented for use as a conventional
20 food or as a sole item of a meal or the diet; and is labeled as a dietary supplement; and (3) does (A) include an article that is approved as a new drug under section 505 or licensed as a biologic under section 351 of the Public Health Service Act (42 U.S.C. 262) and was, prior to such approval, certification, or license, marketed as a dietary supplement or as a food unless [FDA] has issued a regulation, after notice and
25 comment, finding that the article, when used as or in a dietary supplement under the conditions of use and dosages set forth in the labeling for such dietary supplement, is unlawful under section 402(f); and (B) not include (i) an article that is approved as a new drug under section 505, certified as an antibiotic under section 507, or licensed as a biologic under section 351 of the Public Health Service Act (42 U.S.C. 262), or (ii)
30 an article authorized for investigation as a new drug, antibiotic, or biological for which substantial clinical investigations have been instituted and for which the existence of such investigations has been made public, which was not before such approval, certification, licensing, or authorization marketed as a dietary supplement or

as a food unless [FDA], in [its] discretion, has issued a regulation, after notice and comment, finding that the article would be lawful under this Act_ (21 U.S.C. 321(ff)).

Dosage Form: A pharmaceutical product type, for example, tablet, capsule, solution, or cream, that contains a drug ingredient (substance) generally, but not necessarily, in association with excipients.

Drug: Means (A) articles recognized in the official United States Pharmacopeia, official Homeopathic Pharmacopeia of the United States, or official National Formulary, or any supplement to any of them; and (B) articles intended for use in the diagnosis, cure, mitigation, treatment, or prevention of disease in man or other animals; and (C) articles (other than food) intended to affect the structure or any function of the body of man or other animals; and (D) articles intended for use as a component of any articles specified in clause (A), (B), or (C). A food or dietary supplement for which a claim, subject to sections 403(r)(1)(B) and 403(r)(3) [of the FD&C Act] or sections 403(r)(1)(B) and (r)(5)(D), is made in accordance with the requirements of section 403(r) is not a drug solely because the label or the labeling contains such a claim. A food, dietary ingredient, or dietary supplement for which a truthful and not misleading statement is made in accordance with section 403(r)(6) is not a drug under clause (C) solely because the label or the labeling contains such a statement_ (21 U.S.C. 321(g)(1)).

Drug Substance: An active ingredient that is intended to furnish pharmacological activity or other direct effect in the diagnosis, cure, mitigation, treatment, or prevention of disease or to affect the structure or any function of the human body (21 CFR 314.3(b)).

Drug Product: The dosage form in the final immediate packaging intended for marketing.

Food: The term *food* means (1) articles used for food or drink, (2) chewing gum, and (3) articles used for components of such articles (21 U.S.C. 321(f)).

Formulation: A formula that lists the components (or ingredients) and composition of the dosage form. The components and composition of a multi-herb botanical drug substance should be part of the total formulation.

- 5 **Marker:** A chemical constituent of a botanical raw material, drug substance, or drug product that is used for identification and/or quality control purposes, especially when the active constituents are not known or identified.

- 10 **Multi-Herb (Botanical Drug) Substance or Product:** A botanical drug substance or drug product that is derived from more than one botanical raw material, each of which is considered a botanical ingredient. A multi-herb botanical drug substance may be prepared by processing together two or more botanical raw materials, or by combining two or more single-herb botanical drug substances that have been individually processed from their corresponding raw materials. In the latter case, the
15 individual single-herb botanical drug substances may be introduced simultaneously or at different stages during the manufacturing process of the dosage form.

- 20 **Plant Material:** A plant or plant part (e.g., bark, wood, leaves, stems, roots, flowers, fruits, seeds, berries, or parts thereof) as well as exudates.

20 **Single-Herb (Botanical Drug) Substance or Product:** A botanical drug substance or drug product that is derived from one botanical raw material. Therefore, a single-herb substance or product generally contains only one botanical ingredient.

- 25 In addition the terms:

30 **Consisting essentially** is intended to refer back only to the presence of botanical raw materials and their derivatives and excludes the presence of e.g. excipients used in the formulation; and

30 **Treatment** is intended to refer to both symptomatic relief and/ or activity against the causative factor

DISCLOSURE OF THE INVENTION

Surprisingly, the applicant has found that a composition (PYN5C) shows dose dependant activity against SARS-CoV in cell culture tests.

5

According to a first aspect of the present invention there is provided the use of a botanical raw material (BRM), a botanical drug substance (BDS), or one or more botanical ingredients, obtainable from a species of the genus *Scutellaria* in the manufacture of an anti viral medicament.

10

Preferably, the medicament is for the treatment of patients infected by a positive strand RNA virus, more particularly SARS-CoV.

15

In one embodiment the medicament consists essentially of a single botanical drug substance or botanical ingredient.

Preferably the medicament is formulated with excipients. In one embodiment the medicament is in a suspension dosage form.

20

According to a second aspect of the present invention there is provided a suspension dosage form medicament comprising a *Scutellariae* spp.

It will however be apparent that any suitable dosage form will be acceptable e.g. a solid dosage form, such as a tablet or a liquid dosage form, such as a syrup.

25

Similarly the medicament may be formulated for delivery by any route e.g. orally, intra-venously or by any other recognised form.

30

In a favoured embodiment, since the medicament is for treating upper respiratory tract infections, it is formulated for delivery as a spray, and more particularly as a nebuliser.

In another embodiment the medicament comprises, in addition to the *Scutellaria* spp, one or more additional botanical drug substances or botanical ingredients obtainable from one or more of a:

- b) *Lonicera* spp;
- 5 c) *Forsythia* spp; and/ or
- d) *Rabdosia* spp;

PYN5C is an ethanolic single herb extract of *Radix Scutellariae*.

10

An aqueous extract of a *Scutellaria* spp has been shown to exhibit antiviral activity against Picornaviridae (polio – a negative strand RNA virus,) and Paramyxoviridae (measles – another negative strand RNA virus) see WO 5,411,733.

- 15 Plant flavenoids (including baicalein, baicalin and wogonin) isolated from *Scutellaria* spp, have also been shown to exhibit antiviral activity (primarily, though not exclusively, against HIV and have also been shown to demonstrate activity against RSV (Journal of Ethnopharmacology (2002) 79 (2), p205-211) and influenza.

- 20 In spite of the above, the finding that PYN5C showed activity against SARS-CoV was unexpected, as generally speaking the plant is used in Chinese medicine for it's antibacterial activity and is furthermore typically used in combination with several other plant species. Indeed the applicant was surprised that this single plant extract showed activity although they hoped a combination comprising, for example, extracts
- 25 of three herbs *Radix Scutellariae*, *Fructus Forsythiae* and *Flos Lonicerae*, a composition not dis-similar to a licensed Chinese medicine Shang Huang Lian (SHL) might prove to be effective against SARS-CoV

- Thus, according to third aspect of the present invention there is provided the use of
- 30 one or more botanical raw materials (BRM), one or more botanical drug substances (BDS), or one or more botanical ingredients obtainable from a species of the genus:

- a) *Scutellaria*
- b) *Lonicera*;

c) *Forsythia*; or

d) *Rabdosia*

in the manufacture of a botanical drug (BD), or dietary supplement for the treatment of a patient infected with SARS-CoV.

5

Any suitable species from the above plant genera may be used. These include:

a) as *Scutellaria* spp: *Scutellaria baicalensis*, *S. amoena*, *S. barbata*, *S. discolor*, *S. hypericifolia*, *S. inbica*, *S. likiangensis*, *S. orthocalyx*, *S. rehderiana*, *S. scssiliflora* and *S. viscidula*;

10 b) as *Lonicera* spp: *Lonicera japonica*, *L. hispidapall*, *L. harmsii*, and *L. fulvotomentosa*;

c) as *Forsythia* spp: *Forsythia suspensa*, *F. viridissima*, *F. ovata*, *F. mandschurica*, *F. koeana*, *F. spectabilis*, *F. europaea*, and *F. X intermedia*; and

15 d) as *Rabdosia* spp *Rabdosia rubescens*, *R. adenantha*, *R. amethystoides*, *R. coetsa*, *R. nervosa*, *R. sculponeata* and *R. ternioflia*.

A botanical drug may be obtained with a combination of these species, particularly, though not exclusively, a combination of either:

a) *Scutellaria baicalensis*;

20 b) *Lonicera japonica*;

c) *Forsythia suspensa* and

d) *Rabdosia rubescens*.

25 Preferred combinations comprise, consist essentially of or consist of one or a combination of a species from each genera, particularly one or more of the preferred species identified above.

Preferred combinations include, but are not limited to, the combinations of a species of the genera (and the preferred species identified above) as set out below:

30

1. a) *Scutellaria* spp and c) *Forsythia* spp;

2. a) *Scutellaria* spp and b) *Lonicera* spp;

3. a) *Scutellaria* spp and d) *Rabdosia* spp;

4. a) *Scutellaria* spp, b) *Lonicera* spp and c) *Forsythia* spp.

5

5. a) *Scutellaria* spp, b) *Lonicera* spp c) *Forsythia* spp and d) *Rabdosia* spp.

Preferably each species is present as a botanical drug substance or a botanical ingredient.

10

Any suitable part of the plants can be used. For example leaves, twigs, branches, bark, roots, flowers and fruits can be used.

The preferred part of a favoured species of the genus:

15

a) *Scutellaria* is the root;

b) *Lonicera* is the flower;

c) *Forsythia* is the fruit; and

d) *Rabdosia* is the aerial parts, i.e. any part other than the root;

20

The relative amount of each species (calculated as dry weight of botanical raw material) will vary depending on the given combination.

25 For single herb medicaments and combination herb medicaments the amount of each botanical (calculated as dry weight of botanical raw material) will typically be in the range shown in table 1 below:

Table 1

30

	Daily dose of single herb product	Two herb product	Three herb product	Four herb product

a) <i>Lonicera</i> spp	6-15g/day dry herb	25-75% of daily dose typically 50%	12.5 to 37.5 %, of daily dose typically 27.5%.	5-15% of daily dose typically 10%
b) <i>Forsythia</i> spp	6-15g/day dry herb	25-75% of daily dose typically 50%	30 to 70 % of daily dose typically 55%	12.5-37.5% of daily dose typically 25%
c) <i>Scutellaria</i> spp	3-9g/day dry herb	25-75% of daily dose typically 50%	12.5 to 37.5 %, of daily dose typically 27.5%.	22.5-7.5% of daily dose typically 55%
d) <i>Rabdosia</i> spp	30-60g/ day dry herb	25-75% of daily dose typically 50%		5-15% of daily dose typically 10%

For dual combinations each plant may be present to provide from 5-95% of the botanical content, more preferably from 25-75% and most preferably from 40-60%.

- 5 In the case of a three botanicals combination the amounts may vary depending on the combination.

Where the combination consists essentially of a *Scutellaria* spp; *Lonicera* spp;; and *Forsythia* spp; each species may be present in the following amounts:

10

Forsythia spp; is present in an amount by weight relative to the total weight of all the botanical raw materials of from 30 to 70 %, more preferably 40 to 60% and most preferably 50% or more, most preferably greater than 55%

Lonicera spp; is present in an amount by weight relative to the total weight of all the botanical raw materials of from 12.5 to 37.5 %, more preferably 18.75 to 31.25% and most preferably about 27.5%.

5

Scutellaria spp; is present in an amount by weight relative to the total weight of all the botanical raw materials or ingredients of from 12.5 to 37.5 %, more preferably 18.75 to 31.25% and most preferably about 27.5%.

10 According to a forth aspect of the present invention there is provided a suspension powder mixture comprising as botanicals:

a Forsythia spp in an amount by weight relative to the total weight of all the botanical raw materials of from 30 to 70 %,

a Lonicera spp in an amount by weight relative to the total weight of all the botanical raw materials of from 12.5 to 37.5%, and

15

a Scutellaria spp in an amount by weight relative to the total weight of all the botanical raw materials of from 12.5 to 37.5% and as excipients:

one or more gellants or thickeners comprising at least one xanthum gum having a particle size distribution such that 100% by weight of the particles pass a 60 mesh sieve, 95% by weight of the particles pass a 80 mesh sieve and 70% by weight of the particles pass a 200 mesh sieve, one or more fillers; and one or more wetting agents or surfactants.

20

The applicant has reason to believe that species of the genera *Forsythia* may, in addition to the *Scutellaria* spp demonstrate activity against SARS-CoV.

25

Thus, in another embodiment the *Forsythia* comprises greater than 50% of the total plant extracts (by weight of the botanical raw material equivalents).

30 Where the *Scutellaria* spp or *Forsythia* spp is demonstrated to be the primary active it is preferred that it comprises greater than 50% of the plant components, more preferably greater than 60% more preferably still greater than 70%, through 80 and 90% to as much as 100%.

The invention also extends to a method of treating patients infected with SARS-CoV by administering a medicament according to the invention to the patient.

5 BRIEF DESCRIPTION OF DRAWING

The single figure is a digital image of representative assay plates demonstrating the inhibitory effect of PYN5C against SARS-CoV.

10 BEST MODE FOR CARRYING OUT THE INVENTION

The claimed invention is based on the finding that PYN 5C, a lyophilised 70% ethanolic extract of a *Scutellaria* spp inhibited SARS-CoV in cell culture.

15 By reference to what is known about:

- i) the composition of SHL and similar herbal combinations;
- ii) the presumed actives of *Scutellaria* spp, *Lonicera* spp, *Forsythia* spp and *Rabdosia* spp; and
- iii) alternative Chinese herbs providing similar medicinal effects in

20 Traditional Chinese Medicine

the applicant, by way of extrapolation, proposes that in addition to their, *Scutellaria* extract different extracts to the one they have initially tested, as well as alternative herbal materials or their identifiable botanical ingredients or active constituents, may be responsible for the SARS-CoV inhibitory activity and may additionally prove

25 useful in treating other viral infections, particularly RNA viruses and more particularly positive RNA stranded viruses including, for example, RSV, influenza and Avian Flu.

Thus, for example, in US 6,083,921, the contents of which document is incorporated

30 by reference, it is suggested that:

- a) Baicalin isolated from *Radix Scutellariae*;
- b) Chlorogenic acid isolated from *Flos Lonicerae* and
- c) Forsythiaside isolated from *Fructus Forsythiae*

are the active components of SHL.

More particularly, US 6,083,921, teaches a first composition comprising:

- a) 0.25mg *Radix Scutellariae*;
- 5 b) 0.25mg *Fructus Forsythiae*; and
- c) 0.5mg *Flos Lonicerae* per ml of composition

and a second composition comprising:

- a) 2mg baicalin;
- 10 b) 1mg chlorogenic acid; and
- c) 1mg forsythiaside per ml of composition.

Thus, the applicant hypothesises that such formulations may, like applicants composition, show activity against SARS-CoV.

15

Thus, according to a fifth aspect of the present invention there is provided any one of, or any combination of Baicalin, Chlorogenic acid and Forsythiaside for use in the manufacture of a drug or dietary supplement for the treatment of SARS-CoV

20 Furthermore, in US 6,083,921 it is suggested that a number of closely related compounds, namely the compounds of Formulae I and Formulae II as identified in column 2 therein may possess anti viral activity.

Applicants predict that these compounds may also show activity against SARS-Co V.

25

Other work on improved SHL like compositions is disclosed in WO 02/060379, the contents of which document is also incorporated by reference. In WO 02/060379 an improved SHL tablet is disclosed. It is made from different and "improved" extracts of:

- 30 a) *Flos Lonicerae*;
- b) *Fructus Forsythiae*; and
- c) *Radix Scutellariae*.

More particularly, the extraction methods used give rise to defined drug substances and drug products which it is claimed are more efficacious in the inhibition of influenza virus, parainfluenza virus, herpes virus I and herpes virus II. The extraction method used to obtain these more active fractions is supercritical carbon dioxide
5 extraction.

Thus, accordingly the applicants predict that supercritical carbon dioxide extracts may show greater activity than their ethanolic extracts.

10 The specific formula disclosed in WO 02/060379 comprises a ratioed mix of the raw herbal materials in amounts of:

- a) *Flos Lonicerae* 1 part by weight (equivalent to 1875g of raw material);
- b) *Fructus Forsythiae* 2 parts by weight (equivalent to 3750g of raw material); and
- 15 c) *Radix Scutellariae* 1 part by weight (equivalent to 1875g of raw material).

More particularly it comprises

- i) 90-180 parts a soft extract of *Flos Lonicerae* and *Fructus Forsythiae*;
- 20 ii) 10-60 parts of a supercritical extract of *Flos Lonicerae* and *Fructus Forsythiae*; and
- iii) 30-50 parts of an extract of *Radix Scutellariae*.

In the specification 3d spectro chromatograms are used to characterise the extracts:

25

Flos Lonicerae raw material is shown to have 8-11 peaks, the 4th peak of which is Chlorogenic acid which is used as a reference peak (Fig 2 of the specification);

30

Fructus Forsythiae raw material is shown to have 11-14 peaks, the 8th peak of which is Phillyrin which is used as a reference peak (Fig 3 of the specification); and

Radix Scutellariae raw material is shown to have 22-25 peaks, the 12th peak of which is Baicalin and the 21st peak is Baicalein both of which are used as reference peaks (Fig 4 of the specification).

- 5 Furthermore the extracts showing improved efficacy differ in content from the raw materials due to the extraction techniques employed.

Thus, *Flos Lonicerae* and *Fructus Forsythiae* were subjected to extraction together and the extract was shown to have 18 to 21 peaks, the 8th, 10th and 16th of which were
10 reference peaks for Chlorogenic acid, Caffeic acid and Phillyrin respectively (Fig 5 of the specification);

Radix Scutellariae had 4-5 peaks the 1st of which was Baicalin and the 5th of which was Baicalein (Fig 6 of the specification); and

15

The drug product which consisted of extracts of the 3 herbs had 27-30 peaks of which the 8th, 12th, 20th, 22nd and 28th were Chlorogenic acid, Caffeic acid, Phillyrin, Baicalin and Baicalein respectively (Fig 7 of the specification).

- 20 Applicant surmises that, based on the activity they have demonstrated, these compositions and similar ones might also be expected to show activity.

In a preferred embodiment of the applicant's invention the dosage form is a suspension powder, typically packaged in a sachet, preferably with a container for
25 preparing the unit dose for oral administration. The container preferably holds a volume of less than 100ml, and is preferably marked such that the user knows how much liquid to add in order to suspend the product. Most preferably the container is provided with a sealable lid so that it can be vigorously shaken such that the medicine is suspended.

30

The preferred excipients of the suspension powder include:

- a) one or more gellants or thickeners, preferably comprising at least one xanthum gum having a particle size distribution that 100% by weight of the particles pass a 60

mesh sieve, 95% by weight of the particles pass a 80 mesh sieve and 70% by weight of the particles pass a 200 mesh sieve,

b) one or more fillers, particularly taste masking agents; and

c) one or more wetting agents or surfactants or other agents which aid suspension.

5

Suitable materials are described in EP1231746 which is incorporated by reference.

Most preferably the dosage form is suspendable in a cold solvent, such as water, and in a volume of less than 50ml, more preferably less than 25ml.

10

A preferred xanthan gum has a molecular weight of 3.5 to 4.0×10^6 such as that sold as Ferwogel.

A preferred wetting agent is a polyethylene glycol or macrogol.

15

The botanical drug substance or dietary supplement may additionally comprise one or more of a disintegrating agent, lubricant, sweetening agent, flavouring agent and a viscosifying agent.

20 An example of excipients that may be used in formulating the botanical drug substance(s) are shown in table 2 below:

Table 2

General components	Specific examples	General ranges	Specific example (for unit dose)
Wetting agent or surfactant	Macrogol 6000 powder	0.1 to 50%	0,600 g
Gellant/thickener	Xanthan gum-Polysorbate (Ferwogel 30.385)	0.01 to 80% by weight	0,070 g
Filler, preferably a	Mannitol (Mannitol EZ)	10 to 75% by weight	0,160 g

sugar or sugar alcohol			
Optionally drying agent/flowability agent	Colloidal Silicon dioxide (Aerosil 200)		0,050 g
Optionally a flavouring agent (taste masking agent)	Peppermint powder aroma		0,060
Optionally a sweetener	Aspartame		0,050 g
Optionally a colorant	Caramel powder (Colorant E150-a)		0,100 g

The invention is further described, by way of example only, with reference to the following examples.

5

EXAMPLE 1

Extraction Protocol

10 The *Scutellaria* spp was subjected to an extraction process as set out below:

1. Grind material to a fine powder;
2. Weigh 100g of coarse powder and extract it under reflux for 2 hours using 1 litre of 70 % ethanol;
3. When cool, filter through a filter paper and collect the ethanol extract;
- 15 4. To the *Scutellaria* spp residue, add 1 litre of 70% ethanol and reflux for 2 hours and repeat as step 3;
5. Combine the ethanol extracts of steps 3 and 4;
6. Recover the solvent on a "RotaVapour" to a small volume suitable for lyophilising;

7. Lyophilise the extract;
8. Weigh the lyophilised extract and store in sealed glass containers.

5 Test for activity against Coronavirus

PYN 5C was tested against two viruses (SARS CoV and RSV S2, supplied by NCPV) in cell culture (vero C1008 cells, originally supplied by ECACC). Each test material was made up in DMSO and added to the culture overlay at two different final concentrations. After 3 days incubation at 37°C, the cell monolayers were fixed stained and any plaques counted.

The results using RSV2s2 were inconclusive. No plaques were produced although there was a marginal difference in the monolayers comparing the cell and virus controls. The virus clearly grew producing syncytia but the assay possibly required a longer incubation period to allow cell death and visible plaques. Neither test material appeared to protect the cells (except possibly Ribavirin at 10µg/ml) although the 100µg/ml concentration did not protect.

Surprisingly the results using SARS-CoV yielded clearly defined plaques (the number of plaques are tabulated in table 3 below) and photographs of the representative plates are shown in the single figure.

Table 3

Virus control 113, 121, 111, 126 mean 117.5 (100%)	Cell control 0, 0, 0, 0 mean 0 (0%)
Ribavirin (100µg/ml) 109, 79, 77, 84 mean 87.25 (74.1%)	PYN5C (200µg/ml) 58, 53, 50, 44 mean 51.25 (43.15%)

Ribavirin (10µg/ml)	PYN5C (20µg/ml)
125, 120, 116, 98	88, 102, 93, 89
mean 114.75	mean 93.00
(97.5%)	(79.0%)

For both the higher concentrations of Ribavirin and PYN5C the plaque size was smaller than for the controls.

5 Conclusion

The PYN5C composition inhibits SARS- CoV infectivity approximately 50% at the highest concentration used (200µg/ml). The effect would appear to be dose dependant given that there is less inhibition at the lower dose trialled. Significantly the inhibition at the higher level was greater than Ribavirin (100µg/ml).

EXAMPLE 2

The herb extract was formulated into a suspension dosage form by mixing with the following excipients:

Excipients:

Macrogol 6000 powder	:	0,600g
Ferwogel 30.385	:	0,070g
20 Mannitol EZ	:	0,160g
Aerosil 200	:	0,050g
Aspartame	:	0,050g
Caramel powder	:	0,100g
Peppermint powder aroma	:	0,060g

CLAIMS

1. The use of a single botanical drug substance (BDS) or one or more botanical ingredients, obtained from a species of the genus *Scutellaria* selected from the group consisting of *Scutellaria baicalensis*, *S. amoena*, *S. barbata*, *S. discolor*, *S. hypericifolia*, *S. inbica*, *S. likiangensis*, *S. orthocalyx*, *S. rehderiana*, *S. scssiliflora* and *S. viscidula* in the manufacture of a medicament for the treatment of a patient with a SARS-CoV infection.
2. The use as claimed in claim 1 wherein the medicament is a total extract of a *Scutellaria* spp.
3. The use as claimed in claim 1 or 2 in which the medicament further comprises one or more excipients.
4. The use as claimed in any of the preceding claims wherein the botanical drug substance is a standardised extract.
5. The use as claimed in claim 4 wherein the botanical drug substance from the *Scutellaria* spp is standardised against a marker of baicalin and/ or baicalein.
6. The use as claimed in claims 4 or 5 wherein the standardised extract is a dried ethanolic extract.
7. The use as claimed in any of claims 4-6 wherein the standardised extract is a lyophilised extract.
8. The use as claimed in any of the preceding claims wherein the medicament is a botanical drug.
9. The use as claimed in claim 8 wherein the botanical drug is packaged in a sachet.

10. The use as claimed in claim 9 wherein the botanical drug is packaged with a dispensing container.

11. The use as claimed in claim 10 wherein the dispensing container has a sealable
5 lid.

12. The use as claimed in claim 3 wherein the excipients comprise one or more
gellants or thickeners comprising at least one xanthum gum having a particle size
distribution such that 100% by weight of the particles pass a 60 mesh sieve, 95% by
10 weight of the particles pass a 80 mesh sieve and 70% by weight of the particles pass a
200 mesh sieve; one or more fillers; and one or more wetting agents or surfactants.

13. The use as claimed in claim 1 wherein the one or more botanical ingredients
obtained from a species of the genus *Scutellaria* are plant flavenoids or synthetic
15 equivalents thereof.

14. The use as claimed in claim 13 wherein the plant flavenoids is/are selected from
the group consisting of baicalein, baicalin and wogonin.

20 15. The use of a botanical raw material (BRM), a botanical drug substance (BDS) or
one or more botanical ingredients, obtainable from a species of the genus *Scutellaria*
in the manufacture of an anti viral medicament.

16. The use as claimed in claim 15 wherein the antiviral medicament is for the
25 treatment of a patient with a positively stranded RNA viral infection.

17. The use as claimed in claim 15 or 16 wherein the medicament is for the treatment
of a patient with a SARS-CoV infection.

30 18. A suspension dosage medicament comprising a *Scutellaria* spp.

19. The use of one or more botanical raw materials (BRM), one or more botanical drug substances (BDS), or one or more botanical ingredients obtainable from a species of the genus:

- a) *Scutellaria*;
- 5 b) *Lonicera*;
- c) *Forsythia*; or
- d) *Rabdosia*

in the manufacture of a botanical drug (BD), or dietary supplement for the treatment of SARS-CoV.

10

20. A suspension powder mixture comprising as botanicals

Forsythia in an amount by weight relative to the total weight of all the botanical raw materials of from 30 to 70 %,

15 *Lonicera* in an amount by weight relative to the total weight of all the botanical raw materials of from 12.5 to 37.5%, and

Scutellaria in an amount by weight relative to the total weight of all the botanical raw materials of from 12.5 to 37.5% and as excipients:

20 one or more gellants or thickeners comprising at least one xanthum gum having a particle size distribution such that 100% by weight of the particles pass a 60 mesh sieve, 95% by weight of the particles pass a 80 mesh sieve and 70% by weight of the particles pass a 200 mesh sieve; one or more fillers; and one or more wetting agents or surfactants.

21. A suspension powder mixture as claimed in claim 20 comprising standardised
25 extracts of each of the *Forsythia*, *Lonicera* and *Scutellaria* species.

22. A suspension powder mixture as claimed in claim 21 wherein:

 the *Forsythia spp* is standardised against a marker of Phillyrin;

30 the *Scutellaria spp* is standardised against a marker of either or both of Baicalin and Baicalein, and the

Lonicera spp is standardised against a marker of Chlorogenic acid and/ or caffeic acid.

23. The use of one or a plurality of of baicalin, baicalein, chlorogenic acid, forsythiaside, caffeic acid and phillyrin in the manufacture of a medicament for use in the treatment of SARS-CoV.

5 24. A medicament consisting essentially of botanical drug substances or botanical ingredients obtainable from a species of:


a) *Scutellaria*;

b) *Lonicera*;

c) *Forsythia*; and

10 d) *Rabdosia*

25. A method of treating SARS-Co V comprising administering to a patient a medicament as claimed in any of the preceding claims.

1/1

INTERNATIONAL SEARCH REPORT

PCT/GB2005/000714

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A61K35/78 A61P11/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61K A61P

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, PAJ, BIOSIS, WPI Data, EMBASE

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DATABASE WPI Section Ch, Week 200407 Derwent Publications Ltd., London, GB; Class B04, AN 2004-063149 XP002334848 & CN 1 449 818 A (HU X) 22 October 2003 (2003-10-22) abstract ----- -/--	1-17, 19, 25



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- * & * document member of the same patent family

Date of the actual completion of the international search

6 July 2005

Date of mailing of the international search report

03/08/2005

Name and mailing address of the ISA

European Patent Office, P.B. 5618 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Böhmerova, E

INTERNATIONAL SEARCH REPORT

PCT/GB2005/000714

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	LIN L ET AL: "Treating severe acute respiratory syndrome with integrated Chinese and Western medicine - A report on 103 hospitalised cases at the Second Affiliated Hospital of Guangzhou University of Chinese Medicine, China" JOURNAL OF CHINESE MEDICINE 2003 UNITED KINGDOM, no. 72, 2003, pages 5-10, XP009049391 ISSN: 0143-8042 abstract page 7, left-hand column, paragraph 1	1-17, 19, 25
X	SUBHUTI DHARMANANDA: "SHUANGHUANGLIAN: Potent Anti-Infection Combination of Lonicera, Forsythia, and Scute" 'Online! September 2003 (2003-09), XP002334842 Retrieved from the Internet: URL: http://www.itmonline.org/arts/shuang.htm 'retrieved on 2005-06-21! page 1, paragraph 1 page 2, paragraph 1	1-17, 19, 23, 25
X	DATABASE WPI Section Ch, Week 200428 Derwent Publications Ltd., London, GB; Class B04, AN 2004-295982 XP002334849 & CN 1 470 262 A (UNIV ANKANG MEDICINES INST BEIJING) 28 January 2004 (2004-01-28) abstract	20-22
X	DATABASE WPI Section Ch, Week 200409 Derwent Publications Ltd., London, GB; Class B05, AN 2004-083742 XP002334850 & CN 1 449 753 A (SHANGHAI INST MATERIA MEDICA ACAD SCI) 22 October 2003 (2003-10-22) abstract	23, 25

INTERNATIONAL SEARCH REPORT

on patent family members

PCT/GB2005/000714

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
CN 1449818	A	22-10-2003	JP	2005002084 A	06-01-2005
			US	2004253328 A1	16-12-2004
CN 1470262	A	28-01-2004	NONE		
CN 1449753	A	22-10-2003	NONE		