



US00D735501S

(12) **United States Design Patent**
Ocegueda

(10) **Patent No.:** **US D735,501 S**

(45) **Date of Patent:** **** Aug. 4, 2015**

(54) **DISPLAY STRUCTURE**

(71) Applicant: **RAPID DISPLAYS, INC.**, Chicago, IL (US)

(72) Inventor: **Antonio Ocegueda**, Chicago, IL (US)

(73) Assignee: **RAPID DISPLAYS, INC.**, Chicago, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/469,192**

(22) Filed: **Oct. 8, 2013**

(51) **LOC (10) Cl.** **06-06**

(52) **U.S. Cl.**
USPC **D6/677**

(58) **Field of Classification Search**
USPC D6/409-415, 449, 455-458, 461-462, D6/464-468, 476, 672, 677; 211/13.1, 211/60.1, 71.01, 74, 33, 163, 175, 208; 312/114, 228, 228.1, 234.1
CPC A47F 7/28; A47F 7/283
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|-----------|---|---|---------|---------------|-------|----------|
| 4,807,377 | A | * | 2/1989 | Stuckel | | 40/711 |
| D325,325 | S | * | 4/1992 | Cadman | | D7/611 |
| D476,531 | S | * | 7/2003 | Rangel | | D7/603 |
| D530,525 | S | * | 10/2006 | Greene, II | | D6/309 |
| D544,727 | S | * | 6/2007 | Valdez et al. | | D6/466 |
| D567,547 | S | * | 4/2008 | Gauger | | D6/486 |
| D584,898 | S | * | 1/2009 | Chang | | D6/309 |
| D643,231 | S | * | 8/2011 | Huang | | D6/449 |
| D669,315 | S | * | 10/2012 | Schewe et al. | | D7/619.1 |
| D679,102 | S | * | 4/2013 | Gilboe et al. | | D6/309 |
| D691,860 | S | * | 10/2013 | Berio et al. | | D7/619.1 |
| D702,064 | S | * | 4/2014 | Ho | | D6/682.4 |

| | | | | | | |
|----------|---|---|--------|------------------|-------|----------|
| D702,462 | S | * | 4/2014 | Roithner | | D6/677 |
| D703,026 | S | * | 4/2014 | Wu | | D8/350 |
| D724,359 | S | * | 3/2015 | Murchison et al. | | D6/682.1 |

* cited by examiner


Primary Examiner — Kelley Donnelly
(74) *Attorney, Agent, or Firm* — DLA Piper LLP (US); R. Blake Johnston

(57) **CLAIM**
The ornamental design for a display structure, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a display structure;
FIG. 2 is a right elevational view thereof, the opposite side being a mirror image;
FIG. 3 is a front elevational view thereof, the opposite side being a mirror image;
FIG. 4 is a top plan view thereof; and
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a perspective view of a second embodiment of a display structure;
FIG. 7 is a right elevational view thereof, the opposite side being a mirror image;
FIG. 8 is a front elevational view thereof, the opposite side being a mirror image;
FIG. 9 is a top plan view thereof; and
FIG. 10 is a bottom plan view thereof;
FIG. 11 is a perspective view of a third embodiment of a display structure;
FIG. 12 is a front elevational view thereof, the opposite side being a mirror image;
FIG. 13 is a top plan view thereof; and
FIG. 14 is a bottom plan view thereof.
The broken lines shown are included for the purpose of illustrating the unclaimed portions of the article and form no part of the claimed design.

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14