

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization

International Bureau



(10) International Publication Number

WO 2017/054052 A1

(43) International Publication Date

6 April 2017 (06.04.2017)

(51) International Patent Classification:

A23L 3/015 (2006.01)

(21) International Application Number:

PCT/AU2016/050921

(22) International Filing Date:

29 September 2016 (29.09.2016)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

2015903955 29 September 2015 (29.09.2015) AU

(71) Applicant: CBH FRESH PTY LTD [AU/AU]; PO Box 373, Bondi Junction, New South Wales 1355 (AU).

(72) Inventor: CORNELL, Adam; PO Box 373, Bondi Junction, New South Wales 1355 (AU).

(74) Agent: SHELSTON IP PTY LTD; 60 Margaret Street, Sydney NSW 2000 (AU).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM,

AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))



WO 2017/054052 A1

(54) Title: HPP PROCESS FOR DAIRY FOODS

(57) Abstract: The invention relates to a high hydrostatic pressure process for reducing the level of micro-organisms in commercial dairy products.

HPP PROCESS FOR DAIRY FOODS

Technical Field

[0001] The invention relates to the field of commercial food manufacture. In particular, the invention relates to high pressure processing of dairy foods.

Background of the Invention

[0002] Nutritional value and product safety are two of the most important factors influencing food consumer choices at the present time, as well as being of significant importance to food producers and distributors. In the food industry, one of the long-term goals is to assure food safety and extend product shelf life while retaining the characteristics of fresh, preservative-free, and minimally processed foods.

[0003] Traditionally, heat-based methods are used to destroy harmful bacteria and reduce the numbers of spoilage organisms to extend shelf life of food products. Such methods are well known and are the subject of highly developed techniques. However, consumer demand for fresher tasting and fresher textured foods is driving the development of new methods of making the energy-intensive process more environmentally friendly, further extending shelf life and producing a product with a taste as close to an untreated product as possible.

[0004] The best known technique to slow food decomposition and assure safety is heat pasteurisation. For example, temperatures above 72°C are used to heat treat dairy food to improve food safety and extend shelf life by effectively inactivating microorganisms and enzymes in the food. However, heat pasteurisation often has adverse effects on the nutritional and sensory attributes of food.

[0005] High-pressure processing (HPP) involves application of a high hydrostatic pressure to foods susceptible to decomposition. HPP can inactivate spoiling and/or pathogenic microorganisms.

[0006] An advantage of HPP over heat pasteurisation and other thermal processing technologies is the even and instantaneous distribution of pressure energy throughout the product. Because the high pressure is applied to the dairy food in its final packaging, the product is not subject to post-processing

contamination with spoiling or pathogenic microorganisms, resulting in a product with a longer shelf life than products that are heat pasteurised and subsequently packaged.

[0007] Another advantage of high pressure processing is that microorganisms can be eliminated while maintaining the 'fresh' flavour, quality, texture and other sensory properties of the food product, because it is not heat treated.

[0008] High pressure processing (HPP) uses pressures up to 900 MPa (c. 9000 atmospheres, c. 135 000 pounds per square inch) to kill many of the microorganisms found in foods, even at room temperature¹. While considerable experimental data has been produced, it was not until the early 1990s that the first commercial food applications of HPP were seen². There are considerable engineering challenges involved in generating and containing the immense pressures in a vessel suitable for food products on a repeatable basis necessary for commercial production.

[0009] Unlike other food processing methods, such as heat pasteurisation or other thermal processing, HPP has had a somewhat limited application to date. As yet, HPP has not been universally applied to all food types on a commercial scale. Some animal and dairy products and shelf-stable low-acid foods cannot be readily treated with HPP on a commercial scale because of the difficulties associated with the engineering of the process, protection of microorganisms by the food matrix and pressure resistant spores that are often present in these products. Indeed, the problem of eliminating some pathogenic microorganisms in commercial dairy and other animal-based food production processes remains a significant challenge for the technology today.

[0010] Accordingly, it is an object of the invention to provide a high pressure process for reducing the level of microorganisms in commercial dairy products that ameliorates at least some of the problems associated with the prior art.

¹ Patterson, M.F. *Microbiology of pressure-treated foods*. Journal of Applied Microbiology. 2005, 98, 1400-1409.

² Patterson, M.F. *Microbiology of pressure-treated foods*. Journal of Applied Microbiology. 2005, 98, 1400-1409.

Summary of the Invention

[0011] According to a first aspect of the invention, there is provided a process for reducing the level of active spoilage micro-organisms in commercial dairy products, including on raw milk, the process comprising the steps of: (a) applying a source of high hydrostatic pressure of at least 5200 Bar to the dairy product for a first period of time; (b) removing the source of pressure from the dairy product; (c) reapplying the source of pressure to the dairy product for a second period of time; and optionally repeating steps (a) to (c).

[0012] It has been surprisingly found by the inventors that the cycling of the pressure in a HP process through at least two cycles produces an increased lethal effect on populations of certain pathogenic organisms than had hitherto been achieved using a single HP process, particularly in dairy products, especially raw milk.

[0013] Preferably, the maximum hydrostatic pressure applied is 6000 Bar or greater.

[0014] Best results have also been seen where said first and second periods of time are between 60 and 150 seconds, preferably 90 to 120 seconds; and where the source of pressure is removed for a time period of between 1 to 10 seconds, preferably 5 seconds.

[0015] What has been especially noted by the inventors is that this process has been the first to report an $>6 \log_{10}$ reduction of both *E. Coli* and *L. Monocytogenes* and a $4.3 \log_{10}$ reduction or more of *S. Typhimurium* in raw milk. Milk has presented particular challenges in the past regarding the effective use of HPP in producing a microbiologically safe and commercially stable product. It is thought that this is due to idiosyncrasies in the chemical make-up of raw milk.

[0016] The particular advantage of achieving these levels of pathogen inactivation with such relatively short cycle times is that the overall throughput of the process can be much higher, creating greater manufacturing efficiency that allows a fully commercial process to be realised.

[0017] According to a second aspect of the invention, there is provided the use of a process according to any preceding claim, for the production of a commercial dairy product.

[0018] According to a third aspect of the invention, there are provided commercial dairy products produced by the process as described above. Commercial dairy products produced according to this process have been shown to have a shelf life of greater than 40 days, specifically 42 days, at 5°C.

[0019] Now will be described, by way of specific, non-limiting examples, a preferred embodiment of the invention.

Detailed Description of the invention

[0020] The invention is embodied in a high pressure process that has been developed for the treatment of raw milk, particularly for bovine milk, to render it microbiologically safe and stable for a commercially viable time period under refrigeration. It will be appreciated that this embodiment is by way of example only and the inventive process could be used to treat a wide range of other dairy products, and food products generally.

[0021] Food safety authorities in some jurisdictions mandate a specific \log_{10} reduction in particular types of spoilage organisms that must be achieved in order for the food to be considered commercially sterile and saleable. For example, the New South Wales Food Authority (NSWFA) require a treatment process to achieve a \log_{10} reduction of 5 (i.e. a 100,000x reduction) in pathogenic microorganisms.

[0022] In high pressure processing (HPP), there are two key variables that define the treatment process. Every different food type requires testing to ascertain at what point the process has been effective in inactivating the target pathogens. The variables are: time spent under pressure; and the magnitude of pressure applied.

[0023] With typical HPP equipment, pressure can be applied up to about 6000 Bar. The time that a food item is placed under this level of pressure must be consistent with commercial food production process requirements and result in elimination or inactivation of a sufficient proportion of the target micro-organisms while maintaining the quality, texture and taste properties of the food.

High Pressure Process Testing

[0024] The following test conditions were applied to five replicates of pre-inoculated milk feedstock:

- i. Three pathogens: (*Salmonella typhimurium*, *Listeria monocytogenes*, and *Staphylococcus aureus*).
- ii. Two pressure hold times at 6000 Bar: 3 minutes and 4 minutes, as it was postulated that each additional minute of hold time should produce an extra log reduction.

[0025] The results at 3 minutes showed a kill of pathogenic bacteria, with \log_{10} reductions of between 2x and 3x for *Salmonella* and *Staphylococcus* at four minutes, and 3 to 4 \log_{10} reduction for *Listeria*. Results at four minutes were slightly better than at three minutes treatment (approximately 1 \log_{10}). Taken together, these results were not sufficient to demonstrate equivalence to heat pasteurisation, in which a 5 \log_{10} reduction is achieved.

[0026] On this occasion, the raw milk used was incidentally contaminated with >1,100 coliforms and *E. coli*. These bacteria were not detected in the non-inoculated HP processed control sample, demonstrating at least a \log_{10} reduction of 3.

Extended treatment and Cycled pressure testing

[0027] A further pathogen challenge test was conducted on five replicates using two new test processes:

- i. An 'extended' treatment of 6000 Bar/ 90 seconds for 15 minutes; and
- ii. A 'cycled' treatment process at 6000 Bar for 90 seconds, repeated once immediately.

[0028] To date, there is no known reference to the commercial use of either of these treatments in the processing of commercial dairy products. The rationale for testing the cycled process was that the first cycle would induce sub-lethal injury of the cell walls of the microorganisms and that the second cycle would complete the lethal effect of the high pressure on the damaged cell. The extended treatment was tested to measure the effect of a longer period of high pressure on cell death. Of the two processes tested, only the cycled process is likely to be commercially viable, as the extended treatment reduces overall the maximum product throughput.

[0029] In the extended treatment trial, pathogens tested were *Salmonella typhimurium* and *Staphylococcus aureus*.

[0030] The results for the treatment of both bacteria showed a \log_{10} reduction of 5 for *Salmonella* and a \log_{10} reduction of 2 to 3 for *Staphylococcus*. Therefore, the required \log_{10} reduction of 5 was only demonstrated for one of the target pathogens in this instance.

[0031] The cycled pressure testing was designed with the objective of confirming the impact of the 'cycled' process on reduction of *Salmonella* and testing it on *Listeria*, and *E. coli*. Five replicates were tested.

[0032] Log reductions of greater than 6 were demonstrated for *E. coli* and *Listeria*. In the case of *E. coli* and *Listeria*, this was higher than the equivalent log reductions under process conditions of 6000 Bar for 3 minutes. The *Salmonella* challenge showed inconsistent results initially between replicates so that log reductions of 3 and >6 were demonstrated. Low log reduction counts of *Staphylococcus* were reproduced from previous trials.

[0033] Shelf life testing yielded a potential shelf life of greater than 42 days at 5°C, and a longer shelf life than that achieved using the 3 minute standard cycle, an superior to those obtained at 4000 Bar and at 5000 Bar, both of which indicated microbiological spoilage at approximately 23 days.

[0034] A further trial was conducted, with the objective to test for the first time the impact on *Campylobacter jejuni*. Under these test conditions, *Campylobacter* demonstrated a degree of resistance to high pressure with a log reduction of 1.2.

[0035] The results of the shelf life and challenge testing for the raw milk product are shown in Table 1.

[0036] In most food products containing *E. coli*, *Listeria*, *Salmonella*, *Campylobacter* or *Staphylococcus aureus*, holding the product at pressures up to 6000 Bar for a period of 3 minutes would be sufficient to achieve a \log_{10} reduction of 5 in the pathogen level. However, in this trial with raw milk, these conditions were found to be insufficient to achieve a \log_{10} reduction of 5 in *Listeria*, *Salmonella*, *Campylobacter* and *Staphylococcus* due to the protection of the

bacterial cells afforded by the food matrix typical of raw milk. A 4-minute hold at 6000 Bar did achieve a \log_{10} reduction of 5 for *Listeria*, but not for *Salmonella*.

[0037] Testing was then done using a cyclic approach, as shown in Table 1. The cyclic approach held the raw milk product at 6000 Bar for two time periods of 90 seconds, one immediately following the other. It was surprisingly discovered that this shorter, cyclic approach at 6000 Bar was successful in achieving a superior log reduction of *E. coli* and *Listeria monocytogenes* compared with a more standard 3 minute pressure treatment at the same pressure, and produced a longer shelf life. The required log reduction of 5 (equivalent to heat pasteurisation) was achieved using the cyclic approach for *Listeria monocytogenes* and *E. coli*.

[0038] It is proposed that those bacterial pathogens that were not reduced by 5 log using any of the tested high pressure process conditions (*Salmonella*, *Staphylococcus aureus* and *Campylobacter jejuni*) can be controlled by applying hygienic raw milk production techniques and animal health strategies in combination with raw milk compliance testing prior to high pressure processing, to produce a commercially viable, safe unheated milk product with a longer shelf life.

[0039] The inventors have found that a cycled HPP has a unique, significant impact on the reduction in numbers of *Salmonella* *Listeria*, and *E. coli* in raw milk. Such results may also be applicable to other dairy products, particularly those using raw milk as an ingredient.

Table 1 – Log₁₀ reduction and milk shelf life achieved under various high pressure process conditions

Table 1. Log₁₀ reduction and milk shelf life achieved under various high pressure process conditions

Log ₁₀ reduction	High pressure process condition			
	6000 Bar for 3min	6000 Bar for 4min	6000 Bar for 15min	6000 Bar for 2*90sec
Pathogen				
<i>E. coli</i>	3.26	>3		>6
<i>Listeria monocytogenes</i>	4 to 5	5		>6
<i>Salmonella typhimurium</i>	2.7	2 to 3	5	3 to 6
<i>Staphylococcus aureus</i>		2 to 3	2 to 3	2 to 3 1.33
<i>Campylobacter</i>				1.2
Shelf Life at 4C	23 to >35 days			
Shelf life at 5C				> 42 days

A range of results indicates variability obtained between the five replicates tested.

Two results shown under the same process conditions are the results of replicate trials.



Not tested

[0040] It will be appreciated by those skilled in the art that the above described embodiment is merely one example of how the inventive concept can be implemented. It will be understood that other embodiments may be conceived that, while differing in their detail, nevertheless fall within the same inventive concept and represent the same invention.

Claims

1. A process for reducing the level of active spoilage micro-organisms in commercial dairy products, including raw milk, the process comprising the steps of:
 - a. applying a source of high hydrostatic pressure of at least 5200 Bar to the dairy product for a first period of time;
 - b. removing the source of pressure from the dairy product;
 - c. reapplying the source of pressure to the dairy product for a second period of time; and
 - d. optionally repeating steps (a) to (c).
2. A process according to claim 1 wherein the maximum hydrostatic pressure applied is 5500 Bar or greater.
3. A process according to claim 1 wherein the maximum hydrostatic pressure applied is 5800 Bar or greater.
4. A process according to claim 1 wherein the maximum hydrostatic pressure applied is 6000 Bar or greater.
5. A process according to any preceding claim, wherein said first period of time is between 60 and 120 seconds, preferably 90 seconds.
6. A process according to any preceding claim, wherein said second period of time is between 60 and 150 seconds, preferably 120 seconds.
7. A high pressure process according to any preceding claim, wherein the source of pressure is removed for a time period of between 1 to 10 seconds, preferably 5 seconds.
8. Use of a process according to any preceding claim, for the production of a commercial dairy product.

9. A commercial dairy product produced by a process according to any one of claims 1 to 5.

10. A commercial dairy product according to claim 9 wherein said product has a shelf life of greater than 40 days at 5°C, preferably greater than 42 days.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU2016/050921

A. CLASSIFICATION OF SUBJECT MATTER

A23L 3/015 (2006.01)

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

Databases consulted: CAPlus, CABA, FSTA, EPODOC, TXTE, Google Scholar, Google Patents, Espacenet

Keywords: dairy, milk, pressure, hydrostatic, and the like.

IPC/CPC marks: A23L 3/015, A23C 2210/15

Applicant and inventor name search in internal databases provided by IP Australia; NOSE, INTESS as well as Espacenet, Google Scholar and Google Patents

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
	Documents are listed in the continuation of Box C	

 Further documents are listed in the continuation of Box C See patent family annex

*	Special categories of cited documents:	
"A"	document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E"	earlier application or patent but published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L"	document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O"	document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family
"P"	document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search
30 November 2016Date of mailing of the international search report
30 November 2016

Name and mailing address of the ISA/AU

AUSTRALIAN PATENT OFFICE
PO BOX 200, WODEN ACT 2606, AUSTRALIA
Email address: pct@ipaustralia.gov.au

Authorised officer

Michael Bradshaw
AUSTRALIAN PATENT OFFICE
(ISO 9001 Quality Certified Service)
Telephone No. 0262256164

INTERNATIONAL SEARCH REPORT		International application No.
C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		PCT/AU2016/050921
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 1219184 A2 (MEYER, R.S) 03 July 2002 [0003], [0004], [0016], [0020], [0023], [0028], [0036], Table 2, claims	1-10
X	WO 2012/091562 A1 (FRIESLAND BRANDS B.V.) 05 July 2012 abstract	9
X	WO 2003/003845 A2 (S.P.A. EGIDIO GALBANI) 16 January 2003 abstract	9
X	WO 2006/096074 A1 (FONTERRA CO-OPERATIVE GROUP LIMITED) 14 September 2006 abstract	9
X	US 6120732 A (TOLEDO ET AL.) 19 September 2000 abstract	9
X	Hayes, M.G. et al. "High pressure homogenisation of raw whole bovine milk (a) effects on fat globule size and other properties." <i>Journal of Dairy Research</i> Vol. 70, No. 03, (2003), Pages 297-305. abstract	9
X	Chawla, R. et al. "High hydrostatic pressure technology in dairy processing: a review." <i>Journal of food science and technology</i> Vol. 48, No. 3 (2011), Pages 260-268. abstract	9
X	Bevilacqua, A. et al. "Combination of homogenization, citrus extract and vanillic acid for the inhibition of some spoiling and pathogenic bacteria representative of dairy microflora." <i>Food and Bioprocess Technology</i> Vol.6, No.8, (2013) Pages 2048-2058. abstract	9
X	Adapa, S. et al. "Functional properties of skim milk processed with continuous high pressure throttling." <i>Journal of Dairy Science</i> Vol.80, No.9 (1997), Pages 1941-1948. abstract	9
X	Rodríguez-Alcalá, L.M et al. "Stability of fatty acid composition after thermal, high pressure, and microwave processing of cow milk as affected by polyunsaturated fatty acid concentration." <i>Journal of dairy science</i> Vol.97, No. 12 (2014), Pages 7307-7315. abstract	9
X	US 2006/0153962 A1 (CARROLL ET AL.) 13 July 2006 abstract	9

INTERNATIONAL SEARCH REPORT Information on patent family members		International application No. PCT/AU2016/050921	
This Annex lists known patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.			
Patent Document/s Cited in Search Report		Patent Family Member/s	
Publication Number	Publication Date	Publication Number	Publication Date
EP 1219184 A2	03 July 2002	EP 1219184 A2	03 Jul 2002
		AU 763493 B2	24 Jul 2003
		AU 2571299 A	03 Apr 2000
		AU 2003248184 A1	30 Oct 2003
		BR 9913604 A	22 May 2001
		CA 2339204 A1	23 Mar 2000
		CN 1317939 A	17 Oct 2001
		EP 1112008 A1	04 Jul 2001
		EP 1112008 B1	15 May 2002
		JP 2000083633 A	28 Mar 2000
		JP 3062489 B2	10 Jul 2000
		MX PA01002437 A	08 May 2002
		NO 20011346 A	16 Mar 2001
		NZ 510043 A	25 Oct 2002
		US 6017572 A	25 Jan 2000
		US 6177115 B1	23 Jan 2001
		WO 0015053 A1	23 Mar 2000
WO 2012/091562 A1	05 July 2012	WO 2012091562 A1	05 Jul 2012
		EP 2658382 A1	06 Nov 2013
WO 2003/003845 A2	16 January 2003	WO 03003845 A2	16 Jan 2003
		AU 2002354714 A1	21 Jan 2003
		CA 2452072 A1	16 Jan 2003
		CN 1541067 A	27 Oct 2004
		EP 1401287 A2	31 Mar 2004
		EP 1401287 B1	21 Jan 2009
		JP 2004521649 A	22 Jul 2004
		NZ 530422 A	30 Sep 2005
WO 2006/096074 A1	14 September 2006	WO 2006096074 A1	14 Sep 2006
		AR 052595 A1	21 Mar 2007
		AU 2006221148 A1	14 Sep 2006
		AU 2006221149 A1	14 Sep 2006
		CA 2600460 A1	14 Sep 2006
		CN 101170918 A	30 Apr 2008
		CN 101237785 A	06 Aug 2008
		EP 1855553 A1	21 Nov 2007

Due to data integration issues this family listing may not include 10 digit Australian applications filed since May 2001.

Form PCT/ISA/210 (Family Annex)(July 2009)

INTERNATIONAL SEARCH REPORT Information on patent family members		International application No. PCT/AU2016/050921	
This Annex lists known patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.			
Patent Document/s Cited in Search Report		Patent Family Member/s	
Publication Number	Publication Date	Publication Number	Publication Date
		EP 1858355 A1	28 Nov 2007
		JP 2008532513 A	21 Aug 2008
		JP 2008533002 A	21 Aug 2008
		KR 20080005199 A	10 Jan 2008
		MY 148279 A	29 Mar 2013
		NZ 538671 A	31 May 2009
		US 2008317823 A1	25 Dec 2008
		US 8062687 B2	22 Nov 2011
		US 2008166466 A1	10 Jul 2008
		WO 2006096073 A1	14 Sep 2006

INTERNATIONAL SEARCH REPORT Information on patent family members		International application No. PCT/AU2016/050921
This Annex lists known patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.		
Patent Document/s Cited in Search Report		Patent Family Member/s
Publication Number	Publication Date	Publication Number
US 6120732 A		19 September 2000
		US 6120732 A
		19 Sep 2000
US 2006/0153962 A1		13 July 2006
		US 2006153962 A1
		13 Jul 2006
		US 7854950 B2
		21 Dec 2010
		AR 041551 A1
		18 May 2005
		AU 2003278627 A1
		04 May 2004
		BR 0315171 A
		23 Aug 2005
		CA 2501046 A1
		22 Apr 2004
		CN 1719988 A
		11 Jan 2006
		EG 23888 A
		12 Dec 2007
		EP 1551240 A1
		13 Jul 2005
		JP 2006501843 A
		19 Jan 2006
		KR 20050083739 A
		26 Aug 2005
		MX PA05003669 A
		08 Jun 2005
		NZ 521836 A
		29 Jul 2005
		PE 04192004 A1
		02 Aug 2004
		TW 200418397 A
		01 Oct 2004
		WO 2004032655 A1
		22 Apr 2004
End of Annex		
<p>Due to data integration issues this family listing may not include 10 digit Australian applications filed since May 2001. Form PCT/ISA/210 (Family Annex)(July 2009)</p>		