



US00D893406S

(12) **United States Design Patent** (10) **Patent No.:** **US D893,406 S**
Fontaine et al. (45) **Date of Patent:** **** Aug. 18, 2020**

(54) **TIRE SIDEWALL**
(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
(72) Inventors: **Sebastien Willy Fontaine, Vichten (LU); Armand Rene Gabriel Leconte, Insenborn (LU); Wendy Therese Frida El-Sebaly, Burg-Reuland (BE)**
(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

D552,536 S 10/2007 Shondel
D552,537 S 10/2007 Franks et al.
D553,076 S 10/2007 Miyasaka
D557,202 S 12/2007 Shondel
D558,138 S 12/2007 Shondel
D563,310 S 3/2008 Shondel
D567,169 S 4/2008 Maxwell et al.
D568,236 S 5/2008 Holden et al.
D569,792 S 5/2008 Holden et al.
D571,287 S 6/2008 Dixon
D574,320 S 8/2008 Dixon
D581,352 S 11/2008 Harvey
D581,353 S 11/2008 Harvey
D581,354 S 11/2008 Harvey

(Continued)

(**) Term: **15 Years**

(21) Appl. No.: **29/684,577**

(22) Filed: **Mar. 22, 2019**

(51) **LOC (12) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/605**

(58) **Field of Classification Search**
USPC D12/604, 605
CPC B60C 13/00; B60C 1/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D492,648 S 7/2004 Maxwell
D503,146 S 3/2005 Maxwell et al.
D517,003 S 3/2006 Shondel
D540,250 S 4/2007 Shondel
D540,740 S 4/2007 Maxwell et al.
D543,496 S 5/2007 Shondel
D543,497 S 5/2007 Maxwell
D543,499 S 5/2007 Shondel
D543,932 S 6/2007 Shondel
D547,261 S 7/2007 Shondel
D549,168 S 8/2007 Shondel
D550,150 S 9/2007 Shondel
D552,535 S 10/2007 Smith

OTHER PUBLICATIONS

U.S. Appl. No. 29/610,558, filed Jul. 13, 2017, by Maxwell, Goodyear.

(Continued)

Primary Examiner — Michelle E. Wilson
Assistant Examiner — Clese Moore, Jr.
(74) *Attorney, Agent, or Firm* — Robert N. Lipsik


(57) **CLAIM**

The ornamental design for a tire sidewall, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire sidewall showing our new design; FIG. 2 is a front elevational view thereof; and, FIG. 3 is an enlarged fragmentary perspective view thereof. In the drawings, the broken lines showing of the tire tread, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 3 depict environmental subject matter and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D583,313 S 12/2008 Harvey
 D585,016 S 1/2009 Weimer et al.
 D585,017 S 1/2009 Shondel
 D585,018 S * 1/2009 Shondel D12/605
 D588,529 S 3/2009 Reese
 D588,532 S 3/2009 Shondel
 D593,487 S * 6/2009 Takahashi D12/605
 D602,427 S * 10/2009 Takahashi D12/605
 D605,583 S 12/2009 Scheifele
 D606,013 S * 12/2009 Reese D12/605
 D606,933 S 12/2009 Palma et al.
 D608,273 S * 1/2010 Scheifele D12/605
 D608,275 S 1/2010 Maxwell
 D610,978 S 3/2010 Harvey et al.
 D610,979 S * 3/2010 Maxwell D12/605
 D610,980 S 3/2010 Shondel
 D610,981 S 3/2010 Shondel
 D614,123 S 4/2010 Harvey
 D628,959 S 12/2010 Harvey
 D629,745 S * 12/2010 Shondel D12/605
 D638,783 S * 5/2011 Endou D12/605
 D638,784 S 5/2011 Scheifele
 D640,187 S 6/2011 Fontaine
 D655,671 S * 3/2012 Yasunaga D12/605
 D656,089 S * 3/2012 Miyazaki D12/605
 D662,466 S * 6/2012 Takano D12/605
 D666,143 S * 8/2012 Sato D12/605
 D667,369 S 9/2012 Fontaine et al.
 D667,782 S * 9/2012 Mukai D12/605
 D681,547 S * 5/2013 Sato D12/605
 D683,695 S 6/2013 Takeshima
 D684,111 S 6/2013 Vandaele
 D699,665 S 2/2014 Maxwell et al.
 D701,826 S * 4/2014 Morito D12/605
 D708,121 S 7/2014 Iwabuchi

D710,297 S * 8/2014 Itoi D12/605
 D711,816 S 8/2014 Iwabuchi
 D732,468 S 6/2015 Schoeppner et al.
 D739,344 S * 9/2015 Kuwano D12/605
 D740,747 S * 10/2015 Sato D12/605
 D750,555 S 3/2016 Iwabuchi
 D768,067 S * 10/2016 Kuwano D12/605
 D769,807 S 10/2016 Ishikawa
 D773,988 S 12/2016 Itoi
 D777,094 S * 1/2017 Takahashi D12/605
 D798,805 S 10/2017 Schultz et al.
 D800,646 S * 10/2017 Sato D12/605
 D801,263 S * 10/2017 Sato D12/605
 D806,642 S * 1/2018 Kuwano D12/605
 D813,799 S 3/2018 Maxwell et al.
 D817,860 S 5/2018 Maxwell et al.
 D822,590 S 7/2018 Maxwell et al.
 D823,785 S 7/2018 Noel et al.
 D829,643 S * 10/2018 Mita D12/605
 D829,644 S * 10/2018 Morita D12/605
 D829,645 S * 10/2018 Morita D12/605

OTHER PUBLICATIONS

U.S. Appl. No. 291659,046, filed Aug. 6, 2018, by Fontaine, et al., Goodyear.
 U.S. Appl. No. 29/662,197, filed Sep. 4, 2018, by Fontaine, et al., Goodyear.
 U.S. Appl. No. 29/665,284, filed Oct. 2, 2018, by Fontaine, et al., Goodyear.
 U.S. Appl. No. 29/665,287, filed Oct. 2, 2018, by Schoeppner, et al., Goodyear.
 U.S. Appl. No. 29/665,291, filed Oct. 2, 2018, by Schoeppner, et al., Goodyear.
 U.S. Appl. No. 291667,417, filed Oct. 22, 2018, by Maxwell, et al., Goodyear.

* cited by examiner




FIG - 1




FIG - 2




FIG - 3