

- (21) Application No 8310154
(22) Date of filing 14 Apr 1983
(30) Priority data
(31) 64299
(32) 27 Apr 1982
(33) Italy (IT)
(43) Application published
30 Nov 1983
(51) INT CL³
A47C 4/02
(52) Domestic classification
A4L 114 SB
(56) Documents cited
GB 1135450
GB 0746064
GB 0683377
GB 0467446
GB 0373754
GB 0275548
(58) Field of search
A4L
A4H
A4J
(71) Applicants
Arc Linea Arredamenti
SpA
(Italy)
50 Via Pasubio
Caldogno
Vincenza
Italy
(72) Inventor
Carlo Bartoli
(74) Agent and/or
Address for Service
J. M. Halstead
54 Pine Walk,
Carshalton Beeches,
Surrey SM5 4HD

(54) Disassemblable kitchen chair

(57) A disassemblable kitchen chair has a seat (1), a backrest (2), a pair of front legs (3), and a pair of backlegs (4). The seat (1) is fixed to the front legs (3) and to the back legs (4) by means of brackets (5) and screws. The backrest (2) is fixed by means of screws to the back legs (4).




FIG. 1

1/1

2120090




FIG. 1




FIG. 2

SPECIFICATION**Dissemblable kitchen chair**

5 The present invention provides a dissemblable kitchen chair the novel construction of which enables it to be easily assembled even by a non expert person, which thus permits the despatch, of the separate parts forming the chair, to long distances in a package of

10 extremely reduced dimensions.

According to the present invention a dissemblable kitchen chair comprises a seat plate, a backrest plate, a pair of front legs, and a pair of back legs, the seat plate being fixed by means of brackets to the front legs and

15 rear legs, and the backrest plate being fixed by screws to the back legs, enabling the chair to be assembled even by a non expert person.

In a preferred construction, the brackets are of the kind set forth in the specification and drawings of

20 Italian Patent Application No. 64213/B/82 filed on 2nd February 1982 by the Applicant herein.

An embodiment of kitchen chair in accordance with the invention is hereinafter particularly described with reference to the accompanying drawings, wherein:

25 Figure 1 is a perspective view of the assembled chair;

Figure 2 is an elevation of the parts of the chair, seen in separated condition.

As can be seen in figure 1, the chair has a seat plate 1 and a backrest plate 2, the seat plate 1 being fixed to the front legs 3 and to the back legs 4 by means of brackets 5, the backrest plate 2 being fixed directly to the upper part of the legs 4 extending above the seat plate 1.

35 The separate parts forming the chair are to be seen in figure 2, and in particular the brackets 5 correspond to the type already described in our Italian Patent Application No. 64213/B/82 filed on 2nd February 1982.

40 In particular, two screws are sufficient to fix the brackets 5 to the legs 3 and 4, whilst six screws are necessary for the fixing of each bracket 5 to the seat plate 1.

The screws are generally provided with an opposed

45 threaded counter member, which facilitates fixing even by a non expert person with a simple screw driver.

There will clearly be seen the advantages which are obtained with the adoption of the chair of the present invention, the great simplicity of construction of

50 which, together with the employment of the connecting brackets forming the subject of the abovementioned Italian Patent Application, enable it to be assembled even by a non expert person, which permits despatch to long distances of the separate

55 parts packaged in an extremely limited space.

CLAIMS

1. A dissemblable kitchen chair comprising a seat plate, a backrest plate, a pair of front legs and a pair of back legs, the seat plate being fixed by means of

60 brackets to the front legs and rear legs, and the backrest plate being fixed by screws to the back legs, enabling the chair to be assembled even by a non expert person.

65 2. A dissemblable kitchen chair, as claimed in claim 1, wherein said brackets are as set forth in Italian

Patent Application No. 64213/B/82 filed 2nd February 1982.

3. A dissemblable kitchen chair substantially as described herein with reference to the accompanying drawings.

Printed for Her Majesty's Stationery Office by The Tweeddale Press Ltd., Berwick-upon-Tweed, 1983.
Published at the Patent Office, 25 Southampton Buildings, London WC2A 1AY, from which copies may be obtained.