

[54] **TOY VEHICLE WITH REMOVABLE HANDLE**

[75] Inventors: **Shinroku Nakao**, Yokohama; **Yoshiyasu Ishii**; **Hiroaki Matsuda**, both of Tokyo, all of Japan

[73] Assignee: **Combi Co., Ltd.**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **680,560**

[22] Filed: **Apr. 27, 1976**

[30] **Foreign Application Priority Data**  
Nov. 4, 1975 Japan ..... 50-43787

[51] Int. Cl. .... **D21-01**

[52] U.S. Cl. .... **D34/15 AN; D34/15 AJ**

[58] **Field of Search** ..... **D34/15 AJ, 15 D, 15 AM, D34/15 AN, 15 AT; 46/103, 105, 201, 202, 204, 206, 210, 211, 212, 213, 222; 280/87.01, 87.02 R**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 190,037 4/1961 Pressner ..... D34/15 AJ  
1,422,075 7/1922 Aronson ..... 46/123

2,186,188 1/1940 Allen ..... 46/201

**FOREIGN PATENT DOCUMENTS**

2,220,344 11/1973 Germany ..... 280/87.02 R

**OTHER PUBLICATIONS**

Playthings, 3-1972, p. 8, toy vehicle.

Toys, 3-1971, p. 140, toy vehicles.

*Primary Examiner*—Joel Stearman

*Assistant Examiner*—C. A. Rademaker

*Attorney, Agent, or Firm*—Richard C. Sughrue

[57] **CLAIM**

The ornamental design for a toy vehicle with removable handle, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, top and right side perspective view of a toy vehicle with removable handle showing our new design;

FIG. 2 is a rear, bottom and left side perspective view; FIG. 3 is a front, top and right side perspective view thereof with the handle member shown in an exploded condition;

FIG. 4 is a top plan view with the handle in place; and FIG. 5 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

