



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification ⁵ : A61K 7/48, 7/06, 35/20</p>	A1	<p>(11) International Publication Number: WO 94/16675 (43) International Publication Date: 4 August 1994 (04.08.94)</p>
<p>(21) International Application Number: PCT/EP93/03655 (22) International Filing Date: 22 December 1993 (22.12.93) (30) Priority Data: MI93A000118 26 January 1993 (26.01.93) IT MI93A001417 1 July 1993 (01.07.93) IT (71) Applicant (for all designated States except US): HORSE VITALITY LTD. [IE/IE]; 48 Fitzwilliam Square, Dublin 2 (IE). (72) Inventor; and (75) Inventor/Applicant (for US only): GOBBI, Rosa, Maria [IT/IT]; Via Guido D'Arezzo, 6, I-20145 Milano (IT). (74) Agent: MINOJA, Fabrizio; Studio Consulenza Brevettuale, Via Rossini, 8, I-20122 Milano (IT).</p>		<p>(81) Designated States: AT, AU, BB, BG, BR, BY, CA, CH, CZ, DE, DK, ES, FI, GB, HU, JP, KP, KR, KZ, LK, LU, LV, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SK, UA, US, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).</p> <p>Published With international search report.</p>
<p>(54) Title: PHARMACEUTICAL AND DERMOCOSMETIC COMPOSITIONS CONTAINING EQUINE COLOSTRUM (57) Abstract Pharmaceutical and/or dermocosmetic compositions contain equine colostrum, preferably horse colostrum, optionally in admixture with milk.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgystan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LV	Latvia	SN	Senegal
CN	China	MC	Monaco	TD	Chad
CS	Czechoslovakia	MD	Republic of Moldova	TG	Togo
CZ	Czech Republic	MG	Madagascar	TJ	Tajikistan
DE	Germany	ML	Mali	TT	Trinidad and Tobago
DK	Denmark	MN	Mongolia	UA	Ukraine
ES	Spain			US	United States of America
FI	Finland			UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

PHARMACEUTICAL AND DERMOCOSMETIC COMPOSITIONS CONTAINING EQUINE COLOSTRUM

The present invention refers to pharmaceutical, dermatological and cosmetic compositions containing equine colostrum optionally in admixture with equine milk or derivatives of equine colostrum or milk.

5 In the following description, the term "equine" preferably refers to horses although other equine species can be used as sources of colostrum (or milk) according to the invention.

10 Colostrum is defined according to the invention as the mammary secretion occurring in the period starting from some days before delivery until some days after delivery, characterized by an immunoglobulin content of at least 1000 mg/dl. In certain phases of the secretion, this content may be remarkably higher.

15 The pharmaceutical and/or dermocosmetological and cosmetic compositions of the invention contain therefore either equine colostrum as above defined or mixtures of colostrum and milk, in weight ratios ranging from 1:10 to 3:1, preferably from 1:9 to 2:1.

20 It has been found that the compositions of the invention, when topically applied on the skin, are particularly effective in the treatment of burns (caused by fire or sunlight), contact lesions (caused by jelly fishes or, generally by vescicant agents), of cutaneous
25 diseases such as acne, seborrhoic dermatitis, irritations, dyscheratosis and dysmetabolic, dyspeptic forms, such as vascular cutaneous dystrophy, keratinization defects (psoriasis, ichtyosis), chronic photodamages,

atopic dermatitis, senile itching, photoerythema and other common dermatological diseases.

According to the invention, equine colostrum and milk may also be formulated, in the above specified ratios, into cosmetic compositions having anti-burn, anti-lines, antiaging, moisturizing, protective, tensio-distensive, tonic, anti-relaxant, smoothing, anti-irritant, emollient, decongestionant, sun filtering, bleaching, lenitive sebum normalizing activities, repairing activity of damages by sun or radiant rays or generally by physical a chemical damages.

Thanks to their lenitive and anti-irritant action, the compositions of the invention may be effectively used, for instance, in cases of irritation of infants or children's skin caused by diapers, irritation after shave, and in all cases of irritation caused by atmospheric agents (sun, wind, cold etc).

Thanks to their tonic, distensive action on wrinkles, the compositions of the invention may be effectively used for the treatment of aging processes of the skin (antiaging action) caused both by physiological and by exogenous causes, such as noxious UV radiations, atmospheric agents, pollution etc. Thanks to their nutritive and sebumnormalizing action, the compositions of the invention may also be used in the treatment of diseases of the scalp and of hair, particularly of seborrhoic dermatitis and consequent alopecia; dandruff; fragility, dryness of the hair and split hairs due to decoloration or perm processes or the like.

The compositions of the invention are also useful for the prevention and treatment of cellulitis, coupe-

rouse and hair loss and, because of their healing and antiallergic action, for the treatment of burns, erythemas etc.

5 Examples of compositions of the invention comprise creams, lotions, tonic lotions, emulsions, ointments, gels, masks, foams, milks, detergent milks, aspersion powders, sun- and after-sun creams, oils, shampoos, hair conditioners, packs lipsticks, after-shave creams and lotions, and the like.

10 The compositions of the invention typically contain from 1 to 50% by weight of equine colostrum (or mixtures thereof with equine milk in the above specified ratios) according to the intended uses, with suitable excipients and adjuvants.

15 Formulations consisting of pure equine colostrum (distributed, for instance, in vials or bottles) may also be provided.

Extractive or semi-synthetic derivatives of colostrum may also be used.

20 Moreover, the compositions of the invention may also optionally contain other active agents, having complementary or anyhow useful activity, such as anti-inflammatory, antibacterial, moisturizing, emollients, healing, repairing agents such as, for instance: Heder
25 elix, Centella asiatica, borage, calendula, sage, rosemary, vegetable oils, pineapple, sea weeds, papaya, blackberry, domestic chestnut, red vine, malva, jaluonic acid, elastine, collagene, hamamelis, wheat germ, carrot, green clay, thymus, propolis, etc.

30 The administration route and frequency will depend of course on the kind of formulation and of the desired

effect but generally will be those typical for the kind of used formulations (creams 1 to 3 times a day; after-shave after each shaving; beauty mask once or more times a week; anti-irritating creams after each diaper change; shampoo and balsam once or more times a week and so on).

Equine colostrum or milk can be used either fresh, e.g. immediately after milking, or in lyophilized or spray-dried form.

For certain applications, sterility of the formulation may be a necessary requisite; in this case, colostrum or milk may be subjected to gamma rays sterilization without alteration of their characteristics. Equine colostrum can be frozen for its long-term preservation and thawed before its formulation in the final administration forms.

The compositions of the invention may also contain conventional excipients usually used in the preparation of pharmaceutical and cosmetic formulations, such as thickening agents, emulsifiers, detergents, surfactants, preserving agents, hair-conditioners, perfumes, etc.

The formulations of the invention have been clinically tested in a variety of conditions. The results are reported hereinafter.

Acne. Twelve 16-27 years old patients, affected by seborroic acne, were treated twice a day with topical application of cream containing 30% of horse colostrum in hydrosoluble base. In each case, the cutaneous lesions completely disappeared and restitutio ad integrum of the cutis took place within 6-12 days.

Contact lesions. Five cases of cutaneous lesions with contact vesicles (jelly-fish) were topically treated with two applications, at 12 hours intervals, of a cream containing 20% horse colostrum and 10% horse milk in hydrosoluble base, also containing peppermint and benzocaine. Pain immediately disappeared and the lesions recovered within 24 hours.

Sun burns. Thirty patients affected by sun burns with hyperthermia were treated twice a day with the same cream as used for contact lesions. Pain always immediately disappeared, with decrease of the cutaneous tension within 24 hours, followed in the subsequent days by normal sun-tan without desquamation. (Children were treated with the same cream, containing camomille extract instead of peppermint).

Fire burns Six cases of 2° degree fire burns and two of 3° degree burns were treated with the same cream and modalities as for sun burns. Again, pain disappearance was very fast and the complete restitutio ad integrum of epithelium occurred with one week.

Atopic dermatitis. Seven patients affected by atopic dermatitis of medium degree, were treated with 20% emulsion of equine colostrum twice a day for 30 days. 10 Healthy subjects were treated analogously as a control group. The treatment turned out to be well tolerated also on dermatitic cutis and to be endowed with emollient, lenitive, anti-inflammatory activities higher than that of commonly available emulsions. No cases of sensitization or side-

effect have been reported. The dryness of the skin was considerably reduced together with decrease of erythema and itching.

Ulcerative cutaneous lesions. Ten patients affected by cutaneous ulcerative lesions following to impairment of blood perfusion of primitive (vasculopathic) or secondary origin were treated twice a day for 20 days with a liposomal gel containing 20% of horse colostrum. No phlogistic effect occurred upon application of the gel. The completely or partially impaired healing processes improved, starting from the third day of treatment in 7 patients. A significant repair of the cutaneous lesion occurred in most cases.

The following examples further illustrate the invention.

Example 1

Body cream

Contents:

20 Composition:

Horse Colostrum	3%
Horse Milk	20%
Maize Germ Oil	10%
Karité Butter	10%
25 Sodium Lactate	2%
Glycerol	2%
Water	q.s.

30

Example 2Face cream

Contents:

Composition:

5	Horse Colostrum	10%
	Horse Milk	20%
	Squalene	10%
	Maize Germ Oil	10%
	Karité Butter	10%
10	Sodium Lactate	2%
	Water	q.s.

Example 3Anti-ulcer and anti-burn cream

Contents:

15 Composition:

	Horse Colostrum	20%
	Horse Milk	10%
	Beeswax	10%
	Maize Germ Oil	10%
20	Zinc oxide	7%
	Panthenol	3%
	Water	q.s.

CLAIMS

1. Pharmaceutical, dermatological and cosmetic compositions containing equine colostrum optionally in admixture with milk or derivatives of equine colostrum or milk.
5
2. Compositions according to claim 1 containing equine colostrum optionally in admixture with equine milk.
- 10 3. Compositions according to claim 2 containing horse colostrum.
4. Compositions according to any one of the preceding claims containing mixtures of milk and colostrum in ratios from 1:10 to 3:1.
- 15 5. Compositions according to any one of the preceding claims in form of creams, lotions, tonic lotions, emulsions, ointments, gels, masks, foams, milks, detergent milks, aspersion powders, sun- and after-sun creams, oils, shampoos, hair conditioners, packs lipsticks, after-shave creams and lotions, and the like.
20
6. Use of equine colostrum or milk for the preparation of a medicament for the treatment of dermatological diseases.
7. A method of cosmetic treatment comprising the topical application of equine colostrum optionally in admixture with milk.
25

INTERNATIONAL SEARCH REPORT

International application No.
PCT/EP 93/03655

A. CLASSIFICATION OF SUBJECT MATTER
IPC 5 A61K7/48 A61K7/06 A61K35/20

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 5 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	GB,A,2 052 979 (ASSIER DE POMPIGNAN) 4 February 1981 see the whole document ---	1-7
A	DE,C,41 03 275 (BLIESENER) 2 April 1992 see the whole document ---	1-7
A	FR,A,2 360 313 (PIERRE FABRE) 3 March 1978 see the whole document ---	1-7
A	FR,A,2 617 049 (HUET) 30 December 1988 see the whole document -----	1-7

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

30 March 1994

Date of mailing of the international search report

14. 04. 94

Name and mailing address of the ISA
European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+ 31-70) 340-3016

Authorized officer

Fischer, J.P.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

PCT/EP 93/03655

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
GB-A-2052979	04-00-00	FR-A- 2460135	23-01-81
		BE-A- 883935	16-10-80
		CH-A- 644269	31-07-84
		DE-A, C 3024623	22-01-81
		JP-C- 1578826	13-09-90
		JP-B- 2001127	10-01-90
		JP-A- 56053612	13-05-81
		NL-A- 8003802	06-01-81
		US-A- 4342747	03-08-82
DE-C-4103275	02-04-92	NONE	
FR-A-2360313	03-03-78	DE-A- 2733851	09-02-78
FR-A-2617049	30-12-88	NONE	