



- (51) **International Patent Classification:**
G06F 17/21 (2006.01) *G06Q 50/00* (2012.01)
G06F 9/44 (2006.01)
- (21) **International Application Number:**
PCT/US2011/049239
- (22) **International Filing Date:**
25 August 2011 (25.08.2011)
- (25) **Filing Language:** English
- (26) **Publication Language:** English
- (30) **Priority Data:**
13/195,298 1 August 2011 (01.08.2011) US
- (71) **Applicant (for all designated States except US):** **INTUIT INC.** [US/US]; 2700 Coast Avenue, Mountain View, California 94043 (US).
- (72) **Inventors; and**
- (75) **Inventors/Applicants (for US only):** **EFTEKHARI, Amir** [US/US]; c/o Intuit Inc., 2700 Coast Avenue, Mountain View, California 94043 (US). **TIFFORD, Alan** [US/US]; c/o Intuit Inc., 2700 Coast Avenue, Mountain View, California 94043 (US).
- (74) **Agent:** **SAHASRABUDDHE, Laxman**; 2820 Fifth Street, Davis, California 95618 (US).

(81) **Designated States** (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, QA, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) **Designated States** (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) **Title:** INTERACTIVE TECHNIQUE FOR COLLECTING INFORMATION




FIG. 1

(57) **Abstract:** In a collection technique, a user (such as a taxpayer) provides information (such as income-tax information) by submitting an image of a document, such as an income-tax summary or form. In particular, the user may provide a description of the document. In response, the user is prompted for the information associated with the field in the document. Then, the user provides the image of a region in the document that includes the field. Based on the image, the information is extracted, and the field in the form is populated using the extracted information. The prompting, receiving, extracting and populating operations may be repeated for one or more additional fields in the document.

INTERACTIVE TECHNIQUE FOR COLLECTING INFORMATION

5

Inventors: Amir Eftekhari and Alan Tifford

BACKGROUND

[001] The present disclosure relates to techniques for collecting information from a user.

10 [002] Existing software programs often collect information either directly or indirectly from users. For example, in existing income-tax programs, which facilitate income-tax preparation, a user may provide income-tax information from forms (such as a *W*-2 form) by typing it in manually. Alternatively, the user may provide credential information (such as a user name and password) that allows the income-tax information to be downloaded from a payroll
15 company's server. However, this indirect collection technique is not available for many users.

[003] Manually providing income-tax information is a time-consuming and laborious process. Furthermore, because users don't know which data on a given form is relevant, they often provide all the information on the form, which results in wasted effort. In addition, manually provided income-tax information often contains errors that can cause mistakes in users'
20 income-tax returns. However, requiring users to validate all of the data they have provided (such as all of the fields in a *W*-2 form) is also a time-consuming and laborious process, and the user may not detect all of the errors.

[004] As a consequence, manual entry of information can adversely impact the user experience, and can result in errors. Consequently, manual entry can reduce: customer
25 satisfaction, customer retention, and sales of software programs.

SUMMARY

[005] The disclosed embodiments relate to an electronic device that populates a field in a form. During operation, the electronic device receives a description of a document from a user.
30 In response, the electronic device prompts the user for information associated with a field in the document. Then, the electronic device receives an image of a region in the document that includes the field from the user. Moreover, the electronic device extracts the information from the image of the region, and populates the field in the form based on the extracted information.

[006] Note that the document may include an income-tax form. More generally, the document includes a form having an official format, such as that specified by a business or a government agency. However, in some embodiments the document is an arbitrary document (and may not have a predefined format).

5 [007] Moreover, when prompting the user, the electronic device may display a template of fields in the document and request that the user provide the image of the field.

[008] Furthermore, the image may include a digital photograph. Alternatively, the image may include a real-time video stream provided by an imaging device.

10 [009] In some embodiments, the image includes multiple fields and, when extracting the information, the electronic device may: capture a set of information associated with the fields; identify the field based on descriptive information proximate to the field; and select a subset of the set of information that includes the information. Note that, if the computer is unable to identify the field, the electronic device may prompt the user to identify the field from the multiple fields.

15 [010] Additionally, extracting the information may involve optical character recognition. For example, the optical character recognition may include a radial image analysis technique that identifies a boundary of the field in the region.

[011] In some embodiments, the electronic device repeats the prompting, receiving, extracting and populating operations for one or more additional fields in the document.

20 [012] Another embodiment provides a method that includes at least some of the operations performed by the electronic device.

[013] Another embodiment provides a computer-program product for use with the electronic device. This computer-program product includes instructions for at least some of the operations performed by the electronic device.

25 BRIEF DESCRIPTION OF THE FIGURES

[014] FIG. 1 is a flow chart illustrating a method for populating a field in a form in accordance with an embodiment of the present disclosure.

30 [015] FIG. 2A is a flow chart illustrating the method of FIG. 1 in accordance with an embodiment of the present disclosure.

[016] FIG. 2B is a flow chart illustrating the method of FIG. 1 in accordance with an embodiment of the present disclosure.

[017] FIG. 3 is a block diagram illustrating extraction of information from an image of a region in a document in accordance with an embodiment of the present disclosure.

[018] FIG. 4 is a block diagram illustrating a computer system that performs the method of FIG. 1 in accordance with an embodiment of the present disclosure.

[019] FIG. 5 is a block diagram illustrating an electronic device that performs the method of FIG. 1 in accordance with an embodiment of the present disclosure.

5 [020] FIG. 6 is a block diagram illustrating a data structure for use in the electronic device of FIG. 5 in accordance with an embodiment of the present disclosure.

[021] Note that like reference numerals refer to corresponding parts throughout the drawings. Moreover, multiple instances of the same part are designated by a common prefix separated from an instance number by a dash.

10

DETAILED DESCRIPTION

[022] Embodiments of an electronic device, a technique for populating a field in a form, and a computer-program product (*e.g.*, software) for use with the electronic device are described.

This collection technique allows a user (such as a taxpayer) to provide information (such as
15 income-tax information) by submitting an image of a document, such as an income-tax summary or form. In particular, the user may provide a description of the document. In response, the user is prompted for the information associated with the field in the document. Then, the user provides the image of a region in the document that includes the field. Based on the image, the information is extracted, and the field in the form is populated using the extracted information.

20 The prompting, receiving, extracting and populating operations may be repeated for one or more additional fields in the document.

[023] By facilitating collection of the information, this collection technique may make it easier for users to accurately and efficiently complete forms. For example, in income-tax programs, the user may not have to manually provide the income-tax information. Alternatively,
25 the user may only have to validate a subset of the income-tax information (as opposed to all of the income-tax information). This capability may: reduce mistakes in completing the forms (such as those associated with income-tax returns), increase sales, improve customer satisfaction and/or increase customer retention.

[024] In the discussion that follows, the users may include a variety of entities, such as:
30 an individual, an organization, a business and/or a government agency. Furthermore, a 'business' should be understood to include: for-profit corporations, non-profit corporations, organizations, groups of individuals, sole proprietors, government agencies, partnerships, etc.

[025] We now describe embodiments of the collection technique. FIG. 1 presents a flow chart illustrating a method 100 for populating a field in a form, which may be performed by
35 an electronic device, such as electronic device 500 in FIG. 5. During operation, the electronic

device receives a description of a document from a user (operation 110). This may involve the user specifying the document, for example, by selecting a document name or number from a list of predefined documents. Note that the document may include an income-tax form that includes a summary of the income-tax information of the user during a time interval (such as a quarter or a year). For example, the document may include a *W-2* form. More generally, the document includes a form having an official format, such as that specified by a business or a government agency. However, in some embodiments the document is an arbitrary document (and may not have a predefined format), such as a handwritten note.

[026] In response, the electronic device prompts the user for information (such as the user's name, address, phone number, a dollar amount, etc.) associated with a field in the document (operation 112). For example, when prompting the user, the electronic device may display a template of fields in the document and may request that the user provide the image of the field.

[027] Then, the electronic device receives an image of a region in the document that includes the field from the user (operation 114). Furthermore, the image may include a digital photograph, such as an image that is captured using an imaging device (such as a digital camera) on a portable electronic device (*e.g.*, a cellular telephone). Alternatively, the image may include a real-time video stream provided by the imaging device. (Thus, in some embodiments the user need not take a permanent picture of the region. Instead, the imaging device may be used in a 'video mode' to provide a continuously updated image.)

[028] Moreover, the electronic device extracts the information from the image of the region (operation 116), and populates the field in the form based on the extracted information (operation 118). In this way, the electronic device can be used as a field-by-field scanner. Moreover, the collection technique can, therefore, reduce or eliminate the need for the user to manually enter the information.

[029] Note that extracting the information may involve optical character recognition or *OCR* (such as FlexiCapture *OCR* software from ABBYY Software House, Inc. of Moscow, Russia) and/or intelligent character recognition. For example, the optical character recognition may include a radial image analysis technique that identifies a boundary of the field in the region. Furthermore, in some embodiments an accelerometer or a position sensor in the electronic device is used to determine the field in the document in which the user is interested.

[030] In some embodiments, the electronic device optionally repeats (operation 120) the prompting, receiving, extracting and populating operations for one or more additional fields in the document.

[031] In some embodiments, the image includes multiple fields and, when extracting the information, the electronic device may: capture a set of information associated with the fields; identify the field based on descriptive information adjacent or proximate to the field; and select a subset of the set of information that includes the information. For example, the information adjacent or proximate to the field may include a text description of the field. Note that, if the computer is unable to identify the field, the electronic device may prompt the user to identify the field from the multiple fields.

[032] In an exemplary embodiment, the collection technique is implemented using an electronic device (such as a client computer or a portable electronic device) and at least one server, which communicate through a network, such as the Internet (*i.e.*, using a client-server architecture). This is illustrated in FIG. 2A, which presents a flow chart illustrating method 100. During this method, a user may provide a description of a document that is received by electronic device 210 (operation 214). This description may be subsequently provided to (operation 216) and received by server 212 (operation 218). In response, server 212 may prompt the user for information associated with a field in the document (operation 220). This prompt may be received and displayed by electronic device 210 (operation 222).

[033] Then, the user may use electronic device 210 to acquire an image of a region in the document that includes the field (operation 224), for example, using a digital camera included in electronic device 210. This image may be provided to (operation 226) and received by server 212 (operation 228).

[034] Server 212 may extract the information from the image of the region (operation 230), and may populate the field in the form based on the extracted information (operation 232).

[035] Alternatively, in another exemplary embodiment, the collection technique is implemented using an electronic device (such as a client computer or a portable electronic device). This is illustrated in FIG. 2B, which presents a flow chart illustrating method 100. During this method, a user may provide a description of a document that is received by electronic device 210 (operation 214). In response, electronic device 210 may prompt the user for information associated with a field in the document (operation 250). For example, electronic device 210 may display the prompt on a display associated with electronic device 210.

[036] Then, the user may use electronic device 210 to acquire an image of a region in the document that includes the field (operation 224), for example, using a digital camera included in electronic device 210.

[037] Electronic device 210 may extract the information from the image of the region (operation 252), and may populate the field in the form based on the extracted information (operation 254).

[038] In some embodiments of method 100 (FIGs. 1, 2A and 2B), there may be additional or fewer operations. Moreover, the order of the operations may be changed, and/or two or more operations may be combined into a single operation.

[039] In an exemplary embodiment, the user indicates that the document is a *W-2* form. In response, the user is prompted to provide the information in Box 1 ('Wages, tips, other compensation').

[040] Based on the prompt, the user takes a picture of a region on the *W-2* form that includes Box 1. The information is extracted from the picture using *OCR*. As shown in FIG. 3, which illustrates extraction of information (*i.e.*, '\$45,000') from an image 300 of a region 310 in a document, this may involve a radial image analysis technique that identifies a boundary 312 of Box 1 in region 310. For example, in the radial image analysis technique boundary 312 may be identified by starting at a center or internal location inside of boundary 312 and radially moving outward until a meaningful perimeter (*i.e.*, boundary 312) is found (such as a whitespace, a line, etc.).

[041] Once boundary 312 is identified, image 300 may be cropped and fed into an *OCR* engine to extract the information. Next, a field in an income-tax form may be populated with the extracted information.

[042] We now describe embodiments of the electronic device and the computer system and their use. FIG. 4 presents a block diagram illustrating a computer system 400 that performs method 100 (FIGs. 1, 2A and 2B). In this system, a user of electronic device 210 may use a software program or software, such as income-tax software. This software may be a stand-alone application or a portion of another application that is resident on and which executes on electronic device 210 (such as financial software that is provided by server 212 or that is installed and which executes on electronic device 210).

[043] In some embodiments, at least a portion of the software may be an application tool that is embedded in the web page (and which executes in a virtual environment of the web browser). In an illustrative embodiment, the application tool is a software package written in: JavaScriptTM (a trademark of Oracle Corporation), *e.g.*, the application tool includes programs or procedures containing JavaScript instructions, ECMAScript (the specification for which is published by the European Computer Manufacturers Association International), VBScriptTM (a trademark of Microsoft Corporation) or any other client-side scripting language. In other words, the embedded application tool may include programs or procedures containing: JavaScript, ECMAScript instructions, VBScript instructions, or instructions in another programming language suitable for rendering by the web browser or another client application (such as on electronic device 210). Thus, the application tool may be provided to the user via a client-server

architecture. In particular, instructions for the web page may be provided by server 212 to electronic device 210 via network 412.

[044] As discussed previously, the user may provide a description of a document to the software on electronic device 210. In response, the software may prompt the user for
5 information associated with a field in the document, for example, based on a stored template of the fields in the document.

[045] Then, the user may use electronic device 210 to take an image of a region in the document that includes the field, for example, using a digital camera included in electronic device 210.

10 [046] Next, the software may extract the information from the image of the region (for example, using an extraction engine or module, such as an *OCR* engine), and may populate the field in the form based on the extracted information.

[047] Note that the information in computer system 400 (such as predefined templates for income-tax return forms) may be stored at one or more locations in computer system 400
15 (*i.e.*, locally or remotely). Moreover, because this information may be sensitive in nature, it may be encrypted. For example, stored information and/or information communicated via network 412 may be encrypted.

[048] FIG. 5 presents a block diagram illustrating an electronic device 500 that performs method 100 (FIGs. 1, 2A and 2B), such as electronic device 210 (FIGs. 2A, 2B and 4).

20 Electronic device 500 includes one or more processing units or processors 510, a communication interface 512, a user interface 514, and one or more signal lines 522 coupling these components together. Note that the one or more processors 510 may support parallel processing and/or multi-threaded operation, the communication interface 512 may have a persistent communication connection, and the one or more signal lines 522 may constitute a communication bus.

25 Moreover, the user interface 514 may include: a display 516 (such as a touch-sensitive display), a keyboard 518, and/or a pointer 520, such as a mouse.

[049] Memory 524 in electronic device 500 may include volatile memory and/or non-volatile memory. More specifically, memory 524 may include: *ROM*, *RAM*, *EPROM*, *EEPROM*, flash memory, one or more smart cards, one or more magnetic disc storage devices, and/or one or
30 more optical storage devices. Memory 524 may store an operating system 526 that includes procedures (or a set of instructions) for handling various basic system services for performing hardware-dependent tasks. Memory 524 may also store procedures (or a set of instructions) in a communication module 528. These communication procedures may be used for communicating with one or more computers and/or servers, including computers and/or servers that are remotely
35 located with respect to electronic device 500.

[050] Memory 524 may also include multiple program modules (or sets of instructions), including: software 530 (or a set of instructions), extraction module 532 (or a set of instructions), analysis module 534 (or a set of instructions), and/or encryption module 536 (or a set of instructions). Note that one or more of these program modules (or sets of instructions) may constitute a computer-program mechanism.

[051] During method 100 (FIG. 1), the user may provide a description 538 of a document 540. In response, software 530 may prompt the user for information 542 associated with a field (such as one of fields 546) in document 540. For example, when prompting the user, software 530 may display one of templates 544 of fields 546 in document 540 on display 516 and may request that the user provide an image of the field.

[052] An example of stored templates 544 is shown in FIG. 6, which presents a data structure 600. In particular, data structure 600 may include templates 544. For example, template 544-1 may include: a document 610-1 (such as a form), fields 612-1, and/or associated descriptive information 614-1 that is adjacent or proximate to fields 612-1 in document 610-1.

[053] Referring back to FIG. 5, based on the prompt the user may acquire an image 550 of a region in document 540 that includes the field using an imaging device 508. Next, extraction module 532 may extract information 542 from image 550 of the region, and software 530 may populate one or more fields 552 in form 554 based on extracted information 542. Note that extracting information 542 may involve *OCR*, intelligent character recognition and/or a radial image analysis technique that identifies a boundary 548 of the field in the region.

[054] In some embodiments, image 550 includes multiple fields 546 and, when extracting the information, electronic device 500 may capture a set of information 556 associated with fields 546. Then, analysis module 534 may identify the field based on descriptive information 558 adjacent or proximate to the field, and may select a subset 560 of set of information 556 that includes information 542. Note that, if analysis module 534 is unable to identify the field, software 530 may prompt the user to identify the field from fields 546.

[055] Furthermore, because information 542 may be sensitive in nature, in some embodiments at least some of the information stored in memory 524 and/or at least some of the information communicated using communication module 528 is encrypted using encryption module 536. Additionally, in some embodiments one or more of the modules in memory 524 may be included in software 530.

[056] Instructions in the various modules in memory 524 may be implemented in: a high-level procedural language, an object-oriented programming language, and/or in an assembly or machine language. Note that the programming language may be compiled or interpreted, *e.g.*, configurable or configured, to be executed by the one or more processors 510.

[057] Although electronic device 500 is illustrated as having a number of discrete items, FIG. 5 is intended to be a functional description of the various features that may be present in electronic device 500 rather than a structural schematic of the embodiments described herein. In practice, and as recognized by those of ordinary skill in the art, the functions of electronic device 500 may be distributed over a large number of servers or computers, with various groups of the servers or computers performing particular subsets of the functions. In some embodiments, some or all of the functionality of electronic device 500 may be implemented in one or more application-specific integrated circuits (ASICs) and/or one or more digital signal processors (DSPs).

[058] Electronic devices and servers in computer system 400 (FIG. 4) and/or electronic device 500 may include one of a variety of devices capable of manipulating computer-readable data or communicating such data between two or more computing systems over a network, including: a personal computer, a laptop computer, a mainframe computer, a portable electronic device (such as a cellular phone or PDA), a server, a tablet computer, and/or a client computer (in a client-server architecture). Moreover, network 412 (FIG. 4) may include: the Internet, World Wide Web (WWW), an intranet, LAN, WAN, MAN, or a combination of networks, or other technology enabling communication between computing systems.

[059] In exemplary embodiments, software 530 includes financial software, such as: QuickenTM and/or TurboTaxTM (from Intuit, Inc., of Mountain View, California), Microsoft MoneyTM (from Microsoft Corporation, of Redmond, Washington), SplashMoneyTM (from SplashData, Inc., of Los Gatos, CA), MvelopesTM (from In2M, Inc., of Draper, Utah), and/or open-source applications such as GnucashTM, PLCashTM, BudgetTM (from Snowmint Creative Solutions, LLC, of St. Paul, Minnesota), and/or other planning software capable of processing financial information.

[060] Moreover, the financial software may include: QuickBooksTM (from Intuit, Inc., of Mountain View, California), PeachtreeTM (from The Sage Group PLC, of Newcastle Upon Tyne, the United Kingdom), Peachtree CompleteTM (from The Sage Group PLC, of Newcastle Upon Tyne, the United Kingdom), MYOB Business EssentialsTM (from MYOB US, Inc., of Rockaway, New Jersey), NetSuite Small Business AccountingTM (from NetSuite, Inc., of San Mateo, California), Cougar MountainTM (from Cougar Mountain Software, of Boise, Idaho), Microsoft Office AccountingTM (from Microsoft Corporation, of Redmond, Washington), Simply AccountingTM (from The Sage Group PLC, of Newcastle Upon Tyne, the United Kingdom), CYMA IV AccountingTM (from CYMA Systems, Inc., of Tempe, Arizona), DacEasyTM (from Sage Software SB, Inc., of Lawrenceville, Georgia), Microsoft MoneyTM (from Microsoft

Corporation, of Redmond, Washington), Tally.ERP (from Tally Solutions, Ltd., of Bangalore, India) and/or other payroll or accounting software capable of processing payroll information.

[061] Image 300 (FIG. 3), computer system 400 (FIG. 4), and/or electronic device 500 may include fewer components or additional components. Moreover, two or more components may be combined into a single component, and/or a position of one or more components may be changed. In some embodiments, the functionality of computer system 400 (FIG. 4) and/or electronic device 500 may be implemented more in hardware and less in software, or less in hardware and more in software, as is known in the art.

[062] The foregoing description is intended to enable any person skilled in the art to make and use the disclosure, and is provided in the context of a particular application and its requirements. Moreover, the foregoing descriptions of embodiments of the present disclosure have been presented for purposes of illustration and description only. They are not intended to be exhaustive or to limit the present disclosure to the forms disclosed. Accordingly, many modifications and variations will be apparent to practitioners skilled in the art, and the general principles defined herein may be applied to other embodiments and applications without departing from the spirit and scope of the present disclosure. Additionally, the discussion of the preceding embodiments is not intended to limit the present disclosure. Thus, the present disclosure is not intended to be limited to the embodiments shown, but is to be accorded the widest scope consistent with the principles and features disclosed herein.

What is claimed is:

1. A computer-implemented method for populating a field in a form, comprising:
receiving a description of a document from a user;
5 prompting the user for information associated with a field in the document;
receiving, from the user, an image of a region in the document that includes the field;
extracting, using a computer, the information from the image of the region; and
populating the field in the form based on the extracted information.
2. The method of claim 1, wherein the document includes an income-tax form.
- 10 3. The method of claim 1, wherein the document includes a form having a format specified
by a government agency.
4. The method of claim 1, wherein prompting the user involves displaying a template of
fields in the document and requesting that the user provide the image of the field.
5. The method of claim 1, wherein the image includes a digital photograph.
- 15 6. The method of claim 1, wherein the image includes multiple fields; and
wherein the extracting involves:
 capturing a set of information associated with the fields;
 identifying the field based on descriptive information proximate to
the field; and
20 selecting a subset of the set of information that includes the information.
7. The method of claim 6, wherein, if the computer is unable to identify the field, the
method further includes prompting the user to identify the field from the multiple fields.
8. The method of claim 1, wherein the image includes a real-time video stream provided by
an imaging device.
- 25 9. The method of claim 1, wherein extracting the information involves optical character
recognition.
10. The method of claim 9, wherein the optical character recognition includes a radial image
analysis technique that identifies a boundary of the field in the region.
11. The method of claim 1, wherein the method further includes repeating the prompting,
30 receiving, extracting and populating operations for one or more additional fields in the document.

12. A non-transitory computer-program product for use in conjunction with an electronic device, the computer-program product comprising a computer-readable storage medium and a computer-program mechanism embedded therein to populate a field in a form, the computer-program mechanism including:

- 5 instructions for receiving a description of a document from a user;
 instructions for prompting the user for information associated with a field in the document;
 instructions for receiving, from the user, an image of a region in the document that includes the field;
10 instructions for extracting the information from the image of the region; and
 instructions for populating the field in the form based on the extracted information.

13. The computer-program product of claim 12, wherein the document includes a form having a format specified by a government agency.

14. The computer-program product of claim 12, wherein the instructions for prompting the
15 user involve displaying a template of fields in the document and requesting that the user provide the image of the field.

15. The computer-program product of claim 12, wherein the image includes a digital photograph.

16. The computer-program product of claim 12, wherein the image includes multiple fields;
20 and
 wherein the instructions for extracting involve:

- capturing a set of information associated with the fields;
 identifying the field based on descriptive information proximate to
the field; and
25 selecting a subset of the set of information that includes the information.

17. The computer-program product of claim 16, wherein, if the electronic device is unable to identify the field, the computer-program mechanism further includes instructions for prompting the user to identify the field from the multiple fields.

18. The computer-program product of claim 12, wherein the image includes a real-time video
30 stream provided by an imaging device.

19. The computer-program product of claim 12, wherein instructions for extracting the information involve optical character recognition.

20. The computer-program product of claim 19, wherein the optical character recognition includes a radial image analysis technique that identifies a boundary of the field in the region.

5 21. The computer-program product of claim 12, wherein the computer-program mechanism further includes instructions for repeating the prompting, receiving, extracting and populating operations for one or more additional fields in the document.

22. An electronic device, comprising:

a processor;

10 memory; and

a program module, wherein the program module is stored in the memory and configurable to be executed by the processor to populate a field in a form, the program module including:

instructions for receiving a description of a document from a user;

15 instructions for prompting the user for information associated with a field in the document;

instructions for receiving, from the user, an image of a region in the document that includes the field;

instructions for extracting the information from the image of the region; and

20 instructions for populating the field in the form based on the extracted information.




FIG. 1




FIG. 2A


**FIG. 2B**

IMAGE
300

REGION
310

BOUNDARY
312

Official use only B No. 1545-5008		
	1 Wages, tips, other compensation \$45,000	2 Fel \$17,
	3 Social security wages	4 So

FIG. 3




FIG. 4




FIG. 5




FIG. 6

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US2011/049239**A. CLASSIFICATION OF SUBJECT MATTER****G06F 17/21(2006.01)i, G06F 9/44(2006.01)i, G06Q 50/00(2006.01)i**

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

G06F 17/21; G06F 17/00; G06F 17/30; G06K 9/00; G06K 9/62

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Korean utility models and applications for utility models

Japanese utility models and applications for utility models

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

eKOMPASS(KIPO internal) & Keywords:populating a field, form, capture, image, extract, OCR

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 2007-0133876 A1 (CHANDE, SURESH et al.) 14 June 2007	1-7, 11-17, 21-22
A	See paragraph 10 - paragraph 11; paragraph 50 - paragraph 55; claims 1-2, 9, and figures 2-3.	8-10, 18-20
Y	US 2010-0161460 A1 (VROOM BRIAN D. et al.) 24 June 2010	1-7, 11-17, 21-22
A	See paragraph 15- paragraph 27; paragraph 30 - paragraph 37; claim 1, and figures 1-6.	8-10, 18-20
A	US 2009-0183064 A1 (BORGAONKAR SHEKHAR RAMACHANDRA et al.) 16 July 2009	1-22
	See paragraphs 21 - paragraph 32; paragraph 42- paragraph 49; claim 1, and figures 5, 8.	
A	US 2007-0009158 A1 (GEVA, AMIR et al.) 11 January 2007	1-22
	See paragraph 24; paragraph 38 - paragraph 51; claim 1, and figure 2.	



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

25 JULY 2012 (25.07.2012)

Date of mailing of the international search report

27 JULY 2012 (27.07.2012)

Name and mailing address of the ISA/KR

Korean Intellectual Property Office
189 Cheongsa-ro, Seo-gu, Daejeon Metropolitan
City, 302-701, Republic of Korea

Facsimile No. 82-42-472-7140

Authorized officer

PARK, SANG HYUN

Telephone No. 82-42-481-8263



INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

PCT/US2011/049239

Patent document
cited in search report

Publication
date

Patent family
member(s)

Publication
date

US 2007-0133876 A1

14.06.2007

None

US 2010-0161460 A1

24.06.2010

None

US 2009-0183064 A1

16.07.2009

None

US 2007-0009158 A1

11.01.2007

CN 1892642 A
CN 1892642 B
US 7607078 B2

10.01.2007
12.01.2011
20.10.2009