



US00D836700S

(12) **United States Design Patent**
Nohara

(10) **Patent No.:** **US D836,700 S**

(45) **Date of Patent:** **** Dec. 25, 2018**

(54) **CAMERA STROBE**

(71) Applicant: **OLYMPUS CORPORATION**,
Hachioji-shi, Tokyo (JP)

(72) Inventor: **Takeshi Nohara**, Hachioji (JP)

(73) Assignee: **OLYMPUS CORPORATION**, Tokyo
(JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/583,088**

(22) Filed: **Nov. 2, 2016**

(30) **Foreign Application Priority Data**

Aug. 9, 2016 (JP) 2016-017086

(51) **LOC (11) CL.** **16-01**

(52) **U.S. CL.**
USPC **D16/219**

(58) **Field of Classification Search**

USPC D16/200, 202–205, 218, 219, 237–240,
D16/250; 348/373–376; 362/4, 16–18;
396/4, 61, 155, 544, 535, 539–541
CPC G03B 17/02; G03B 19/04; G03B 17/56;
G03B 17/04; G03B 15/03; G03B 17/14;
H04N 5/2251; H04N 5/2252; H04N
5/2253; H04N 5/2254; G02B 7/02; G02B
7/04; G02B 7/14

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D241,273 S	8/1976	Okuno et al.	
4,190,880 A *	2/1980	Esaki	G03B 15/05 362/16
D263,720 S	4/1982	Takematsu	
D271,210 S	11/1983	Shull	
D271,306 S *	11/1983	Shull	D16/240
D283,331 S *	4/1986	Hattori	D16/240

4,816,854 A	3/1989	Tsuji et al.	
D342,753 S	12/1993	Haga	
5,565,941 A	10/1996	Kaneko	
5,794,082 A	8/1998	Matsui	
D453,351 S	2/2002	Kitera	
D502,488 S	3/2005	Miyashita	
D562,875 S *	2/2008	Kitera	D16/239
D577,053 S *	9/2008	Watanabe	D16/239
D689,538 S	9/2013	Sato	
D695,815 S *	12/2013	Takahashi	D16/240
D696,711 S *	12/2013	Takahashi	D16/240
D697,544 S *	1/2014	Jang	D16/240
D701,553 S	3/2014	Oh	
D703,723 S	4/2014	Soejima	

(Continued)

OTHER PUBLICATIONS

Related U.S. Appl. No. 29/583,082; First Named Inventor: Takeshi Nohara; Title: "Camera Strobe"; filed Nov. 2, 2016.

Primary Examiner — Philip S Hyder

Assistant Examiner — Ramzi S Almatrahi

(74) *Attorney, Agent, or Firm* — Holtz, Holtz & Volek PC

(57)

CLAIM


The ornamental design for a camera strobe, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a camera strobe showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right side elevational view thereof; and,
FIG. 7 is a left side elevational view thereof.

The broken lines depict portions of the camera strobe in which the design is embodied that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D708,251	S	*	7/2014	Chen	D16/240
D714,375	S	*	9/2014	Ozone	D16/239
D741,395	S		10/2015	Oh	
D789,438	S	*	6/2017	Kim	D14/218

* cited by examiner

FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7

