US00D333302S

United States Patent [19]

Ebihara et al.

[11] Patent Number: Des. 333,302

[45] Date of Patent: ** Feb. 16, 1993

[54] FACSIMILE TRANSCEIVER

[75] Inventors: **Toru Ebihara**, Higashimurayama; **Atsuhiko Urushihara**; **Jyun Furuya**, both of Kokubunji; **Toshiyuki Moriya**, Tokorozawa; **Shinjyu Ito**, Katsuta, all of Japan

[73] Assignee: **Hitachi, Ltd.**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **752,252**

[22] Filed: **Aug. 19, 1991**

[30] **Foreign Application Priority Data**

Jul. 31, 1991 [JP] Japan 3-22694

[52] **U.S. Cl.** **D14/118**

[58] **Field of Search** D14/118, 124, 299; D18/36, 37; 358/400, 401

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 290,959	7/1987	Ooie	D14/118
D. 296,334	6/1988	Hara	D18/36
D. 305,775	1/1990	Tamada	D18/36
D. 312,079	11/1990	Komatsu	D14/118
D. 316,254	4/1991	Sato	D14/118
D. 323,160	1/1992	Udagawa	D14/118

OTHER PUBLICATIONS

The Office, Oct. 1988, p. 39, Nitsuko model FX-E500.

Primary Examiner—Theodore M. Shooman

Attorney, Agent, or Firm—Antonelli, Terry, Stout & Kraus

[57] **CLAIM**

The ornamental design for a facsimile transceiver, as shown and described.

DESCRIPTION

FIG. **1** is a top, front and right side perspective view of a facsimile transceiver showing our new design;

FIG. **2** is a front elevational view thereof;

FIG. **3** is a top plan view thereof;

FIG. **4** is a right side elevational view thereof, the left side being a mirror image;

FIG. **5** is a rear elevational view thereof; and,

FIG. **6** is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

