



US00D574518S

(12) **United States Design Patent**
Antonic

(10) **Patent No.:** **US D574,518 S**

(45) **Date of Patent:** **** Aug. 5, 2008**

(54) **VERTICAL STUD**

6,341,458 B1 1/2002 Burt

(76) Inventor: **James P. Antonic**, 9111 Southmont
Cove #406, Ft. Myers, FL (US) 33908

(Continued)

(**) Term: **14 Years**

(21) Appl. No.: **29/273,728**

(22) Filed: **Mar. 12, 2007**

OTHER PUBLICATIONS

U.S. Appl. No. 29/273,414, filed Mar. 5, 2007, Antonic.
U.S. Appl. No. 29/267,244, filed Oct. 10, 2006, Antonic.
U.S. Appl. No. 29/267,246, filed Oct. 10, 2006, Antonic.
PCT Written Opinion (PCT/US06/39754), Sep. 25, 2007, 11 pages
total.

Primary Examiner—Doris Clark
(74) *Attorney, Agent, or Firm*—Laura G. Barrow

Related U.S. Application Data

(63) Continuation of application No. 11/356,482, filed on
Feb. 17, 2006.

(51) **LOC (8) Cl.** **25-01**

(52) **U.S. Cl.** **D25/121**

(58) **Field of Classification Search** 52/481.1,
52/344, 716.1, 243, 716.8, 718.01, 718.04,
52/717.06, 718.05, 718.06, 318, 290, 579,
52/287.1, 311.1, 241, 311.2, 311.3, 314,
52/236.9, 281, 282.2, 282.3, 460, 461, 479,
52/220.1; D25/119, 136, 164, 121, 122

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|---------------|---------|------------------|----------|
| 3,498,014 A | 3/1970 | Fergen | |
| 3,623,290 A * | 11/1971 | Downing, Jr. | 52/481.2 |
| 3,821,868 A | 7/1974 | Edwards | |
| 4,235,054 A | 11/1980 | Cable | |
| 4,272,930 A | 6/1981 | Foster | |
| 4,324,082 A * | 4/1982 | Rutkowski et al. | 52/481.1 |
| 4,353,192 A | 10/1982 | Pearson et al. | |
| D268,288 S * | 3/1983 | Cowdroy | D25/121 |
| 5,394,665 A * | 3/1995 | Johnson | 52/241 |
| 5,403,062 A | 4/1995 | Sjostedt et al. | |
| D363,997 S | 11/1995 | Nomura | |
| D384,169 S | 9/1997 | Leonelli | |
| 5,706,626 A | 1/1998 | Mueller | |
| 5,927,039 A | 7/1999 | De Boer | |
| 5,950,385 A * | 9/1999 | Herren | 52/481.1 |
| 6,067,769 A | 5/2000 | Hardy | |
| 6,260,601 B1 | 7/2001 | Thomas | |
| D452,016 S * | 12/2001 | Hall | D25/121 |

(57) **CLAIM**

The ornamental design for a vertical stud, as shown and
described.

DESCRIPTION

FIG. 1 is a front/right/top perspective view of the first
embodiment of the vertical stud showing my new design,
shown broken in the center with a double line to indicate that
no particular length is claimed.

FIG. 2 is a right side elevation view thereof. The left side is
identical to the right side.

FIG. 3 is a front side elevation views thereof. The rear side is
identical to the front side.

FIG. 4 is a top view thereof. The bottom view is identical to
the top view.

FIG. 5 is a front/right/top perspective view of the second
embodiment of the stud showing my new design, shown
broken in the center with a double line to indicate that no
particular length is claimed.


FIG. 6 is a right side elevation view of the second embodi-
ment.

FIG. 7 is a left side elevation view of the second embodiment.

FIG. 8 is a front view of the second embodiment. The rear side
is identical to the front side; and,

FIG. 9 is a top view of the second embodiment. The bottom
view is identical to the top view.

1 Claim, 6 Drawing Sheets




US D574,518 S

Page 2

| U.S. PATENT DOCUMENTS | | | | | | | |
|-----------------------|-----|---------|---------------|--------------|----|---------|---------------------|
| | | | | 6,837,012 | B2 | 1/2005 | Scherrer et al. |
| | | | | D511,217 | S | 11/2005 | Bullock et al. |
| D465,586 | S * | 11/2002 | Krieger | D25/136 | | | |
| 6,519,911 | B1 | 2/2003 | Sawada | 2002/0148178 | A1 | 10/2002 | Farag |
| 6,553,731 | B2 | 4/2003 | Hsueh | 2007/0051059 | A1 | 3/2007 | Aheran |
| D474,286 | S | 5/2003 | Gregori | | | | |
| D474,549 | S * | 5/2003 | Krieger | D25/136 | | | * cited by examiner |

Fig. 1






Fig. 2




Fig. 3





Fig. 4

Fig. 5






Fig. 6




Fig. 7




Fig. 8




Fig. 9