



(86) Date de dépôt PCT/PCT Filing Date: 2001/06/13
 (87) Date publication PCT/PCT Publication Date: 2002/12/10
 (45) Date de délivrance/Issue Date: 2009/09/15
 (85) Entrée phase nationale/National Entry: 2002/12/10
 (86) N° demande PCT/PCT Application No.: JP 2001/005020
 (87) N° publication PCT/PCT Publication No.: 2001/095865
 (30) Priorités/Priorities: 2000/06/14 (JP2000-178783);
 2001/03/09 (JP2001-66751)

(51) Cl.Int./Int.Cl. *A61K 8/97* (2006.01),
A61K 8/49 (2006.01), *A61K 8/92* (2006.01),
A61Q 17/00 (2006.01), *A61Q 19/00* (2006.01),
A61Q 5/00 (2006.01)
 (72) Inventeur/Inventor:
 KANAYAMA, MASANORI, JP
 (73) Propriétaire/Owner:
 PURE GREEN CO., LTD., JP
 (74) Agent: MARKS & CLERK

(54) Titre : PROCESSUS DE PREPARATION DE COSMETIQUES HUILEUX
 (54) Title: PROCESS FOR PRODUCING OILY COSMETICS

(57) **Abrégé/Abstract:**

It is intended to provide oily cosmetics (for example, oily cosmetics to be applied to the skin such as oily liniments, oily hair care products such as hair oils) which have excellent effects including an antibacterial effect and are yet safely usable by consumers sensitive to chemicals. Namely, oily cosmetics comprising oily bases such as vegetable oils, mineral oils or mixtures thereof together with tea leaf components.

(12)特許協力条約に基づいて公開された国際出願

(19) 世界知的所有権機関
国際事務局(43) 国際公開日
2001年12月20日 (20.12.2001)

PCT

(10) 国際公開番号
WO 01/95865 A1

- (51) 国際特許分類: A61K 7/00
- (21) 国際出願番号: PCT/JP01/05020
- (22) 国際出願日: 2001年6月13日 (13.06.2001)
- (25) 国際出願の言語: 日本語
- (26) 国際公開の言語: 日本語
- (30) 優先権データ:
特願2000-178783 2000年6月14日 (14.06.2000) JP
特願2001-66751 2001年3月9日 (09.03.2001) JP
- (71) 出願人 (米国を除く全ての指定国について): ピュア・グリーン株式会社 (PURE GREEN CO., LTD.) [JP/JP]; 〒104-0032 東京都中央区八丁堀3丁目18番9号 Tokyo (JP).
- (72) 発明者; および
- (75) 発明者/出願人 (米国についてのみ): 金山正則 (KANAYAMA, Masanori) [JP/JP]; 〒272-0121 千葉県市川市末広2丁目3番1号 404号室 株式会社 ティーム内 Chiba (JP).
- (74) 代理人: 成瀬勝夫, 外 (NARUSE, Katsuo et al.); 〒105-0003 東京都港区西新橋2丁目11番5号 セントラルビル新橋ビル5階 Tokyo (JP).
- (81) 指定国 (国内): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) 指定国 (広域): ARIPO 特許 (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), ユーラシア特許 (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), ヨーロッパ特許 (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI 特許 (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- 添付公開書類:
— 国際調査報告書
— 補正書・説明書
- 2文字コード及び他の略語については、定期発行される各PCTガゼットの巻頭に掲載されている「コードと略語のガイダンスノート」を参照。

(54) Title: OILY COSMETICS

(54) 発明の名称: 油性化粧品

(57) Abstract: It is intended to provide oily cosmetics (for example, oily cosmetics to be applied to the skin such as oily liniments, oily hair care products such as hair oils) which have excellent effects including an antibacterial effect and are yet safely usable by consumers sensitive to chemicals. Namely, oily cosmetics comprising oily bases such as vegetable oils, mineral oils or mixtures thereof together with tea leaf components.

(57) 要約:

本発明は、抗菌効果その他優れた効果を有し、しかも、化学品に敏感な使用者であっても安心して使用できる油性化粧品、例えば、油性リニメント等の肌に塗擦する油性化粧品、或いは頭髮油等の油性整髪料等を提供することを目的とする。

即ち、本発明は、植物性油、鉱物性油またはこれ等の混合物等の油性基材及び茶葉成分を含む油性化粧品に関わる。

WO 01/95865 A1

DESCRIPTION

PROCESS FOR PRODUCING OILY COSMETICS

5

Technical Field

This invention relates to oily cosmetics. More specifically, it relates to oily cosmetics to be applied to the skin such as oily liniments or oily hair care products such as hair oils.

10

Background of the invention

There have been known oily cosmetics comprising vegetable oils, mineral type oils or mixtures thereof. For example, oily cosmetics containing olive oil, mineral oils or camellia oil have been widely employed for preventing the skin or hair from drying and for moistening the same. In particular, olive oil has been frequently used in Western countries for maintaining the smoothness of the skin or preventing the skin from drying. Immediately after applying olive oil to the skin, however, the skin surface becomes oily and, therefore, miscellaneous bacteria in the air would stick thereon more frequently than the ordinary state. Thus, it is feared that such skin surface might serve as an adequate medium for the growth of the miscellaneous bacteria.

25

To solve this problem, it has been a practice to add

antibacterial compounds to oily cosmetics. However, a large number of artificially synthesized chemicals sometimes cause eczema and skin fit in consumers highly sensitive to chemicals, which makes it necessary to use these oily cosmetics with care.

5 Actually, most of these products are marketed in association with strict instructions.

It is an object of the present invention to provide oily cosmetics which are free from the above problem and thus can be safely used even by consumers highly sensitive to chemicals.

10 This object can be achieved by providing oily cosmetics containing tea leaf components which are natural materials and a process for producing the same. The term "oily cosmetics" as used herein means cosmetics to be applied to the skin such as oily liniments or oily hair care products such as hair oils.

15 In addition to β -carotene, tocopherol (vitamin E), ascorbic acid, niacin, etc., tea leaves contain substances having purine base such as caffeine and essential oil components such as geraniol. Moreover, it is already known that tea leaves contain various tannins in a large amount.

20 Among all, it is known that much catechins falling within the category called fused tannins are contained therein. As the results of recent studies on effects of catechins contained in tea leaves, it is reported that catechins have a bactericidal and antibacterial effect, a deodorizing effect, an effect of

25 preventing atopic dermatitis, a hypotensive effect and the

like.

Since catechins are soluble in water, a special treatment is required to dissolve a sufficient amount of catechins in an oily base (Japanese Patent Publication of unexamined Application No. 279758/1994). There have been known cosmetics containing tea extract, for example, cosmetic oils obtained by blending tea extract and vitamin E to linoleic acid (Japanese Patent Publication of unexamined Application No. 78231/1993), cosmetics obtained by blending tea extract, disodium ethylenediaminetetraacetate, etc. with lipids containing highly unsaturated fatty acids such as linolenic acid (Japanese Patent Publication of unexamined Application No. 81325/1996), and antibacterial cosmetic compositions comprising as the essential components tea extract containing catechins, tea tree and thyme extract (Japanese Patent Publication of unexamined Application No. 63262/2000). However, there has been known no cosmetic comprising tea extract alone without any other active components.

The present invention aims at producing and providing oily cosmetics which have excellent properties including antibacterial activity and are mild to the skin by totally using various active components typified by catechins contained in tea leaves without resort to any chemicals such as emulsifiers.

25

Disclosure of the Invention

The present invention relates to: (1) an oily cosmetic containing an oily base and tea leaf components which is obtained by dissolving the components extracted from tea leaves in the oily base, or adding ground tea leaves to the oily base and thus allowing the tea leaf components to migrate into the oily base; (2) the oily cosmetic as described in (1) which can be obtained by adding preliminarily ground tea leaves to the oily base and then finely powdering together with the oily base; (3) the oily cosmetic as described in (2) characterized in that the powdering treatment is carried out until the diameter of the tea leaf grains attains 1 to 40 μm ; (4) the oily cosmetic as described in (2) characterized in that the powdering treatment is carried out until the diameter of the tea leaf grains attains 4 to 10 μm ; (5) an oily cosmetic as described in any of (1) to (4) characterized in that the oily base comprises a vegetable oil, a mineral type oil or a mixture thereof; (6) the oily cosmetic as described in (5) characterized in that the vegetable oil is olive oil, coconut oil, camellia oil, peanut oil, palm oil or rapeseed oil; and (7) the oily cosmetic as described in (5) characterized in that the mineral type oil is a mineral oil.

The oily base usable in the oily cosmetics according to the present invention can be selected from among vegetable oils, mineral type oils and mixtures thereof. Examples of the vegetable oils include olive oil, camellia oil, peanut oil,

rapeseed oil, coconut oil, palm oil and the like. Examples of the mineral type oils include mineral oils. Among all, olive oil, mineral oils, coconut oil, etc. may be cited as preferable examples of the oily base of the oily cosmetics according to the present invention, since they have been commonly employed in the art.

The tea leaves to be used in the present invention are leaves of a plant *Thea sinensis* or its cultivation varieties. Processed tea leaves involve non-fermented tea such as green tea, fermented tea such as black tea, semifermented tea and incompletely fermented tea. Any of these tea leaves are usable as a material for producing the oily cosmetics according to the present invention. Since much catechins still remain in used tea leaves, it is also possible to employ used tea leaves as a starting material. That is to say, the term "tea leaves" as employed herein involves used tea leaves too.

Various embodiments can be considered as the process for producing the oily cosmetics according to the present invention. For example, a process for producing an oily cosmetic which comprises mixing components extracted from tea leaves with an oily base may be cited. It is also possible to cite a process which comprises finely powdering tea leaves and then immersing the same in an oily base to elute the tea leaf components therefrom.

The tea leaf components can be extracted by a

conventional method. Namely, tea leaves are dried, powdered or cut into small pieces and then subjected a treatment with hot water, steam distillation or immersion in an alcohol or a mixture of an alcohol with water. Alternatively, tea leaves
5 may be extracted with water at ordinary temperature for 1 to 10 days and then treated with an alcohol. In this case, catechol-rich components can be obtained in the form of a solution. The extract thus obtained is filtered, if needed, and the filtrate is concentrated optionally followed by drying.
10 The concentration is generally carried out by distilling under reduced pressure. The drying may be carried out by an appropriate procedure selected from among spray drying, vacuum drying, freeze drying and so on.

The obtained tea leaf components are mixed with an oily
15 base and dissolved therein. Thus, the oily cosmetic according to the present invention can be obtained. The mixing ratio may be appropriately varied. In usual, from 10 to 100 g, preferably from 20 to 50 g, of the tea leaf components are used per liter of the oily base. To dissolve the tea leaf components
20 in the oily base, use may be made of physical means such as ultrasonication or high-speed agitation. The oily base containing the tea leaf components thus obtained may further contain, if needed, perfumes, etc.

In another example of the process for producing the oily
25 cosmetic according to the present invention, tea leaves are

directly added to the oily base so that the tea leaf components are allowed to migrate into the oily base. In this case, dried tea leaves are finely powdered and then mixed with the oily base so as to allow the tea leaf components to migrate into the oily base. Although the amount of the tea leaves varies depending on the type and conditions (for example, the extent of dryness), use may be made of from 30 to 800 g, preferably from 100 to 500 g and still preferably from 250 to 400 g of the tea leaves per liter of the oily base at ordinary temperature. The extraction time ranges from 3 to 48 hours, preferably from 6 to 24 hours and still preferably from 10 to 18 hours. After the completion of the extraction, the residue is filtered off and, if needed, other components such as perfumes are added. Thus, a liquid oily cosmetic (a liniment) can be obtained.

In the above-described production process, the preliminarily ground tea leaves may added to the oily base and then finely powdered. Thus, the migration of the tea leaf components into the oily base can be accelerated and, therefore, an oily cosmetic having the tea leaf components at a high concentration can be obtained. In this case, it is preferable to carry out the powdering until the diameter of the tea leaf grains attains 1 to 40 μm , preferably 4 to 10 μm . The powdering is performed for 5 to 20 minutes, preferably 10 to 15 minutes. After the completion of the powdering, the insoluble matters

are eliminated by filtration or centrifugation to thereby give
an oily cosmetic having the tea leaf components at a high
concentration. The extraction effect can be particularly
enhanced by separating with the use of a continuous centrifuge
5 at from 6,000 to 13,500 rpm at a liquid supply rate of from
50 to 60 l/h. According to this process, the step of extracting
the tea leaf components can be omitted and catechins and the
like can be dissolved in the oily base at a high concentration.
The oily solution thus obtained may further contain perfumes
10 and so on, if needed.

Best Mode for Carrying Out the Invention

Now, the present invention will be described in greater
detail by referring the following examples. However, it is
15 to be understood that the present invention is not construed
as being restricted thereto.

EXAMPLE 1

Process for producing liniment by direct extraction:

20 140 g of green tea leaves, which had been dried to
give a moisture content of 5 % or less, were powdered
into 4 to 10 μm grains in a friction grinder. Under
stirring, the powdered tea leaves were added to 500 ml
of olive oil maintained at 15 to 20°C and extracted for
12 hours. During this period, the whole mixture was
stirred at intervals of 1 to 2 hours. After the
completion of the extraction, the residue was filtered off

25

to give slightly greenish olive oil. Then this olive oil was poured in portions into containers to give an oily liniment. By replacing the olive oil employed as the oily base in the production process in this EXAMPLE by camellia oil or mineral oil, a hair care product or a baby oil can be respectively
5 obtained.

When the slightly greenish olive oil obtained above was analyzed by high performance liquid chromatography, it was found out that the content of catechins therein was less than
10 the lower detection limit but the contents of β -carotene, total ascorbic acid and total tocopherol were respectively 2.1 mg/100 g, 4 mg/100 g and 7.0 mg/100 g.

EXAMPLE 2

Process for producing liniment by adding components extracted
15 from tea leaves:

1 kg of green tea leaves, which had been dried to give a moisture content of 5 % or less, were powdered into 4 to 18 μ m grains in a friction grinder and then packed in a heat-circulatory extracting apparatus. Then the powdered tea
20 leaves were extracted under circulation of 20 l of hot water (95 to 100°C) for 1 hour. After cooling to room temperature, the extract was filtered to give 16 l of a filtrate. The filtrate was distilled under reduced pressure of about 100 mmHg at 50°C or below for 6 hours to thereby give 0.8 l of a yellowish
25 brown, somewhat viscous liquid. Next, it was spray-dried at

an intake gas temperature of 160°C and an exhaust gas temperature of 80°C. 130 g of the brown powder thus obtained was further powdered at a low temperature. 100 g of this fine powder contained from 30 to 50 g of catechins, from 2 to 4 g of caffeine, from 150 to 250 mg of vitamin C, from 13 to 29 mg of β -carotene and other trace components. The contents varied depending on the time of harvesting the tea leaves.

The whole extract (130 g) obtained above was added to 4 l of olive oil and dissolved therein by ultrasonically stirring (0.5 to 1.5 min) at 40 to 50°C. After filtering off the insoluble residue if any, slightly greenish olive oil was obtained. Then this olive oil was poured in portions into containers to give an oily liniment. By replacing the olive oil employed as the oily base in the production process in this EXAMPLE by camellia oil or mineral oil, a hair care product or a baby oil can be respectively obtained.

The slightly greenish olive oil obtained above was analyzed by high performance liquid chromatography. The results are as follows:

20	epicatechin	18 mg/100 g
	epigallocatechin	68 mg/100 g
	epicatechin gallate	18 mg/100 g
	epigallocatechin gallate	71 mg/100 g
	β -carotene	7.44 mg/100 g
25	total ascorbic acid	2 mg/100 g

total tocopherol

15.8 mg/100 g.

EXAMPLE 3

Production for producing oily liniment by powdering in oil:

6.0 kg of green tea leaves, which had been dried to give
5 a moisture content of 5% or less, were powdered in a friction
grinder to give an average grain diameter of about 15 μm . Then
15 kg (16.7 l) of coconut oil was added thereto and the resultant
mixture was finely powdered in a wet-type ultra-fine friction
grinder (Supermasscolloider MKZA8-10TM manufactured by Masuko
10 Sangyo, Co., Ltd., Saitama; grinder size 150 mm) for about 11
minutes to thereby give a mixture of fine tea leaf powder of
about 4 to 10 μm in grain diameter with coconut oil. During
the powdering procedure, the coconut oil temperature was
elevated from 16°C to 43°C. After the completion of the
15 powdering, the mixture was supplied into a continuous
centrifuge (TOMO-E DECANter PTM006TM, manufactured by Tomoe
Engineering Co., Ltd., Tokyo; 6000 rpm, 3200 G, treating
temperature 80°C, liquid supply rate 50 l/h) so as to separate
the supernatant from the solid matters. Thus, a slightly
20 greenish oily solution (RUN-1) was obtained. Moreover, the
separation procedure was performed by using the same apparatus
(6000 rpm, 3200 G, treatment temperature 50°C, liquid supply
rate 50 l/h) and thus another slightly greenish oily solution
(RUN-2) was obtained. The obtained oily solutions are usable
25 as a oily liniment base.

The oily solutions thus obtained were analyzed by high performance liquid chromatography. The results are as follows:

	RUN-1	RUN-2	
5	epicatechin	28 mg/100 g	34 mg/100 g
	epigallocatechin	110 mg/100 g	140 mg/100 g
	epicatechin gallate	27 mg/100 g	32 mg/100 g
	epigallocatechin gallate	120 mg/100 g	140 mg/100 g
	β -carotene	7.40 mg/100 g	7.33 mg/100 g
10	total ascorbic acid	4 mg/100 g	5 mg/100 g
	total tocopherol	15.6 mg/100 g	15.6 mg/100 g.

When the antibacterial effects of the obtained oily solutions were examined, it was observed that these oily solutions showed antibacterial effects against *Escherichia coli* O-157, methicillin-resistant *Staphylococcus aureus* (MRSA) and fungi.

Industrial Applicability

20 The oily cosmetics according to the present invention show little so-called stickiness, which is often shown by oily cosmetics, but impart a dry feel in using. In addition, these oily cosmetics can contain the tea leaf components at a high concentration without resort to emulsifiers, etc. Therefore, 25 they can be safely used even by consumers highly sensitive to

chemicals without any fear of skin irritation. Because of
containing the tea leaf components at a high concentration,
moreover, these oily cosmetics have sufficient antibacterial
and deodorizing effects. Thus, they can be used in protecting
5 sick persons' skin and maintaining cleanness. They are also
efficacious in treating bedsore. In case of hair care products,
an antidandruff effect can be also achieved. Furthermore,
these oily cosmetics are expected as exerting an effect of
preventing atopic dermatitis.

10

The embodiments of the invention in which an exclusive property or privilege is claimed are defined as follows:

1. A process for producing an oily cosmetic containing tea leaf components, comprising:

mixing and stirring preliminarily ground tea leaves having an average grain diameter of approximately 15 μm in a dried state into an oily base; then

further grinding said oily base mixture by means of a wet-type ultra fine friction grinder until grains of said tea leaves have a diameter of 1 to 10 μm to thereby encourage migration of said tea leaf components comprising catechins to the oily base; and

subsequently eliminating powder residuals of said tea leaves.

2. The process for producing an oily cosmetic as claimed in claim 1, wherein said grinding treatment is carried out for 5 to 20 minutes by means of a wet-type ultra-fine friction grinder.

3. The process for producing an oily cosmetic as claimed in claim 1 or 2, wherein elimination of said powder residuals of said tea leaves is carried out by filtration or centrifugation.

4. The process for producing an oily cosmetic as claimed in claim 1, 2 or 3, wherein said oily base is any one of a vegetable oil, a mineral oil or a mixture thereof.

5. The process for producing an oily cosmetic as claimed in any one of claims 1 to 4, wherein said catechins are selected from the group consisting of epicatechin, epigallocatechin, epicatechin gallate and epigallocatechin gallate.