



US00D362435S

United States Patent [19]**Charych et al.**[11] **Patent Number: Des. 362,435**[45] **Date of Patent: ** Sep. 19, 1995**[54] **OPTICAL SCANNER**[75] Inventors: **Hal Charych**, East Setauket; **Frank Gong**, Syosset; **Joseph Giordano**, Bayville; **Wayne Ku**, Rochester, all of N.Y.[73] Assignee: **Symbol Technologies, Inc.**, Bohemia, N.Y.[**] Term: **14 Years**[21] Appl. No.: **27,856**[22] Filed: **Jul. 26, 1994**[52] U.S. Cl. **D14/116**[58] Field of Search D14/100, 107, 114, 116;
235/375, 378, 385, 454, 462, 472, 486;
354/80-82; 382/58-69; 250/203.1, 216, 566,
568; D26/37, 45, 50[56] **References Cited****U.S. PATENT DOCUMENTS**

D. 305,885 2/1990 Barkan et al. D14/116

D. 318,658 7/1991 Stoddard, III et al. D14/116
D. 320,013 9/1991 Siemiatkowski et al. D14/116
D. 334,922 4/1993 Meyerson et al. D14/116
D. 352,937 11/1994 Karlin D14/116*Primary Examiner*—Melanie H. Tung[57] **CLAIM**

The ornamental design for an optical scanner, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right side perspective view of an optical scanner showing our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevational view thereof;


FIG. 4 is a left-side elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a right-side elevational view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken line drawing of a portion of a cord in FIGS. 1, 3-6 is for illustrative purposes only and forms no part of the claimed design.






FIG. 1




FIG. 2




FIG. 3




FIG. 7




FIG. 6




FIG. 5




FIG. 4