



US00D770423S

(12) **United States Design Patent**  
**Osborn et al.**

(10) **Patent No.:** **US D770,423 S**

(45) **Date of Patent:** **\*\* Nov. 1, 2016**

(54) **WATER-RESISTANT, BATTERY-POWERED  
SPEAKER FOR HANDHELD DEVICES**

(71) Applicants: **Warren Robert Osborn**, Provo, UT  
(US); **John Craig Cheney**, Orem, UT  
(US)

(72) Inventors: **Warren Robert Osborn**, Provo, UT  
(US); **John Craig Cheney**, Orem, UT  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/506,907**

(22) Filed: **Oct. 21, 2014**

**Related U.S. Application Data**

(63) Continuation of application No. 29/455,121, filed on  
May 16, 2013, now Pat. No. Des. 715,766.

(51) **LOC (10) Cl.** ..... **14-03**

(52) **U.S. Cl.**  
USPC ..... **D14/221; D14/204**

(58) **Field of Classification Search**  
USPC ..... D14/167, 168, 170–172, 188, 194–196,  
D14/204, 207, 209.1, 210–216, 221, 222,  
D14/224; 181/143, 144, 147, 148, 150, 153,  
181/157, 198, 199; 381/300–303, 306, 332,  
381/333, 336, 345, 361–364, 386–388;  
369/6–12

CPC ... B60R 11/0217; H04M 1/03; H04M 1/035;  
H04N 5/642; H04N 21/4852; H04R 1/02;  
H04R 1/06; H04R 1/021; H04R 1/025;  
H04R 1/026; H04R 1/028; H04R 1/105;  
H04R 1/323; H04R 1/403; H04R 1/2803;  
H04R 1/2834; H04R 5/02; H04R 7/20;  
H04R 9/06; H04R 9/025; H04R 2201/021;  
H04R 2400/00; H04R 2400/07; H04R  
2499/11; H04R 2499/13; H04R 2499/15;  
H04S 3/00; H04S 7/30; G06F 1/1688

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D334,418 S *	3/1993	Woo	.....	D14/165
D452,490 S *	12/2001	Shintani	.....	D14/171
D510,927 S *	10/2005	Harris, Jr.	.....	D14/188
D513,612 S *	1/2006	Harris, Jr.	.....	D14/168
D584,288 S *	1/2009	Kim	.....	D14/211
D638,029 S *	5/2011	Uesugi	.....	D14/168
D641,006 S *	7/2011	Anthony	.....	D14/214
D655,272 S *	3/2012	Kawase	.....	D14/194
D659,670 S *	5/2012	Goetzen	.....	D14/194
D674,779 S *	1/2013	Joseph	.....	D14/214
D704,076 S *	5/2014	Poandl	.....	D10/15
D704,678 S *	5/2014	Katsumata	.....	D14/203.1
D706,747 S *	6/2014	Yoshimura	.....	D14/209.1
D709,855 S *	7/2014	Jonas	.....	D13/107
D711,354 S *	8/2014	Florczak	.....	D14/215
D715,766 S *	10/2014	Osborn	.....	D14/210
D721,738 S *	1/2015	Hochman	.....	D14/496
D723,003 S *	2/2015	Yoo	.....	D14/215
D748,600 S *	2/2016	Deyaf	.....	D14/204

\* cited by examiner

*Primary Examiner* — Keli L Hill

(74) *Attorney, Agent, or Firm* — Angus C. Fox, III

(57) **CLAIM**

We claim the ornamental design for a water-resistant, battery-powered speaker for handheld devices, as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of the water-resistant, battery-powered speaker for handheld devices, showing primarily the top, front and left side thereof;

FIG. 2 is an isometric view of the water-resistant, battery-powered speaker for handheld devices, showing primarily the top, front and right side thereof;

FIG. 3 is an isometric view of the water-resistant, battery-powered speaker for handheld devices, showing primarily the bottom, front and left side thereof;

FIG. 4 is an isometric view of the water-resistant, battery-powered speaker for handheld devices, showing primarily the bottom, front and right side thereof;





FIG. 5 is an isometric view of the water-resistant, battery-powered speaker for handheld devices, showing primarily the top, rear and right side thereof;

FIG. 6 is an isometric view of the water-resistant, battery-powered speaker for handheld devices, showing primarily the top, rear and left side thereof;

FIG. 7 is an isometric view of the water-resistant, battery-powered speaker for handheld devices, showing primarily the bottom, rear and right side thereof;

FIG. 8 is an isometric view of the water-resistant, battery-powered speaker for handheld devices, showing primarily the bottom, rear and left side thereof;

FIG. 9 is an isometric view of the water-resistant, battery-powered speaker for handheld devices, showing primarily the bottom and rear thereof;

FIG. 10 is an isometric view of the water-resistant, battery-powered speaker for handheld devices, showing primarily the rear and the top thereof;

FIG. 11 is an isometric view of the water-resistant, battery-powered speaker for handheld devices, showing primarily the top and rear thereof;

FIG. 12 is a right-side elevational view of the water-resistant, battery-powered speaker for handheld devices;

FIG. 13 is a left-side elevational view of the water-resistant, battery-powered speaker for handheld devices;

FIG. 14 is a front elevational view of the water-resistant, battery-powered speaker for handheld devices;

FIG. 15 is a rear elevational view of the water-resistant, battery-powered speaker for handheld devices;

FIG. 16 is a top plan view of the water-resistant, battery-powered speaker for handheld devices; and,

FIG. 17 is a bottom plan view of the water-resistant, battery-powered speaker for handheld devices.

The broken lines shown are included for the purpose of illustrating portions of the water resistant battery powered speaker for handheld devices that form no part of the claim.

**1 Claim, 15 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17