

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
11 January 2007 (11.01.2007)

PCT

(10) International Publication Number
WO 2007/005437 A2

(51) International Patent Classification:
G06F 11/00 (2006.01) **H03M 13/00** (2006.01)

(21) International Application Number:
PCT/US2006/025081

(22) International Filing Date: 27 June 2006 (27.06.2006)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
11/171,096 29 June 2005 (29.06.2005) US

(71) Applicant (for all designated States except US): **TRIPWIRE, INC.** [—/US]; 326 SW BROADWAY STREET, Third Floor, Portland, OR 97204 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **DIFALCO, Robert, A.** [US/US]; 326 SW BROADWAY STREET, Third Floor, Portland, OR 97204 (US). **KEELER, Kenneth, L.** [US/US]; 326 SW BROADWAY STREET, Third Floor, Portland, OR 97204 (US). **WARMACK, Robert, L.** [US/US]; 326 SW BROADWAY STREET, Third Floor, Portland, OR 97204 (US).

(74) Agents: **LEMOND, Kevin T.** et al.; Schwabe Williamson & Wyatt, Pacwest Center, Suite 1900, 1211 SW Fifth Avenue, Portland, OR 97204 _____ (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: OUT-OF-BAND CHANGE DETECTION

(57) Abstract: An automated method for facilitating management of a data processing environment is disclosed. In various embodiments, the method may include facilitating creation of a first memorialization, in digital form, of one or more changes detected on a data processing device of the data processing environment. In various embodiments, the method may further included facilitating comparison of the first memorialization to a second memorialization of one or more in-band changes that should have been made to the data processing device to facilitate detection of one or more out-of-band changes to the data processing device. Other embodiments of the present invention may include, but are not limited to, apparatus adapted to facilitate practice of the above-described method.



WO 2007/005437 A2

OUT-OF-BAND CHANGE DETECTION

FIELD

Disclosed embodiments of the present invention relate generally to the field of data processing, and more particularly to out-of-band change detection
5 in data processing environments.

BACKGROUND

Data processing devices are deployed in many different configurations and are used for many different applications in a variety of data processing environments. Management of a data processing environment may be
10 performed in a number of nonexclusive ways. In some configurations, data processing devices may be grouped and/or inter-related for various reasons. For example, software on one or a group of computers may be designated to be updated with an improved version of the software. Similar situations may arise among a wide variety of data processing devices, including but not limited to
15 switches, routers, and other networking devices of the like.

BRIEF DESCRIPTION OF THE DRAWINGS

Embodiments of the invention are illustrated by way of example and not by way of limitation in the figures of the accompanying drawings, in which like
20 references indicate similar elements and in which:

Figure 1 illustrates some aspects of a data processing environment, in accordance with various embodiments of this invention;

Figure 2 illustrates parts of a change agent workflow, in accordance with various embodiments of this invention;

25 **Figure 3** illustrates parts of an out-of-band change detection workflow, in accordance with various embodiments of this invention; and

Figure 4 illustrates an example computer system suitable for use in association with out-of-band change detection, in accordance with various embodiments of this invention.

DETAILED DESCRIPTION OF ILLUSTRATIVE EMBODIMENTS

Embodiments of the present invention include, but are not limited to, an automated method for facilitating management of a data processing environment. In various embodiments, the method may include facilitating
5 creation of a first memorialization, in digital form, of one or more changes detected on a data processing device of the data processing environment. In various embodiments, the method may further included facilitating comparison of the first memorialization to a second memorialization of one or more in-band changes that should have been made to the data processing device to facilitate detection of one
10 or more out-of-band changes to the data processing device. Other embodiments of the present invention may include, but are not limited to, apparatus adapted to facilitate practice of the above-described method. While portions of the following discussion are primarily presented in the context of computers, it is understood that the principles described herein may apply to other data processing devices,
15 including but not limited switches, routers, and other networking equipment of the like.

In the following description, various aspects of embodiments of the present invention will be described. However, it will be apparent to those skilled in the art that other embodiments may be practiced with only some or all of the
20 described aspects. For purposes of explanation, specific numbers, materials and configurations are set forth in order to provide a thorough understanding of the embodiments. However, it will be apparent to one skilled in the art that other embodiments may be practiced without the specific details. In other instances, well-known features are omitted or simplified in order not to obscure the
25 description.

Parts of the descriptions of various embodiments will be presented in terms of operations performed by a processor-based device, using terms such as data and the like, consistent with the manner commonly employed by those skilled in the art to convey the substance of their work to others skilled in the art.
30 As well understood by those skilled in the art, the quantities may take the form of electrical, magnetic, or optical signals capable of being stored, transferred, combined, and otherwise manipulated through mechanical and electrical

components of the processor-based device; and the term processor includes microprocessors, micro-controllers, digital signal processors, and the like, that are standalone, adjunct or embedded.

5 Various operations will be described as multiple discrete operations in turn, in a manner that is most helpful in understanding the embodiments, however, the order of description should not be construed as to imply that these operations are necessarily order dependent. In particular, these operations need not be performed in the order of presentation.

10 The phrase "in some embodiments" is used repeatedly. The phrase does not generally refer to the same group of embodiments, however, it may. The phrase "in various embodiments" is used repeatedly. The phrase does not generally refer to the same group of embodiments, however, it may. The terms "comprising," "having" and "including" are synonymous, unless the context dictates otherwise.

15 Some embodiments of the present invention include a scalable architecture to facilitate detection of one or more out-of-band changes to data processing devices. Such data processing devices may include but are not limited to networking devices, servers, desktop computers, laptop computers, tablet computers, personal digital assistants, cellular phones, set top boxes,
20 media players, or other types of data processing devices. In some embodiments, a data processing environment may comprise a continuously or intermittently connected environment of data processing devices, including data processing devices communicating through the Internet. In some embodiments, a data processing environment may comprise a directly or indirectly connected
25 environment of data processing devices, including data processing devices communicating through the Internet. In various embodiments, one or more modules may facilitate the operations described herein.

Figure 1 illustrates some aspects of data processing environment **100**, in accordance with various embodiments of this invention. Data processing environment **100** may include data processing device **102**. Data processing environment **100** may include other data processing devices of one or more types. In various embodiments, data processing device **102** may comprise a computer,

such as a server or a desktop computer. In various embodiments, data processing device **102** may comprise another type of data processing device, such as, a networking device (a router, a switch, a gateway, or the like), a laptop computer, a tablet computer, a personal data assistant, a cellular phone, a set top box, a media player, or the like.

Illustrating a portion of a possible operational context in some embodiments, change detection agent **104** may facilitate creation, in digital form, of change memorialization **106** of one or more changes detected on data processing device **102** of data processing environment **100**. In various embodiments, change memorialization **106** may comprise a file. In various embodiments, change memorialization **106** may comprise a different type of digital memorialization. In various embodiments, change detection agent **104** may facilitate creation of change memorialization **106** by facilitating automated comparison of a first state (not shown) of data processing device **102** to a second state (not shown) of data processing device **102**. In some embodiments in which change memorialization **106** comprises a file, automated comparison of a first state of data processing device **102** to a second state of data processing device **102** may be performed to facilitate creation of a first file (illustrated as change memorialization **106** in such embodiments) of first one or more records (not shown) of the one or more detected changes to data processing device **102**. In some embodiments, the second state may comprise a current baseline state, with **Fig. 1** illustrating some such embodiments with baseline memorialization **108** representing a current baseline state of data processing device **102**. In some embodiments, the second state may represent a state other than a current baseline state. In some embodiments, change detection agent **104** may facilitate obtaining the first state of data processing device **102**.

Illustrating a portion of a possible operational context in some embodiments, change agent **110** may facilitate making a change to data processing device **102**. After facilitating making a change to data processing device **102**, change agent **110** may make a memorialization of the change, illustrated in the exemplar in **Fig. 1** as memorialization **112**. In various embodiments, memorialization **112** may comprise a memorialization of one change made to data processing device **102**. In various other embodiments,

memorialization **112** may comprise a memorialization of multiple changes made to data processing device **102**. In various embodiments, memorialization **112** may include any sort of information regarding the change(s) made, such as the time the change(s) occurred. In some embodiments, change agent **110** may comprise
5 a software distribution tool or updating agent that installs software on data processing device **102**. In some such embodiments, memorialization **112** may comprise a manifest of software that has been installed on data processing device **102**. In some embodiments, such a software distribution tool or updating agent may install software on any number of data processing devices. In various
10 embodiments, change agent **110** may comprise any sort of change agent, including but not limited to, a data change agent, an access rights management agent (such as, for example, an identity access management tool), or the like.

In various embodiments, memorialization **112** may comprise a file. In some such embodiments, memorialization **112** may comprise a second file of second
15 one or more records (not shown) of one or more in-band changes that should have been made to data processing device **102**. In-band changes refer to changes that are in-band to change agent **110**, meaning within change agent's (**110**) knowledge base. Changes that are in-band to change agent **110** may have at least partially been caused by change agent **110**, or may have otherwise been
20 added to change agent's (**110**) knowledge base. In various embodiments, memorialization **112** may comprise a memorialization other than a file.

In some embodiments, change detection agent **104** may facilitate comparison of change memorialization **106** to memorialization **112**. In some embodiments, before change detection agent **104** facilitates such a comparison, a
25 change to data processing device **102** may have been detected by change detection agent **104**. Memorialization **112** may comprise one or more in-band changes that should have been made to data processing device **102**. Change detection agent **104** may facilitate comparison of change memorialization **106** to memorialization **112** to facilitate detection of one or more out-of-band changes to
30 data processing device **102**. Out-of-band changes refer to changes that are out-of-band to change agent **110**, meaning outside of change agent's (**110**) knowledge base. Changes that are out-of-band to change agent **110** may have at least partially been caused by something other than change agent **110**, or may

have otherwise not been added to change agent's (110) knowledge base. In various embodiments, facilitating detection of one or more out-of-band changes may comprise facilitating determination of a subset of changes of change memorialization 106 not included in memorialization 112. In various
5 embodiments, change agent 110 may additionally or alternatively facilitate comparison/detection of change memorialization 106 to memorialization 112.

In various embodiments, said facilitating of comparison may comprise facilitating automated comparison of an indication of a change in change memorialization 106 to software (and/or data) of data processing device 102 to a
10 corresponding indication of a change in memorialization 112 to software (and/or data) to data processing device 102. In some embodiments in which change memorialization 106 and memorialization 112 comprise files, said files may comprise records of changes. In some such embodiments, said facilitating comparison of change memorialization 106 to memorialization 112 may comprise
15 facilitating automated comparison of change memorialization's (106) first one or more records to memorialization's (112) second one or more records. In various embodiments, said facilitating detection may comprise facilitating correlation of a first change to a software of data processing device 102 in change memorialization 106, to one of the one or more in-band changes in
20 memorialization 112. In some embodiments, memorialization 112 may have been created by a vendor of the software. In some such embodiments, a vendor of the software may comprise a tool which provisioned the software. In various embodiments, said facilitating detection may comprise facilitating correlation of a first change to a data of data processing device 102 in change memorialization
25 106, to one of the one or more in-band changes in memorialization 112. In some embodiments, memorialization 112 may have been created by a vendor owner of the data. In some such embodiments, a vendor owner of the data may comprise a tool that stored the data on data processing device 102.

In various embodiments, said facilitating comparison may be performed to
30 determine whether all of the in-band changes contained in memorialization 112 have indeed been made to data processing device 102. In some such embodiments, a further operation may comprise updating a baseline state (which may be represented by baseline memorialization 108 of Fig. 1) of data processing

device **102** to include in-band changes that indeed have been made to the data processing device **102**. As one illustrative embodiment in the case where change agent **110** represents a software distribution or updating agent, change detection agent **104** may facilitate comparison of memorialization **112** of software recently installed on data processing device **102** to the recent detected changes to software of data processing device **102**, as contained in change memorialization **106**. Another illustrative embodiment may further comprise an operation updating a baseline state (which may be represented by baseline memorialization **108** of **Fig. 1**) of data processing device **102** to include in-band software changes that indeed have been made to the data processing device **102**.

In various embodiments, change detection agent **104** may facilitate definition in digital form of one or more responses to one or more detected out-of-band changes. In some embodiments, the one or more responses may include an automatic remediation or alert response to at least one of the one or more detected out-of-band changes. For example, in various embodiments, an automatic remediation response may comprise reverting the out-of-band changed component of data processing device **102** back to its baseline state. In various embodiments, an automatic alert response may comprise notifying a user, for example, a system administrator, of the one or more detected out-of-band changes. In various embodiments, an automatic alert response may comprise creating a helpdesk incident. In various other embodiments, other responses may comprise either automatic remediation or alert responses to one or more detected out-of-band changes.

In various embodiments, the one or more responses may include a no-action automatic approval response. For example, in some embodiments, a no-action automatic approval response may be applied in cases where certain acceptable changes, out-of-band to change agent **110**, are known to arise on data processing device **102**. In some such embodiments, such out-of-band changes may automatically be promoted to baseline memorialization **108** of data processing device **102** upon their detection. In various other embodiments, a no-action automatic approval response may be applied in other cases.

In various embodiments of data processing environment **100**, the facilitating creation and the facilitating comparison may be first performed at a first

point in time, with further operations repeating the facilitating creation and the facilitating comparison at least once, at a second later point in time. In some such embodiments, further operations may comprise scheduling the repeating of the facilitating creation and the facilitating comparison at the second later point in time.

Figure 2 illustrates parts of change agent workflow **200**, in accordance with various embodiments of this invention. While certain operations are illustrated in **Fig. 2**, other operations may supplement or supplant the operations shown, in the context of various embodiments. Change agent workflow **200** illustrates parts of a workflow associated with some change agents, including operations that may be associated with one type of example change agent, a software distribution or updating agent. A software distribution or updating agent, which may be referred to in a number of ways, including a software distribution tool, a patch manager, etc., may include various operations. One such operation may include Direct Installation of Software **202**, where a software distribution or updating agent may direct installation of software onto a data processing device. Such an operation may be followed by an operation determining success of such directed installation, denoted as diamond, Success? **204**. If operation **204** is determined in the affirmative, then operation, Update Memorialization **206**, may follow. If operation **204** is determined in the negative, then operation, Direct Installation of Software **204**, may follow as a retry, either immediately, after a delay, at a future scheduled time, etc. The sophistication of operation **204** may vary widely, depending on the implementation. Some such operations may determine success based on a lack of notification of failure, while other such operations may determine success based on some affirmative operations.

Operation **204** may be followed by operation, Update Memorialization **206**. Update Memorialization **206** may comprise updating a memorialization, which may be referred to as a manifest in some implementations, documenting the installation of the software. The documentation may include information regarding the software installed, such as the time the installation was directed. In various embodiments, some software distribution or updating agents may proceed directly from operation, Direct Installation of Software **202**, to

operation, Update Memorialization **206**. In various embodiments, some software distribution or updating agents may additionally or alternatively include other operations.

Figure 3 illustrates parts of an out-of-band change detection workflow **300**, in accordance with various embodiments of this invention. While certain operations are illustrated in **Fig. 3**, other operations may supplement or supplant the operations shown, in the context of various embodiments. Out-of-band change detection workflow **300** may include various operations, including operation, Perform Change Detection **302**, where a change detection agent may perform one or more change detection operations to a data processing device. Perform Change Detection **302** may be followed by an operation determining whether changes were detected as a result of performing the one or more change detection operations, denoted as diamond, Changes Detected? **304**.

If operation **304** is determined in the affirmative, then operation, Reconcilable with Memorialization? **306**, may follow in some embodiments. If operation **304** is determined in the negative, then operation, Perform Change Detection **302**, may follow in some embodiments, either immediately, after a delay, at a future scheduled time, etc. In various other embodiments, operation **304** being determined in the negative may be followed by another operation (not shown) or may comprise an endpoint, either temporary or otherwise.

If Reconcilable with Memorialization? **306** is determined in the affirmative, then designation, IN-BAND **308**, may follow in some embodiments. If operation **306** is determined in the negative, then designation, OUT-OF-BAND **310**, may follow in some embodiments. In various other embodiments, operation **306** being determined in either the negative or the positive may be followed by various other operations (not shown). The sophistication of operation **306** may vary widely, depending on the implementation and the information available to make the reconciliation. The designation of IN-BAND **308** may be followed by various operations, including but not limited to, elevating the detected change(s) to a baseline state of the data processing device in issue. The designation of OUT-OF-BAND **310** may be followed by various operations, including but not limited to, alerting such a designation of a detected change.

In various embodiments, one or more of the operations illustrated in **Fig. 3** may be automated/facilitated by one or more modules provided by the invention. In various embodiments, some change detection agents may additionally or alternatively include other operations.

5 In various embodiments, out-of-band change detection may be performed to maintain or demonstrate control of an enterprise's information technology infrastructure. In various embodiments, out-of-band change detection may be performed to maintain or demonstrate control of an enterprise's financial systems or data. In various embodiments, out-of-band change detection may be
10 performed to maintain or demonstrate control of an enterprise's business processes, such as, for example, enterprise resource planning (ERP) or customer relationship management (CRM). In various embodiments, out-of-band change detection may be performed to facilitate compliance with governmental laws/regulations regarding establishment and maintenance of an internal control
15 structure and/or procedures for financial reporting, such as, for example, the Sarbanes-Oxley Act (the Public Company Accounting Reform and Investor Protection Act), including any amendments and/or successor Acts to any part of the Sarbanes-Oxley Act, or the like.

 In various embodiments, out-of-band change detection may be performed
20 to facilitate compliance with a number of laws, regulations, or guidelines, including but not limited to, the Gramm Leach Bliley Act, the regulations of Food and Drug Administration 21 Code of Federal Regulations 11, the Health Insurance Portability & Accountability Act, the Visa Cardholder Information Security Plan, the National Credit Union Administration Guidelines, the Office of the Comptroller of
25 the Currency Guidelines, or the like, including any amendments and/or successors to any of the above, or the like.

 In various embodiments, out-of-band change detection may be performed as part of an audit of an enterprise, including but not limited to, a financial accounting or statement audit. In some such embodiments, out-of-band change
30 detection may be performed to at least provide an audit trail for said audit.

 In various embodiments where out-of-band change detection is performed to maintain or demonstrate control of an enterprise's information technology infrastructure, financial systems or data, or business processes, use of out-of-

band change detection may occur in a number of areas, including but not limited to, access control, network security, auditing and monitoring of security-related events, or the like. In various embodiments where out-of-band change detection is performed to maintain or demonstrate control of an enterprise's information technology infrastructure, financial systems or data, or business processes, said maintenance or demonstration of control may include other aspects of an enterprise's information technology infrastructure, financial systems or data, or business processes, respectively.

In various embodiments where out-of-band change detection is performed as part of an audit of an enterprise, or to facilitate compliance with governmental laws/regulations, use of out-of-band change detection may occur in a number of areas, including but not limited to, access control, network security, auditing and monitoring of security-related events, or the like. In various other embodiments, where out-of-band change detection is performed as part of an audit of an enterprise, or to facilitate compliance with governmental laws/regulations, use of out-of-band change detection may include other aspects of an enterprise audit or regulatory compliance procedures, respectively.

In various embodiments, an apparatus to implement out-of-band change detection may comprise a change control subsystem adapted to identify one or more out-of-band changes of a data processing device of a data processing environment. In various embodiments, an apparatus to implement out-of-band change detection may comprise an audit subsystem coupled to the change control subsystem to provide an audit trail of events and/or users associated with the change. In various embodiments, each subsystem may include one or more modules adapted to implement their respective functions. In some embodiments, the audit subsystem may include a response definition module adapted to facilitate definition of one or more responses to the one or more detected out-of-band changes. In some embodiments, the audit subsystem may additionally or alternatively include other modules.

Figure 4 illustrates an example computer system suitable for use in association with out-of-band change detection, in accordance with various embodiments of this invention. As shown, computer system **400** may include one or more processors **402** and may include system memory **404**. Additionally,

computer system **400** may include mass storage **406** in the form of one or more devices (such as diskette, hard drive, CDROM and so forth), input/output devices **408** (such as keyboard, cursor control and so forth) and communication interfaces **410** (such as network interface cards, modems and so forth). The elements may
5 be coupled to each other via system bus **412**, which may represent one or more buses. In the case where system bus **412** represents multiple buses, the multiple buses may be bridged by one or more bus bridges (not shown).

These elements each perform their conventional functions known in the art. In various embodiments, communication interfaces **410** may facilitate coupling of
10 computing system **400** to a network, through which computing system **400** may be coupled to data processing device **102** of **Fig. 1** and so forth, as necessary. In various embodiments, computing system **400** may at least be partially incorporated in a data processing device, such as data processing device **102** of
15 **Fig. 1**. System memory **404** and mass storage **406** may be employed to store a working copy and a permanent copy of the programming instructions implementing various aspects of the one or more earlier described modules of the present invention. The permanent copy of the programming instructions may be loaded into mass storage **406** in the factory or in the field, through a distribution medium (not shown), or through communication interface **410** from, for example, a
20 distribution server (not shown). The constitution of these elements **402-412** are known, and accordingly will not be further described. In alternate embodiments, part or all of the one or more modules may be implemented in hardware, for example, using one or more Application Specific Integrated Circuits (ASICs) instead.

25 Thus, it can be seen from the above description, an automated method for facilitating management of a data processing environment is described. In various embodiments, the method may include facilitating creation of a first memorialization, in digital form, of one or more changes detected on a data processing device of the data processing environment. In various embodiments,
30 the method may further include facilitating comparison of the first memorialization to a second memorialization of one or more in-band changes that should have been made to the data processing device to facilitate detection of one or more out-of-band changes to the data processing device. Other embodiments

of the present invention may include, but are not limited to, apparatus adapted to facilitate practice of the above-described method. While the present invention has been described in terms of the foregoing embodiments, those skilled in the art will recognize that the invention is not limited to the embodiments described.

- 5 Other embodiments may be practiced with modification and alteration within the spirit and scope of the appended claims. Accordingly, the description is to be regarded as illustrative instead of restrictive.

CLAIMS

What is claimed is

1. An automated method for facilitating management of a data processing environment comprising:

5 facilitating creation in digital form, a first memorialization of one or more changes detected on a data processing device of the data processing environment; and

 facilitating comparison of the first memorialization to a second memorialization of one or more in-band changes that should have been made to
10 the data processing device to facilitate detection of one or more out-of-band changes to the data processing device.

2. The method of claim 1, wherein said facilitating detection of one or more out-of-band changes comprises facilitating determination of a subset of changes
15 of the first memorialization not included in the second memorialization.

3. The method of claim 1, wherein said facilitating creation comprises facilitating automated comparison of a first state of the data processing device to a second state of the data processing device to create a first file of first one or more
20 records of the one or more detected changes to the data processing device.

4. The method of claim 3, wherein the second state is a current baseline state of the data processing device, and the method further comprises obtaining the first state of the data processing device.
25

5. The method of claim 3, wherein the second memorialization comprises a second file of second one or more records of the one or more in-band changes that should have been made to the data processing device, and said facilitating comparison of the first memorialization to the second memorialization comprises
30 facilitating automated comparison of the first file of first one or more records to the second file of second one or more records.

6. The method of claim 1, wherein said facilitating detection comprises facilitating correlation of a first change to a software of the data processing device in the first memorialization, to one of the one or more in-band changes in the second memorialization, the second memorialization having been created by a
5 vendor of the software.

7. The method of claim 1, wherein said facilitating detection comprises facilitating correlation of a first change to a data of the data processing device in the first memorialization, to one of the one or more in-band changes in the second
10 memorialization, the second memorialization having been created by a vendor owner of the data.

8. The method of claim 1, wherein the method further comprises facilitating definition in digital form, one or more responses to the one or more detected out-
15 of-band changes.

9. The method of claim 8, wherein the one or more responses include an automatic remediation or alert response to at least one of the one or more detected out-of-band changes.
20

10. The method of claim 8, wherein the one or more responses include a no-action automatic approval response to at least one of the one or more detected out-of-band changes.

25 11. The method of claim 1, wherein said facilitating comparison is further performed to determine whether all of the in-band changes have indeed been made to the data processing device.

12. The method of claim 11, wherein the method further comprises updating a
30 baseline state of the data processing device to include in-band changes that indeed have been made to the data processing device.

13. The method of claim 1, wherein a software distribution or updating agent made the one or more in-band changes to the data processing device.

14. The method of claim 1, where a data change agent made the one or more
5 in-band changes to the data processing device.

15. The method of claim 1, where an access rights management agent made the one or more in-band changes to the data processing device.

10 16. The method of claim 1, wherein the facilitating creation and the facilitating comparison are first performed at a first point in time, and the method further comprises repeating the facilitating creation and the facilitating comparison at least once, at a second later point in time.

15 17. The method of claim 16, further comprising scheduling the repeating of the facilitating creation and the facilitating comparison at the second later point in time.

18. The method of claim 1, wherein the data processing device is a device
20 selected from the group consisting of a networking device, a server, a desktop computer, a laptop computer, a tablet computer, a personal digital assistant, a cellular phone, a set top box, and a media player.

19. The method of claim 1, wherein the method is performed to maintain or
25 demonstrate control of an enterprise's information technology infrastructure.

20. The method of claim 1, wherein the method is performed to maintain or demonstrate control of an enterprise's financial systems or data.

30 21. The method of claim 1, wherein the method is performed to maintain or demonstrate control of an enterprise's business processes.

22. The method of claim 1, wherein the method is performed as part of an audit of an enterprise.

23. The method of claim 22, wherein the method is performed to at least
5 provide an audit trail for said audit.

24. The method of claim 1, wherein the method is performed to facilitate compliance with governmental laws/regulations regarding establishment and maintenance of an internal control structure and/or procedures for financial
10 reporting.

25. An apparatus comprising:
a memorialization module adapted to facilitate creation in digital form, a first memorialization of one or more changes detected on a data processing device;
15 and
a comparison module operatively coupled to the memorialization module to facilitate comparison of the first memorialization to a second memorialization of one or more in-band changes that should have been made to the data processing device to facilitate detection of one or more out-of-band changes to the data
20 processing device.

26. The apparatus of claim 25, wherein said comparison module is adapted to facilitate determination of whether any of the detected changes of the first memorialization is not included in the second memorialization.
25

27. The apparatus of claim 25, wherein said memorialization module is adapted to facilitate comparison of a first state of the data processing device to a second state of the data processing device to create a first file of first one or more records of the application of the first one or more changes to the data processing
30 device.

28. The apparatus of claim 27, wherein the second memorialization comprises a second file of second one or more records of the one or more in-band changes

that should have been made to the data processing device, and the detection module is adapted to automatically compare the first file of first one or more records to the second file of second one or more records.

5 29. The apparatus of claim 27, wherein the memorialization module is adapted to obtain the first and/or second state of the data processing device.

10 30. The apparatus of claim 29, wherein the memorialization module comprises a client portion downloadable onto the data processing device to obtain the first state of the data processing device.

15 31. The apparatus of claim 25, wherein the apparatus further comprises a response definition module adapted to facilitate definition of one or more responses to the one or more detected out-of-band changes.

32. The apparatus of claim 31, wherein the one or more responses include an automatic remediation or alert response to at least one of the one or more detected out-of-band changes.

20 33. The apparatus of claim 31, wherein the one or more responses include a no-action automatic approval response to at least one of the one or more detected out-of-band changes.

25 34. The apparatus of claim 25, wherein the comparison module is further adapted to determine whether all of the in-band changes have indeed been made to the data processing device.

30 35. The apparatus of claim 34, further comprising an update module adapted to update a baseline state of the data processing device to include in-band changes that indeed have been made.


36. The apparatus of claim 25, wherein the apparatus comprises one or more servers adapted to operate the memorialization and comparison modules.

37. The apparatus of claim 25, wherein the memorialization and comparison modules are adapted to maintain or demonstrate control of one or more selected from the group consisting of an enterprise's information technology infrastructure,
5 an enterprise's financial systems, an enterprise's financial data, and an enterprise's business processes.


38. An apparatus comprising:
a change control subsystem adapted to identify one or more out-of-band
10 changes of a data processing device of a data processing environment; and
an audit subsystem coupled to the change control subsystem to provide an audit trail of events and/or users associated with the change.

39. The apparatus of claim 38, wherein the audit subsystem includes a
15 response definition module adapted to facilitate definition of one or more responses to the one or more detected out-of-band changes.


1/4

**Fig. 1**


2/4

**Fig. 2**

3/4

**Fig. 3**

4/4

**Fig. 4**