



(12) **United States Design Patent**
Brunner

(10) **Patent No.:** **US D1,069,180 S**
(45) **Date of Patent:** **** *Apr. 1, 2025**

(54) **HOLDER FOR A POST**
(71) Applicant: **Worxsafe AB**, Östersund (SE)
(72) Inventor: **Sima Brunner**, Ås (SE)
(73) Assignee: **Worxsafe AB** (SE)
(*) Notice: This patent is subject to a terminal disclaimer.
(**) Term: **15 Years**
(21) Appl. No.: **29/890,275**
(22) Filed: **Apr. 21, 2023**
(51) **LOC (15) Cl.** **25-02**
(52) **U.S. Cl.**
USPC **D25/133**
(58) **Field of Classification Search**
USPC D25/38, 38.1, 42, 43, 48, 35, 11, 46,
D25/125-136, 119; D8/388, 380, 381,
D8/382, 400, 402, 409, 355, 356, 363,
D8/374, 354, 394, 383, 74; D3/10;
D13/155, 102, 118, 154, 184, 199;
D21/484, 500, 504
CPC ... A47B 96/061; A47C 19/027; A47C 19/005;
A47G 7/045; A62B 1/04; A62B 35/04;
A62B 35/0075; A62B 35/0025; A62B
35/0068; A62B 35/0062; A62B 35/0056;
A62B 35/0081; B60S 9/22; E01F 9/61;
E01F 9/608; E01F 9/644; E01F 9/685;
E01F 9/681; E01F 9/635; E02D 27/42;
E04C 5/20; E04G 5/045; E04G 5/14;
E04G 5/145; E04G 11/38; E04G 11/483;
E04G 17/18; E04G 17/002; E04G 21/32;
E04G 21/3223; E04G 21/3276; E04G
21/3214; E04G 21/3233; E04G 21/3242;
E04G 21/3295; E04G 21/3261; E04G
21/3204; E04H 12/2269; E04H 12/2261;
F16B 2/12;

(Continued)

(56) **References Cited**
U.S. PATENT DOCUMENTS
3,841,609 A * 10/1974 Smith E04G 21/3233
256/65.14
4,612,740 A * 9/1986 Yamamoto A47B 97/00
248/225.11

(Continued)

FOREIGN PATENT DOCUMENTS
KR 301049018.0000 * 3/2020

OTHER PUBLICATIONS
Affix, posted Aug. 17, 2022 [online], [retrieved Aug. 20, 2024].
Retrieved from internet, <https://www.affixscaffolding.com/slab-clamp/>, (verified with Google AI) (Year: 2022).*


Primary Examiner — Brett Miller
Assistant Examiner — Sara Michie Pottenger
(74) *Attorney, Agent, or Firm* — Condo Roccia Koptiv
LLP

(57) **CLAIM**
The ornamental design for a holder for a post as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a holder for a post according to the present invention;
FIG. 2 is a bottom perspective view of FIG. 1;
FIG. 3 is a front view of FIG. 1;
FIG. 4 is a rear view of FIG. 1;
FIG. 5 is a side view of FIG. 1;
FIG. 6 is a side view of FIG. 1;
FIG. 7 is a top view of FIG. 1; and,
FIG. 8 is a bottom view of FIG. 1.
The broken line showing is included for the purpose of illustrating unclaimed subject matter and forms no part of the claimed design.

(Continued)



The shade line showing is included for the purpose of illustrating contour and not surface ornamentation.

1 Claim, 8 Drawing Sheets

(58) Field of Classification Search

CPC F16B 2/08; F16B 9/052; F16B 2200/30;
F16C 29/02; F16L 3/16

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

4,669,577 A * 6/1987 Werner E04G 21/3242
248/231.71
5,029,670 A * 7/1991 Whitmer A62B 35/0056
256/53
D324,286 S * 2/1992 Nudd D34/31
D344,447 S * 2/1994 Kuehl D11/182
D397,453 S * 8/1998 Dahlin D25/131
D418,033 S * 12/1999 Svedberg D8/72
D458,389 S * 6/2002 Abbestam D25/133

D480,239 S * 10/2003 Risdall D6/709.21
6,679,482 B2 * 1/2004 Allenbaugh E04G 21/3242
248/231.71
D487,161 S * 2/2004 Svedberg D25/131
D574,220 S * 8/2008 Svedberg D8/349
7,503,529 B2 * 3/2009 Bartelsmeyer A47C 19/027
248/354.3
D592,929 S * 5/2009 Svedberg D8/72
D600,363 S * 9/2009 Svedberg D25/133
8,398,036 B2 * 3/2013 Svedberg E04G 21/3223
52/146
9,631,371 B2 * 4/2017 Suggate E04F 11/002
10,689,866 B2 * 6/2020 Baca E04G 5/14
D962,854 S * 9/2022 Dreyer H02S 30/10
D13/102
11,484,735 B2 * 11/2022 Wilson E04G 21/329
D975,318 S * 1/2023 Herbertsson D25/126
D1,037,832 S * 8/2024 Huang D12/162
D1,037,833 S * 8/2024 Huang D12/162
2003/0042072 A1 * 3/2003 Murray E04G 21/3242
182/113
2015/0157885 A1 * 6/2015 Liu E04G 21/32
182/3
2022/0049510 A1 * 2/2022 Charitou E04G 17/002
2022/0304468 A1 * 9/2022 Hoyt F16M 13/02

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8