



US00D759884S

(12) **United States Design Patent**
Huang et al.

(10) **Patent No.:** **US D759,884 S**

(45) **Date of Patent:** **** Jun. 21, 2016**

(54) **LED ENCAPSULATION STRUCTURE**

(71) Applicant: **HON HAI PRECISION INDUSTRY CO., LTD.**, New Taipei (TW)

(72) Inventors: **Gwo-Yan Huang**, New Taipei (TW);
Chien-Liang Chen, New Taipei (TW);
Der-Ho Chi, New Taipei (TW)

(73) Assignee: **HON HAI PRECISION INDUSTRY CO., LTD.**, New Taipei (TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/512,051**

(22) Filed: **Dec. 16, 2014**

(51) **LOC (10) Cl.** **26-99**

(52) **U.S. Cl.**
USPC **D26/113**

(58) **Field of Classification Search**
USPC D26/2, 28, 60, 72, 89, 104, 113, 118,
D26/119, 120, 122, 124, 128, 138, 142, 143,
D26/145; D13/102, 103, 107, 108, 179,
D13/180; D10/18, 21, 24, 25, 27, 28, 46,
D10/93, 104.1, 106, 113, 116.1
CPC H01L 2224/48137; F21V 29/006;
F21V 9/08; F21V 9/12; F21V 14/02; F21V
21/08; F21V 21/14; F21V 21/22; F21V 21/29;
F21V 21/30; F21V 23/0442; F21V 23/0492;
F21V 23/04; F21V 33/0052; F21Y 2101/02;
F21Y 2103/00; F21Y 2103/025; F21Y
2105/00; F21K 9/00; F21S 2/005; F21S
4/008; F21S 8/035; F21S 8/038; F21S 9/022;
F21S 10/00; F21S 10/002; F21W 2121/00;
G01S 3/7864; H04N 5/2252; H04N 5/23241;
H04N 7/181; Y02B 10/30; Y10S 362/80
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,558,599 A * 6/1951 Wiles G08G 1/095
220/327

D291,928 S * 9/1987 Morten D26/76
D312,319 S * 11/1990 Kunz D10/111
D390,835 S * 2/1998 Mayfield, III D13/184
D408,226 S * 4/1999 Hollinger D7/622
D427,454 S * 7/2000 Munch D13/184
D478,435 S * 8/2003 Brownfield D6/675
D491,686 S * 6/2004 Citterio D26/72
D524,740 S * 7/2006 Witte D13/134
D569,344 S * 5/2008 Kawasaki D13/134
D576,117 S * 9/2008 Shin D13/180
7,431,482 B1 * 10/2008 Morgan F21S 2/005
362/249.07
D580,086 S * 11/2008 Condon D26/72
D595,875 S * 7/2009 Irvine D26/24

(Continued)

OTHER PUBLICATIONS

High-Power LED, image post date Aug. 2014, site visited Feb. 16, 2016, (online), <<http://ieeexplore.ieee.org/stamp/stamp.jsp?arnumber=6845354>>.*

(Continued)

Primary Examiner — Kevin Rudzinski
Assistant Examiner — Sean D Lough
(74) *Attorney, Agent, or Firm* — ScienBiziP, P.C.


(57) **CLAIM**

The ornamental design for an LED encapsulation structure, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the LED encapsulation structure;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a left-side elevation view thereof;
FIG. 5 is a right-side elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D607,853 S * 1/2010 Kong D13/180
 D608,308 S * 1/2010 Hsieh D13/180
 D610,100 S * 2/2010 Chang D13/180
 D610,558 S * 2/2010 Hsieh D13/180
 D611,010 S * 3/2010 Hsieh D13/180
 D621,801 S * 8/2010 Hsieh D13/180
 D622,231 S * 8/2010 Sung D13/180
 D624,233 S * 9/2010 Sun D26/116
 D630,777 S * 1/2011 Lee D13/180
 D633,244 S * 2/2011 Kramer D26/80
 D646,424 S * 10/2011 Ho D26/85
 D654,211 S * 2/2012 Melzner D26/118
 D657,343 S * 4/2012 Cho D14/188
 D664,104 S * 7/2012 Hsu D13/180
 D664,107 S * 7/2012 Wang D13/180
 D668,622 S * 10/2012 Akagawa D13/180
 D668,624 S * 10/2012 Ko D13/180
 D670,663 S * 11/2012 Ko D13/180
 D672,081 S * 12/2012 Sprengers D26/85
 D677,423 S * 3/2013 Reddy D26/128
 D678,225 S * 3/2013 Ko D13/180
 D686,363 S * 7/2013 Smith D26/118
 D696,637 S * 12/2013 Akagawa D13/180
 D702,393 S * 4/2014 Ansierowicz D26/89
 D703,719 S * 4/2014 Boyle D16/237
 D703,863 S * 4/2014 Cho D26/113
 D706,974 S * 6/2014 Nikayin D26/138
 D710,316 S * 8/2014 Ikeda D13/180
 D713,819 S * 9/2014 Millen D14/211
 D718,726 S * 12/2014 Lo D13/180
 D721,056 S * 1/2015 Lee D14/210
 D727,553 S * 4/2015 Tien D26/89
 D728,480 S * 5/2015 Chang D13/134
 D728,492 S * 5/2015 Lin D13/180
 9,041,802 B2 * 5/2015 Choi H04N 5/2252
 348/143

D732,005 S * 6/2015 Davies D14/215
 9,060,109 B2 * 6/2015 Zhang H04N 5/2252
 D736,180 S * 8/2015 Paslawski D14/213
 D737,163 S * 8/2015 Yamamoto D10/106.6
 9,103,546 B2 * 8/2015 Almalki F21V 33/0048
 9,118,824 B2 * 8/2015 Vito H04N 5/2222
 D737,772 S * 9/2015 Eustace D13/134
 9,121,597 B2 * 9/2015 Snagel F21S 8/038
 D743,285 S * 11/2015 Wu D10/104.1
 9,179,055 B2 * 11/2015 Hooton H04N 5/2252
 9,197,121 B2 * 11/2015 Lee G03B 3/10
 D745,206 S * 12/2015 Clark D26/104
 D745,903 S * 12/2015 Armani D15/122
 9,222,655 B2 * 12/2015 Radermacher F21S 2/005
 D747,278 S * 1/2016 Murphy D13/179
 D747,324 S * 1/2016 Erickson D14/480.1
 D747,541 S * 1/2016 Dietel D26/141
 2003/0142499 A1 * 7/2003 Chiu F21S 2/005
 362/368
 2007/0285949 A1 * 12/2007 Lodhie F21S 8/038
 362/648
 2008/0126250 A1 * 5/2008 Chen G06Q 20/10
 705/44
 2011/0245626 A1 * 10/2011 Chen A61B 5/0002
 600/301

OTHER PUBLICATIONS

LED Diode, image post date 1984, site visited Feb. 16, 2016, (online), <http://www.alibaba.com/product-detail/5730-SMD-LED-Diode-5730-LED_60221802066.html>.*
 Leviton 16509-2PK light, image post date Jan. 8, 2014, site visited Feb. 16, 2016, (online), <<http://www.ebay.com/gds/Top-10-Night-Lights-For-your-Home-/1000000178078644/g.html>>.*
 Light made of overlapping boxes, image post date Jan. 31, 2011, site visited Feb. 16, 2016, (online), <<http://www.dwell.com/photo/16520/dlab-singapore-based-design-research-company-showed-spunky-new-light-made-overlapping-boxes-it-can>>.*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7