



US0D1033751S

(12) **United States Design Patent**
Cooper et al.

(10) **Patent No.:** **US D1,033,751 S**

(45) **Date of Patent:** **** Jul. 2, 2024**

- (54) **EAR PROTECTOR**
- (71) Applicant: **Defender Safety, Inc.**, Plainview, NY (US)
- (72) Inventors: **Dylan Maynard Cooper**, Cape Town (ZA); **George Alexis Hugo**, Cape Town (ZA)
- (73) Assignee: **DEFENDER SAFETY, INC.**, Plainview, NY (US)

D336,647	S *	6/1993	Yamazaki	D14/205
D375,584	S *	11/1996	Westerdal	D29/112
D385,665	S *	10/1997	Westerdal	D29/112
D403,126	S *	12/1998	Scanlon	D29/112
5,996,123	A *	12/1999	Leight	A61F 11/14 181/129
D427,382	S *	6/2000	Leight	D29/112
6,449,806	B1 *	9/2002	Engelhard	H04R 5/0335 381/376

(Continued)

- (**) Term: **15 Years**
- (21) Appl. No.: **29/865,872**
- (22) Filed: **Aug. 17, 2022**
- (51) **LOC (14) Cl.** **29-02**
- (52) **U.S. Cl.**
USPC **D29/112**
- (58) **Field of Classification Search**
USPC D29/100, 102, 105, 106, 108, 112, 122;
D14/205, 223; D2/870, 878, 891
CPC A42B 3/16; A42B 3/163; A42B 3/166;
A61F 11/06; A61F 11/08; A61F 11/10;
A61F 11/12; A61F 11/14; A61F
2011/085; H04R 1/10; H04R 1/1008;
H04R 1/1016; H04R 1/105; H04R
1/1058; H04R 1/1066; H04R 1/1075;
H04R 1/1083; H04R 5/0335; H04R
25/652; H04R 25/654; H04R 25/656;
A63B 71/10
See application file for complete search history.

OTHER PUBLICATIONS

Howard Leight by Honeywell Impact Sport Sound Amplification Electronic Shooting Earmuff, Teal, https://www.amazon.sg/Howard-Leight-Honeywell-Amplification-Electronic/dp/B00IB15S1Q/ref=zg_bs_g_6383247051_scll_21/356-9296681-1572141?th=1, Dec. 20, 2013. (Year: 2013).*

(Continued)

Primary Examiner — Elizabeth J Oswecki
(74) Attorney, Agent, or Firm — Tutunjian & Bitetto, P.C.

(57) **CLAIM**


The ornamental design for an ear protector, as shown and described.

DESCRIPTION

FIG. 1 is a front, bottom perspective view of an ear protector, showing our new design;
FIG. 2 is a right side view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is rear view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is a front perspective view thereof, shown in a used condition with a head set shown in broken lines.
The broken lines in the drawings depict structure that forms no part of the claimed design.

1 Claim, 7 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
- | | | | | | |
|-----------|-----|---------|-----------|-------|-----------------------|
| 2,883,671 | A * | 4/1959 | Hornickel | | A61F 11/14
D29/112 |
| 3,051,961 | A * | 9/1962 | Clark | | A61F 11/14
181/129 |
| D239,787 | S * | 5/1976 | Lonnstedt | | D29/112 |
| 5,068,923 | A * | 12/1991 | Sjoqvist | | A61F 11/14
181/129 |






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8