



US00D928443S

(12) **United States Design Patent**
Olmstead et al.

(10) **Patent No.:** **US D928,443 S**

(45) **Date of Patent:** **** Aug. 17, 2021**

(54) **CONVEYOR FRAME**

(71) Applicant: **Precision, Inc.**, Pella, IA (US)

(72) Inventors: **Rocky Olmstead**, Whittemore, IA (US);
William Robert Casey, III, San Antonio, TX (US)

(73) Assignee: **Precision, Inc.**, Pella, IA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/652,316**

(22) Filed: **Jul. 17, 2020**

Related U.S. Application Data

(62) Division of application No. 29/666,468, filed on Oct. 12, 2018, now Pat. No. Des. 899,022.

(51) **LOC (13) Cl.** **12-05**

(52) **U.S. Cl.**

USPC **D34/29**

(58) **Field of Classification Search**

USPC D34/29, 35

CPC B65G 15/64; B65G 17/40; B65G 21/00;
B65G 21/06; B65G 2203/042

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|-----------|----|---------|-------------------|
| 5,351,807 | A | 10/1994 | Svejkovsky |
| 5,409,101 | A | 4/1995 | Ahmed et al. |
| 5,794,757 | A | 8/1998 | Svejkovsky et al. |
| 5,979,640 | A | 11/1999 | Horton |
| 6,189,683 | B1 | 2/2001 | Svejkovsky et al. |
| 6,357,579 | B1 | 3/2002 | Patterson et al. |
| 6,415,911 | B1 | 7/2002 | Svejkovsky et al. |
| 6,464,070 | B1 | 10/2002 | Morinaka et al. |
| 6,991,091 | B2 | 1/2006 | Thomson et al. |
| 7,387,198 | B2 | 6/2008 | Thomson |
| 7,650,986 | B2 | 1/2010 | Kwasniewicz |

| | | | |
|-----------|----|---------|---------------------|
| 7,975,835 | B2 | 7/2011 | Pax |
| 8,066,114 | B2 | 11/2011 | Svejkovsky et al. |
| 8,561,788 | B2 | 10/2013 | Knodell, Jr. et al. |
| 8,752,695 | B2 | 6/2014 | Kwasniewicz et al. |
| 9,027,744 | B1 | 5/2015 | Balcar |
| 9,126,765 | B2 | 9/2015 | Groenewald et al. |
| 9,452,890 | B2 | 9/2016 | Spaulding et al. |
| 9,776,805 | B2 | 10/2017 | Groenewald |
| D866,908 | S | 11/2019 | Friesen |

(Continued)

Primary Examiner — Cynthia Ramirez

(74) *Attorney, Agent, or Firm* — Armstrong Teasdale LLP

(57) **CLAIM**

We claim the ornamental design for a conveyor frame, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a conveyor frame showing the new design.

FIG. 2 is another top perspective view of the conveyor frame of FIG. 1.

FIG. 3 is another top perspective view of the conveyor frame of FIG. 1.

FIG. 4 is another top perspective view of the conveyor frame of FIG. 1.

FIG. 5 is a bottom perspective view of the conveyor frame of FIG. 1.

FIG. 6 is another bottom perspective view of the conveyor frame of FIG. 1.

FIG. 7 is right side view of the conveyor frame of FIG. 1.


FIG. 8 is a left side view of the conveyor frame of FIG. 1.

FIG. 9 is a front view of the conveyor frame of FIG. 1.

FIG. 10 is a rear view of the conveyor frame of FIG. 1.

FIG. 11 is a top view of the conveyor frame of FIG. 1; and, FIG. 12 is a bottom view of the conveyor frame of FIG. 1. The broken lines in the figures show portions of the conveyor frame, which form no part of the claimed design.

1 Claim, 11 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | | |
|--------------|----|---|---------|--------------------|--------|
| D899,022 | S | * | 10/2020 | Olmstead | D34/29 |
| 2004/0251115 | A1 | | 12/2004 | Spoeleer | |
| 2005/0081480 | A1 | | 4/2005 | Gerke | |
| 2008/0041494 | A1 | | 2/2008 | Paavola | |
| 2009/0000923 | A1 | | 1/2009 | Jager | |
| 2009/0250322 | A1 | | 10/2009 | Jager | |
| 2010/0213032 | A1 | | 8/2010 | Bugge | |
| 2017/0001804 | A1 | | 1/2017 | Bettati | |
| 2017/0088031 | A1 | | 3/2017 | Baker et al. | |
| 2020/0039752 | A1 | | 2/2020 | Massey, Jr. et al. | |
| 2020/0115165 | A1 | | 4/2020 | Olmstead et al. | |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12