



US00D508768S

(12) **United States Design Patent**
Safdieh

(10) **Patent No.:** **US D508,768 S**

(45) **Date of Patent:** **** Aug. 30, 2005**

(54) **KEY CHAIN DEVICE**

(75) Inventor: **Abe Safdieh**, New York, NY (US)

(73) Assignee: **Townley, Inc.**, New York, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/206,880**

(22) Filed: **Jun. 4, 2004**

(51) **LOC (8) Cl.** **03-01**

(52) **U.S. Cl.** **D3/211; D21/617**

(58) **Field of Search** D3/207-212; 206/37.1,
206/38.1; D21/617; 150/147; 70/456 R,
456 B, 458, 459; 24/3 K, 3.6; D16/100;
D26/38

(56) **References Cited**

U.S. PATENT DOCUMENTS

D375,910	S	*	11/1996	Tsui		D10/106
D376,115	S	*	12/1996	Tsui		D10/106
D398,775	S	*	9/1998	Fritsche		D3/211
D469,602	S	*	2/2003	Fritsche		D3/211
D479,394	S	*	9/2003	Kramer et al.		D3/208

* cited by examiner

Primary Examiner—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Ezra Sutton, Esq.

(57) **CLAIM**

The ornamental designs for a key chain device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of a key chain device embodying my new design;

FIG. 2 is a front exploded view of the first embodiment of the key chain device embodying my new design;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof;


FIG. 7 is a top view thereof; and,

FIG. 8 is a bottom view thereof.

FIG. 9 is a front perspective view of a second embodiment of a key chain device embodying my new design; and

FIG. 10 is a front perspective view of the second embodiment of the key chain device embodying my new design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10